Style Sheet Selectors

Agenda

1. Different CSS selectors
2. CSS properties
3. Special styles

1. Different CSS selectors

- CSS selectors help in selecting the different elements on the HTML page on which style rule can be applied.
  1. Element type selectors:
     p { color: green; }
  2. Universal selectors:
     * { border: 1px solid blue;}
  3. Class selectors:
     .highlight { background-color: gray; }
  4. Id selectors:
     #content { margin: 5px }
  5. Group selectors:
     h1, h2, h3, h4, h5 { text-align: center }

1. Different CSS selectors

6. Selection based on attributes:
   ```
   [target='_blank'] { text-decoration: none}
   ```
7. Selecting child elements:
   ```
   div p { color: blue}
   ```
8. Selecting direct child elements:
   ```
   div > p { color: blue}
   ```
9. Selecting next sibling:
   ```
   div + p { color: blue}
   ```
10. Pseudo selectors:
    ```
    button:hover {
      background-color: blue;
    }
    ```

1. Different CSS selectors

- All different types of selectors will help in selecting multiple elements together so that applying different styles become more easy

2. CSS Properties

- CSS supports various different properties which will control the appearance of various elements including fonts, colors, alignments, layout etc
- Font properties:
  - These properties control font related settings of HTML elements
  - Example:
    <p style="font-family:Arial;font-size:18px;font-weight: bolder;">
- Text properties
  - Common text properties include color, text-align, text-decoration, text-indent, and text-transform.
  - Example:
    <p style="color: blue; text-align:center;text-decoration:undeline">

2. CSS Properties

OBJECT™ TECHNOLOGIES

- List properties:
  - Allow to manage list bullet and numbering types
  - Example:
    <ol style="list-style-type: upper-alpha;">
- Border properties:
  - These properties control how the elements should get border.
  - Example:

- Other properties
  - Many other properties which control the appearance of the element in many different ways
  - Example:
    <p style="text-shadow: 3px 3px 5px blue ">

3. Special styles

OBJECT™ TECHNOLOGIES

- Few styles need to be incorporated on the web page very often like:

- Managing background of the page:
  - CSS offers a variety of properties to customize the background appearance of elements. These properties control aspects such as color, images, and positioning.
  - background: #f0f0f0 url("image.jpg") no-repeat center top;

- Managing spaces around elements:
  - Margin and padding are fundamental CSS properties that control the spacing around and within elements, respectively. They are useful for organized layouts.
  - Can be left from all 4 sides

3. Special styles

- Columnar output
  - float and clear CSS properties will help to float two elements side by side.
  - It creates the content which gets look like newspaper content

- Layering elements on one another
  - Using positioning and the z-index property in CSS allows to display overlapping content on the web page.
  - The z-index property specifies which element to be placed in front or behind other elements when they are overlapped on one another.