



Bootstrap styling

1. Default setting
2. Contextual classes
3. Styling tables
4. Styling images
5. Styling buttons

- Bootstrap uses default settings for few elements like heading, paragraph etc.
- Default styling for heading
 - HTML headings (<h1> to <h6>) with a bolder font-weight and a responsive font-size.
 - Even classes h1 to h6 are available for styling
- Display heading
 - Display headings use classes display-1 to display-6.
 - It displays in larger font-size but lighter font-weight.
- Paragraph styles
 - Global default font-size is 16px, with a line-height of 24px
 - Margin-bottom of 1rem(16 px)

- Text alignment
 - Available classes for text-alignment are text-start, text-center, text-end.
- Text formatting
 - All text formatting tags are similar like in HTML 5.
- Text transformation
 - Allows to transform the text to lowercase, uppercase or make them capitalize using classes as text-lowercase, text-uppercase, text-capitalize.

- They are used to provide "meaning through colors"
- Managing text color
 - Different classes are available which gives a specific color to the text
 - i. text-primary: blue
 - ii. text-danger: red
 - iii. text-success: green
 - iv. text-muted: gray
- Managing background color
 - Different classes are available which gives a background color.
 - For classes replace text word with bg like bg-primary

- Background with contrast text color
 - When any background color is applied, text may not get displayed properly because of its existing color
 - Bootstrap provides some classes which allow to format background and text color simultaneously using `.text-bg-color` classes.
 - Example
 - i. `text-bg-primary`: blue background with white text
 - ii. `text-bg-warning`: orange background with black text

- Creating a Simple Table with Bootstrap
 - Bootstrap's class `.table` creates table with basic styling that has horizontal dividers and small cell padding
- Table with different styles
 - Additional table styles can be applied by using additional classes on top of `.table` class.
 - i. Using contextual class : `<table class="table table-dark">`
 - ii. Using zebra striping : `<table class="table table-striped">`
 - iii. Using borders on all sides : `<table class="table table-bordered">`
 - iv. No borders for the table : `<table class="table table-borderless">`
 - v. Table with hover effect : `<table class="table table-hover">`
- Responsive tables allow for horizontal scrolling

- Styling images and placing it properly on the web pages is very important
- Bootstrap built-in classes for styling images
 - rounded
 - rounded-circle
 - img-thumbnail
- Responsive images
 - Class .img-fluid will make image responsive
 - Image scales nicely in the given space if the width of the image is larger than the containing element itself.
- Horizontal alignment of images
 - .text-center and .text-end: used on the parent container to align the inline images horizontally center and right.
 - .float-start and .float-end: used for left and right alignment in a larger box

- Basic styling
 - Basic styling with `.btn` class
 - It is applied normally to the `<a>`, `<input>`, and `<button>` elements for the best rendering.
 - On top of basic styling, other styles like `btn-primary`, `btn-secondary`, `btn-link` can be used
- Outline buttons
 - Buttons can be created by having only outline borders by using classes like `btn-outline-primary`
- Changing size of buttons
 - An extra class `.btn-lg` or `.btn-sm` for changing size
- Block level buttons
 - Occupy entire width of parent element by enclosing button element in `div` element with class as `d-grid`