



HTML and basic tags

1. Introduction and Structure of HTML
2. HTML basic tags
3. Text formatting tags
4. Handling images

- HTML stands for **H**ypertext **M**arkup **L**anguage, and it is the most widely used language to write Web Pages.
- HTML uses standard tags which tells the browser how the content gets displayed in the browser

- A web ot HTML page is structured as follows:
DOCTYPE
html
head
body
- DOCTYPE: DOCTYPE declaration is the first optional line
- html: It is the root element of html document.
- head: The head element contains metadata
- body: Everything that is visible in the browser is contained in he body section

- There are few tags that are required very frequently in any web page.
 - Heading tags: There are h1 to h6 elements which are used for creating titles or subtitles
 - Paragraph tags: Block level element for displaying paragraph of text
 - Line breaking: Empty element to make the content move to the next line
 - Anchor tag:
 - It is used to define hyperlink
 - Anchor tags are used to create bookmarks for jumping to specific part of web page

- Few tags in HTML are used to highlight word or group of words to catch the attention of end user.
- Examples of such tags:
 - `b`
 - `i`
 - `u`
 - `mark`
 - `q`
 - `sup`
 - `sub`
 - `blockquote`

- `<img>` tag is used to insert an image into an HTML document.
- Important attributes of `img` elements are:
 - `src`
 - `alt`
 - `height`
 - `width`
- Images can be displayed as hyperlinks by nesting `<img>` element within `<a>` element.