



List and table

1. Lists in HTML
2. Creating tables
3. HTML frames
4. Use of iframes

- Lists in HTML are used for displaying the contents as lists of elements.
- There are three different types of HTML lists:
 - Ordered List or Numbered List (ol)
 - Unordered List or Bulleted List (ul)
 - Description List or Definition List (dl)
- List items can contain new list, and other HTML elements, like images and links, etc.

- `<table>` tag(element) is used for displaying data in tabular fashion.
- Table rows are created using `<tr>` and table cells are created using `<td>` elements. `<td>` can have any HTML element nested within it.
- Important attributes used are: border, cellpadding, cellspacing, height, width, rowspan, colspan etc.
- `<caption>` element(tag) is used to specify a caption for tables.
- Table rows can be grouped into a head, foot, and body sections through the `<thead>`, `<tfoot>` and `<tbody>` elements.

- HTML frames are used to divide the browser window into multiple independent sections, each displaying a separate HTML document.
- `<frameset>` and `<frame>` tags are used for creating frames in HTML page.
- `frameName` can be used as target for anchor tag.
- As `frameset` is used by removing body section, HTML page containing `frameset` can not have its own content

- Frames in HTML have certain limitations:
 - HTML pages displayed in frames can not be bookmarked
 - Some browsers may not support frames
 - HTML5 does not support frames
- The <iframe> tag specifies an inline frame.
- An inline frame is used to embed another document within the current HTML document.
- The name attribute in an <iframe> element can be used as target for hyperlinks.