



Style Sheet Selectors

1. Different CSS selectors
2. CSS properties
3. Special styles

- CSS selectors help in selecting the different elements on the HTML page on which style rule can be applied.
 1. Element type selectors:
`p { color: green; }`
 2. Universal selectors:
`* { border: 1px solid blue; }`
 3. Class selectors:
`.highlight { background-color: gray; }`
 4. Id selectors:
`#content { margin: 5px }`
 5. Group selectors:
`h1, h2, h3, h4, h5 { text-align: center }`

6. Selection based on attributes:

```
[target='_blank'] { text-decoration: none}
```

7. Selecting child elements:

```
div p { color: blue}
```

8. Selecting direct child elements:

```
div > p { color: blue}
```

9. Selecting next sibling:

```
div + p { color: blue}
```

10. Pseudo selectors:

```
button:hover {  
  background-color: blue;  
}
```

- All different types of selectors will help in selecting multiple elements together so that applying different styles become more easy

- CSS supports various different properties which will control the appearance of various elements including fonts, colors, alignments, layout etc
- Font properties:
 - These properties control font related settings of HTML elements
 - Example:
`<p style="font-family:Arial;font-size:18px;font-weight:bold;">`
- Text properties
 - Common text properties include color, text-align, text-decoration, text-indent, and text-transform.
 - Example:
`<p style="color: blue; text-align:center;text-decoration:underline">`

- List properties:
 - Allow to manage list bullet and numbering types
 - Example:
`<ol style="list-style-type: upper-alpha;">`
- Border properties:
 - These properties control how the elements should get border.
 - Example:
`<div style="border-bottom: 2px solid blue; border-top: 2px solid green">`
- Other properties
 - Many other properties which control the appearance of the element in many different ways
 - Example:
`<p style="text-shadow: 3px 3px 5px blue ">`

- Few styles need to be incorporated on the web page very often like:
- Managing background of the page:
 - CSS offers a variety of properties to customize the background appearance of elements. These properties control aspects such as color, images, and positioning.
 - `background: #f0f0f0 url("image.jpg") no-repeat center top;`
- Managing spaces around elements:
 - Margin and padding are fundamental CSS properties that control the spacing around and within elements, respectively. They are useful for organized layouts.
 - Can be left from all 4 sides

- Columnar output
 - float and clear CSS properties will help to float two elements side by side.
 - It creates the content which gets look like newspaper content
- Layering elements on one another
 - Using positioning and the z-index property in CSS allows to display overlapping content on the web page.
 - The z-index property specifies which element to be placed in front or behind other elements when they are overlapped on one another.