



# jQuery Effects

1. Hiding
2. Sliding
3. Fading
4. Animation

- To control the visibility of elements on a web page, methods used in jQuery are `hide()`, `show()` and `toggle()`.
- First parameter as speed and second parameter as callback function.
- Both parameters are optional
- Speed can have value as “slow”, “fast” or no of milliseconds
- Callback function gets executed when effect gets completely executed
- `toggle()` is a combination of `hide()` and `show()`

- Used to create sliding effects to hide or show elements with a smooth animation
- This effect is similar like raising and lowering the curtain
- Parameters are similar like hiding effect
- Functions used are:
  - `slideUp()`: hiding the content
  - `slideDown()`: showing the content
  - `slideToggle()`: combination for `slideUp()` and `slideDown()`

- Fading effect allows elements to gradually appear or disappear on the page.
- It gradually increases or decreases the opacity of HTML elements.
- This effect is different than sudden hiding or showing of the elements.
- Parameters are same like hiding effect(speed and callback).
- Following are methods:
  - `fadeIn()`: displays element
  - `fadeOut()`: hides element
  - `fadeToggle()`: combination of `fadeIn()` and `fadeOut()`
  - `fadeTo()`: it allows to fade in the elements to a certain opacity level. It accepts second argument as opacity which ranges from 0.1 to 1.0

- Animation effect allows to create dynamic transitions or movements on the web page using `animate()` method.
- In general, any CSS property that accepts values that are numbers, lengths, percentages, or colors is animatable.
- To manipulate and animate the color, need to use the additional jQuery library file.
- The parameters of the `animate()` method are properties, optional duration and optional callback.
- Properties parameter is a object having one or multiple key-value pairs, where the key is the CSS property name and the value is the desired final value.

- Animation effect can be queued by using function chaining.
- Animate function can be used with values relative to the element's current value
- It is possible to make animation run continuously programmatically
- Ongoing animation can be stopped using the stop() method.