

Marks code

```
<html>

<body>

<center>

<label>Midterm & Endterm Marks</label>

<table style="border-style:dashed" border="1" cellspacing="0" >

<tr>

<th rowspan="2" style="border-style:solid">Roll Number</th>

<th colspan="2" align="center" width="100">Name</th>

<th rowspan="2" width="50">Section</th>

<th colspan="2" width="200">Marks</th>

<th rowspan="2">Total Marks</th>

</tr>

<tr>

<td align="center">Fname</td>

<td align="center">Lname</td>

<td align="center">Mid-term Marks</td>

<td align="center">End-term Marks</td>

</tr>

<tr>

<td align="center">1</td>

<td align="center">Suman

</td>

<td align="center">Kumar</td>

<td align="center" rowspan="4">5CSE01</td>

<td align="center">90</td>

<td align="center">95</td>

<td align="center">185</td>

</tr>

<tr>

<td align="center">2</td>

<td align="center">Ananya</td>
```

```
<td align="center">Sharma</td>
<td align="center">95</td>
<td align="center">98</td>
<td align="center">193</td>
</tr>
<tr>
<td align="center">3</td>
<td align="center">Sumar</td>
<td align="center">Kumar</td>
<td align="center">88</td>
<td align="center">90</td>
<td align="center">178</td>
</tr>
<tr>
<td align="center">4</td>
<td align="center">Asif</td>
<td align="center">Khan</td>
<td align="center">92</td>
<td align="center">94</td>
<td align="center">186</td>
</tr>
</table>
</center>
</body>
</html>
```

E-COMMERCE WEBSITE

home.html

```
<frameset rows="20%,80%">
<frame src="top.html" name="top">
<frame src="bottom.html" name="bottom">
```

```
</frameset>
```

top.html

```
<html>
```

```
<body>
```

```
<center>
```

```
<h1 color="Blue">Amazon</h1>
```

```
<img src=file:///C:/Users/admin/Downloads/flipkart.jpg width="10%">
```

```
<marquee direction="left" behaviour="alternate" color="skyblue" width="100"  
bgcolor="yellow">Ecommerce</marquee>
```

```
</center>
```

```
</body>
```

```
</html>
```

bottom.html

```
<html>
```

```
<body>
```

```
<center>
```

```
<h1>Login details</h1>
```

```
<table border="0">
```

```
<tr>
```

```
<td>enter username:<br/>
```

```
<input type="text"/><br/>
```

```
password:<br/>
```

```
<input type="text"/><br/></td>
```

```
</tr>
```

```
<tr>
```

```
<td><a href="file:///C:/Users/admin/Desktop/miniproject/login.html"><input type="submit"  
value="login"/></a>
```

```
<input type="submit" value="cancel"/></td>
```

```
</tr>
```

```
</table>
```

```
</center>
```

```
</body>
```

```
</html>
```

login.html

```
<html>

<body>



</body>

</html>
```

MARKS(PHP) CODE

```
<html>

  <body>

    <form method="post">

      <h1>Enter a marks</h1>

      <input type="number" name="marks" value="marks">

      <input type="submit" name="submit" value="search">

    </form>

  <?php

    if($_POST){

      $number=$_POST['marks'];

      echo "entered marks:$number <br>";


      if($number>=60){

        echo "first class division";

      }

      elseif($number>=45 && $number<=59){

        echo "second class division";

      }

      else{

        echo "invalid input";

      }

    }

  ?>

</body>

</html>
```

FLAG CODE

FRAMESET.HTML

```
<html>
<frameset cols="20%,*">
<frame src="side.html">
<frameset rows="20%,20%,20%">
<frame src="top.html">
<frame src="middle.html">
<frame src="bottom.html">
```

top.html

```
<html>
<body bgcolor="orange">
</body>
</html>
```

middle.html

```
<html>
<center>

</center>
</html>
```

bottom.html

```
<html>
<body bgcolor="green">
</body>
</html>
```

side.html

```
<html>
<body bgcolor="blue">
```

```
</body>

<h1> I LOVE INDIA </h2>

</html>
```

TIMETABLE

```
<!DOCTYPE html>

<html>

<body>

    <h1>TIME TABLE</h1>

    <table border="5" cellspacing="0" align="center">

        <!--<caption>Timetable</caption>-->

        <tr>

            <td align="center" height="50"

                width="100"><br>

                <b>Day/Period</b></br>

            </td>

            <td align="center" height="50"

                width="100">

                <b>I<br>9:30-10:20</b>

            </td>

            <td align="center" height="50"

                width="100">

                <b>II<br>10:20-11:10</b>

            </td>

            <td align="center" height="50"

                width="100">

                <b>III<br>11:10-12:00</b>

            </td>

            <td align="center" height="50"

                width="100">

                <b>12:00-12:40</b>

            </td>
```

```

        <td align="center" height="50"
            width="100">
                <b>IV<br>12:40-1:30</b>
            </td>
        <td align="center" height="50"
            width="100">
                <b>V<br>1:30-2:20</b>
            </td>
        <td align="center" height="50"
            width="100">
                <b>VI<br>2:20-3:10</b>
            </td>
        <td align="center" height="50"
            width="100">
                <b>VII<br>3:10-4:00</b>
            </td>
    </tr>
    <tr>
        <td align="center" height="50">
            <b>Monday</b></td>
        <td align="center" height="50">Eng</td>
        <td align="center" height="50">Mat</td>
        <td align="center" height="50">Che</td>
        <td rowspan="6" align="center" height="50">
            <h2>L<br>U<br>N<br>C<br>H</h2>
        </td>
        <td colspan="3" align="center"
            height="50">LAB</td>
        <td align="center" height="50">Phy</td>
    </tr>
    <tr>
        <td align="center" height="50">
            <b>Tuesday</b>
        </td>

```

```

        <td colspan="3" align="center"
            height="50">LAB
    </td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Che</td>
    <td align="center" height="50">Mat</td>
    <td align="center" height="50">SPORTS</td>
</tr>
<tr>
    <td align="center" height="50">
        <b>Wednesday</b>
    </td>
    <td align="center" height="50">Mat</td>
    <td align="center" height="50">phy</td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Che</td>
    <td colspan="3" align="center"
        height="50">LIBRARY
    </td>
</tr>
<tr>
    <td align="center" height="50">
        <b>Thursday</b>
    </td>
    <td align="center" height="50">Phy</td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Che</td>
    <td colspan="3" align="center"
        height="50">LAB
    </td>
    <td align="center" height="50">Mat</td>
</tr>
<tr>
    <td align="center" height="50">

```



```

        <b>Friday</b>
    </td>
    <td colspan="3" align="center"
        height="50">LAB
    </td>
    <td align="center" height="50">Mat</td>
    <td align="center" height="50">Che</td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Phy</td>
</tr>
<tr>
    <td align="center" height="50">
        <b>Saturday</b>
    </td>
    <td align="center" height="50">Eng</td>
    <td align="center" height="50">Che</td>
    <td align="center" height="50">Mat</td>
    <td colspan="3" align="center"
        height="50">SEMINAR
    </td>
    <td align="center" height="50">SPORTS</td>
</tr>
</table>
</body>

</html>

```

ABC SUPERMARKET

```

<html>
<h4>Information of a Customer</h4>
<br>
<form name="Information of a customer">

```

Customer Name :

Contact : phone no.

Day of Purchasing :

<select name="Days" size="1">

<option>1-7

<option>8-14

<option>15-21

<option>22-28

<option>29-31

</select>

Items :

<select name="list of Item" size="1">

<option>Almonds

<option>Chocolates

<option>Remote Control

<option>Adapter

<option>Football

<option>Broadband

<option>Powerbank

<option>Laptop

<option>Computer

<option>CD Disk

<option>Aurchester

</select>

Suggestion Box :

 

```
<textarea rows="5" cols="20">
```

```
</textarea>
```

```
<br>
```

```
<br>
```

To Submit Information Click.

```
<input type="Submit" value="Submit">
```

```
<br>
```

```
<br>
```

For Reset.

```
<input type="Reset">
```

```
</html>
```

CAKE CODE

CAKE.HTML

```
<html>
```

```
<head>
```

```
  <style>
```

```
  body{
```

```
    background-color:skyblue;
```

```
  }
```

```
  h1{
```

```
    color:red;
```

```
    font-size:50px;
```

```
    font-style: italic;
```

```
    text-align:center;
```

```
    text-decoration:underline;
```

```
  }
```

```
  table{
```

```
    font-family: verdana;
```

```

        color:white;

        font-style: italic;

        background-color: aqua;

        font-weight: bold;

        border: 4px solid black;

        border-style: dashed;

    }

</style>

</head>

<body>

<center>

<img src= file:///C:/Users/admin/Downloads/cake.jpg>

<h1><u>Mother's Cake</u></h1>

<hr width="100%" size="3px" align="left" color="red">

<center>

<table border="0">

<tr>

<h1>list of categries:</h1>

<p><h2>wedding</h2></p><br>

<p><h2 color="red"><a href="birthday.html">birthday</a></h2></p><br>

<p><h2><a href="congratulations.html">congratulations</a></h2></p><br>

</tr>

<tr>

<th ><img width="500" height="300" src=file:///C:/Users/admin/Downloads/special.jpg><br>Special events
cake</th>

</tr>

</table>

<marquee direction="left" behavior="alternate"><h1>*Exciting Offers**</h1></marquee>

</body>

</html>

```

BODY.HTML

```
<html>

<head>

<style>

table{

    font-family: verdana;

    color:white;

    font-style: italic;

    background-color: aqua;

    font-weight: bold;

    border: 4px solid black;

    border-style: dashed;

    text-color:red;


}

</style>

</head>

<body>

<table border="0">

<tr>

<th><img width="500" height="300"
src=file:///C:/Users/admin/Downloads/anniversery.jpg><br/>Anniversary cake <br> price:$300 <br>

<br>

<a href="book.html"><h1>Book</a></h1></th>

<th><img width="500" height="300" src=file:///C:/Users/admin/Downloads/birthday.jpg><br/>Birthday cake
<br> price:$500 <br>

<br>

<a href="book.html"><h1>Book</h1></a></th>

</tr>

</table>

</body>

</html>
```

BOOK.HTML

```
<html>
<body>
<center>
<h1>your order is confirmed</h1>
</center>
</body>
</html>
```

HOTEL REGISTRATION

```
<html>
<body>
<center>
<h1>Registration For hotel Booking</h1>
<hr width="100%" color="red" size="4px" align="left"/>
<forms>
<table border="0">
<tr>
<td>
customer name:
<input type="text" pattern="^[A-Z a-z]"/><br></td></tr>
<tr><td>Number of days of stay:
<input type="number" min="1"/></td></tr>
<tr><td>Air conditioner:
<input type="radio" value="Ac"/>Ac
<input type="radio" value="Non-Ac"/>Non-Ac
</td>
</tr>
<tr>
<td>
Rooms:
<input type="checkbox" value="single"/>
<input type="checkbox" value="double"/></td>
</tr>
```

```

<tr>
<td>
Place:
<select name="place">
<option>mysore</option>
<option selected ="selected">bangalore</option>
<option>tumkur</option>
</select></td>
</tr>
<tr>
<td>
Pin:
<input type="number" placeholder="56"/></td></tr>
<tr>
<td>
Mobile number:
<input type="number" maxlength="10"/></td></tr>
<tr>
<td >
<a href=submit.html>
<input type="submit"/></a>
</td>
</tr>
</table>
</forms>
</body>
</html>

```

ABDUL KALAM

```

<html>
<head>
<style>
body{
font-weight:bold;

```

```
background-color:skyblue;
}
```

```
h1{
color:red;
font-size:50px;
}
```

```
img{
float:left;
border:dashed;
}
```

```
*{
font-size:30px;
text-align:center;
font-style:italic;
}
```

```
</style>
```

```
</head>
```

```
<body>
```

```
<center>
```

```
<h1>Abdul kalam Tribute Page</h1></center>
```

```
<p>
```

Avul Pakir Jainulabdeen Abdul Kalam (/ˈɑːbdəl kəˈlɑːm/ (listen); 15 October 1931 – 27 July 2015) was an Indian aerospace scientist and statesman who served as the 11th President of India from 2002 to 2007.

He was born and raised in Rameswaram, Tamil Nadu and studied physics and aerospace engineering.

He spent the next four decades as a scientist and science administrator, mainly at the Defence Research and Development Organisation (DRDO)

and Indian Space Research Organisation (ISRO) and was intimately involved in India's civilian space programme and military missile development efforts.

He thus came to be known as the Missile Man of India for his work on the development of ballistic missile and launch vehicle technology.

He also played a pivotal organisational, technical, and political role in India's Pokhran-II nuclear tests in 1998 the first since the original nuclear test by India in 1974.</p>


```
</body>
```

```
</body>
```

```
</html>
```


Product.xml

```
<class>

  <product id="101">

    <productname>Badam</productname>

    <weight>50 gms</weight>

  </product>

  <product id="102">

    <productname>Cashew nuts</productname>

    <weight>100 gms</weight>

  </product>

  <product id="103">

    <productname>Coffee Powder</productname>

    <weight>150 gms</weight>

  </product>

  <product id="104">

    <productname>Salt</productname>

    <weight>250 gms</weight>

  </product>

  <product id="105">

    <productname>Dhal</productname>

    <weight>500 gms</weight>

  </product>

  <product id="106">

    <productname>Oil</productname>

    <weight>500 liter</weight>

  </product>

  <product id="107">

    <productname>Sugar</productname>

    <weight>1000 gms</weight>

  </product>

</class>
```

Displayproduct.xsl

```
<?xml version="1.0" encoding="UTF-8"?>
<xsl:stylesheet version="1.0" xmlns:xsl="http://www.w3.org/1999/XSL/Transform">
<xsl:template match="/">
<html>
<body>
<h2>Product List</h2>
<table border="1">
<tr bgcolor="#9acd32">
<th>Product ID</th>
<th>Product Name</th>
<th>Quantity</th>
</tr>
<xsl:for-each select="class/product">
<tr>
<td> <xsl:value-of select="@id"/> </td>
<td> <xsl:value-of select="productname"/> </td>
<td> <xsl:value-of select="weight"/> </td>
</tr>
</xsl:for-each>
</table>
</body>
</html>
</xsl:template>
</xsl:stylesheet>
```

Search.html

```
<!DOCTYPE html>
<html lang="en-us">
  <head> <title>Employee Details</title> </head>
  <body>
    <h1>Employee Details</h1>
```

```

        <form class="emp" action="http://localhost/dbdisplay.php"
method="post">
        <br><h3>Search Employee Details Based on Employee ID</h3>
        <br>Enter Employee ID:<input type="number" id="Id" name="Id" >
        <br><br><input type="submit" value="Search"
onclick="SaveEmpDetails()">
        </form>

        <form class="emp" action="http://localhost/dbdisplay.php"
method="post">
        <br><h3>Search Employee Details Based on Salary</h3>
        <br>Enter Employee Salary Range:<input type="number" id="SS"
name="SS" >
        Between
        <input type="number" id="LS" name="LS" >
        <br><br><input type="submit" value="Search"
onclick="SaveEmpDetails()">
        </form>
    </body>
</html>
</body>
</html>

```

Searchdb.php

```

<?php
$servername = "localhost"; // default
$username = "root"; // root is a username
$password = ""; // No password for my db that why it is blank
$dbname = "Employee"; // mydb is my db name

// Create connection

$conn = mysqli_connect($servername, $username, $password, $dbname);

// Check connection
if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}

// Query Processing
if($_POST["Id"]!=0) // search using ID
{
    $v1=$_POST["Id"];
    $sql = "SELECT * from emp where Id=$v1";
}
else // search using salary
{
    $v2=$_POST["SS"];
    $v3=$_POST["LS"];
    $sql = "SELECT * from emp where Salary between $v2 AND $v3";
}

```

```

$result = mysqli_query($conn, $sql); // conn for connection execute query

// Result processing
if (mysqli_num_rows($result) > 0)
{
    // output data of each row
    while($row = mysqli_fetch_array($result))
    {
        print "Employee ID: " . $row["Id"]."<br><br>";
        print "Employee Name: " . $row["Name"]."<br><br>";
        print "Employee Department: " . $row["Dept"]."<br><br>";
        print "Employee Salary: " . $row["Salary"]."<br><br>";
        print "*****" ."<br><br>";
    }
}

else
{
    echo "0 results";
}

mysqli_close($conn); // close the database
?>

```

TEMPATURE CODE

```

<html>

<body>

<?php

function temperature($x);

{ $fahrenheit=(9/5)*$x+32;

echo "$ fahrenheit";

}

if($_post)

{

temperature($_post['number']);

}

?>

<form method="post">

<input type="number" value="number">

</form>

```

</body>

</html>

REGISTRATION FORM

<!DOCTYPE html>

<html>

<head>

<title>registration form</title>

</head>

<body bgcolor="Lightskyblue">

<center>

<h1>Symposium Event Registration </h1></center>

<hr width="100%" color="red" size="5px" align="left" />

<h2 ALIGN="CENTER">Registration form</h2>

<form action="Welcome.html" method="post">

<fieldset>

<table border="0" align="center" height="400">

<tr>

<td><label for="name">Name: </label></td>

<td><input id="name" maxlength="50" name="name" type="text" /></td>

</tr>

```

<tr>
    <td><label for="branch">Branch: </label></td>
    <td><input id="branch" maxlength="50" name="branch" type="text" /></td>
</tr>
<tr>
    <td><label for="Institution">Institution: </label></td>
    <td><input id="Institution" maxlength="50" name="Institution" type="text" /></td>
</tr>
<tr>
    <td><label for="email">Email_Address:</label></td>
    <td><input id="email" maxlength="50" name="email" type="email" /></td>
</tr>
<tr>
    <td><label for="mobile">Mobile No:</label></td>
    <td><input id="mobile" maxlength="10" name="mobile" type="text" /></td>
</tr>
<tr>
    <td><label for="address">Address</label></td>
    <td valign="middle" align="center"><textarea rows="4"></textarea></td>
</tr>
<tr>
    <td><label for="State">State:</label></td>
    <td><input id="State" maxlength="50" name="State" type="text" /></td>
</tr>
<tr>
    <td><label for="DoB">DoB:</label></td>
    <td><input id="DoB" maxlength="50" name="DoB" type="date" /></td>
</tr>
<tr>
    <td><label for="gender">Gender:</label></td>
    <td><input id="gender" maxlength="50" name="gender" type="radio" />Male
        <input id="gender" maxlength="50" name="gender" type="radio" />Female</td>
</tr>
<tr>
    <td><label for="Events">Events:</label></td>
    <td><Select> <option>Paper Presentation</option>
        <option>Project Expo</option>
        <option>Code Debugging</option>
        <option>Quis</option>
        </Select> </td>

```

|
| |
 <td colspan="2" align="center"> | |

</fieldset>

</body>

</html>