holdout_stability_checks

Family	Gate	Scenario	Specification	N	Term	Metric	Estimate	CI_Low	CI_High	p_value	Significant_0_05	Direction	Formatted
Hold-out stability	Gate 0	Stratified 80/20 split	Train N=171, Holdout N=43	171	Context	Coefficient direction	1.16444	nan	nan	0.00106235	True	positive	beta=1.164**
Hold-out stability	Gate 0	Stratified 80/20 split	Train N=171, Holdout N=43	171	Specificity	Coefficient direction	1.78173	nan	nan	5.57349e-05	True	positive	beta=1.782***
Hold-out stability	Gate 0	Stratified 80/20 split	Train N=171, Holdout N=43	171	Verification	Coefficient direction	0.0439091	nan	nan	0.914272	False	positive	beta=0.044
Hold-out stability	Gate 0	Stratified 80/20 split	Train N=171, Holdout N=43	171	Log_PR_Size	Coefficient direction	-0.100722	nan	nan	0.352096	False	negative	beta=-0.101
Hold-out stability	Gate 1	Stratified 80/20 split	Train N=112, Holdout N=27	112	Context	Coefficient direction	0.461962	nan	nan	0.347963	False	positive	beta=0.462
Hold-out stability	Gate 1	Stratified 80/20 split	Train N=112, Holdout N=27	112	Specificity	Coefficient direction	2.38983	nan	nan	0.0021001	True	positive	beta=2.390**
Hold-out stability	Gate 1	Stratified 80/20 split	Train N=112, Holdout N=27	112	Verification	Coefficient direction	1.38551	nan	nan	0.00897348	True	positive	beta=1.386**
Hold-out stability	Gate 1	Stratified 80/20 split	Train N=112, Holdout N=27	112	Log_PR_Size	Coefficient direction	0.316369	nan	nan	0.0170656	True	positive	beta=0.316*
Hold-out stability	Gate 2	Stratified 80/20 split	Train N=69, Holdout N=18	69	Context	Coefficient direction	0.572621	nan	nan	0.378436	False	positive	beta=0.573
Hold-out stability	Gate 2	Stratified 80/20 split	Train N=69, Holdout N=18	69	Specificity	Coefficient direction	-0.211712	nan	nan	0.726954	False	negative	beta=-0.212
Hold-out stability	Gate 2	Stratified 80/20 split	Train N=69, Holdout N=18	69	Verification	Coefficient direction	0.0806069	nan	nan	0.888448	False	positive	beta=0.081
Hold-out stability	Gate 2	Stratified 80/20 split	Train N=69, Holdout N=18	69	Log_PR_Size	Coefficient direction	-0.192495	nan	nan	0.237444	False	negative	beta=-0.192