

GATE 2 Qualitative Patterns

Case ID	Integration Fraction	Context (C)	Specificity (S)	Verification (V)	Structural Pattern	Prompt Excerpt	Why Representative	Integration Depth Category	Notes	Outcome Class	PR Language
PA-78	84.84	2	2	1	Strong contextual grounding enabling deep reuse	I want to refactor this program, which takes in an amount of change as a user input, and then outputs how many of each bill and coin you would give back.	Provides program context and a refactoring target, allowing generated code to align with existing implementation.	High	Paper-referenced high-reuse example.	PA	Python
PA-23	7.69	2	2	2	Rich project artifacts supporting direct integration	I'd like to rewrite the following test case: describe('#1163 - https://github.com/jsdom/jsdom/issues/...') with sample DOM setup and expectations.	Includes test-case structure and expected behavior, supporting direct integration of generated changes.	High	Recommended high-depth example from Gate 2 instructions.	PA	JSON
PA-21	4.68	2	2	1	Rich project artifacts supporting direct integration	'use client'; import Link from 'next/link'; ... useDeleteLeagueMutation ... export default function LeagueList(...) ...	Includes surrounding component and mutation code that anchors the generated output in existing project structure.	High	Recommended high-depth example from Gate 2 instructions.	PA	TypeScript
PA-84	100.0	2	1	1	Strong contextual grounding enabling deep reuse	C++/CGIString prompt with code snippets and function context for direct implementation.	Includes C++ code and function context, supporting near-direct reuse.	High	Additional high-reuse PA example.	PA	C++
PA-61	43.14	2	1	1	Contextual grounding with adaptation requirements	What is tailwindcss and can you make a simple code snippet that shows its use and what it does?	Includes Tailwind/React framing and code context, but still requires adaptation to fit project conventions.	Medium	Recommended moderate example.	PA	TypeScript
PA-16	3.57	2	1	1	Project-constrained integration	When using activerecord-multi-tenant library in my Rails project, filters do not work. I prepared a fix and now I want to unit test it to see that the fix is actually working.	Rails/library-specific testing context supports reuse but requires framework-specific adaptation.	Medium	Recommended moderate example.	PA	Ruby
PA-3	1.63	2	2	2	Contextual grounding with adaptation requirements	I'm creating an open source collection of UI/UX design problem statements for freshers. Here's a category I have curated [...].	Structured JSON/category examples support reuse, but integration still requires adaptation to project content.	Medium	Recommended moderate example.	PA	TypeScript
PA-24	7.69	1	2	1	High specificity but shallow integration	In TypeScript: could you create an enum consisting of 5 categories, which are used to categorize software projects? Could you then initialize variables which have as a type a list of this enum.	The TypeScript enum task is specific but weakly grounded in surrounding implementation context.	Low	Paper-referenced low-reuse example.	PA	TypeScript
PA-22	6.67	1	2	2	Generic implementation with limited contextual alignment	Using Kotlin with the sksamuel/scrimage library, generate code to draw text on an image with an outline. Render white text with a black border.	The image-rendering task is specific and evaluable but lacks surrounding project code.	Low	Recommended low-reuse example.	PA	Kotlin
PA-34	7.69	1	2	1	High specificity but shallow integration	TypeScript implementation request that defines a specific bounded task but gives limited surrounding project context.	Specific TypeScript task with limited surrounding code context, resulting in shallow reuse.	Low	Additional low-reuse PA case.	PA	TypeScript