

full_robustness_sensitivity_results

Family	Gate	Scenario	Specification	N	Term	Metric	Estimate	CI_Low	CI_High	p_value	Significant	Direction	Formatted			
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P15	Size	Context	OR	2.25321	1.09871	4.62084	0.0266323	True	positive	2.25* [1.10, 4.62]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P15	Size	Specificity	OR	3.42245e-13	1.3846e-43	2.658e-50	0.506465	False	positive	34224461327.84 [0.00, 4126575]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P15	Size	Verification	OR	1.00034	0.477593	2.09524	0.999287	False	positive	1.00 [0.48, 2.10]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P15	Size	Log_PR	OR	1.06767	0.863841	1.3196	0.54464	False	positive	1.07 [0.86, 1.32]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P16	Size	Context	OR	2.20192	0.995223	4.87174	0.0513976	False	positive	2.20 [1.00, 4.87]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P16	Size	Specificity	OR	0.801652	0.303243	2.11925	0.655794	False	negative	0.80 [0.30, 2.12]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P16	Size	Verification	OR	8.34444	3.46963	20.0683	2.1531e-06	True	positive	8.34*** [3.47, 20.07]
Repository	Gate 1	Dependence	Repository-cluster	CSN	SE	P16	Size	Log_PR	OR	1.35866	1.06513	1.73307	0.0135855	True	positive	1.36* [1.07, 1.73]
Repository	Gate 2	Dependence	Repository-cluster	CSN	SE	P8	Size	Context	AME	0.132776	0.0245688	0.240984	0.0161735	True	positive	0.133* [0.025, 0.241]
Repository	Gate 2	Dependence	Repository-cluster	CSN	SE	P8	Size	Specificity	AME	-0.0196648	1.4249e-06	0.103166	0.753686	False	negative	-0.020 [-0.142, 0.103]
Repository	Gate 2	Dependence	Repository-cluster	CSN	SE	P8	Size	Verification	AME	-0.0049915	0.106979	0.096996	0.923579	False	negative	-0.005 [-0.107, 0.097]
Repository	Gate 2	Dependence	Repository-cluster	CSN	SE	P8	Size	Log_PR	AME	-0.0366576	0.07735	0.0040366	0.977472	False	negative	-0.037 [-0.077, 0.004]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P15	Size	Context	OR	2.08358	1.06564	4.07393	0.03189	True	positive	2.08* [1.07, 4.07]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P15	Size	Specificity	OR	3.54391e-10	inf	inf	0.998664	False	positive	35439143298.74 [0.00, inf]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P15	Size	Verification	OR	0.99211	0.456132	2.15789	0.984061	False	negative	0.99 [0.46, 2.16]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P15	Size	Log_PR	OR	1.04958	0.85236	1.29243	0.648638	False	positive	1.05 [0.85, 1.29]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P15	Size	Context	OR	1.98572	0.992783	3.97175	0.0524428	False	positive	1.99 [0.99, 3.97]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P15	Size	Specificity	OR	3.29476e-10	inf	inf	0.99874	False	positive	32947570730.86 [0.00, inf]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P15	Size	Verification	OR	1.02602	0.45285	2.32466	0.95091	False	positive	1.03 [0.45, 2.32]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P15	Size	Log_PR	OR	1.04431	0.839333	1.29934	0.69736	False	positive	1.04 [0.84, 1.30]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P14	Size	Context	OR	2.17088	0.937103	5.02902	0.0705436	False	positive	2.17 [0.94, 5.03]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P14	Size	Specificity	OR	0.799223	0.293346	2.17749	0.661201	False	negative	0.80 [0.29, 2.18]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P14	Size	Verification	OR	8.46997	3.50338	20.4775	2.1011e-06	True	positive	8.47*** [3.50, 20.48]
Dominant repository	Gate 1	Sensitivity	largest repository	CSN	SE	P14	Size	Log_PR	OR	1.31791	1.04563	1.6611	0.0193943	True	positive	1.32* [1.05, 1.66]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P16	Size	Context	OR	2.12574	0.874985	5.16438	0.0958949	False	positive	2.13 [0.87, 5.16]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P16	Size	Specificity	OR	0.82259	0.29033	2.33064	0.713213	False	negative	0.82 [0.29, 2.33]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P16	Size	Verification	OR	8.18621	3.2511	20.6128	8.10927e-06	True	positive	8.19*** [3.25, 20.61]
Dominant repository	Gate 1	Sensitivity	top 5 repositories	CSN	SE	P16	Size	Log_PR	OR	1.29614	1.01707	1.65179	0.0360154	True	positive	1.30* [1.02, 1.65]
Dominant repository	Gate 2	Sensitivity	largest repository	CSN	SE	P12	Size	Context	AME	0.137906	-0.100932	0.376745	0.257764	False	positive	0.138 [-0.101, 0.377]
Dominant repository	Gate 2	Sensitivity	largest repository	CSN	SE	P12	Size	Specificity	AME	-0.007677	0.250378	0.235024	0.950565	False	negative	-0.008 [-0.250, 0.235]
Dominant repository	Gate 2	Sensitivity	largest repository	CSN	SE	P12	Size	Verification	AME	-0.012615	0.233825	0.208595	0.911005	False	negative	-0.013 [-0.234, 0.209]
Dominant repository	Gate 2	Sensitivity	largest repository	CSN	SE	P12	Size	Log_PR	AME	-0.0343026	0.0981672	0.295619	0.292466	False	negative	-0.034 [-0.098, 0.030]
Dominant repository	Gate 2	Sensitivity	top 5 repositories	CSN	SE	P10	Size	Context	AME	0.102172	-0.150755	0.355099	0.428508	False	positive	0.102 [-0.151, 0.355]
Dominant repository	Gate 2	Sensitivity	top 5 repositories	CSN	SE	P10	Size	Specificity	AME	0.047345	-0.210026	0.304716	0.718435	False	positive	0.047 [-0.210, 0.305]
Dominant repository	Gate 2	Sensitivity	top 5 repositories	CSN	SE	P10	Size	Verification	AME	-0.0617968	0.301934	0.17834	0.613997	False	negative	-0.062 [-0.302, 0.178]
Dominant repository	Gate 2	Sensitivity	top 5 repositories	CSN	SE	P10	Size	Log_PR	AME	-0.0392218	0.108531	0.0300876	0.267373	False	negative	-0.039 [-0.109, 0.030]

Family	Gate	Scenario	Specification	N	Term	Metric	Estimate	CI_Low	CI_High	p_value	Significant	Direction	Formatted
Language	Sent10	Excl	dominant	CS/Anguar5	Context	OR	1.51847	0.724952	3.18055	0.268166	False	positive	1.52 [0.72, 3.18]
Language	Sent10	Excl	dominant	CS/Anguar5	Specificity	OR	3.9822e+00	inf		0.998876	False	positive	39821989536.37 [0.00, inf]
Language	Sent10	Excl	dominant	CS/Anguar5	Verification	OR	0.821646	0.347686	1.9417	0.65437	False	negative	0.82 [0.35, 1.94]
Language	Sent10	Excl	dominant	CS/Anguar5	Log_PR_OR	Re	1.00592	0.807422	1.25321	0.958036	False	positive	1.01 [0.81, 1.25]
Language	Sent10	Excl	top 2	CS/Anguar4	Context	OR	1.33448	0.59451	2.99546	0.484284	False	positive	1.33 [0.59, 3.00]
Language	Sent10	Excl	top 2	CS/Anguar4	Specificity	OR	1.53673e+10	inf		0.998377	False	positive	15367325679.70 [0.00, inf]
Language	Sent10	Excl	top 2	CS/Anguar4	Verification	OR	0.868309	0.328153	2.29759	0.776088	False	negative	0.87 [0.33, 2.30]
Language	Sent10	Excl	top 2	CS/Anguar4	Log_PR_OR	Re	1.09834	0.865239	1.39423	0.440904	False	positive	1.10 [0.87, 1.39]
Language	Sent10	Excl	dominant	CS/Anguar1	Context	OR	3.23508	1.15658	9.04889	0.025276	True	positive	3.24* [1.16, 9.05]
Language	Sent10	Excl	dominant	CS/Anguar1	Specificity	OR	0.532776	0.158776	1.78774	0.30801	False	negative	0.53 [0.16, 1.79]
Language	Sent10	Excl	dominant	CS/Anguar1	Verification	OR	10.1581	3.58416	28.7896	1.2909e-05	True	positive	10.16*** [3.58, 28.79]
Language	Sent10	Excl	dominant	CS/Anguar1	Log_PR_OR	Re	1.27824	0.984097	1.6603	0.065794	False	positive	1.28 [0.98, 1.66]
Language	Sent10	Excl	top 2	CS/Anguar7	Context	OR	3.34123	0.980644	11.3842	0.053766	False	positive	3.34 [0.98, 11.38]
Language	Sent10	Excl	top 2	CS/Anguar7	Specificity	OR	0.594247	0.138244	2.55439	0.484231	False	negative	0.59 [0.14, 2.55]
Language	Sent10	Excl	top 2	CS/Anguar7	Verification	OR	10.6263	3.209	35.1882	0.000109	True	positive	10.63*** [3.21, 35.19]
Language	Sent10	Excl	top 2	CS/Anguar7	Log_PR_OR	Re	1.22115	0.899077	1.6586	0.200917	False	positive	1.22 [0.90, 1.66]
Language	Sent12	Excl	dominant	CS/Anguar5	Context	AME	0.135541	-0.177137	0.44822	0.395539	False	positive	0.136 [-0.177, 0.448]
Language	Sent12	Excl	dominant	CS/Anguar5	Specificity	AME	0.051504	-0.252609	0.355618	0.739936	False	positive	0.052 [-0.253, 0.356]
Language	Sent12	Excl	dominant	CS/Anguar5	Verification	AME	-0.052433	-0.317768	0.212901	0.698524	False	negative	-0.052 [-0.318, 0.213]
Language	Sent12	Excl	dominant	CS/Anguar5	Log_PR_SME		-0.031502	-0.106309	0.043304	0.409158	False	negative	-0.032 [-0.106, 0.043]
Language	Sent12	Excl	top 2	CS/Anguar4	Context	AME	0.093935	-0.258277	0.446147	0.601167	False	positive	0.094 [-0.258, 0.446]
Language	Sent12	Excl	top 2	CS/Anguar4	Specificity	AME	0.019588	-0.327926	0.367102	0.91203	False	positive	0.020 [-0.328, 0.367]
Language	Sent12	Excl	top 2	CS/Anguar4	Verification	AME	-0.075531	-0.377724	0.226661	0.624216	False	negative	-0.076 [-0.378, 0.227]
Language	Sent12	Excl	top 2	CS/Anguar4	Log_PR_SME		-0.014412	-0.099696	0.070708	0.740469	False	negative	-0.014 [-0.100, 0.071]
PR-size out	Cat12	Excl	top 1%	CS/sizePR8	Context	OR	2.06656	0.891077	4.79272	0.090785	False	positive	2.07 [0.89, 4.79]
PR-size out	Cat12	Excl	top 1%	CS/sizePR8	Specificity	OR	0.946734	0.335269	2.67339	0.917688	False	negative	0.95 [0.34, 2.67]
PR-size out	Cat12	Excl	top 1%	CS/sizePR8	Verification	OR	7.72716	3.17641	18.7976	6.54238e-06	True	positive	7.73*** [3.18, 18.80]
PR-size out	Cat12	Excl	top 1%	CS/sizePR8	Log_PR_OR	Re	1.40046	1.10031	1.78249	0.006206	True	positive	1.40** [1.10, 1.78]
PR-size out	Cat12	Excl	top 5%	CS/sizePR3	Context	OR	2.23522	0.950798	5.25475	0.065142	False	positive	2.24 [0.95, 5.25]
PR-size out	Cat12	Excl	top 5%	CS/sizePR3	Specificity	OR	0.92467	0.327422	2.61135	0.882457	False	negative	0.92 [0.33, 2.61]
PR-size out	Cat12	Excl	top 5%	CS/sizePR3	Verification	OR	7.70444	3.15469	18.8159	7.40066e-06	True	positive	7.70*** [3.15, 18.82]
PR-size out	Cat12	Excl	top 5%	CS/sizePR3	Log_PR_OR	Re	1.38332	1.07424	1.78131	0.011901	True	positive	1.38* [1.07, 1.78]
PR-size out	Cat12	Excl	top 1%	CS/sizePR7	Context	AME	0.136902	-0.099399	0.337320	0.402561	False	positive	0.137 [-0.099, 0.373]
PR-size out	Cat12	Excl	top 1%	CS/sizePR7	Specificity	AME	-0.018539	-0.252317	0.215237	0.876479	False	negative	-0.019 [-0.252, 0.215]
PR-size out	Cat12	Excl	top 1%	CS/sizePR7	Verification	AME	-0.005775	-0.216880	0.20533	0.957239	False	negative	-0.006 [-0.217, 0.205]
PR-size out	Cat12	Excl	top 1%	CS/sizePR7	Log_PR_SME		-0.038123	-0.100809	0.024562	0.233263	False	negative	-0.038 [-0.101, 0.025]
PR-size out	Cat12	Excl	top 5%	CS/sizePR3	Context	AME	0.151823	-0.092936	0.139658	0.102240	False	positive	0.152 [-0.093, 0.397]
PR-size out	Cat12	Excl	top 5%	CS/sizePR3	Specificity	AME	-0.018363	-0.255823	0.219096	0.879527	False	negative	-0.018 [-0.256, 0.219]

Family	Gate	Scenario Specification	N	Term	Metric	Estimate	CI_Low	CI_High	p_value	Significant	Direction	Formatted
PR-size out	Gate 2	Exclude top 5% PS/Size PR size	PS size	Verification	AME	0.0027335	-0.220548	0.226015	0.980856	False	positive	0.003 [-0.221, 0.226]
PR-size out	Gate 2	Exclude top 5% PS/Size PR size	PS size	Log_PR_Size	SME	-0.0393317	-0.108899	0.030227	0.267753	False	negative	-0.039 [-0.109, 0.030]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	1.01789	0.796337	1.30109	0.887388	False	positive	1.02 [0.80, 1.30]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	1.07479	0.817543	1.41298	0.605346	False	positive	1.07 [0.82, 1.41]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	0.863626	0.659525	1.13089	0.286505	False	negative	0.86 [0.66, 1.13]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	0.936889	0.875153	1.00298	0.06087	False	negative	0.94 [0.88, 1.00]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	1.6145	0.884674	2.94639	0.118582	False	positive	1.61 [0.88, 2.95]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	0.664658	0.360489	1.22547	0.190663	False	negative	0.66 [0.36, 1.23]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	1.85573	1.06887	3.22184	0.028046	True	positive	1.86* [1.07, 3.22]
PR-size out	Gate 2	Exclude top 1% CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size; 25% off=19282.45; 1% removed=19282.45; 1% removed=19282.45	CR Size	AME	0.769187	0.665973	0.88839	0.000357	True	negative	0.77*** [0.67, 0.89]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	1.02385	0.796987	1.3153	0.853663	False	positive	1.02 [0.80, 1.32]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	1.09256	0.824224	1.44826	0.538134	False	positive	1.09 [0.82, 1.45]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	0.830166	0.627136	1.09893	0.19334	False	negative	0.83 [0.63, 1.10]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	0.953733	0.884314	1.0286	0.219215	False	negative	0.95 [0.88, 1.03]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	1.562	0.836792	2.91571	0.161374	False	positive	1.56 [0.84, 2.92]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	0.666485	0.35324	1.25751	0.210346	False	negative	0.67 [0.35, 1.26]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	1.88789	1.07398	3.3186	0.027244	True	positive	1.89* [1.07, 3.32]
PR-size out	Gate 2	Exclude top 5% CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size; 24% off=3041.00; 5% removed=3041.00; 5% removed=3041.00	CR Size	AME	0.728105	0.623684	0.850008	0.87968	True	negative	0.73*** [0.62, 0.85]
Gate 2 alter	Gate 2	Ordinal logit	Ordinal logit	Context	Coefficient	1.01133	0.117133	1.90552	0.026643	True	positive	1.01* [0.12, 1.91]
Gate 2 alter	Gate 2	Ordinal logit	Ordinal logit	Specificity	Coefficient	0.096329	0.868935	1.06159	0.844926	False	positive	0.10 [-0.87, 1.06]
Gate 2 alter	Gate 2	Ordinal logit	Ordinal logit	Verification	Coefficient	0.357461	1.18182	0.466901	0.39539	False	negative	-0.36 [-1.18, 0.47]
Gate 2 alter	Gate 2	Ordinal logit	Ordinal logit	Log_PR_Size	Coefficient	0.21251	-0.458052	0.033031	0.089829	False	negative	-0.21 [-0.46, 0.03]
Gate2 bina	Gate2	High vs low reu	Binary logit	Context	OR	3.06829	0.884898	10.639	0.077192	False	positive	3.07 [0.88, 10.64]
Gate2 bina	Gate2	High vs low reu	Binary logit	Specificity	OR	1.14849	0.318774	4.13783	0.832332	False	positive	1.15 [0.32, 4.14]
Gate2 bina	Gate2	High vs low reu	Binary logit	Verification	OR	0.797038	0.227239	2.7956	0.723107	False	negative	0.80 [0.23, 2.80]
Gate2 bina	Gate2	High vs low reu	Binary logit	Log_PR_Size	OR	0.770043	0.5233	1.13313	0.184897	False	negative	0.77 [0.52, 1.13]
Aggregate	Gate 2	PQS only	PQS + PR size	PQS	OR	3.21495	2.29538	4.5029	1.09304	True	positive	3.21*** [2.30, 4.50]
Aggregate	Gate 2	PQS only	PQS + PR size	Log_PR_Size	OR	1.01368	0.842518	1.21961	0.885536	False	positive	1.01 [0.84, 1.22]
Aggregate	Gate 2	PQS only	PQS + PR size	PQS	OR	2.6837	1.7754	4.05667	2.82689	True	positive	2.68*** [1.78, 4.06]
Aggregate	Gate 2	PQS only	PQS + PR size	Log_PR_Size	OR	1.38786	1.11619	1.72563	0.003187	True	positive	1.39** [1.12, 1.73]
Aggregate	Gate 2	PQS only	PQS + PR size	PQS	AME	0.017264	0.077936	0.112465	0.722271	False	positive	0.017 [-0.078, 0.112]
Aggregate	Gate 2	PQS only	PQS + PR size	Log_PR_Size	AME	-0.037262	0.097046	0.022516	0.221813	False	negative	-0.037 [-0.097, 0.023]
Prompt-length	Gate 2	Add log(prompt_CSize) + PR size + prompt_CSize	PR size + prompt_CSize	Prompt_CSize	OR	2.31038	1.17968	4.52483	0.014614	True	positive	2.31* [1.18, 4.52]
Prompt-length	Gate 2	Add log(prompt_CSize) + PR size + prompt_CSize	PR size + prompt_CSize	Prompt_CSize	OR	3.00147	e+10	inf	0.99861	False	positive	30014660648.98 [0.00, inf]
Prompt-length	Gate 2	Add log(prompt_CSize) + PR size + prompt_CSize	PR size + prompt_CSize	Prompt_CSize	OR	0.879845	0.396466	1.95257	0.752961	False	negative	0.88 [0.40, 1.95]
Prompt-length	Gate 2	Add log(prompt_CSize) + PR size + prompt_CSize	PR size + prompt_CSize	Prompt_CSize	OR	1.06133	0.863403	1.30463	0.57191	False	positive	1.06 [0.86, 1.30]
Prompt-length	Gate 2	Add log(prompt_CSize) + PR size + prompt_CSize	PR size + prompt_CSize	Prompt_CSize	OR	4.31249	0.455001	40.8737	0.202769	False	positive	4.31 [0.46, 40.87]
Prompt-length	Gate 2	Add log(prompt_CSize) + PR size + prompt_CSize	PR size + prompt_CSize	Prompt_CSize	OR	2.12718	0.903697	5.0071	0.083965	False	positive	2.13 [0.90, 5.01]

Family	Gate	Scenario	Specification	N	Term	Metric	Estimate	CI_Low	CI_High	p_value	Significant	Direction	Formatted
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + SampleLen	1772	Control	Log	0.5618660	1.966261	60555	0.281865	False	negative	0.56 [0.20, 1.61]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + VerificationLen	1772	Control	Log	6.89492	2.78546	17.0671	2.9774e-05	True	positive	6.89*** [2.79, 17.07]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + promptReqs	1772	Control	Log	1.36049	1.07451	1.7226	0.0105637	True	positive	1.36* [1.07, 1.72]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + promptLen	1772	Control	Log	18.0782	1.80061	181.507	0.013905	True	positive	18.08* [1.80, 181.51]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + ContextLen	1772	Control	Log	0.132318	-0.100245	0.364882	0.264794	False	positive	0.132 [-0.100, 0.365]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + SampleLen	1772	Control	Log	-0.0112452	0.255812	0.233322	0.928192	False	negative	-0.011 [-0.256, 0.233]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + VerificationLen	1772	Control	Log	-0.00406732	0.144494	0.206359	0.96978	False	negative	-0.004 [-0.214, 0.206]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + promptReqs	1772	Control	Log	-0.0362048	0.0975365	0.251269	0.247277	False	negative	-0.036 [-0.098, 0.025]
Prompt-length	Gate 0	Control	Add log(prompt_tokens) + PR_size + promptLen	1772	Control	Log	0.0538658	0.539044	0.431313	0.827741	False	negative	-0.054 [-0.539, 0.431]
Hold-out stability	Gate 0	Stratified 80/20 Train	Train N=1772 Holdout N=1772	1772	Control	Log	0.76625	nan	nan	0.0543228	False	positive	beta=0.766
Hold-out stability	Gate 0	Stratified 80/20 Train	Train N=1772 Holdout N=1772	1772	Control	Log	24.3707	nan	nan	0.998734	False	positive	beta=24.371
Hold-out stability	Gate 0	Stratified 80/20 Train	Train N=1772 Holdout N=1772	1772	Control	Log	0.259137	nan	nan	0.562958	False	negative	beta=-0.258
Hold-out stability	Gate 0	Stratified 80/20 Train	Train N=1772 Holdout N=1772	1772	Control	Log	0.083015	nan	nan	0.49309	False	negative	beta=-0.088
Hold-out stability	Gate 1	Stratified 80/20 Train	Train N=1112 Holdout N=1112	1112	Control	Log	0.710815	nan	nan	0.13321	False	positive	beta=0.710
Hold-out stability	Gate 1	Stratified 80/20 Train	Train N=1112 Holdout N=1112	1112	Control	Log	0.303014	nan	nan	0.602768	False	negative	beta=-0.308
Hold-out stability	Gate 1	Stratified 80/20 Train	Train N=1112 Holdout N=1112	1112	Control	Log	2.20789	nan	nan	1.60979e-10	True	positive	beta=2.208***
Hold-out stability	Gate 1	Stratified 80/20 Train	Train N=1112 Holdout N=1112	1112	Control	Log	0.243622	nan	nan	0.0588688	False	positive	beta=0.244
Hold-out stability	Gate 2	Stratified 80/20 Train	Train N=770 Holdout N=770	770	Control	Log	0.393414	nan	nan	0.535169	False	positive	beta=0.393
Hold-out stability	Gate 2	Stratified 80/20 Train	Train N=770 Holdout N=770	770	Control	Log	0.118812	nan	nan	0.847529	False	negative	beta=-0.119
Hold-out stability	Gate 2	Stratified 80/20 Train	Train N=770 Holdout N=770	770	Control	Log	0.025218	nan	nan	0.964566	False	negative	beta=-0.025
Hold-out stability	Gate 2	Stratified 80/20 Train	Train N=770 Holdout N=770	770	Control	Log	0.193306	nan	nan	0.237124	False	negative	beta=-0.194