

GATE 0 Qualitative Patterns

Case ID	Outcome Class (PA / PN / NE)	Context Score (C)	Specificity Score (S)	Verification Score (V)	Structural Pattern	Prompt Excerpt	Why Representative	Generated Actionable Code?	Notes	PR Language
PA-22	PA	1	2	2	Implementation-oriented	Using Kotlin with the sksamuel/scrimage library, generate code to draw text on an image with an outline. Render white text with a black border.	Defines a bounded Kotlin image-rendering task with explicit output constraints, enabling code synthesis.	Yes	Paper-referenced Gate 1 example also used to show implementation framing at Gate 0.	Kotlin
PN-19	PN	1	1	1	Implementation-oriented	Hello can you give me a regex to match ULID format? This one is correct? [0-7][0-9A-HJKMNP-TV-Z]{25}	Requests a concrete regex artifact for a ULID format, so the prompt is codable even though adoption did not occur.	Yes	Paper-referenced Gate 0/Gate 1 contrasting example.	PHP
PA-78	PA	2	2	1	Implementation-oriented	I want to refactor this program, which takes in an amount of change as a user input, and then outputs how many of each bill and coin you would give back.	Provides program context and asks for refactoring into a better implementation structure.	Yes	Paper-referenced Gate 2 example; also illustrates implementation-oriented Gate 0 framing.	Python
PA-61	PA	2	1	1	Implementation-oriented	What is tailwindcss and can you make a simple code snippet that shows its use and what it does?	Requests a TailwindCSS code snippet, explicitly asking for an executable artifact.	Yes	Variation: instructional/example generation request.	TypeScript
PN-25	PN	1	1	1	Implementation-oriented	What is the exit status code for git diff when differences are found? Thank you. Also, what about diff?	Focuses on command behavior and shell-status handling, creating a bounded workflow/script-oriented task.	Yes	Variation: CLI/workflow-oriented prompt.	YAML
PA-24	PA	1	2	1	Implementation-oriented	In TypeScript: could you create an enum consisting of 5 categories, which are used to categorize software projects? Could you then initialize variables which have as a type a list of this enum.	Asks for a concrete TypeScript enum and variable initialization, defining a bounded coding task.	Yes	Paper-referenced Gate 2 contrasting example.	TypeScript
NE-3	NE	1	0	0	Conceptual-oriented	How are express.js middleware functions commonly named? What might you call an express.js middleware that adds a content security policy or other security headers?	Asks for naming conventions and middleware names rather than executable middleware implementation.	No	Paper-referenced Gate 0 conceptual example.	JavaScript
NE-4	NE	1	0	1	Conceptual-oriented	What is faster in PHP: serialize vs json_encode?	Compares PHP serialization mechanisms and performance without requesting code or a bounded implementation.	No	Technical but analytical/comparative prompt.	PHP
NE-11	NE	1	0	0	Conceptual-oriented	For this change, there was discussion about the wording 'construct VoiceModel from a VVM file', including terminology choices such as construct versus allocate/free.	Discusses terminology for API/model construction rather than requesting a code artifact.	No	Technical terminology/workflow-oriented NE case.	Rust
NE-25	NE	1	1	0	Conceptual-oriented	If testing a code requires unit testing private methods, what does that say about the design?	Asks about design implications of testing private methods instead of asking for implementation code.	No	Additional technically grounded conceptual NE case.	Python