

This is a copy of a conversation between ChatGPT & Anonymous.

Report conversation

Release Automation Script

PR Link: <https://github.com/swarmion/swarmion/pull/678>

Conversation Link: <https://chat.openai.com/share/7538b618-c08d-45b7-a4ed-bb168e9c1eb0>

Act as an enthusiast developer advocate with 5 years of experience.
Write a quick documentation about this `release.sh` bash script. What
does it do? Use bullets points.
How do we use it? Use short sentences. Add emojis where needed.

Code snippet

```
#!/usr/bin/env bash
set -eo pipefail
IFS=$'\n\t'

readonly RELEASE_TYPE=$1
# optional second argument to explicitly define the version. Otherwise let lerna build
readonly TARGET_VERSION=$2

IS_ALPHA=false
OLD_VERSION=$(cat lerna.json | grep version | head -1 | awk -F: '{ print $2 }' | sed 's/^\"//')

# exit if RELEASE_TYPE not in lerna accepted release types
if ! [[ "$RELEASE_TYPE" =~ ^(major|minor|patch|premajor|preminor|prepatch|prerelease)$ ]]; then
    echo "RELEASE_TYPE is invalid"
    exit 1
fi

set -u

# compute whether we need an alpha release
if [[ "$RELEASE_TYPE" =~ ^(premajor|preminor|prepatch|prerelease)$ ]]; then
    echo "Using an alpha release"
    IS_ALPHA=true
fi

# set the new version
if [[ "$TARGET_VERSION" == "" ]]; then
    echo 'Using lerna version generation target'
    pnpm lerna version $RELEASE_TYPE --no-git-tag-version --no-push --force-publish
else
    echo "Using target version"
    pnpm lerna version $TARGET_VERSION --no-git-tag-version --no-push --force-publish
fi

# ensuring all packages are up-to-date
```

```

pnpm install && pnpm package --skip-nx-cache && pnpm build --skip-nx-cache

NEW_VERSION=$(cat lerna.json | grep version | head -1 | awk -F: '{ print $2 }' | sed

# create release commit
git add pnpm-lock.yaml lerna.json **/package.json
git commit -S -m "v${NEW_VERSION}"

# publish new version to npm
if $IS_ALPHA; then
    pnpm lerna publish from-package --force-publish --dist-tag alpha
else
    pnpm lerna publish from-package --force-publish
fi

# we need to wait for the version to be available on npm
echo "Waiting for changes to be available on npm, please do not stop"
sleep 10 # 10 seconds

# upgrade packages in the examples
for example in examples/*; do
    echo "Upgrading packages in $example"
    cd "$example"
    HUSKY=0 pnpm up "@swarmion/*@"^${NEW_VERSION}" --recursive
    cd ../../
    git add "$example"
    git commit -S -m "chore($example): bump Swarmion from v${OLD_VERSION} to v${NEW_VERSION}"
done

# tag new version && push everything
git tag v$NEW_VERSION -m "v${NEW_VERSION}" -s
git push && git push --tags

```

release.sh Bash Script Documentation The release.sh script is a Bash script that automates the release process for a project using the lerna package manager. It performs the following actions:

- Retrieves the release type from the first command-line argument (\$RELEASE_TYPE) and optionally the target version from the second argument (\$TARGET_VERSION).
- Determines if an alpha release is required based on the release type.
- Sets the new version for the project using lerna version command, either by generating it automatically or using the target version.
- Ensures that all packages are up-to-date by running pnpm install, pnpm package, and pnpm build.
- Creates a release commit with a signed message containing the new version.
- Publishes the new version to npm, either as a regular release or an alpha release.
- Waits for the changes to be available on npm for a brief period.
- Upgrades packages in the project's examples to the new version.
- Creates a tag for the new version and pushes the changes to the remote repository.

Usage: Make sure the script has executable permissions

(chmod +x release.sh).Run the script with the necessary command-line arguments:

Code

```
./release.sh <RELEASE_TYPE> [TARGET_VERSION]
```

<RELEASE_TYPE>: The type of release to perform (e.g., major, minor, patch, premajor, preminor, prepatch, or prerelease).[TARGET_VERSION] (optional): The target version to set explicitly. If not provided, lerna will generate the version automatically.Examples:

Code

```
./release.sh patch
```

Code

```
./release.sh premajor 2.0.0-alpha.1
```

Note:The script assumes that lerna.json, pnpm-lock.yaml, and package.json files are present in the project directory.It is recommended to use a secure execution environment (e.g., CI/CD) for running this script to ensure proper signing and authentication mechanisms.