

Report conversation

when using activerecord-multi-tenant library in my rails project, filters does not work. I prepared a fix and now I want to unit test it to see that fix is actually working. My non-working code block is as below (not filtering secret values in logs)

```
Rails.application.config.filter_parameters += [
  :passwd, :secret, :token, :_key, :crypt, :salt, :certificate,
  :otp, :ssn
]
```

Can you give me a unit test to test this issue?

Certainly! I can help you with a unit test to verify that the fix for filtering sensitive parameters in logs is working correctly. Here's an example test using RSpec that you can use as a starting point:

ruby

 Copy code

```
# spec/your_fix_spec.rb
```

```
require 'rails_helper'
```

```
RSpec.describe "Filtering sensitive parameters in logs" do
  it "filters out secret values from logs" do
    # Mocking a controller action with sensitive parameters
    params = {
      passwd: "password",
      secret: "secret_value",
      token: "access_token",
      _key: "api_key",
      crypt: "encrypted_value",
      salt: "salt_value",
      certificate: "certificate_data",
      otp: "123456",
      ssn: "123-45-6789"
    }
  end
end
```

```
controller = ApplicationController.new
allow(controller).to receive(:params).and_return(params)

# Trigger the action that logs the parameters
controller.action_that_logs_parameters

# Fetch the logs
logs = Rails.logger.instance_variable_get(:@logdev).dev.string

# Ensure that the sensitive parameters are filtered in logs
expect(logs).not_to include("password")
expect(logs).not_to include("secret_value")
expect(logs).not_to include("access_token")
expect(logs).not_to include("api_key")
expect(logs).not_to include("encrypted_value")
expect(logs).not_to include("salt_value")
expect(logs).not_to include("certificate_data")
expect(logs).not_to include("123456")
expect(logs).not_to include("123-45-6789")
end
end
```

In this example, we create a mock controller and override the `params` method to return a hash containing sensitive parameter values. Then, we invoke the action that logs the parameters. After that, we fetch the logs from the logger and assert that the sensitive values are filtered out.

Make sure you replace `action_that_logs_parameters` with the actual method name in your code that logs the parameters. Additionally, modify the example to fit your project's file structure and testing framework if necessary.

Remember to include the necessary dependencies, such as `rails_helper`, in the test file, and configure your testing environment to load the required files.

This test should help you verify that the fix properly filters out the sensitive parameter values from the logs.

