

Report conversation

```

    @service analyticsEventTracker;
    @service authenticator;
    @service monthlyChallengeBanner;
    @service router;
    @tracked configureCheckoutSessionModalIsOpen;
    @tracked isCreatingCheckoutSession = false;
    @tracked pricingFrequencyClicked = '';
    @tracked shouldApplyRegionalDiscount = false;
    get additionalCheckoutSessionProperties() {
        const additionalCheckoutSessionProperties = {
            pricingFrequency: this.pricingFrequencyClicked,
            regionalDiscount: this.shouldApplyRegionalDiscount,
        };
        if (this.pricingFrequencyClicked === 'yes') {
            additionalCheckoutSessionProperties.extraProperties = {
                additionalCheckoutSessionProperties.regionalDiscount: true,
            };
            return additionalCheckoutSessionProperties;
        } else {
            return additionalCheckoutSessionProperties;
        }
    }
}

```

The `pricingFrequencyClicked` name feels wrong.
Can you explain why it's wrong and what better options are? Guide me through your thinking

The name `pricingFrequencyClicked` in the context of this code does seem a bit off.
Here's why and some suggestions for improvement:

- 1. Context and Clarity:** The name `pricingFrequencyClicked` implies an action (a click event), rather than a property or state, which is what the variable is actually representing. A good variable name should clearly indicate what the variable is or does without implying an action if it's meant to hold a state or value.

- 2. Consistency with Usage:** The variable is used to store the selected pricing frequency (like 'monthly' or 'yearly'). Therefore, its name should reflect that it's holding a value related to the pricing frequency choice, not the action of clicking.
- 3. Alignment with Best Practices:** In coding best practices, variable names should be intuitive and self-explanatory to enhance code readability and maintainability. Naming conventions are especially important in larger projects or when working in a team.

Considering these points, better alternatives for `pricingFrequencyClicked` could be:

- `selectedPricingFrequency` : This name makes it clear that the variable holds the selected value of the pricing frequency. It's straightforward and communicates the purpose effectively.
- `currentPricingPlan` : If the variable is intended to reflect the current pricing plan chosen by the user, this name is more descriptive.
- `pricingPlanChoice` or `pricingOption` : These names also indicate that the variable holds the user's choice regarding the pricing plan.

By choosing a name like `selectedPricingFrequency`, the intent and use of the variable become clearer, making the code more readable and maintainable.