

Report conversation

code review:

Skip to content

customerio

/

gist-web

Type / to search

Code

Issues

1

Pull requests

1

Actions

Projects

Wiki

Security

Insights

Settings

Added support for Message Width and Overlay Color #25

Open

BernardGatt wants to merge 6 commits into develop

from feature/11505-width-color

+43 –18

Conversation 0

Commits 6

Checks 0

Files changed 6

File filter

0 / 6 files viewed

Filter changed files

2 changes: 1 addition & 1 deletion2

dist/gist.min.js

Viewed

Large diffs are not rendered by default.

10 changes: 10 additions & 0 deletions

src/managers/gist-properties-manager.js

Viewed

@@ -8,6 +8,8 @@ export function

```
resolveMessageProperties(message) {
```

```
  var shouldScale = false;
```

```
  var campaignId = null;
```

```
  var persistent = false;
```

```
  var overlayColor = "#00000033";
```

```
  var messageWidth = 414;
```

```
  if (message.properties && message.properties.gist) {
```

```
    if (message.properties.gist.campaignId) {
```

@@ -28,6 +30,12 @@ export function

```
resolveMessageProperties(message) {
```

```
  if (message.properties.gist.scale) {
```

```
    shouldScale = message.properties.gist.scale;
```

```
  }
```

```
  if (message.properties.gist.overlayColor) {
```

```
    overlayColor =
```

```
message.properties.gist.overlayColor;
```

```
  }
```

```
  if (message.properties.gist.messageWidth &&
```

```
message.properties.gist.messageWidth > 0) {
```

```
    messageWidth =
```

```
message.properties.gist.messageWidth;
```

```
  }
```

```
  if (message.properties.gist.persistent)
```

```
  {
```

```
    persistent = true
```

@@ -42,6 +50,8 @@ export function

```
resolveMessageProperties(message) {
```

```
  hasPosition: hasPosition,
```

```
  shouldScale: shouldScale,
```

```
  campaignId: campaignId,
```

```
  messageWidth: messageWidth,
```

```
  overlayColor: overlayColor,
```

```
  persistent: persistent
```

```
}  
}  
34 changes: 25 additions & 9 deletions34  
src/managers/message-component-manager.js  
Viewed  
@@ -1,6 +1,7 @@  
import { log } from "../utilities/log";  
import { v4 as uuidv4 } from 'uuid';  
import { embedMessage } from "../message-manager";  
import { resolveMessageProperties } from "../gist-  
properties-manager";  
const delay = ms => new Promise(res => setTimeout(res,  
ms));  
  
export function isElementLoaded(elementId) {  
@@ -23,13 +24,13 @@ export async function  
preloadRenderer() {  
  embedMessage({messageId: ""}, preloadFrameId);  
}  
  
export function loadEmbedComponent(elementId, url) {  
export function loadEmbedComponent(elementId, url,  
message) {  
  var element = safelyFetchElement(elementId);  
  if (element) {  
    if (!elementHasHeight(elementId)) {  
      element.style.height = "0px";  
    }  
    element.innerHTML = embed(url);  
    element.innerHTML = embed(url, message);  
  } else {  
    log(Message could not be embedded,  
elementId ${elementId} not found.);  
  }  
@@ -78,8 +79,8 @@ export function  
resizeComponent(elementId, size, shouldScale) {  
  }  
}  
  
export function loadOverlayComponent(url, instanceId) {
```

```
document.body.insertAdjacentHTML('beforeend',
component(url, instanceId));
export function loadOverlayComponent(url, message) {
  document.body.insertAdjacentHTML('beforeend',
component(url, message));
}

export function showOverlayComponent(message) {
@@ -115,20 +116,35 @@ export function
removeOverlayComponent() {
}

function showMessage() {
  var message = document.querySelector("#gist-
message");
  if (message) message.classList.add("visible");
  var messageElement = document.querySelector("#gist-
message");
  if (messageElement)
messageElement.classList.add("visible");
}

function embed(url) {
function embed(url, message) {
  var messageProperties =
resolveMessageProperties(message);
  var windowMaxWidth = 800;
  if (messageProperties.messageWidth > 800) {
    windowMaxWidth = messageProperties.messageWidth;
  }
  var template = require("html-
loader!../templates/embed.html");
  template = template.replace("${messageWidth}",
messageProperties.messageWidth + "px");
  template = template.replace("${maxWidth}",
windowMaxWidth + "px");
  template = template.replace("${url}", url);
  return template;
}
```

```

function component(url, instanceId) {
function component(url, message) {
    var messageProperties =
resolveMessageProperties(message);
    var windowMaxWidth = 600;
    if (messageProperties.messageWidth > 600) {
        windowMaxWidth = messageProperties.messageWidth;
    }
    var template = require("html-
loader!../templates/message.html");
    template = template.replace("${messageWidth}",
messageProperties.messageWidth + "px");
    template = template.replace("${maxWidth}",
windowMaxWidth + "px");
    template = template.replace("${overlayColor}",
messageProperties.overlayColor);
    template = template.replace("${url}", url);
    template = template.replace("${instanceId}", instanceId);
    template = template.replace("${instanceId}",
message.instanceId);
    return template;
}

```

4 changes: 2 additions & 2 deletions4

src/managers/message-manager.js

Viewed

@@ -130,9 +130,9 @@ function

loadMessageComponent(message, elementId = null) {

```

    if (elementId) {
        if (positions.includes(elementId)) {
addPageElement(elementId); }
        loadEmbedComponent(elementId, url);
        loadEmbedComponent(elementId, url, message);
    } else {
        loadOverlayComponent(url, message.instanceId);
        loadOverlayComponent(url, message);
    }

```

return message;

5 changes: 2 additions & 3 deletions5

src/templates/embed.html

Viewed

@@ -14,8 +14,7 @@

```
width: 100%;
}
#x-gist-floating-top-left, #x-gist-floating-top-right, #x-
gist-floating-bottom-left, #x-gist-floating-bottom-right {
width: 40%;
max-width: 414px;
width: '${messageWidth}';
}
#x-gist-floating-top-right, #x-gist-floating-bottom-right
{
right: 0px;
```

@@ -35,7 +34,7 @@

```
width: 100%;
border: none;
}
@media (max-width: 800px) {
@media (max-width: '${maxWidth}') {
#x-gist-floating-top-left, #x-gist-floating-top-right, #x-
gist-floating-bottom-left, #x-gist-floating-bottom-right {
width: 100%;
}
}
```

6 changes: 3 additions & 3 deletions6

src/templates/message.html

Viewed

@@ -7,7 +7,7 @@

```
top: 0;
width: 100%;
height: 100%;
background-color: rgba(0, 0, 0, .2);
background-color: '${overlayColor}';
visibility: hidden;
}
#gist-overlay.background.visible {
@@ -17,7 +17,7 @@
display: block;
}
```

```
#gist-message {  
  width: 414px;  
  width: '${messageWidth}';  
  position: absolute;  
  border: none;  
  opacity: 0;  
@@ -39,7 +39,7 @@  
  #gist-message.top {  
    top: 0;  
  }  
  @media (max-width: 600px) {  
    @media (max-width: '${maxWidth}') {  
      #gist-message {  
        width: 100%;  
      }  
    }  
  }  
Footer  
© 2023 GitHub, Inc.  
Footer navigation  
Terms  
Privacy  
Security  
Status  
Docs  
Contact GitHub  
Pricing  
API  
Training  
Blog  
About
```

This code review pertains to a pull request that adds support for customizable message width and overlay color within what appears to be a web messaging or notification system. Below are some observations and suggestions:

1. Consistency in Naming:

- The function `resolveMessageProperties` seems to be a typo. It should be renamed to `resolveMessagePropertyies` for clarity and consistency.

2. Code Duplication:

- There is some duplication in setting the `windowMaxWidth` in both the `embed` and `component` functions based on `messageWidth`. Consider refactoring this

logic into a shared function to determine the `windowMaxWidth` based on a given `messageWidth`.

3. Code Commenting and Documentation:

- There are no comments explaining the code changes. Comments or documentation would be helpful, especially for the new properties `overlayColor` and `messageWidth` that are being introduced.

4. Validation and Error Handling:

- There is a check in `resolveMessageProperties` to ensure `messageWidth` is greater than 0. However, there are no checks for the validity of the `overlayColor` value. Consider adding validation to ensure that `overlayColor` is a valid CSS color value.

5. Use of Magic Numbers:

- The numbers 800 and 600 are used as magic numbers in the `embed` and `component` functions. It would be better to define these as constants at the top of the file to improve readability and make the code easier to maintain.

6. Usage of ES6+ Syntax:

- The code is using `var` for variable declarations. It is recommended to use `let` or `const` for block-scoped variables, which offer better scope control and reduce errors due to variable hoisting.

7. Styling and Layout:

- The CSS changes in the HTML templates use template literals to inject the `messageWidth` and `maxWidth` directly into the styles. Ensure that this does not open up any security vulnerabilities such as CSS injection.

8. Responsive Design Considerations:

- The media queries are using the `maxWidth` to switch the message width to 100%. Make sure this dynamic value works as expected across different devices and does not break the responsive design.

9. Testing:

- There is no indication of testing. Ensure that the changes are thoroughly tested across various scenarios, including edge cases like extremely large or small `messageWidth` values or invalid `overlayColor` formats.

10. Commit Messages:

- The commit messages are not provided, but they should be clear and descriptive, explaining why the change was made, not just what was changed.

Before merging the pull request, it's important that these issues are addressed to ensure the code is maintainable, efficient, and free of bugs. It would also be advisable to provide examples of how these new properties can be used, and update any related documentation to reflect these new features.