

Report conversation

minimal example for a pytest test in the directory structure of a python package

Sure, here's a minimal example of a pytest test within the directory structure of a Python package:

Let's assume you have the following directory structure for your Python package:

markdown

 Copy code

```
my_package/  
├── my_module.py  
├── tests/  
│   ├── __init__.py  
│   └── test_my_module.py
```

Inside the `my_module.py`, you have a simple function to test:

python

 Copy code

```
# my_module.py  
  
def add(a, b):  
    return a + b
```

Now, you want to write a pytest test for this `add` function. Create a `test_my_module.py` file inside the `tests` directory:

python

 Copy code

```
# test_my_module.py  
  
from my_package.my_module import add  
  
def test_add():  
    assert add(2, 3) == 5
```

```
assert add(0, 0) == 0
assert add(-1, 1) == 0
```

Here's what this example does:

1. The test file is named `test_my_module.py`, and it's located within the `tests` directory.
2. We import the `add` function from `my_package.my_module`, assuming that your package is properly structured and that `my_module.py` contains the `add` function.
3. We define a test function called `test_add`, where we use assertions to check if the `add` function behaves as expected for various inputs.

To run the tests using pytest, make sure you have pytest installed (you can install it using `pip install pytest`). Then, from the root directory of your package (where the `my_package` directory is located), run:

nginx

 Copy code

pytest

This command will discover and run all the tests in the `tests` directory and its subdirectories. In this case, it will execute the `test_add` function in `test_my_module.py` and report the results.