Frontend Development with React.js

Project Documentation for Rhythmic Tunes

1. Introduction

Project Title: Rhythmic Tunes

Team Members:

Devan K (Team Leader) [Email Id: devan060803@gmail.com]

♣ Bharathvaj K [Email Id: bharathvaj1312@gmail.com]

Arachelvan V [Email Id: arachelvanbubblu@gmail.com]

♣ Elavarasan M [Email Id: melavarasan20102005@gmail.com]

♣ Gopi K [Email Id: kgopigopi2005@gmail.com]

2. Project Overview

Purpose:

Rhythmic Tunes is a web application designed to provide users with a seamless music listening experience. The application allows users to browse, search, and play music tracks, create playlists, and discover new music based on their preferences.

Features:

- Music player with play, pause, skip, and volume control.
- Search functionality to find songs, albums, and artists.
- User authentication (login/signup).
- Playlist creation and management.
- Responsive design for mobile and desktop.

3. Architecture

• Component Structure:

The application is built using React.js with a component-based architecture. Major components include:

- Header: Contains the navigation bar and search bar.
- o **Player**: Music player controls (play, pause, volume, etc.).
- Sidebar: Displays user playlists and navigation links.
- HomePage: Displays featured tracks, recommended playlists, and new releases.
- SearchPage: Allows users to search for songs, albums, and artists.
- PlaylistPage: Displays user-created playlists and allows playlist management.

• State Management:

The application uses **Redux** for global state management. The Redux store manages user authentication, current playing track, playlist data, and search results.

• Routing:

The application uses **React Router** for navigation. Routes include:

/: Home page

/search: Search page

o /playlist/:id: Playlist details page

/login: User login page

4. Setup Instructions

• Prerequisites:

- Node.js (v16 or higher)
- o npm (v8 or higher)
- o Git

Installation:

- 1. Clone the repository: git clone https://github.com/unm12912137/rhythmic-tunes.git
- 2. Navigate to the client directory: cd rhythmic-tunes/client
- 3. Install dependencies: npm install
- 4. Configure environment variables: Create a .env file in the client directory and add the necessary variables (e.g., API keys).
- 5. Start the development server: npm start

5. Folder Structure

Client:

o **src/components:** # Reusable components (Header, Player, etc.)

src/pages: # Page components (HomePage, SearchPage, etc.)

o src/assets: # Images, icons, and other static files

o **src/redux:** # Redux store, actions, and reducers

src/utils: # Utility functions and helpers

o **App.js:** # Main application component

o index.js: # Entry point

Utilities:

o **api.js**: Handles API requests to the backend.

auth.js: Manages user authentication and token storage.

o hooks/usePlayer.js: Custom hook for managing the music player state.

6. Running the Application

Frontend:

- To start the frontend server, run the following command in the client directory:
 npm start
- o npm install
- o npx json-server ./db/db.json
- o npm run dev
- o The application will be available at http://localhost:5173/

7. Component Documentation

Key Components:

- Header: Displays the navigation bar and search bar.
 - Props: onSearch (function to handle search queries).
- Player: Controls the music playback.
 - Props: currentTrack (object containing track details), onPlay, onPause, onSkip.

- PlaylistCard: Displays a playlist with its name and cover image.
 - Props: playlist (object containing playlist details), onClick (function to handle playlist selection).

• Reusable Components:

- o **Button**: A customizable button component.
 - Props: text, onClick, disabled.
- o **Input**: A reusable input field for forms and search.
 - Props: type, placeholder, value, onChange.

8. State Management

Global State:

The Redux store manages the following global states:

- o **user:** Current authenticated user.
- o player: Current playing track, playback status (playing/paused), and volume.
- playlists: User-created playlists.
- searchResults: Results from the search functionality.


Local State:

Local state is managed using React's useState hook within components. For example, the SearchPage component manages the search query input locally.


9. User Interface

Screenshots


o **Home Page:** Display featured tracks and recommended playlists.



o Search Page: Allows users to search for songs, albums, and artists.



o **Playlist Page:** Displays user-created playlists and allows playlist management.



10. Styling

CSS Frameworks/Libraries:

The application uses **Styled-Components** for styling. This allows for modular and scoped CSS within components.

• Theming:

A custom theme is implemented using Styled-Components, with support for light and dark modes.

11. Testing

Testing Strategy:

- Unit Testing: Using Jest and React Testing Library.
- Integration Testing: Is performed to ensure that components work together as expected.
- End-to-End Testing: Cypress is used for end-to-end testing of user flows.

• Code Coverage:

 Code coverage is monitored using Jest's built in coverage tool. The current coverage is 85%.

12. Screenshots or Demo

Demo Link:

https://drive.google.com/file/d/1ROVO0udGYwpFo rTD9KGNFiUPm34ZvNS/view?us p=drivesdk

• **Screenshots:** See section 9 for UI screenshots.

13. Known Issues

- **Issue 1**: The music player sometimes skips tracks unexpectedly.
- **Issue 2**: The search functionality is slow with large datasets.

14. Future Enhancements

• Future Features:

- Add support for user profiles and social sharing.
- o Implement a recommendation engine for personalized music suggestions.
- o Add animations and transitions for a smoother user experience.

This documentation provides a comprehensive overview of the **Rhythmic Tunes** project, including its architecture, setup instructions, and future plans.