

PROJECT: FOOD

Recommendation

[DINE-EASE]

Page-1 page 1.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Dine-Ease | Your Food
  Adviser</title>
  <style>
    * {
      margin: 0;
      padding: 0;
      box-sizing: border-box;
      font-family: 'Poppins', sans-serif;
    }

    body {
      height: 100vh;
      background: linear-gradient(to right,
#ff7e5f, #feb47b);
      display: flex;
      justify-content: center;
      align-items: center;
      color: white;
    }

    .container {
      text-align: center;
      background: rgba(0, 0, 0, 0.5);
      padding: 50px;
      border-radius: 20px;
      backdrop-filter: blur(10px);
      box-shadow: 0 10px 30px
      rgba(0,0,0,0.3);
    }

    h1 {
      font-size: 3rem;
```

```
margin-bottom: 10px;
  }

  h1 span {
    color: #ffd700;
  }

  p {
    font-size: 1.2rem;
    margin-bottom: 30px;
  }

  .btn {
    padding: 12px 25px;
    margin: 10px;
    border: none;
    border-radius: 25px;
    font-size: 1rem;
    cursor: pointer;
    transition: 0.3s;
    text-decoration: none;
    display: inline-block;
  }

  .btn-primary {
    background: #ffd700;
    color: black;
  }

  .btn-primary:hover {
    background: white;
    transform: scale(1.05);
  }

  .food-icons {
    margin-top: 20px;
    font-size: 2rem;
    animation: float 3s infinite alternate;
  }

  #bg-video {
    position: fixed;
    right: 0;
    bottom: 0;
```

```

min-width: 100%;
min-height: 100%;
width: auto;
height: auto;
z-index: -1;
object-fit: cover;
}
</style>
</head>
<body>
<video autoplay muted loop id="bg-video">
  <source src="video.mp4"
type="video/mp4">
</video>
  <div class="container">
    <h1>Welcome to <span>Dine-
Ease</span></h1>
    <p>Your Smart Food Adviser
🍕 🍔 🍝 </p>

    <!-- Get Started button -->
    <a href="review.html" class="btn btn-
primary">Reviews</a>

    <!-- Explore Menu button (fixed) -->
    <a href="new.html" class="btn btn-
primary">Explore Menu</a>

    <div class="food-icons">
      🍕 🍔 🍝 🍲 🍩
    </div>
  </div>
</body>
</html>

```

Page-2 naw.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">

```

```

<meta name="viewport"
content="width=device-width, initial-
scale=1">
<title>Dine-Ease | Explore Food</title>

<link
href="https://fonts.googleapis.com/css2?fa
mily=Poppins:wght@300;500;700&display=
swap" rel="stylesheet">

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  font-family: 'Poppins', sans-serif;
}

html {
  scroll-behavior: smooth;
}

body {
  background: #f4e4d8;
}

/* NAVBAR */
nav {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 20px 60px;
  background: #fff;
  position: sticky;
  top: 0;
  z-index: 100;
  box-shadow: 0 3px 6px rgba(0,0,0,0.1);
}

.logo {
  font-size: 28px;
  font-weight: 700;
  cursor: pointer;
  transition: 0.3s;

```

```

}

.logo span {
  color: orange;
}

.logo:hover {
  transform: scale(1.1);
}

/* NAV LINKS */
.nav-links a {
  margin: 0 15px;
  text-decoration: none;
  color: black;
  font-size: 16px;
  position: relative;
}

.nav-links a::after {
  content: "";
  position: absolute;
  width: 0%;
  height: 2px;
  left: 0;
  bottom: -5px;
  background: orange;
  transition: 0.3s;
}

.nav-links a:hover::after {
  width: 100%;
}

.nav-links a:hover {
  color: orange;
}

/* BUTTONS */
.auth button {
  margin-left: 10px;
  padding: 8px 16px;
  border-radius: 20px;
  border: none;

```

```

  cursor: pointer;
  font-size: 14px;
  transition: 0.3s;
}

.auth button:hover {
  transform: scale(1.1);
}

.signup {
  background: orange;
  color: white;
}

/* HERO */
.hero {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 60px;
  flex-wrap: wrap;
}

.hero-text {
  max-width: 550px;
}

.hero-text h1 {
  font-size: 60px;
  font-weight: 700;
  margin-bottom: 20px;
}

.hero-text p {
  font-size: 18px;
  color: #555;
  margin-bottom: 25px;
}

/* BUTTON */
.explore-btn {
  padding: 14px 30px;
  border: none;
  border-radius: 30px;

```

```

background: orange;
color: white;
font-size: 16px;
cursor: pointer;
transition: 0.3s;
}

.explore-btn:hover {
  transform: scale(1.05);
  box-shadow: 0 5px 15px rgba(0,0,0,0.2);
}

/* HERO IMAGE */
.hero-img img {
  width: 600px;
  max-width: 100%;
  border-radius: 50%;
  box-shadow: 0 10px 30px rgba(0,0,0,0.2);
  animation: spin 25s linear infinite;
}

@keyframes spin {
  from { transform: rotate(0deg); }
  to { transform: rotate(360deg); }
}

/* SECTIONS */
.section {
  padding: 60px 20px;
  text-align: center;
}

.section h2 {
  font-size: 32px;
  margin-bottom: 20px;
  color: #ff6600;
}

.section p {
  font-size: 16px;
  color: #555;
  margin-bottom: 40px;
}

```

```

/* MENU GRID */
.menu-grid {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: 25px;
  align-items: stretch;
}

.menu-item {
  background: #fff;
  border-radius: 12px;
  padding: 15px;
  width: 220px;
  min-height: 340px;

  box-shadow: 0 5px 15px rgba(0,0,0,0.1);
  transition: 0.3s;

  display: flex;          /* 🔥 IMPORTANT */
  flex-direction: column; /* 🔥
IMPORTANT */
}

.menu-item img {
  width: 100%;
  border-radius: 12px;
  margin-bottom: 10px;
}

.menu-item:hover {
  transform: translateY(-5px);
}

.menu-item h4 {
  font-size: 18px;
  margin-bottom: 5px;
}

.menu-item p {
  font-size: 14px;
  color: #555;
  margin: 5px 0;
}

```

```

}

.menu-item .price {
  margin-top: auto; /* 🔥 pushes price to
SAME LINE in all cards */
  font-weight: 700;
  color: #ff5722;
  font-size: 16px;
  text-align: center;
}

.menu-item button {
  margin-top: auto; /* 🔥 pushes button
to bottom */
  padding: 10px;
  width: 100%;
  background: linear-gradient(45deg,
orange, #ff5722);
  color: white;
  border: none;
  border-radius: 8px;
  cursor: pointer;
  transition: 0.3s;
}

.menu-item button:hover {
  transform: scale(1.05);
  background: linear-gradient(45deg,
#e64a19, #d84315);
}

/* SERVICE LIST */

.service-card {
  background: #fff;
  border-radius: 12px;
  padding: 20px;
  width: 220px;

  box-shadow: 0 5px 15px rgba(0,0,0,0.1);
  transition: 0.3s;

  text-align: center;
}

```

```

.service-card:hover {
  transform: translateY(-5px);
}

.service-card h3 {
  color: #ff6600;
  margin-bottom: 10px;
}

.service-card p {
  font-size: 14px;
  color: #555;
}

.service-list {
  list-style: none;
  text-align: left;
  max-width: 600px;
  margin: auto;
}

.service-list li {
  font-size: 16px;
  padding: 10px 0;
  position: relative;
}

.service-list li::before {
  content: "🍷";
  position: absolute;
  left: -30px;
}

/* GALLERY GRID */
.gallery-grid {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: 15px;
}

.gallery-grid img {
  width: 200px;
  border-radius: 12px;
}

```

```

}

/* FOOTER */
.footer {
  background: #222;
  color: white;
  padding: 40px 60px;
  display: flex;
  justify-content: space-between;
  flex-wrap: wrap;
}

.footer div {
  margin: 10px;
}

.footer h3 {
  margin-bottom: 10px;
}

.footer p {
  font-size: 14px;
  color: #ccc;
}

.menu-item h3 {
  font-size: 18px;
  margin-bottom: 10px;
  color: #ff6600;
}

.gallery-grid img {
  width: 220px;
  height: 150px;
  object-fit: cover;
  border-radius: 12px;
  transition: 0.3s;
}

.gallery-grid img:hover {
  transform: scale(1.08);
}

#userBox {

```

```

  margin-left: 20px;
  padding: 8px 15px;
  background: #fff3e0;
  border-radius: 20px;
  font-weight: 500;
  color: #ff6600;
  display: flex;
  align-items: center;
  gap: 8px;
  box-shadow: 0 3px 8px rgba(0,0,0,0.1);
  cursor: pointer;
  transition: 0.3s;
}

#userBox:hover {
  background: #ffe0b2;
  transform: scale(1.05);
}

#logoutBtn {
  margin-left: 10px;
  padding: 8px 15px;
  border: none;
  border-radius: 20px;
  background: red;
  color: white;
  cursor: pointer;
  transition: 0.3s;
}

#logoutBtn:hover {
  background: darkred;
  transform: scale(1.05);
}

section {
  scroll-margin-top: 100px;
}
</style>
</head>

<body>
<!-- NAVBAR -->
<nav>

```

```
<div class="logo">Dine<span>-  
Ease</span></div>
```

```
<div class="nav-links">  
  <a href="#home">Home</a>  
<a href="#menu">Top-Dishes</a>  
<a href="#service">Service</a>  
<a href="#about">About</a>  
<a href="#gallery">Gallery</a>  
</div>
```

```
<div class="auth">  
  <button  
onclick="window.location.href='login.html'"  
>Log In</button>  
  <button class="signup"  
onclick="window.location.href='signup.html'"  
>Sign Up</button>  
</div>  
<div id="userBox"></div>  
<button id="logoutBtn"  
style="display:none;">Logout</button>  
</nav>
```

```
<!-- HERO -->  
<section id="home" class="hero">  
  <div class="hero-text">  
    <h1>Order Your Best Food  
Anytime</h1>  
    <p>Hey! Delicious food is waiting for  
you 🍷 Get personalized recommendations  
with Dine-Ease.</p>  
    <button  
onclick="window.location.href='new  
menu.html'" class="explore-btn">Explore  
Food</button>  
  </div>  
  <div class="hero-img">  
      
  </div>  
</div>
```

```
</section>  
<!-- MENU SECTION -->
```

```
<section id="menu" class="section">
```

```
  <h2>Top Dishes</h2>  
  <p>Handcrafted dishes made with love  
and premium ingredients.</p>  
  <div class="menu-grid">
```

```
    <!-- Pizza -->  
    <div class="menu-item">  
        
      <h4>Margherita Pizza</h4>  
      <p>Classic cheese & tomato  
delight</p>  
      <p class="price">₹299</p>  
      <button  
onclick="window.open('http://localhost:850  
2')">Order Now</button>  
    </div>
```

```
    <!-- Burger -->  
    <div class="menu-item">  
        
      <h4>Cheese Burger</h4>  
      <p>Loaded with cheese & juicy  
patty</p>  
      <p class="price">₹199</p>  
      <button  
onclick="window.open('http://localhost:850  
2')">Order Now</button>  
    </div>
```

```
    <!-- Pasta -->  
    <div class="menu-item">  
        
      <h4>White Sauce Pasta</h4>  
      <p>Creamy & rich Italian pasta</p>  
      <p class="price">₹249</p>  
      <button  
onclick="window.open('http://localhost:850  
2')">Order Now</button>  
    </div>
```

```

<!-- Sandwich -->
<div class="menu-item">
  
  <h4>Grilled Sandwich</h4>
  <p>Crispy grilled with fresh
veggies</p>
  <p class="price">₹149</p>
  <button
onclick="window.open('http://localhost:850
2')">Order Now</button>
</div>

```

```

<!-- Fries -->
<div class="menu-item">
  
  <h4>French Fries</h4>
  <p>Golden crispy potato fries</p>
  <p class="price">₹99</p>
  <button
onclick="window.open('http://localhost:850
2')">Order Now</button>
</div>

```

```

<!-- Dessert -->
<div class="menu-item">
  
  <h4>Chocolate Cake</h4>
  <p>Rich & creamy chocolate
delight</p>
  <p class="price">₹179</p>
  <button
onclick="window.open('http://localhost:850
2')">Order Now</button>
</div>

```

```

</div>
</section>

```

```

<!-- SERVICE SECTION -->
<section id="service" class="section">
  <h2>Our Services</h2>
  <p>We deliver more than food — we
deliver experience.</p>

```

```

<div class="menu-grid">

  <div class="service-card">
    <h3>🚀 Fast Delivery</h3>
    <p>Get your food delivered within
30-45 minutes.</p>
  </div>

```

```

  <div class="service-card">
    <h3>🍲 Quality Food</h3>
    <p>Fresh ingredients and hygienic
preparation.</p>
  </div>

```

```

  <div class="service-card">
    <h3>🎉 Catering</h3>
    <p>Perfect catering for parties &
events.</p>
  </div>

```

```

  <div class="service-card">
    <h3>☎️ 24/7 Support</h3>
    <p>We're always here to help you
anytime.</p>
  </div>

```

```

  <div class="service-card">
    <h3>🏆 Loyalty Rewards</h3>
    <p>Earn points and get exciting
discounts.</p>
  </div>

```

```

</div>
</section>

```

```

<!-- ABOUT SECTION -->
<section id="about" class="section">
  <h2>About Dine-Ease</h2>

```

```

  <p>
    Founded in 2020, <b>Dine-Ease</b> is
built with a mission to transform

```



```
<div class="gallery-grid">
  
  
  
  
  
  
  
  
</div>
</section>
<!-- FOOTER -->
<div class="footer">
```

```
<div>
  <h3>Dine-Ease</h3>
  <p>Your favorite food delivery
partner.</p>
</div>
<div>
  <h3>Quick Links</h3>
  <p><a href="#home"
style="color:#ff6600;text-
decoration:none;">home</a></p>
  <p><a href="#menu"
style="color:#ff6600;text-
decoration:none;">Menu</a></p>
  <p><a href="#service"
style="color:#ff6600;text-
decoration:none;">Service</a></p>
  <p><a href="#about"
style="color:#ff6600;text-
decoration:none;">About</a></p>
  <p><a href="#gallery"
style="color:#ff6600;text-
decoration:none;">Gallery</a></p>
</div>
<div>
  <h3>Contact</h3>
  <p>Email: support@dineease.com</p>
  <p>Phone: +91 9876543210</p>
</div>
</div>

<script>
window.onload = function(){
  let user =
JSON.parse(localStorage.getItem("user"));
  let loggedIn =
localStorage.getItem("loggedIn");

  if(loggedIn === "true" && user){
    document.getElementById("userBox").i
nnerHTML =
      "  " + user.name;

    document.getElementById("logoutBtn"
).style.display = "inline-block";
```

```

    }
  }

  // SMOOTH LOGOUT
  document.getElementById("logoutBtn").onclick = function(){

    // fade out effect
    document.body.style.transition = "0.5s";
    document.body.style.opacity = "0";

    setTimeout(() => {
      localStorage.removeItem("loggedIn");

      // instead of reload → clean UI update
      document.getElementById("userBox").innerHTMLHTML = "";
      document.getElementById("logoutBtn").style.display = "none";

      // fade back in
      document.body.style.opacity = "1";
    }, 500);
  }
</script>
</body>
</html>

```

Page-3 signup.html

```

<!DOCTYPE html>
<html>
<head>
<title>Sign Up</title>
<style>
body{
  font-family: Poppins;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  background: #f4e4d8;
}

```

```

.box{
  background: white;
  padding: 30px;
  border-radius: 15px;
  box-shadow: 0 5px 15px rgba(0,0,0,0.2);
}
input{
  display: block;
  margin: 10px 0;
  padding: 10px;
  width: 250px;
}
button{
  padding: 10px;
  width: 100%;
  background: orange;
  border: none;
  color: white;
  cursor: pointer;
}
</style>
</head>

<body>

<div class="box">
  <h2>Sign Up</h2>

  <input id="name" placeholder="Name">
  <input id="email" placeholder="Email">
  <input id="password" type="password"
  placeholder="Password">

  <button onclick="signup()">Create
  Account</button>
</div>

<script>
function signup(){
  let user = {
    name:
document.getElementById("name").value,
    email:
document.getElementById("email").value,

```

```

        password:
document.getElementById("password").value
    };

    localStorage.setItem("user",
JSON.stringify(user));

    alert("Account created!");
    window.location.href = "login.html";
}
</script>

</body>
</html>

```

Page-4 login.html

```

<!DOCTYPE html>
<html>
<head>
<title>Login</title>
<style>
body{
    font-family: Poppins;
    display: flex;
    justify-content: center;
    align-items: center;
    height: 100vh;
    background: #f4e4d8;
}
.box{
    background: white;
    padding: 30px;
    border-radius: 15px;
}
input{
    display: block;
    margin: 10px 0;
    padding: 10px;
    width: 250px;
}
button{
    padding: 10px;

```

```

width: 100%;
background: green;
border: none;
color: white;
}
</style>
</head>

<body>

<div class="box">
    <h2>Login</h2>

    <input id="email" placeholder="Email">
    <input id="password" type="password"
placeholder="Password">

    <button onclick="login()">Login</button>
</div>

<script>
function login(){
    let user =
JSON.parse(localStorage.getItem("user"));

    let email =
document.getElementById("email").value;
    let password =
document.getElementById("password").value;

    console.log("Stored user:", user); //
    DEBUG

    if(!user){
        alert("No user found. Please sign up
first!");
        return;
    }

    if(email === user.email && password ===
user.password){

```

```

    localStorage.setItem("loggedIn",
"true");

    // ✅ SAFE SAVE
    localStorage.setItem("userName",
user.name);

    alert("Login successful!");
    window.location.href = "new.html";

} else {
    alert("Wrong credentials!");
}
}
</script>

</body>
</html>

```

Page-5 new menu.html

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport"
content="width=device-width, initial-
scale=1.0">
<title>Dine-Ease - Best Restaurants
Menu</title>
<style>
    body {
        font-family: 'Segoe UI', Tahoma,
Geneva, Verdana, sans-serif;
        margin: 0;
        background-color: #fff8f0;
        color: #333;
    }
    header {
        background-color: #ff7043;
        color: white;
        text-align: center;
        padding: 50px 20px;
    }

```

```

    header h1 { font-size: 3rem; margin: 0; }
    header p { font-size: 1.2rem; margin-top:
10px; }

```

```

    section.restaurant {
        padding: 40px 20px;
        max-width: 1200px;
        margin: 0 auto;
    }
    section.restaurant h2 {
        font-size: 2rem;
        color: #d84315;
        border-bottom: 2px solid #ff7043;
        padding-bottom: 5px;
        margin-bottom: 30px;
        text-align: center;
    }

    .menu-grid {
        display: grid;
        grid-template-columns: repeat(auto-fit,
minmax(250px, 1fr));
        gap: 25px;
    }
    .menu-card {
        background-color: #fff3e0;
        border-radius: 15px;
        overflow: hidden;
        box-shadow: 0 4px 12px rgba(0,0,0,0.1);
        transition: transform 0.3s, box-shadow
0.3s;
        cursor: pointer;
    }
    .menu-card:hover {
        transform: translateY(-7px);
        box-shadow: 0 10px 25px
rgba(0,0,0,0.2);
    }
    .menu-card img {
        width: 100%;
        height: 200px;
        object-fit: cover;
        transition: transform 0.3s;
    }

```

```

.menu-card:hover img {
  transform: scale(1.05);
}
.menu-info {
  padding: 20px;
  text-align: center;
}
.menu-info h3 {
  margin: 0 0 10px;
  color: #bf360c;
  font-size: 1.4rem;
}
.menu-info p { margin: 0 0 15px; font-size:
0.95rem; }
.menu-info span { font-weight: bold;
color: #ff5722; font-size: 1.1rem; }

```

```

@media(max-width: 600px){
  header h1 { font-size: 2rem; }
  .menu-info h3 { font-size: 1.2rem; }
}

```

```

.menu-card button {
  margin-top: 10px;
  padding: 10px;
  width: 100%;
  background: linear-gradient(45deg,
#ff7043, #ff5722);
  color: white;
  border: none;
  border-radius: 8px;
  font-weight: bold;
  cursor: pointer;
  transition: 0.3s;
}

```

```

.menu-card button:hover {
  transform: scale(1.05);
  background: linear-gradient(45deg,
#e64a19, #d84315);
}
</style>
</head>
<body>

```

```

<header>
  <h1>Dine-Ease</h1>
  <p>Best Restaurant Recommendations in
Ahmedabad & Gandhinagar</p>
</header>

<!-- Ahmedabad - Barbeque Nation -->
<section class="restaurant">
<h2>Ahmedabad - Barbeque Nation</h2>
<div class="menu-grid">
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Italian Pasta</h3>
      <p>Rich tomato sauce pasta with
fresh herbs.</p>
      <span>₹999</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Veggie Burger</h3>
      <p>Grilled veggie patty with fresh
lettuce and tomato.</p>
      <span>₹849</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Grilled Paneer Tikka</h3>
      <p>Spicy paneer skewers for
starters.</p>
      <span>₹599</span>
    </div>
  </div>

```

```

        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>
<div class="menu-card">
    
    <div class="menu-info">
        <h3>Garlic Bread</h3>
        <p>Crispy garlic flavored bread.</p>
        <span>₹299</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>
<div class="menu-card">
    
    <div class="menu-info">
        <h3>Chicken Seekh Kebab</h3>
        <p>Tender spiced chicken
skewers.</p>
        <span>₹699</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>
<!-- New Items -->
<div class="menu-card">
    
    <div class="menu-info">
        <h3>Mushroom Masala</h3>
        <p>Spicy mushroom curry.</p>
        <span>₹549</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>
<div class="menu-card">
    

```

```

        <div class="menu-info">
            <h3>Paneer Pizza</h3>
            <p>Cheesy paneer topping on pizza
base.</p>
            <span>₹699</span>
            <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
        </div>
</div>
<div class="menu-card">
    
    <div class="menu-info">
        <h3>Cold Coffee</h3>
        <p>Refreshing iced coffee drink.</p>
        <span>₹199</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>
</div>
</section>

<!-- Ahmedabad - Cafe Alfresco -->
<section class="restaurant">
<h2>Ahmedabad - Cafe Alfresco</h2>
<div class="menu-grid">
    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Fresh Fruits Salad</h3>
            <p>Healthy with tangy dressing.</p>
            <span>₹499</span>
            <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
        </div>
    </div>
    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Tomato Soup</h3>

```

```

        <p>Warm and comforting classic
soup.</p>
        <span>₹399</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
        </div>
    </div>
    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Veg Sandwich</h3>
            <p>Fresh veggies in multigrain
bread.</p>
            <span>₹349</span>
            <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
            </div>
        </div>
        <div class="menu-card">
            
            <div class="menu-info">
                <h3>Pasta Alfredo</h3>
                <p>Creamy pasta with cheese.</p>
                <span>₹899</span>
                <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
                </div>
            </div>
            <div class="menu-card">
                
                <div class="menu-info">
                    <h3>Masala Chai</h3>
                    <p>Indian spiced tea.</p>
                    <span>₹149</span>
                    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
                    </div>
                </div>
    </div>

```

```

    <!-- New Items -->
    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Veg Burger</h3>
            <p>Soft bun with veggie patty.</p>
            <span>₹399</span>
            <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
            </div>
        </div>
        <div class="menu-card">
            
            <div class="menu-info">
                <h3>Cheese Garlic Toast</h3>
                <p>Crunchy toasted bread with
cheese.</p>
                <span>₹299</span>
                <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
                </div>
            </div>
            <div class="menu-card">
                
                <div class="menu-info">
                    <h3>Lemon Iced Tea</h3>
                    <p>Fresh lemon-flavored iced
tea.</p>
                    <span>₹149</span>
                    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
                    </div>
                </div>
            </div>
        </section>

    <!-- Ahmedabad - Rajwadu -->
    <section class="restaurant">
        <h2>Ahmedabad - Rajwadu</h2>

```

```

<div class="menu-grid">
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Dal Dhokli</h3>
      <p>Gujarati comfort food.</p>
      <span>₹399</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Undhiyu</h3>
      <p>Mixed vegetable delicacy.</p>
      <span>₹599</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Khakhra</h3>
      <p>Crispy flatbread.</p>
      <span>₹149</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>
  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Fafda Jalebi</h3>
      <p>Snack combo.</p>
      <span>₹199</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>

```

```

</div>
<div class="menu-card">
  
  <div class="menu-info">
    <h3>Handvo</h3>
    <p>Savory lentil cake.</p>
    <span>₹249</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>
<!-- New Items -->
<div class="menu-card">
  
  <div class="menu-info">
    <h3>Khandvi</h3>
    <p>Rolled gram flour snack.</p>
    <span>₹199</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>
<div class="menu-card">
  
  <div class="menu-info">
    <h3>Dhokla</h3>
    <p>Soft steamed snack.</p>
    <span>₹149</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>
<div class="menu-card">
  
  <div class="menu-info">
    <h3>Thepla</h3>
    <p>Spiced flatbread.</p>
    <span>₹149</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>

```



```

        </div>
    </div>
</div>
</section>
<!-- Ahmedabad - Triton Cafe -->
<section class="restaurant">
<h2>Ahmedabad - Triton Cafe</h2>
<div class="menu-grid">

    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Pasta</h3>
            <p>Creamy Italian pasta with rich
sauce.</p>
            <span>₹499</span>
            <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
        </div>
    </div>

    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Falafel</h3>
            <p>Crispy chickpea balls with
herbs.</p>
            <span>₹399</span>
            <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
        </div>
    </div>

    <div class="menu-card">
        
        <div class="menu-info">
            <h3>Oreo Shake</h3>
            <p>Chocolatey Oreo blended
milkshake.</p>
            <span>₹299</span>

```

```

        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>

<div class="menu-card">
    
    <div class="menu-info">
        <h3>Pizza</h3>
        <p>Classic cheesy delight with
toppings.</p>
        <span>₹599</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>

<div class="menu-card">
    
    <div class="menu-info">
        <h3>Mojito</h3>
        <p>Refreshing mint and lime
cooler.</p>
        <span>₹199</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>

<div class="menu-card">
    
    <div class="menu-info">
        <h3>Noodles</h3>
        <p>Stir-fried noodles with
veggies.</p>
        <span>₹349</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>

```

```

<div class="menu-card">
  
  <div class="menu-info">
    <h3>Garlic Bread</h3>
    <p>Toasted bread with garlic
butter.</p>
    <span>₹249</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>

```

```

<div class="menu-card">
  
  <div class="menu-info">
    <h3>French Fries</h3>
    <p>Crispy salted potato fries.</p>
    <span>₹149</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>
</div>
</section>

```

```

<!-- Ahmedabad - Leela Hotel -->
<section class="restaurant">
<h2>Ahmedabad - Leela Hotel</h2>
<div class="menu-grid">

```

```

  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Dosa</h3>
      <p>Crispy South Indian rice
crepe.</p>
      <span>₹299</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>

```

```

</div>
</div>

```

```

<div class="menu-card">
  
  <div class="menu-info">
    <h3>Waffle</h3>
    <p>Sweet crispy waffle with
toppings.</p>
    <span>₹399</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>

```

```

<div class="menu-card">
  
  <div class="menu-info">
    <h3>Dal Bati</h3>
    <p>Traditional Rajasthani dish.</p>
    <span>₹499</span>
    <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
  </div>
</div>

```

```

  <div class="menu-card">
    
    <div class="menu-info">
      <h3>Paneer Butter Masala</h3>
      <p>Rich creamy paneer curry.</p>
      <span>₹599</span>
      <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
  </div>

```

```

  <div class="menu-card">
    
    <div class="menu-info">

```

```

        <h3>Tandoori Roti</h3>
        <p>Clay oven baked Indian
bread.</p>
        <span>₹49</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
        </div>
</div>

<div class="menu-card">
    
    <div class="menu-info">
        <h3>Kala Jamun</h3>
        <p>Sweet syrupy dessert balls.</p>
        <span>₹149</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>

<div class="menu-card">
    
    <div class="menu-info">
        <h3>Lassi</h3>
        <p>Refreshing yogurt-based
drink.</p>
        <span>₹199</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>
    </div>
</div>

<div class="menu-card">
    
    <div class="menu-info">
        <h3>Spring Roll</h3>
        <p>Crunchy rolls filled with
veggies.</p>
        <span>₹199</span>
        <button
onclick="window.open('http://localhost:850
1')">Order Now</button>

```

```

    </div>
</div>
</div>
</section>

```

page-6 application.py

```

import streamlit as st
import pandas as pd
import random
from datetime import datetime

st.set_page_config(page_title="Dine-Ease",
layout="wide")

# ----- CUSTOM CSS -----
st.markdown("""
<style>

@import
url('https://fonts.googleapis.com/css2?family=
Poppins:wght@300;400;600;800&display=
=swap');

html, body, [class*="css"] {
    font-family: 'Poppins', sans-serif;
}

/* Background */
body {
    background: linear-gradient(135deg,
#fff3e0, #ffd180);
}

/* Floating icons */
.floating {
    position: fixed;
    font-size: 55px;
    animation: float 8s infinite ease-in-out;
    opacity: 0.35;
    z-index: 0;
}

@keyframes float {

```

```

    0% { transform: translateY(0px); }
    50% { transform: translateY(-60px); }
    100% { transform: translateY(0px); }
}

```

```

/* Card */
.card {
    background: rgba(255,255,255,0.9);
    padding: 30px;
    border-radius: 20px;
    box-shadow: 0 10px 30px
    rgba(0,0,0,0.15);
    backdrop-filter: blur(10px);
}

```

```

/* Title */
.title {
    text-align: center;
    font-size: 52px;
    font-weight: 800;
    background: linear-gradient(90deg,
    #ff6600, #ff3d00);
    -webkit-background-clip: text;
    -webkit-text-fill-color: transparent;
}

```

```

/* Tagline */
.tagline {
    text-align: center;
    font-size: 18px;
    color: #555;
    margin-bottom: 20px;
}

```

```

/* Buttons */
.stButton>button {
    background: linear-gradient(90deg,
    #ff6600, #ff3d00);
    color: white;
    border-radius: 12px;
    padding: 12px 24px;
    font-weight: 600;
    transition: 0.3s;
}

```

```

.stButton>button:hover {
    transform: scale(1.05);
    background: linear-gradient(90deg,
    #e65c00, #d84315);
}

```

```

/* Ensure content is above floating icons */
section.main > div {
    z-index: 1;
}

```

```

</style>

```

```

<!-- Floating Icons -->
<div class="floating" style="left:5%;
top:10%;"> 🍕 </div>
<div class="floating" style="left:85%;
top:15%;"> 🍔 </div>
<div class="floating" style="left:15%;
top:60%;"> 🍟 </div>
<div class="floating" style="left:75%;
top:75%;"> 🍩 </div>
<div class="floating" style="left:40%;
top:20%;"> 🍪 </div>
<div class="floating" style="left:60%;
top:50%;"> 🍫 </div>
<div class="floating" style="left:30%;
top:80%;"> 🍬 </div>
<div class="floating" style="left:90%;
top:60%;"> 🍭 </div>

```

```

""", unsafe_allow_html=True)

```

```

# ----- TITLE -----
st.markdown('<div class="title"> Dine-Ease
🍷 </div>', unsafe_allow_html=True)
st.markdown('<div class="tagline">Order
Faster • Serve Smarter • Win Bigger
🚀 </div>', unsafe_allow_html=True)

```

```

# ----- MENU -----
menu = {
    "Pizza": 299,

```

```

"Burger": 199,
"Pasta": 249,
"Sandwich": 149,
"French Fries":99,
"Chocolate Cake":179,
"Italian Pasta":999,
"Veggie Burger":849,
"Grilled Paneer Tikka":599,
"Garlic Bread":299,
"Chicken Seekh Kebab":699,
"Mushroom Masala":549,
"Paneer Pizza":699,
"Cold Coffee":199,
"Cold Coffee":499,
"Tomato Soup":399,
"Veg Sandwich":349,
"Pasta Alfredo":899,
"Masala Chai":149,
"Veg Burger":399,
"Cheese Garlic Toast":299,
"Lemon Iced Tea":149,
"Dal Dhokli":399,
"Undhiyu":599,
"Khakhra":149,
"Fafda Jalebi":199,
"Handvo":249,
"Khandvi":199,
"Dhokla":149,
"Thepla":149,
"Pasta":499,
"Falafel":399,
"Oreo Shake":299,
"Mojito":199,
"French Fries":149,
"Cold Drink":50
}

# ----- LAYOUT -----
col1, col2 = st.columns([2, 1])

# ----- ORDER FORM -----
with col1:

```

```

    st.markdown('<div class="card">',
unsafe_allow_html=True)

    st.subheader("🛒 Place Your Order")

    name = st.text_input("Your Name")
    item = st.selectbox("Select Food",
list(menu.keys()))
    quantity = st.slider("Quantity", 1, 10)
    city = st.text_input("📍 City")
    address = st.text_area("🏠 Address")
    payment = st.radio("💳 Payment", ["Cash
on Delivery", "UPI", "Card"])
    rating = st.radio("★ Rate Your
Experience", [1, 2, 3, 4, 5], horizontal=True)

    if st.button("🚀 Place Order"):
        price = menu[item]
        total = price * quantity
        delivery = random.randint(20, 45)

        # Payment simulation
        if payment != "Cash on Delivery":
            st.info("Processing payment...")
            st.success("✅ Payment Successful!")

        new_data = pd.DataFrame([
"Name": name,
"Item": item,
"Quantity": quantity,
"Total": total,
"City": city,
"Address": address, # ✅ added
"Payment": payment, # ✅ added
"Rating": rating,
"Time": datetime.now()
]])

    try:
        old = pd.read_csv("orders.csv")
        df = pd.concat([old, new_data],
ignore_index=True)
    except:

```

```

df = new_data

df.to_csv("orders.csv", index=False)

st.success(f"✅ Order Placed  
Successfully! Total ₹{total}")
st.info(f"🚚 Delivery in {delivery}  
minutes")

st.markdown('</div>',
unsafe_allow_html=True)

# ----- DASHBOARD -----
with col2:
    st.markdown('<div class="card">',
unsafe_allow_html=True)

    st.subheader("📊 Live Stats")

    try:
        df = pd.read_csv("orders.csv")

        st.metric("Total Orders", len(df))
        st.metric("Revenue",
f"₹{df['Total'].sum()}")

        st.bar_chart(df["Item"].value_counts())

    except:
        st.info("No data yet")

    st.markdown('</div>',
unsafe_allow_html=True)

# ----- ORDER HISTORY -----
st.markdown("## 📋 Order History")

try:
    df = pd.read_csv("orders.csv")
    st.dataframe(df,
use_container_width=True)
except:
    st.warning("No orders available")

```