Java Mini Project

TARDI SUB : A GUI based Tardigrade information system

Team member's Name	Team member's Roll No
Unnati Dere	107
Banupriya Iyer	111
Mabitha Mani	120

COURSE : M.Sc. Bioinformatics - Part 1

ACADEMIC YEAR : 2024 - 2025

PAPER NO : Mandatory Paper II

PAPER CODE : GNKPSBI2502

COURSE TITLE : Java programming, Introduction to Linux and Machine Learning

Aim of the project :

The aim of the Tardi Sub project in Java is to develop a user-friendly graphical interface for registering contributors and recording details of various tardigrade species using Java swing.

Objective:

Tardi Sub is a GUI-based application designed to facilitate the recording and management of tardigrade species data. It provides an interactive platform where users can enter and explore details about different tardigrade species, including their habitat, size, survival mechanisms and more. The system was developed using Java Swing to ensure a user-friendly experience .

The specific objectives of this project are:

1. To design and implement a structured GUI interface for data entry and navigation.
2. To develop a registration system for users submitting tardigrade data.
3. To create a submission form for adding species related details.
4. To enable smooth tab based navigation between different sections.
5. To implement JDBC connectivity with SQL ensuring that user submitted data is stored in a database.
6. To enable retrieval and display of stored data.

Expected Outcomes:

The TARDI SUB project was initially designed to be a comprehensive tardigrade species database system with both a graphical user interface (GUI) and backend database integration. The expected outcomes were:

1. Fully Functional GUI:

A well-structured Java Swing-based interface with tab-based navigation, with a Home Page introducing the project and its purpose along with a Registration Form to collect user details and a New Submission Page for adding and managing tardigrade species data.

2. User Input & Data Management:

Users should be able to enter details such as species name, habitat, size, survival mechanisms and other characteristics and implement form validation to ensure accurate data entry.

3. Database Integration Using SQL (via JDBC):

To connect the application to an SQL database using JDBC. This would allow storing, retrieving, and managing submitted tardigrade data dynamically. Users could access, modify, and search for species details directly from the database.

4. Data Persistence & Scalability:

By integrating SQL, the application would store data permanently, making it accessible even after restarting the program. The system would be scalable, allowing future enhancements like data filtering, sorting, and advanced queries.

5. Enhanced User Experience using Swing:

A smooth, intuitive interface with clear navigation options.Interactive buttons for submitting, resetting, and navigating through forms. Pop-up confirmation messages (JOptionPane) to inform users about successful submissions.

6.Displaying Retrieved Data in the GUI:

Fetching data from the database and dynamically displaying it in the GUI using Swing components.

Actual Output:

The TARDI SUB project successfully implemented a GUI-based system that allows users to input and view tardigrade species data through an interactive interface. However, database integration via JDBC was not executed, making the application a standalone GUI without persistent data storage.

Key Achievements:

1. Graphical User Interface (GUI):

Developed a tab-based navigation system using JTabbedPane, allowing users to switch between:

- Home Page – Introduction to the project.
- Registration Form – Collects user details.
- New Submission Page – Allows users to enter tardigrade species data.

Designed using Java Swing components like JPanel, JButton, JTextField, and JTextArea for smooth interaction.

2. User Input & Form Handling:

Implemented structured input fields for user registration and species submission.Users can enter details such as species name, habitat, size, survival mechanisms, reproduction type, and discovery date.Reset buttons clear all input fields, ensuring easy corrections. Submit buttons trigger pop-up messages (JOptionPane) confirming successful data entry.

3. Functional Navigation:

Clicking different tabs or buttons switches between the sections dynamically.Implemented event handling methods (MouseClicked and ActionPerformed) to enable seamless interaction.

4. Basic Error Handling:

Implemented pop-up confirmation dialogs for actions like successful submissions. Used default text placeholders (e.g., "DD/MM/YY") to guide user input.

5.JDBC Connectivity was Successfully Established:

The project includes SQL integration , allowing data to be stored in the database. The backend successfully handles data insertion and retrieval queries.

Workflow:

The TARDI SUB application follows a structured tab-based workflow to guide users through the process of submitting tardigrade species data. Upon launching the application, users are directed to the Home Page, where they receive an introduction to the system. From there, they can navigate to either the Registration Form to enter their details or the New Submission Page to input tardigrade species information. Once the user fills in the required fields, they can submit the data, which triggers a confirmation message indicating a successful entry. However, since SQL integration via JDBC was not implemented, the entered data is not stored persistently and is lost once the program is closed.




Registration Form
(User details input)
New submission
form
(Species data input)
Submit user Info
(Display
Confirmation)
Submit Species Data
(Display
confirmation)
JDBC
connectivity with
SQL integration
Future Scope
Data display in GUI
End

Modulus:

```
import javax.swing.JOptionPane;
private void initComponents() {

        jPanel3 = new javax.swing.JPanel();
        jLabel8 = new javax.swing.JLabel();
        buttonGroup1 = new javax.swing.ButtonGroup();
        jPanel13 = new javax.swing.JPanel();
        jPanel1 = new javax.swing.JPanel();
        jPanel4 = new javax.swing.JPanel();
        jPanel5 = new javax.swing.JPanel();
        jLabel1 = new javax.swing.JLabel();
        jPanel6 = new javax.swing.JPanel();
        jLabel2 = new javax.swing.JLabel();
        jPanel7 = new javax.swing.JPanel();
        jLabel3 = new javax.swing.JLabel();
        jTabbedPane1 = new javax.swing.JTabbedPane();
        jPanel8 = new javax.swing.JPanel();
        jButton2 = new javax.swing.JButton();
        jPanel14 = new javax.swing.JPanel();
        jLabel4 = new javax.swing.JLabel();
        jScrollPane3 = new javax.swing.JScrollPane();
        jTextArea2 = new javax.swing.JTextArea();
        jLabel5 = new javax.swing.JLabel();
        jPanel9 = new javax.swing.JPanel();
        jLabel7 = new javax.swing.JLabel();
        jLabel9 = new javax.swing.JLabel();
        jLabel10 = new javax.swing.JLabel();
        jLabel11 = new javax.swing.JLabel();
        jLabel12 = new javax.swing.JLabel();
        jLabel13 = new javax.swing.JLabel();
        jLabel14 = new javax.swing.JLabel();
        jLabel15 = new javax.swing.JLabel();
        jButton1 = new javax.swing.JButton();
        jButton3 = new javax.swing.JButton();
        jTextField1 = new javax.swing.JTextField();
```

```
jTextField2 = new javax.swing.JTextField();
jTextField3 = new javax.swing.JTextField();
jScrollPane1 = new javax.swing.JScrollPane();
jList1 = new javax.swing.JList<>();
jRadioButton1 = new javax.swing.JRadioButton();
jRadioButton2 = new javax.swing.JRadioButton();
jRadioButton3 = new javax.swing.JRadioButton();
jTextField4 = new javax.swing.JTextField();
jComboBox1 = new javax.swing.JComboBox<>();
jTextField5 = new javax.swing.JTextField();
jPanel11 = new javax.swing.JPanel();
jLabel6 = new javax.swing.JLabel();
jButton7 = new javax.swing.JButton();
jLabel26 = new javax.swing.JLabel();
jPanel10 = new javax.swing.JPanel();
jPanel12 = new javax.swing.JPanel();
jLabel25 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel20 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
jLabel22 = new javax.swing.JLabel();
jLabel23 = new javax.swing.JLabel();
jLabel24 = new javax.swing.JLabel();
jScrollPane2 = new javax.swing.JScrollPane();
jTextArea1 = new javax.swing.JTextArea();
jTextField6 = new javax.swing.JTextField();
jTextField7 = new javax.swing.JTextField();
jTextField8 = new javax.swing.JTextField();
jTextField9 = new javax.swing.JTextField();
jTextField10 = new javax.swing.JTextField();
jTextField11 = new javax.swing.JTextField();
jTextField12 = new javax.swing.JTextField();
jTextField13 = new javax.swing.JTextField();
jButton4 = new javax.swing.JButton();
```

```
        jButton5 = new javax.swing.JButton();
        jButton6 = new javax.swing.JButton();
        jLabel27 = new javax.swing.JLabel();

        javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );
        jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );

        jLabel8.setText("jLabel8");

        javax.swing.GroupLayout jPanel13Layout = new
javax.swing.GroupLayout(jPanel13);
        jPanel13.setLayout(jPanel13Layout);
        jPanel13Layout.setHorizontalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );
        jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

        jPanel1.setBackground(new java.awt.Color(51, 153, 255));
```

```
        jPanel4.setBackground(new java.awt.Color(51, 153, 255));
        jPanel4.setForeground(new java.awt.Color(0, 153, 255));

        jPanel5.setBackground(new java.awt.Color(204, 255, 255));

        jLabel1.setFont(new java.awt.Font("Century Gothic", 1, 14)); // NOI18N
        jLabel1.setText("     Home Page");
        jLabel1.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jLabel1MouseClicked(evt);
        }
        });

        javax.swing.GroupLayout                jPanel5Layout                =                new
javax.swing.GroupLayout(jPanel5);
        jPanel5.setLayout(jPanel5Layout);
        jPanel5Layout.setHorizontalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel1,                javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        jPanel5Layout.setVerticalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel1,       javax.swing.GroupLayout.DEFAULT_SIZE,       35,
Short.MAX_VALUE)
        );

        jPanel6.setBackground(new java.awt.Color(204, 255, 255));

        jLabel2.setFont(new java.awt.Font("Century Gothic", 1, 14)); // NOI18N
        jLabel2.setText("     Registration Form");
        jLabel2.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jLabel2MouseClicked(evt);
```

```
        }
        });

        javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
        jPanel6.setLayout(jPanel6Layout);
        jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel6Layout.createSequentialGroup()
                .addComponent(jLabel2,  javax.swing.GroupLayout.PREFERRED_SIZE,
148, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
        );
        jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel2,  javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE, 35, Short.MAX_VALUE)
        );

        jPanel7.setBackground(new java.awt.Color(204, 255, 255));

        jLabel3.setFont(new java.awt.Font("Century Gothic", 1, 14)); // NOI18N
        jLabel3.setText("  New Submission");
        jLabel3.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jLabel3MouseClicked(evt);
        }
        });

        javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
        jPanel7.setLayout(jPanel7Layout);
        jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```
        .addComponent(jLabel3,          javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel3,          javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE, 35, Short.MAX_VALUE)
        );

        javax.swing.GroupLayout                jPanel4Layout                =                new
javax.swing.GroupLayout(jPanel4);
        jPanel4.setLayout(jPanel4Layout);
        jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
                .addContainerGap()

.addGroup(jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
                .addComponent(jPanel5,          javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel6, javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel7,          javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                .addGap(0, 0, 0))
        );
        jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
                .addGap(26, 26, 26)
```

```
                .addComponent(jPanel5,     javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(31, 31, 31)
                .addComponent(jPanel6,     javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(32, 32, 32)
                .addComponent(jPanel7,     javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(331, Short.MAX_VALUE))
        );

        jTabbedPane1.setBackground(new java.awt.Color(51, 153, 255));

        jButton2.setBackground(new java.awt.Color(153, 153, 255));
        jButton2.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton2.setText("REGISTRATION FORM");
        jButton2.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jButton2MouseClicked(evt);
        }
        });
        jButton2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton2ActionPerformed(evt);
        }
        });

        jPanel14.setBackground(new java.awt.Color(0, 0, 51));

        jLabel4.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
        jLabel4.setForeground(new java.awt.Color(255, 255, 255));
        jLabel4.setText("HOME PAGE");
```

```
        javax.swing.GroupLayout jPanel14Layout = new javax.swing.GroupLayout(jPanel14);
        jPanel14.setLayout(jPanel14Layout);
        jPanel14Layout.setHorizontalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel14Layout.createSequentialGroup()
                .addGap(293, 293, 293)
                .addComponent(jLabel4)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        );
        jPanel14Layout.setVerticalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel14Layout.createSequentialGroup()
                .addGap(14, 14, 14)
                .addComponent(jLabel4, javax.swing.GroupLayout.PREFERRED_SIZE, 33, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(17, Short.MAX_VALUE))
        );

        jTextArea2.setColumns(20);
        jTextArea2.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jTextArea2.setRows(5);
        jTextArea2.setText("The Tardi Sub is designed to store and manage data about tardigrades, the microscopic organisms known for their \nextreme resilience. This database aims to provide researchers, educators, and hobbyists with a user-friendly interface to explore the fascinating world of tardigrades and their various biological traits, environments, and survival mechanisms. \nClick on the 'Registration form' button to register as a contributor to the project.");
        jScrollPane3.setViewportView(jTextArea2);

        jLabel5.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Logo/WhatsApp Image 2025-03-14 at 11.21.22 AM.jpeg"))); // NOI18N
```

```
        javax.swing.GroupLayout jPanel8Layout = new javax.swing.GroupLayout(jPanel8);
        jPanel8.setLayout(jPanel8Layout);
        jPanel8Layout.setHorizontalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel14, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGroup(jPanel8Layout.createSequentialGroup()

.addGroup(jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel8Layout.createSequentialGroup()
                .addGap(230, 230, 230)
                .addComponent(jLabel5, javax.swing.GroupLayout.PREFERRED_SIZE, 241, javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel8Layout.createSequentialGroup()
                .addGap(271, 271, 271)
                .addComponent(jButton2))
                .addGroup(jPanel8Layout.createSequentialGroup()
                .addGap(18, 18, 18)
                .addComponent(jScrollPane3, javax.swing.GroupLayout.PREFERRED_SIZE, 698, javax.swing.GroupLayout.PREFERRED_SIZE)))
                .addContainerGap(49, Short.MAX_VALUE))
        );
        jPanel8Layout.setVerticalGroup(

jPanel8Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel8Layout.createSequentialGroup()
                .addComponent(jPanel14, javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jLabel5, javax.swing.GroupLayout.PREFERRED_SIZE, 212, javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addComponent(jScrollPane3,
javax.swing.GroupLayout.PREFERRED_SIZE,                                    111,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jButton2)
                .addContainerGap(157, Short.MAX_VALUE))
        );

        jTabbedPane1.addTab("1", jPanel8);

        jPanel9.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jLabel7.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel7.setText("Full Name");
        jPanel9.add(jLabel7,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(80,  60,
-1, -1));

        jLabel9.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel9.setText("Institute");
        jPanel9.add(jLabel9,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(80,  110,
-1, -1));

        jLabel10.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel10.setText("Contact no.");
        jPanel9.add(jLabel10, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 150,
-1, -1));

        jLabel11.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel11.setText("Email ID");
        jPanel9.add(jLabel11, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 190,
-1, -1));

        jLabel12.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel12.setText("Gender");
```

```
        jPanel9.add(jLabel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 230,
-1, -1));

        jLabel13.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel13.setText("Date of Birth");
        jPanel9.add(jLabel13, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 270,
-1, -1));

        jLabel14.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel14.setText("Country");
        jPanel9.add(jLabel14, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 310,
-1, -1));

        jLabel15.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel15.setText("Institute Name");
        jPanel9.add(jLabel15, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 350,
-1, -1));

        jButton1.setBackground(new java.awt.Color(153, 153, 255));
        jButton1.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton1.setText("Submit");
        jButton1.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
        }
        });
        jPanel9.add(jButton1,    new    org.netbeans.lib.awtextra.AbsoluteConstraints(120,
410, -1, -1));

        jButton3.setBackground(new java.awt.Color(153, 153, 255));
        jButton3.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton3.setText("Reset");
        jButton3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton3ActionPerformed(evt);
        }
        });
```

```
        jPanel9.add(jButton3,    new    org.netbeans.lib.awtextra.AbsoluteConstraints(320,
410, -1, -1));
        jPanel9.add(jTextField1,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(280,
60, 160, -1));
        jPanel9.add(jTextField2,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(280,
150, 160, -1));
        jPanel9.add(jTextField3,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(280,
190, 160, -1));

        jList1.setModel(new javax.swing.AbstractListModel<String>() {
        String[] strings = { "Government", "Private", "Other" };
        public int getSize() { return strings.length; }
        public String getElementAt(int i) { return strings[i]; }
        });
        jScrollPane1.setViewportView(jList1);

        jPanel9.add(jScrollPane1, new org.netbeans.lib.awtextra.AbsoluteConstraints(280,
100, 107, 37));

        buttonGroup1.add(jRadioButton1);
        jRadioButton1.setText("Male");
        jPanel9.add(jRadioButton1,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(277, 232, -1, -1));

        buttonGroup1.add(jRadioButton2);
        jRadioButton2.setText("Female");
        jPanel9.add(jRadioButton2,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(340, 230, -1, -1));

        buttonGroup1.add(jRadioButton3);
        jRadioButton3.setText("Third gender");
        jPanel9.add(jRadioButton3,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(410, 230, -1, -1));

        jTextField4.setText("DD/MM/YY");
        jPanel9.add(jTextField4,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(277,
271, 160, -1));
```

```
jComboBox1.setModel(new javax.swing.DefaultComboBoxModel<>(new String[] { "Afghanistan", "Albania", "Algeria", "Andorra", "Angola", "Antigua and Barbuda", "Argentina", "Armenia", "Australia", "Austria", "Azerbaijan", "The Bahamas", "Bahrain", "Bangladesh", "Barbados", "Belarus", "Belgium", "Belize", "Benin", "Bhutan", "Bolivia", "Bosnia and Herzegovina", "Botswana", "Brazil", "Brunei", "Bulgaria", "Burkina Faso", "Burundi", "Cabo Verde", "Cambodia", "Cameroon", "Canada", "Central African Republic", "Chad", "Chile", "China", "Colombia", "Comoros", "Congo, Democratic Republic of the", "Congo, Republic of the", "Costa Rica", "Côte d'Ivoire", "Croatia", "Cuba", "Cyprus", "Czech Republic", "Denmark", "Djibouti", "Dominica", "Dominican Republic", "East Timor (Timor-Leste)", "Ecuador", "Egypt", "El Salvador", "Equatorial Guinea", "Eritrea", "Estonia", "Eswatini", "Ethiopia", "Fiji", "Finland", "France", "Gabon", "The Gambia", "Georgia", "Germany", "Ghana", "Greece", "Grenada", "Guatemala", "Guinea", "Guinea-Bissau", "Guyana", "Haiti", "Honduras", "Hungary", "Iceland", "India", "Indonesia", "Iran", "Iraq", "Ireland", "Israel", "Italy", "Jamaica", "Japan", "Jordan", "Kazakhstan", "Kenya", "Kiribati", "Korea, North", "Korea, South", "Kosovo", "Kuwait", "Kyrgyzstan", "Laos", "Latvia", "Lebanon", "Lesotho", "Liberia", "Libya", "Liechtenstein", "Lithuania", "Luxembourg", "Madagascar", "Malawi", "Malaysia", "Maldives", "Mali", "Malta", "Marshall Islands", "Mauritania", "Mauritius", "Mexico", "Micronesia, Federated States of", "Moldova", "Monaco", "Mongolia", "Montenegro", "Morocco", "Mozambique", "Myanmar (Burma)", "Namibia", "Nauru", "Nepal", "Netherlands", "New Zealand", "Nicaragua", "Niger", "Nigeria", "North Macedonia", "Norway", "Oman", "Pakistan", "Palau", "Panama", "Papua New Guinea", "Paraguay", "Peru", "Philippines", "Poland", "Portugal", "Qatar", "Romania", "Russia", "Rwanda", "Saint Kitts and Nevis", "Saint Lucia", "Saint Vincent and the Grenadines", "Samoa", "San Marino", "Sao Tome and Principe", "Saudi Arabia", "Senegal", "Serbia", "Seychelles", "Sierra Leone", "Singapore", "Slovakia", "Slovenia", "Solomon Islands", "Somalia", "South Africa", "Spain", "Sri Lanka", "Sudan", "Sudan, South", "Suriname", "Sweden", "Switzerland", "Syria", "Taiwan", "Tajikistan", "Tanzania", "Thailand", "Togo", "Tonga", "Trinidad and Tobago", "Tunisia", "Turkey", "Turkmenistan", "
```

```
Tuvalu", "      Uganda", "     Ukraine", "    United Arab Emirates", "    United Kingdom", "
United States", "       Uruguay", "   Uzbekistan", "          Vanuatu", "    Vatican City", "
Venezuela", "Vietnam", "    Yemen", "      Zambia", "     Zimbabwe" }));
        jPanel9.add(jComboBox1,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(277, 309, 160, -1));
        jPanel9.add(jTextField5,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(277,
349, 160, -1));

        jPanel11.setBackground(new java.awt.Color(0, 0, 51));
        jPanel11.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jLabel6.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
        jLabel6.setForeground(new java.awt.Color(255, 255, 255));
        jLabel6.setText("REGISTRATION FORM");
        jPanel11.add(jLabel6, new org.netbeans.lib.awtextra.AbsoluteConstraints(240, 20,
-1, -1));

        jPanel9.add(jPanel11,  new  org.netbeans.lib.awtextra.AbsoluteConstraints(-1,  -10,
760, 60));

        jButton7.setBackground(new java.awt.Color(153, 153, 255));
        jButton7.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton7.setText("New Submission");
        jButton7.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jButton7MouseClicked(evt);
        }
        });
        jPanel9.add(jButton7,    new    org.netbeans.lib.awtextra.AbsoluteConstraints(500,
410, -1, -1));

        jLabel26.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Logo/WhatsApp  Image  2025-03-14  at
11.21.22 AM_1.jpeg"))); // NOI18N
        jPanel9.add(jLabel26, new org.netbeans.lib.awtextra.AbsoluteConstraints(680, 60,
-1, -1));
```

```
        jTabbedPane1.addTab("2", jPanel9);

        jPanel10.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jPanel12.setBackground(new java.awt.Color(0, 0, 51));

        jLabel25.setBackground(new java.awt.Color(255, 255, 255));
        jLabel25.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
        jLabel25.setForeground(new java.awt.Color(255, 255, 255));
        jLabel25.setText("NEW SUBMISSION");

        javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);
        jPanel12.setLayout(jPanel12Layout);
        jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel12Layout.createSequentialGroup()
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addComponent(jLabel25, javax.swing.GroupLayout.PREFERRED_SIZE,
206, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(273, 273, 273))
        );
        jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel12Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel25)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

        jPanel10.add(jPanel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0,
765, -1));
```

```
        jLabel16.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel16.setText("Species Name");
        jPanel10.add(jLabel16, new org.netbeans.lib.awtextra.AbsoluteConstraints(81, 61,
-1, -1));

        jLabel17.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel17.setText("Habitat");
        jPanel10.add(jLabel17,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(120,
107, -1, -1));

        jLabel18.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel18.setText("Size");
        jPanel10.add(jLabel18,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(142,
147, -1, -1));

        jLabel19.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel19.setText("Colour");
        jPanel10.add(jLabel19,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(124,
187, -1, -1));

        jLabel20.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel20.setText("Survival Mechanisms");
        jPanel10.add(jLabel20,    new    org.netbeans.lib.awtextra.AbsoluteConstraints(38,
221, -1, -1));

        jLabel21.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel21.setText("Reproduction Type");
        jPanel10.add(jLabel21,    new    org.netbeans.lib.awtextra.AbsoluteConstraints(50,
261, -1, -1));

        jLabel22.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel22.setText("Diet");
        jPanel10.add(jLabel22,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(140,
301, -1, -1));

        jLabel23.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
```

```
        jLabel23.setText("Discovery Date");
        jPanel10.add(jLabel23,    new    org.netbeans.lib.awtextra.AbsoluteConstraints(73,
341, -1, -1));

        jLabel24.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel24.setText("Notes");
        jPanel10.add(jLabel24,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(129,
381, -1, -1));

        jTextArea1.setColumns(20);
        jTextArea1.setRows(5);
        jScrollPane2.setViewportView(jTextArea1);

        jPanel10.add(jScrollPane2,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 381, 380, 53));
        jPanel10.add(jTextField6, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
61, 114, -1));
        jPanel10.add(jTextField7, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
107, 114, -1));
        jPanel10.add(jTextField8, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
147, 114, -1));

        jTextField9.setToolTipText("");
        jPanel10.add(jTextField9, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
187, 114, -1));
        jPanel10.add(jTextField10,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 221, 114, -1));

        jTextField11.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jTextField11ActionPerformed(evt);
        }
        });
        jPanel10.add(jTextField11,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 261, 114, -1));

        jTextField12.addActionListener(new java.awt.event.ActionListener() {
```

```
public void actionPerformed(java.awt.event.ActionEvent evt) {
        jTextField12ActionPerformed(evt);
}
});
jPanel10.add(jTextField12,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 301, 114, -1));
jPanel10.add(jTextField13,                                                    new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 341, 114, -1));

jButton4.setBackground(new java.awt.Color(153, 153, 255));
jButton4.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jButton4.setText("Submit");
jButton4.addActionListener(new java.awt.event.ActionListener() {
public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton4ActionPerformed(evt);
}
});
jPanel10.add(jButton4,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(112,
503, -1, -1));

jButton5.setBackground(new java.awt.Color(153, 153, 255));
jButton5.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jButton5.setText("Reset");
jButton5.addActionListener(new java.awt.event.ActionListener() {
public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton5ActionPerformed(evt);
}
});
jPanel10.add(jButton5,   new   org.netbeans.lib.awtextra.AbsoluteConstraints(321,
503, -1, -1));

jButton6.setBackground(new java.awt.Color(153, 153, 255));
jButton6.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
jButton6.setText("Back to Home Page");
jButton6.addMouseListener(new java.awt.event.MouseAdapter() {
public void mouseClicked(java.awt.event.MouseEvent evt) {
        jButton6MouseClicked(evt);
```

```
        }
        });
        jPanel10.add(jButton6, new org.netbeans.lib.awtextra.AbsoluteConstraints(515, 503, -1, -1));

        jLabel27.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Logo/WhatsApp Image 2025-03-14 at 11.21.22 AM_1.jpeg"))); // NOI18N
        jPanel10.add(jLabel27, new org.netbeans.lib.awtextra.AbsoluteConstraints(680, 60, -1, -1));

        jTabbedPane1.addTab("3", jPanel10);

        javax.swing.GroupLayout jPanel1Layout = new javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
                .addComponent(jPanel4, javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTabbedPane1, javax.swing.GroupLayout.PREFERRED_SIZE, 765, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(46, 46, 46))
        );
        jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(37, 37, 37)
```

```
.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
                .addComponent(jTabbedPane1)
                .addComponent(jPanel4,     javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        );

        javax.swing.GroupLayout                layout                =                new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1,                javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
                .addComponent(jPanel1,     javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
        );

        pack();
        }// </editor-fold>

        private    void    jButton1ActionPerformed(java.awt.event.ActionEvent    evt)    {


JOptionPane.showMessageDialog(null, "Successful Registration!");


        private    void    jButton3ActionPerformed(java.awt.event.ActionEvent    evt)    {
```

```
jTextField1.setText(" ");
        jTextField2.setText(" ");
jTextField3.setText(" ");
jTextField4.setText(" ");
jTextField5.setText(" ");
        }

        private void jLabel1MouseClicked(java.awt.event.MouseEvent evt) {

jTabbedPane1.setSelectedIndex(0);
        }

        private void jLabel2MouseClicked(java.awt.event.MouseEvent evt) {

jTabbedPane1.setSelectedIndex(1);
        }

        private void jLabel3MouseClicked(java.awt.event.MouseEvent evt) {

jTabbedPane1.setSelectedIndex(2);
        }

        private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {

JOptionPane.showMessageDialog(null, "Your entry has been submitted to the
database.");            // TODO add your handling code here:
        }

        private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {

jTextField6.setText(" ");
jTextField7.setText(" ");
jTextField8.setText(" ");
jTextField9.setText(" ");
jTextField10.setText(" ");
jTextField11.setText(" ");
jTextField12.setText(" ");
```

```
jTextField13.setText(" ");
 jTextArea1.setText(" ");

        }
private void jButton2MouseClicked(java.awt.event.MouseEvent evt) {
jTabbedPane1.setSelectedIndex(1);
        }
private void jButton6MouseClicked(java.awt.event.MouseEvent evt) {
        jTabbedPane1.setSelectedIndex(0);
        }
private void jButton7MouseClicked(java.awt.event.MouseEvent evt) {
        jTabbedPane1.setSelectedIndex(2);
        }
try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {
                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
                }
        }
        } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
```

```
}
//</editor-fold>

/* Create and display the form */
java.awt.EventQueue.invokeLater(new Runnable() {
public void run() {
        new P1().setVisible(true);
}
});
}

// Variables declaration - do not modify
private javax.swing.ButtonGroup buttonGroup1;
private javax.swing.JButton jButton1;
private javax.swing.JButton jButton2;
private javax.swing.JButton jButton3;
private javax.swing.JButton jButton4;
private javax.swing.JButton jButton5;
private javax.swing.JButton jButton6;
private javax.swing.JButton jButton7;
private javax.swing.JComboBox<String> jComboBox1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel12;
private javax.swing.JLabel jLabel13;
private javax.swing.JLabel jLabel14;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel jLabel16;
private javax.swing.JLabel jLabel17;
private javax.swing.JLabel jLabel18;
private javax.swing.JLabel jLabel19;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel20;
private javax.swing.JLabel jLabel21;
private javax.swing.JLabel jLabel22;
private javax.swing.JLabel jLabel23;
```

```
private javax.swing.JLabel jLabel24;
private javax.swing.JLabel jLabel25;
private javax.swing.JLabel jLabel26;
private javax.swing.JLabel jLabel27;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JList<String> jList1;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel10;
private javax.swing.JPanel jPanel11;
private javax.swing.JPanel jPanel12;
private javax.swing.JPanel jPanel13;
private javax.swing.JPanel jPanel14;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
private javax.swing.JRadioButton jRadioButton1;
private javax.swing.JRadioButton jRadioButton2;
private javax.swing.JRadioButton jRadioButton3;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JScrollPane jScrollPane2;
private javax.swing.JScrollPane jScrollPane3;
private javax.swing.JTabbedPane jTabbedPane1;
private javax.swing.JTextArea jTextArea1;
private javax.swing.JTextArea jTextArea2;
private javax.swing.JTextField jTextField1;
private javax.swing.JTextField jTextField10;
private javax.swing.JTextField jTextField11;
```

```
        private javax.swing.JTextField jTextField12;
        private javax.swing.JTextField jTextField13;
        private javax.swing.JTextField jTextField2;
        private javax.swing.JTextField jTextField3;
        private javax.swing.JTextField jTextField4;
        private javax.swing.JTextField jTextField5;
        private javax.swing.JTextField jTextField6;
        private javax.swing.JTextField jTextField7;
        private javax.swing.JTextField jTextField8;
        private javax.swing.JTextField jTextField9;
        // End of variables declaration
import javax.swing.JOptionPane;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.ResultSet;
import java.sql.SQLException;
import java.sql.Statement;
public class P1 extends javax.swing.JFrame {
private void initComponents() {
jPanel3 = new javax.swing.JPanel();
        jLabel8 = new javax.swing.JLabel();
        buttonGroup1 = new javax.swing.ButtonGroup();
        jPanel13 = new javax.swing.JPanel();
        jPanel1 = new javax.swing.JPanel();
        jPanel4 = new javax.swing.JPanel();
        jPanel5 = new javax.swing.JPanel();
        jLabel1 = new javax.swing.JLabel();
        jPanel6 = new javax.swing.JPanel();
        jLabel2 = new javax.swing.JLabel();
        jPanel7 = new javax.swing.JPanel();
        jLabel3 = new javax.swing.JLabel();
        jTabbedPane1 = new javax.swing.JTabbedPane();
        jPanel8 = new javax.swing.JPanel();
        jButton2 = new javax.swing.JButton();
        jPanel14 = new javax.swing.JPanel();
        jLabel4 = new javax.swing.JLabel();
        jScrollPane3 = new javax.swing.JScrollPane();
```

```
jTextArea2 = new javax.swing.JTextArea();
jLabel5 = new javax.swing.JLabel();
jPanel9 = new javax.swing.JPanel();
jLabel7 = new javax.swing.JLabel();
jLabel9 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jLabel12 = new javax.swing.JLabel();
jLabel13 = new javax.swing.JLabel();
jLabel14 = new javax.swing.JLabel();
jLabel15 = new javax.swing.JLabel();
jButton1 = new javax.swing.JButton();
jButton3 = new javax.swing.JButton();
jTextField1 = new javax.swing.JTextField();
jTextField2 = new javax.swing.JTextField();
jTextField3 = new javax.swing.JTextField();
jScrollPane1 = new javax.swing.JScrollPane();
jList1 = new javax.swing.JList<>();
jRadioButton1 = new javax.swing.JRadioButton();
jRadioButton2 = new javax.swing.JRadioButton();
jRadioButton3 = new javax.swing.JRadioButton();
jTextField4 = new javax.swing.JTextField();
jComboBox1 = new javax.swing.JComboBox<>();
jTextField5 = new javax.swing.JTextField();
jPanel11 = new javax.swing.JPanel();
jLabel6 = new javax.swing.JLabel();
jButton7 = new javax.swing.JButton();
jLabel26 = new javax.swing.JLabel();
jPanel10 = new javax.swing.JPanel();
jPanel12 = new javax.swing.JPanel();
jLabel25 = new javax.swing.JLabel();
jLabel16 = new javax.swing.JLabel();
jLabel17 = new javax.swing.JLabel();
jLabel18 = new javax.swing.JLabel();
jLabel19 = new javax.swing.JLabel();
jLabel20 = new javax.swing.JLabel();
jLabel21 = new javax.swing.JLabel();
```

```
        jLabel22 = new javax.swing.JLabel();
        jLabel23 = new javax.swing.JLabel();
        jLabel24 = new javax.swing.JLabel();
        jTextField6 = new javax.swing.JTextField();
        jTextField7 = new javax.swing.JTextField();
        jTextField8 = new javax.swing.JTextField();
        jTextField9 = new javax.swing.JTextField();
        jTextField10 = new javax.swing.JTextField();
        jTextField11 = new javax.swing.JTextField();
        jTextField12 = new javax.swing.JTextField();
        jTextField13 = new javax.swing.JTextField();
        jButton4 = new javax.swing.JButton();
        jButton5 = new javax.swing.JButton();
        jButton6 = new javax.swing.JButton();
        jLabel27 = new javax.swing.JLabel();
        jTextField14 = new javax.swing.JTextField();

        javax.swing.GroupLayout jPanel3Layout = new
javax.swing.GroupLayout(jPanel3);
        jPanel3.setLayout(jPanel3Layout);
        jPanel3Layout.setHorizontalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );
        jPanel3Layout.setVerticalGroup(

jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );

        jLabel8.setText("jLabel8");

        javax.swing.GroupLayout jPanel13Layout = new
javax.swing.GroupLayout(jPanel13);
        jPanel13.setLayout(jPanel13Layout);
        jPanel13Layout.setHorizontalGroup(
```

```
jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );
        jPanel13Layout.setVerticalGroup(

jPanel13Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 100, Short.MAX_VALUE)
        );

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);

        jPanel1.setBackground(new java.awt.Color(51, 153, 255));

        jPanel4.setBackground(new java.awt.Color(51, 153, 255));
        jPanel4.setForeground(new java.awt.Color(0, 153, 255));

        jPanel5.setBackground(new java.awt.Color(204, 255, 255));

        jLabel1.setFont(new java.awt.Font("Century Gothic", 1, 14)); // NOI18N
        jLabel1.setText("     Home Page");
        jLabel1.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jLabel1MouseClicked(evt);
        }
        });

        javax.swing.GroupLayout jPanel5Layout = new
javax.swing.GroupLayout(jPanel5);
        jPanel5.setLayout(jPanel5Layout);
        jPanel5Layout.setHorizontalGroup(

jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        jPanel5Layout.setVerticalGroup(
```

```
jPanel5Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel1, javax.swing.GroupLayout.DEFAULT_SIZE, 35,
Short.MAX_VALUE)
        );

        jPanel6.setBackground(new java.awt.Color(204, 255, 255));

        jLabel2.setFont(new java.awt.Font("Century Gothic", 1, 14)); // NOI18N
        jLabel2.setText("      Registration Form");
        jLabel2.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jLabel2MouseClicked(evt);
        }
        });

        javax.swing.GroupLayout jPanel6Layout = new
javax.swing.GroupLayout(jPanel6);
        jPanel6.setLayout(jPanel6Layout);
        jPanel6Layout.setHorizontalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel6Layout.createSequentialGroup()
                .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE,
148, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
        );
        jPanel6Layout.setVerticalGroup(

jPanel6Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel2, javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE, 35, Short.MAX_VALUE)
        );

        jPanel7.setBackground(new java.awt.Color(204, 255, 255));

        jLabel3.setFont(new java.awt.Font("Century Gothic", 1, 14)); // NOI18N
```

```
        jLabel3.setText("      New Submission");
        jLabel3.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jLabel3MouseClicked(evt);
        }
        });

        javax.swing.GroupLayout jPanel7Layout = new
javax.swing.GroupLayout(jPanel7);
        jPanel7.setLayout(jPanel7Layout);
        jPanel7Layout.setHorizontalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel3, javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        jPanel7Layout.setVerticalGroup(

jPanel7Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel3, javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE, 35, Short.MAX_VALUE)
        );

        javax.swing.GroupLayout jPanel4Layout = new
javax.swing.GroupLayout(jPanel4);
        jPanel4.setLayout(jPanel4Layout);
        jPanel4Layout.setHorizontalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
                .addContainerGap()

.addGroup(jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
                .addComponent(jPanel5, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
```

```
                .addComponent(jPanel6, javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(jPanel7, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
                .addGap(0, 0, 0))
        );
        jPanel4Layout.setVerticalGroup(

jPanel4Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel4Layout.createSequentialGroup()
                .addGap(26, 26, 26)
                .addComponent(jPanel5, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(31, 31, 31)
                .addComponent(jPanel6, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(32, 32, 32)
                .addComponent(jPanel7, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(331, Short.MAX_VALUE))
        );

        jTabbedPane1.setBackground(new java.awt.Color(51, 153, 255));

        jPanel8.setBackground(new java.awt.Color(255, 255, 255));
        jPanel8.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jButton2.setBackground(new java.awt.Color(153, 153, 255));
        jButton2.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton2.setText("REGISTRATION FORM");
        jButton2.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jButton2MouseClicked(evt);
```

```
        }
        });
        jButton2.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton2ActionPerformed(evt);
        }
        });
        jPanel8.add(jButton2, new org.netbeans.lib.awtextra.AbsoluteConstraints(271,
435, -1, -1));

        jPanel14.setBackground(new java.awt.Color(0, 0, 51));

        jLabel4.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
        jLabel4.setForeground(new java.awt.Color(255, 255, 255));
        jLabel4.setText("HOME PAGE");

        javax.swing.GroupLayout jPanel14Layout = new
javax.swing.GroupLayout(jPanel14);
        jPanel14.setLayout(jPanel14Layout);
        jPanel14Layout.setHorizontalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel14Layout.createSequentialGroup()
                .addGap(293, 293, 293)
                .addComponent(jLabel4)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );
        jPanel14Layout.setVerticalGroup(

jPanel14Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel14Layout.createSequentialGroup()
                .addGap(14, 14, 14)
                .addComponent(jLabel4, javax.swing.GroupLayout.PREFERRED_SIZE,
33, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addContainerGap(17, Short.MAX_VALUE))
        );
```

```
        jPanel8.add(jPanel14, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0,
765, -1));

        jTextArea2.setColumns(20);
        jTextArea2.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jTextArea2.setRows(5);
        jTextArea2.setText("The Tardi Sub is designed to store and manage data about
tardigrades, the microscopic organisms known for their \nextreme resilience. This
database aims to provide researchers, educators, and  hobbyists with a user-friendly
interface to explore the fascinating world of tardigrades and their various biological traits,
environments, and survival mechanisms. \nClick on the 'Registration form' button to
register as a contributor to the project.");
        jScrollPane3.setViewportView(jTextArea2);

        jPanel8.add(jScrollPane3, new org.netbeans.lib.awtextra.AbsoluteConstraints(18,
306, 698, 111));

        jLabel5.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Logo/WhatsApp Image 2025-03-14 at
11.21.22 AM.jpeg"))); // NOI18N
        jPanel8.add(jLabel5, new org.netbeans.lib.awtextra.AbsoluteConstraints(230, 82,
241, 212));

        jTabbedPane1.addTab("1", jPanel8);

        jPanel9.setBackground(new java.awt.Color(255, 255, 255));
        jPanel9.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jLabel7.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel7.setText("Full Name");
        jPanel9.add(jLabel7, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 60,
-1, -1));

        jLabel9.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel9.setText("Institute");
```

```
        jPanel9.add(jLabel9, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 110,
-1, -1));

        jLabel10.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel10.setText("Contact no.");
        jPanel9.add(jLabel10, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 150,
-1, -1));

        jLabel11.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel11.setText("Email ID");
        jPanel9.add(jLabel11, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 190,
-1, -1));

        jLabel12.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel12.setText("Gender");
        jPanel9.add(jLabel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 230,
-1, -1));

        jLabel13.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel13.setText("Date of Birth");
        jPanel9.add(jLabel13, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 270,
-1, -1));

        jLabel14.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel14.setText("Country");
        jPanel9.add(jLabel14, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 310,
-1, -1));

        jLabel15.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel15.setText("Institute Name");
        jPanel9.add(jLabel15, new org.netbeans.lib.awtextra.AbsoluteConstraints(80, 350,
-1, -1));

        jButton1.setBackground(new java.awt.Color(153, 153, 255));
        jButton1.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton1.setText("Submit");
        jButton1.addActionListener(new java.awt.event.ActionListener() {
```

```
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
        }
        });
        jPanel9.add(jButton1, new org.netbeans.lib.awtextra.AbsoluteConstraints(120,
410, -1, -1));

        jButton3.setBackground(new java.awt.Color(153, 153, 255));
        jButton3.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton3.setText("Reset");
        jButton3.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton3ActionPerformed(evt);
        }
        });
        jPanel9.add(jButton3, new org.netbeans.lib.awtextra.AbsoluteConstraints(320,
410, -1, -1));
        jPanel9.add(jTextField1, new org.netbeans.lib.awtextra.AbsoluteConstraints(280,
60, 160, -1));
        jPanel9.add(jTextField2, new org.netbeans.lib.awtextra.AbsoluteConstraints(280,
150, 160, -1));
        jPanel9.add(jTextField3, new org.netbeans.lib.awtextra.AbsoluteConstraints(280,
190, 160, -1));

        jList1.setModel(new javax.swing.AbstractListModel<String>() {
        String[] strings = { "Government", "Private", "Other" };
        public int getSize() { return strings.length; }
        public String getElementAt(int i) { return strings[i]; }
        });
        jScrollPane1.setViewportView(jList1);

        jPanel9.add(jScrollPane1, new org.netbeans.lib.awtextra.AbsoluteConstraints(280,
100, 107, 37));

        buttonGroup1.add(jRadioButton1);
        jRadioButton1.setText("Male");
```

```
        jPanel9.add(jRadioButton1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(277, 232, -1, -1));

        buttonGroup1.add(jRadioButton2);
        jRadioButton2.setText("Female");
        jPanel9.add(jRadioButton2, new
org.netbeans.lib.awtextra.AbsoluteConstraints(340, 230, -1, -1));

        buttonGroup1.add(jRadioButton3);
        jRadioButton3.setText("Third gender");
        jPanel9.add(jRadioButton3, new
org.netbeans.lib.awtextra.AbsoluteConstraints(410, 230, -1, -1));

        jTextField4.setText("DD/MM/YY");
        jPanel9.add(jTextField4, new org.netbeans.lib.awtextra.AbsoluteConstraints(277,
271, 160, -1));

        jComboBox1.setModel(new javax.swing.DefaultComboBoxModel<>(new
String[] { "    Afghanistan", "        Albania", "    Algeria", "     Andorra", "    Angola", "
Antigua and Barbuda", "     Argentina", " Armenia", "   Australia", "  Austria", "
Azerbaijan", "          The Bahamas", "      Bahrain", "    Bangladesh", "         Barbados", "
Belarus", "     Belgium", "   Belize", "       Benin", "       Bhutan", "     Bolivia", "
Bosnia and Herzegovina", "          Botswana", " Brazil", "       Brunei", "      Bulgaria", "
Burkina Faso", "      Burundi", "    Cabo Verde", "         Cambodia", "Cameroon", "
Canada", "     Central African Republic", "         Chad", "        Chile", "        China", "
Colombia", " Comoros", "  Congo, Democratic Republic of the", "    Congo, Republic of
the", " Costa Rica", "          Côte d'Ivoire", "      Croatia", "     Cuba", "        Cyprus", "
Czech Republic", "   Denmark", "  Djibouti", "    Dominica", " Dominican Republic", "
East Timor (Timor-Leste)", "         Ecuador", "    Egypt", "       El Salvador", "
Equatorial Guinea", "         Eritrea", "      Estonia", "     Eswatini", "   Ethiopia", "    Fiji", "
Finland", "     France", "      Gabon", "       The Gambia", "        Georgia", "    Germany", "
Ghana", "      Greece", "      Grenada", "    Guatemala", "          Guinea", "
Guinea-Bissau", "     Guyana", "     Haiti", "        Honduras", " Hungary", "   Iceland", "
India", "        Indonesia", " Iran", "          Iraq", "          Ireland", "     Israel", "        Italy",
"         Jamaica", "    Japan", "       Jordan", "      Kazakhstan", "         Kenya", "
Kiribati", "     Korea, North", "       Korea, South", "       Kosovo", "     Kuwait", "
Kyrgyzstan", "         Laos", "        Latvia", "      Lebanon", "   Lesotho", "    Liberia", "
```

```
Libya", "	Liechtenstein", "	Lithuania", " Luxembourg", "	Madagascar", "
Malawi", "	Malaysia", "	Maldives", "	Mali", "	Malta", "	Marshall Islands", "
Mauritania", "	Mauritius", " Mexico", "	Micronesia, Federated States of", "
Moldova", "	Monaco", "	Mongolia", " Montenegro", "	Morocco", "
Mozambique", "	Myanmar (Burma)", "	Namibia", "	Nauru", "	Nepal", "
Netherlands", "	New Zealand", "	Nicaragua", "Niger", "	Nigeria", "	North
Macedonia", "	Norway", "	Oman", "	Pakistan", "	Palau", "	Panama", "
Papua New Guinea", "	Paraguay", "	Peru", "	Philippines", "	Poland", "
Portugal", "	Qatar", "	Romania", "	Russia", "	Rwanda", "	Saint Kitts and
Nevis", "	Saint Lucia", "	Saint Vincent and the Grenadines", "	Samoa", "
San Marino", "	Sao Tome and Principe", "	Saudi Arabia", "	Senegal", "
Serbia", "	Seychelles", "	Sierra Leone", "	Singapore", "Slovakia", "
Slovenia", "	Solomon Islands", "Somalia", "	South Africa", "	Spain", "	Sri
Lanka", "	Sudan", "	Sudan, South", "	Suriname", "	Sweden", "	Switzerland",
"	Syria", "	Taiwan", "	Tajikistan", "Tanzania", "	Thailand", "	Togo", "
Tonga", "	Trinidad and Tobago", "	Tunisia", "	Turkey", "	Turkmenistan", "
Tuvalu", "	Uganda", "	Ukraine", "	United Arab Emirates", "	United Kingdom", "
United States", "	Uruguay", "	Uzbekistan", "	Vanuatu", "	Vatican City", "
Venezuela", "Vietnam", "	Yemen", "	Zambia", "	Zimbabwe" }));
	jPanel9.add(jComboBox1, new
org.netbeans.lib.awtextra.AbsoluteConstraints(277, 309, 160, -1));
	jPanel9.add(jTextField5, new org.netbeans.lib.awtextra.AbsoluteConstraints(277,
349, 160, -1));

	jPanel11.setBackground(new java.awt.Color(0, 0, 51));
	jPanel11.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

	jLabel6.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
	jLabel6.setForeground(new java.awt.Color(255, 255, 255));
	jLabel6.setText("REGISTRATION FORM");
	jPanel11.add(jLabel6, new org.netbeans.lib.awtextra.AbsoluteConstraints(240, 20,
-1, -1));

	jPanel9.add(jPanel11, new org.netbeans.lib.awtextra.AbsoluteConstraints(-1, -10,
760, 60));

	jButton7.setBackground(new java.awt.Color(153, 153, 255));
```

```
        jButton7.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton7.setText("New Submission");
        jButton7.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jButton7MouseClicked(evt);
        }
        });
        jPanel9.add(jButton7, new org.netbeans.lib.awtextra.AbsoluteConstraints(500,
410, -1, -1));

        jLabel26.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Logo/WhatsApp Image 2025-03-14 at
11.21.22 AM_1.jpeg"))); // NOI18N
        jPanel9.add(jLabel26, new org.netbeans.lib.awtextra.AbsoluteConstraints(680, 60,
-1, -1));

        jTabbedPane1.addTab("2", jPanel9);

        jPanel10.setBackground(new java.awt.Color(255, 255, 255));
        jPanel10.setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jPanel12.setBackground(new java.awt.Color(0, 0, 51));

        jLabel25.setBackground(new java.awt.Color(255, 255, 255));
        jLabel25.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
        jLabel25.setForeground(new java.awt.Color(255, 255, 255));
        jLabel25.setText("NEW SUBMISSION");

        javax.swing.GroupLayout jPanel12Layout = new
javax.swing.GroupLayout(jPanel12);
        jPanel12.setLayout(jPanel12Layout);
        jPanel12Layout.setHorizontalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel12Layout.createSequentialGroup()
```

```
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
                .addComponent(jLabel25, javax.swing.GroupLayout.PREFERRED_SIZE,
206, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(273, 273, 273))
        );
        jPanel12Layout.setVerticalGroup(

jPanel12Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel12Layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel25)
                .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        );

        jPanel10.add(jPanel12, new org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0,
765, -1));

        jLabel16.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel16.setText("Species Name");
        jPanel10.add(jLabel16, new org.netbeans.lib.awtextra.AbsoluteConstraints(81, 61,
-1, -1));

        jLabel17.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel17.setText("Habitat");
        jPanel10.add(jLabel17, new org.netbeans.lib.awtextra.AbsoluteConstraints(120,
107, -1, -1));

        jLabel18.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel18.setText("Size");
        jPanel10.add(jLabel18, new org.netbeans.lib.awtextra.AbsoluteConstraints(142,
147, -1, -1));

        jLabel19.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel19.setText("Colour");
```

```
        jPanel10.add(jLabel19, new org.netbeans.lib.awtextra.AbsoluteConstraints(124,
187, -1, -1));

        jLabel20.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel20.setText("Survival Mechanisms");
        jPanel10.add(jLabel20, new org.netbeans.lib.awtextra.AbsoluteConstraints(38,
221, -1, -1));

        jLabel21.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel21.setText("Reproduction Type");
        jPanel10.add(jLabel21, new org.netbeans.lib.awtextra.AbsoluteConstraints(50,
261, -1, -1));

        jLabel22.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel22.setText("Diet");
        jPanel10.add(jLabel22, new org.netbeans.lib.awtextra.AbsoluteConstraints(140,
301, -1, -1));

        jLabel23.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel23.setText("Discovery Date");
        jPanel10.add(jLabel23, new org.netbeans.lib.awtextra.AbsoluteConstraints(73,
341, -1, -1));

        jLabel24.setFont(new java.awt.Font("Segoe UI", 0, 14)); // NOI18N
        jLabel24.setText("Notes");
        jPanel10.add(jLabel24, new org.netbeans.lib.awtextra.AbsoluteConstraints(129,
381, -1, -1));
        jPanel10.add(jTextField6, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
61, 114, -1));
        jPanel10.add(jTextField7, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
107, 114, -1));
        jPanel10.add(jTextField8, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
147, 114, -1));

        jTextField9.setToolTipText("");
        jPanel10.add(jTextField9, new org.netbeans.lib.awtextra.AbsoluteConstraints(258,
187, 114, -1));
```

```
        jPanel10.add(jTextField10, new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 221, 114, -1));

        jTextField11.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jTextField11ActionPerformed(evt);
        }
        });
        jPanel10.add(jTextField11, new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 261, 114, -1));

        jTextField12.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jTextField12ActionPerformed(evt);
        }
        });
        jPanel10.add(jTextField12, new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 301, 114, -1));
        jPanel10.add(jTextField13, new
org.netbeans.lib.awtextra.AbsoluteConstraints(258, 341, 114, -1));

        jButton4.setBackground(new java.awt.Color(153, 153, 255));
        jButton4.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton4.setText("Submit");
        jButton4.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton4ActionPerformed(evt);
        }
        });
        jPanel10.add(jButton4, new org.netbeans.lib.awtextra.AbsoluteConstraints(112,
503, -1, -1));

        jButton5.setBackground(new java.awt.Color(153, 153, 255));
        jButton5.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton5.setText("Reset");
        jButton5.addActionListener(new java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
                jButton5ActionPerformed(evt);
        }
        });
        jPanel10.add(jButton5, new org.netbeans.lib.awtextra.AbsoluteConstraints(321,
503, -1, -1));

        jButton6.setBackground(new java.awt.Color(153, 153, 255));
        jButton6.setFont(new java.awt.Font("Segoe UI", 1, 14)); // NOI18N
        jButton6.setText("Back to Home Page");
        jButton6.addMouseListener(new java.awt.event.MouseAdapter() {
        public void mouseClicked(java.awt.event.MouseEvent evt) {
                jButton6MouseClicked(evt);
        }
        });
        jPanel10.add(jButton6, new org.netbeans.lib.awtextra.AbsoluteConstraints(515,
503, -1, -1));

        jLabel27.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Logo/WhatsApp Image 2025-03-14 at
11.21.22 AM_1.jpeg"))); // NOI18N
        jPanel10.add(jLabel27, new org.netbeans.lib.awtextra.AbsoluteConstraints(680,
60, -1, -1));
        jPanel10.add(jTextField14, new
org.netbeans.lib.awtextra.AbsoluteConstraints(260, 380, 110, -1));

        jTabbedPane1.addTab("3", jPanel10);

        javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
                .addComponent(jPanel4, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
```

```
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTabbedPane1,
javax.swing.GroupLayout.PREFERRED_SIZE, 765,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(46, 46, 46))
        );
        jPanel1Layout.setVerticalGroup(

jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel1Layout.createSequentialGroup()
                .addGap(37, 37, 37)

.addGroup(jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LE
ADING)
                .addComponent(jTabbedPane1)
                .addComponent(jPanel4, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        );

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jPanel1, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(layout.createSequentialGroup()
                .addComponent(jPanel1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
        );
```

```
        pack();
        }// </editor-fold>

        private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {


        try
        {
        String Fname, Institute, Email, DOB, Contact;

        Fname=jTextField1.getText();
        Institute=jTextField5.getText();
        Email=jTextField3.getText();
        Contact=jTextField2.getText();
        DOB=jTextField4.getText();

        Class.forName("com.mysql.cj.jdbc.Driver");
        System.out.println("Registered");
        Connection con;
        Statement smt;
        con=DriverManager.getConnection("jdbc:mysql://localhost/tardigrades", "root",
"root");
        System.out.println("Connection Sucessful");
        smt=con.createStatement();
        String sql="insert into RegistrationForm1
values('"+Fname+"','"+Institute+"','"+Contact+"', '"+Email+"', '"+DOB+"');";
        smt.executeUpdate(sql);
        smt.close();
        con.close();
        }
        catch(SQLException se)
        {
        se.printStackTrace();
        }
        catch(Exception e)
        {
```

```
            e.printStackTrace();
            }

JOptionPane.showMessageDialog(null, "Successful Registration!");            // TODO add
your handling code here:
            }

            private void jButton3ActionPerformed(java.awt.event.ActionEvent evt) {

  jTextField1.setText(" ");
            jTextField2.setText(" ");
 jTextField3.setText(" ");
 jTextField4.setText(" ");
  jTextField5.setText(" ");
// TODO add your handling code here:
            }

            private void jLabel1MouseClicked(java.awt.event.MouseEvent evt) {

jTabbedPane1.setSelectedIndex(0);          // TODO add your handling code here:
            }

            private void jLabel2MouseClicked(java.awt.event.MouseEvent evt) {

jTabbedPane1.setSelectedIndex(1);          // TODO add your handling code here:
            }

            private void jLabel3MouseClicked(java.awt.event.MouseEvent evt) {

jTabbedPane1.setSelectedIndex(2);          // TODO add your handling code here:
            }

            private void jButton4ActionPerformed(java.awt.event.ActionEvent evt) {

 try
            {
```

```
        String Species_name, Habitat, Size, Colour, Survival, Reproduction, Diet, Disc,
Notes;

        Species_name=jTextField6.getText();
        Habitat=jTextField7.getText();
        Size=jTextField8.getText();
        Colour=jTextField9.getText();
        Survival=jTextField10.getText();
        Reproduction=jTextField11.getText();
        Diet=jTextField12.getText();
        Disc=jTextField13.getText();
        Notes=jTextField14.getText();


        Class.forName("com.mysql.cj.jdbc.Driver");
        System.out.println("Registered");
        Connection con;
        Statement smt;
        con=DriverManager.getConnection("jdbc:mysql://localhost/tardigrades", "root",
"root");
        System.out.println("Connection Sucessful");
        smt=con.createStatement();
        String sql="insert into tardi_info2
values('"+Species_name+"','"+Habitat+"','"+Size+"', '"+Colour+"', '"+Survival+"',
'"+Reproduction+"', '"+Diet+"', '"+Disc+"', '"+Notes+"');";
        smt.executeUpdate(sql);
        smt.close();
        con.close();
        }
        catch(SQLException se)
        {
        se.printStackTrace();
        }
        catch(Exception e)
        {
        e.printStackTrace();
        }
```

```
        JOptionPane.showMessageDialog(null, "Your entry has been submitted to the
database.");            // TODO add your handling code here:
        }

        private void jButton5ActionPerformed(java.awt.event.ActionEvent evt) {

 jTextField6.setText(" ");
 jTextField7.setText(" ");
 jTextField8.setText(" ");
 jTextField9.setText(" ");
 jTextField10.setText(" ");
 jTextField11.setText(" ");
 jTextField12.setText(" ");
 jTextField13.setText(" ");
  jTextField14.setText(" ");
// TODO add your handling code here:
        }

        private void jTextField11ActionPerformed(java.awt.event.ActionEvent evt) {

        // TODO add your handling code here:
        }

        private void jButton2ActionPerformed(java.awt.event.ActionEvent evt) {

        // TODO add your handling code here:
        }

        private void jButton2MouseClicked(java.awt.event.MouseEvent evt) {

   jTabbedPane1.setSelectedIndex(1);      // TODO add your handling code here:
        }

        private void jTextField12ActionPerformed(java.awt.event.ActionEvent evt) {

        // TODO add your handling code here:
```

```
        }

        private void jButton6MouseClicked(java.awt.event.MouseEvent evt) {

        jTabbedPane1.setSelectedIndex(0);        // TODO add your handling code here:
        }

        private void jButton7MouseClicked(java.awt.event.MouseEvent evt) {

        jTabbedPane1.setSelectedIndex(2);        // TODO add your handling code here:
        }
try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
javax.swing.UIManager.getInstalledLookAndFeels()) {
                if ("Nimbus".equals(info.getName())) {
                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
                }
        }
        } catch (ClassNotFoundException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        } catch (InstantiationException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        } catch (IllegalAccessException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        } catch (javax.swing.UnsupportedLookAndFeelException ex) {

java.util.logging.Logger.getLogger(P1.class.getName()).log(java.util.logging.Level.SEV
ERE, null, ex);
        }
        //</editor-fold>
```

```
java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
                new P1().setVisible(true);
        }
        });
        }

        // Variables declaration - do not modify
        private javax.swing.ButtonGroup buttonGroup1;
        private javax.swing.JButton jButton1;
        private javax.swing.JButton jButton2;
        private javax.swing.JButton jButton3;
        private javax.swing.JButton jButton4;
        private javax.swing.JButton jButton5;
        private javax.swing.JButton jButton6;
        private javax.swing.JButton jButton7;
        private javax.swing.JComboBox<String> jComboBox1;
        private javax.swing.JLabel jLabel1;
        private javax.swing.JLabel jLabel10;
        private javax.swing.JLabel jLabel11;
        private javax.swing.JLabel jLabel12;
        private javax.swing.JLabel jLabel13;
        private javax.swing.JLabel jLabel14;
        private javax.swing.JLabel jLabel15;
        private javax.swing.JLabel jLabel16;
        private javax.swing.JLabel jLabel17;
        private javax.swing.JLabel jLabel18;
        private javax.swing.JLabel jLabel19;
        private javax.swing.JLabel jLabel2;
        private javax.swing.JLabel jLabel20;
        private javax.swing.JLabel jLabel21;
        private javax.swing.JLabel jLabel22;
        private javax.swing.JLabel jLabel23;
        private javax.swing.JLabel jLabel24;
        private javax.swing.JLabel jLabel25;
        private javax.swing.JLabel jLabel26;
        private javax.swing.JLabel jLabel27;
```

```
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JList<String> jList1;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel10;
private javax.swing.JPanel jPanel11;
private javax.swing.JPanel jPanel12;
private javax.swing.JPanel jPanel13;
private javax.swing.JPanel jPanel14;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JPanel jPanel5;
private javax.swing.JPanel jPanel6;
private javax.swing.JPanel jPanel7;
private javax.swing.JPanel jPanel8;
private javax.swing.JPanel jPanel9;
private javax.swing.JRadioButton jRadioButton1;
private javax.swing.JRadioButton jRadioButton2;
private javax.swing.JRadioButton jRadioButton3;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JScrollPane jScrollPane3;
private javax.swing.JTabbedPane jTabbedPane1;
private javax.swing.JTextArea jTextArea2;
private javax.swing.JTextField jTextField1;
private javax.swing.JTextField jTextField10;
private javax.swing.JTextField jTextField11;
private javax.swing.JTextField jTextField12;
private javax.swing.JTextField jTextField13;
private javax.swing.JTextField jTextField14;
private javax.swing.JTextField jTextField2;
private javax.swing.JTextField jTextField3;
private javax.swing.JTextField jTextField4;
```

```
        private javax.swing.JTextField jTextField5;
        private javax.swing.JTextField jTextField6;
        private javax.swing.JTextField jTextField7;
        private javax.swing.JTextField jTextField8;
        private javax.swing.JTextField jTextField9;
        // End of variables declaration
}
```

Sql code:

For registration form:

```
mysql> use tardigrades;
Database changed
mysql> create table RegistrationForm1 (Fname varchar(100), Institute varchar(100),
Contact varchar(100), Email varchar (100), DOB varchar(100));
Query OK, 0 rows affected (0.03 sec)
mysql> select * from RegistrationForm1;
```

For New Submission:

```
mysql> create table tardi_info2(Species_name varchar(100), Habitat varchar(100), Size
varchar(100), Colour varchar(100), Survival varchar(100), Reproduction varchar(100),
Diet varchar(100), Disc varchar(100), Notes varchar(100));
Query OK, 0 rows affected (0.03 sec)
mysql> select * from tardi_info2;
}
```

Results:



Figure No 1: Home page of the Tardi Sub



Figure No 2 : Registration page of the Tardi Sub



Figure No 3 :Successful registration in Tardi Sub



Figure No 4 :New Submission form in Tardi Sub



Figure No 5 : Entry Submission in Tardi Sub



Figure No 6 : Back to New Submission form in Tardi Sub



Figure No 7: Registration form in Tardi Sub

Figure No 8: Successfully Registered pop up in Tardi Sub

```
mysql> select * from RegistrationForm1;
+----------+-------------------+------------+----------------------+----------+
| Fname    | Institute         | Contact    | Email                | DOB      |
+----------+-------------------+------------+----------------------+----------+
| Unnati D | GN Khalsa College | 7303597359 | unnatimdere@gmail.com | 27/07/03 |
| Robert K | Yale              | +13454567  | robertk@gmail.com     | 23/04/98 |
+----------+-------------------+------------+----------------------+----------+
2 rows in set (0.00 sec)
```

Figure No 9: Data in SQL Database



Figure No 9: Data entry in new submission form



Figure No 10: Data submitted to the database

```
mysql> select * from tardi_info2;
+--------------+---------+-------------------+-------------+--------------+--------------+----------+------+-------------------+
| Species_name | Habitat | Size              | Colour      | Survival     | Reproduction | Diet     | Disc | Notes             |
+--------------+---------+-------------------+-------------+--------------+--------------+----------+------+-------------------+
| Macrobiotus  | Lichens | 100-200 micrometer | Transparent | Cryptobiosis | Sexual       | Bacteria | 1777 | Drought resistant |
| Milnesium    | Water   | 150-500 micrometer | Transparent | Cryptobiosis | Eggs         | Bacteria | 1777 | Predatory         |
+--------------+---------+-------------------+-------------+--------------+--------------+----------+------+-------------------+
2 rows in set (0.00 sec)
```

Figure No 11: Data that is submitted in SQL

Conclusion :

The TARDI SUB project demonstrates the successful integration of Java Swing for GUI development and JDBC for database connectivity, laying the groundwork for a fully functional tardigrade species database system. While the application allows data entry and storage, the inability to retrieve and display stored data in the GUI limits its usability. Overcoming this challenge in future iterations will significantly enhance the project by enabling real-time data visualization and management within the interface. With

further development, TARDI SUB can evolve into a comprehensive and interactive database system, making it a valuable tool for researchers and tardigrade enthusiasts.

Future Prospect:

The TARDI SUB project successfully integrates JDBC with SQL, establishing a connection between the application and a database. However, future improvements should focus on displaying the retrieved data in the GUI using Swing components like JTable or JTextArea. Implementing a data retrieval and visualization module will enable users to view, search, and manage species records efficiently. Additionally, refining error handling and input validation will prevent issues related to incorrect database queries or empty fields. Future enhancements could also include advanced UI improvements, such as dynamic filtering, soing options, and graphical representations of data for better user experience. These upgrades will transform TARDI SUB into a fully functional and interactive tardigrade species database system with a seamless GUI.

References:

1.The Tech Buddy. (2021, June 20). *11 Multiple Panels in one JFrame | Softcore Production* [Video]. YouTube. https://www.youtube.com/watch?v=cJAXgWQC6oM

2.Knowledge to Share. (2020, March 28). *LOGIN Form with MYSQL Database JDBC | JAVA SWING GUI* [Video]. YouTube. https://www.youtube.com/watch?v=6K9OpqDM_RM

3.Intact Abode. (2019, May 14). *How to add image to JFrame and JPanel in Java Netbeans Swings - Intact abode* [Video]. YouTube. https://www.youtube.com/watch?v=La5t1VKua1k

4.Tutus Funny. (2020, May 10). *JRadiobutton Buttongroup example in Java netbeans* [Video]. YouTube. https://www.youtube.com/watch?v=gKLlXKjceDs

TapTap. (2024, May 12). *Java GUI Windows (Swing Tutorial)* [Video]. YouTube. https://www.youtube.com/watch?v=l0TzE13T7IU