

==== Generating K forecast Rule ====

Getting Regression Data

Solving HH problem...

Iteration 25:

||TV - V|| = 0.251350

||TG - G|| = 0.351999

Iteration 50:

||TV - V|| = 0.139584

||TG - G|| = 0.107367

Iteration 75:

||TV - V|| = 0.086776

||TG - G|| = 0.047905

Iteration 100:

||TV - V|| = 0.055946

||TG - G|| = 0.025250

Iteration 125:

||TV - V|| = 0.036593

||TG - G|| = 0.014612

Iteration 150:

||TV - V|| = 0.024093

||TG - G|| = 0.008593

Iteration 175:

||TV - V|| = 0.015919

||TG - G|| = 0.005273

Iteration 200:

||TV - V|| = 0.010540

||TG - G|| = 0.003334

Iteration 225:

||TV - V|| = 0.006989

||TG - G|| = 0.002142

Iteration 250:

||TV - V|| = 0.004639

||TG - G|| = 0.001397

Iteration 275:

$$||TV - V|| = 0.003082$$

$$||TG - G|| = 0.000917$$

Iteration 300:

$$||TV - V|| = 0.002049$$

$$||TG - G|| = 0.000605$$

Iteration 325:

$$||TV - V|| = 0.001363$$

$$||TG - G|| = 0.000400$$

Iteration 350:

$$||TV - V|| = 0.000907$$

$$||TG - G|| = 0.000266$$

Iteration 375:

$$||TV - V|| = 0.000604$$

$$||TG - G|| = 0.000177$$

Iteration 400:

$$||TV - V|| = 0.000402$$

$$||TG - G|| = 0.000118$$

Iteration 425:

$$||TV - V|| = 0.000268$$

$$||TG - G|| = 0.000079$$

Iteration 450:

$$||TV - V|| = 0.000179$$

$$||TG - G|| = 0.000052$$

Iteration 475:

$$||TV - V|| = 0.000119$$

$$||TG - G|| = 0.000035$$

$$\begin{aligned} \text{Iteration 487: } ||TV - V|| &= 0.000100 & ||TG - G|| &= 0.000029 \end{aligned}$$

Generating regression data...

$$t = 100$$

$$t = 200$$

$$t = 300$$

$$t = 400$$

$$t = 500$$

```
t = 600
t = 700
t = 800
t = 900
t = 1000
t = 1100
t = 1200
t = 1300
t = 1400
t = 1500
t = 1600
t = 1700
t = 1800
t = 1900
t = 2000
```

Regime 1: 1087 periods, Regime 2: 913 periods

K(1) = 7.6979

K range: [7.5300, 8.0788]

Regime 1: $\log K' = -0.0086 + 1.0041 \log K$

Regime 1: $\Pr R_{pr} = 1 = \exp((12.1786 + -4.4407 \log K)^{-1})$

Regime 2: $\log K' = 0.0208 + 0.9900 \log K$

Regime 2: $\Pr R_{pr} = 1 = \exp((-34.2207 + 15.2003 \log K)^{-1})$

Capital: R2 for pop = 0.999606

R2 for lib = 0.998906

Regime Guessing Distance: 1.0000

Foredist = 0.999999

258 grid on;

==== Generating K forecast Rule ====

Getting Regression Data

Solving HH problem...

Iteration 25:

$$||TV - V|| = 0.253152$$

$$||TG - G|| = 0.352250$$

Iteration 50:

$$||TV - V|| = 0.142091$$

$$||TG - G|| = 0.107190$$

Iteration 75:

$$||TV - V|| = 0.088326$$

$$||TG - G|| = 0.047587$$

Iteration 100:

$$||TV - V|| = 0.056887$$

$$||TG - G|| = 0.025135$$

Iteration 125:

$$||TV - V|| = 0.037161$$

$$||TG - G|| = 0.014437$$

Iteration 150:

$$||TV - V|| = 0.024432$$

$$||TG - G|| = 0.008494$$

Iteration 175:

$$||TV - V|| = 0.016118$$

$$||TG - G|| = 0.005173$$

Iteration 200:

$$||TV - V|| = 0.010656$$

$$||TG - G|| = 0.003253$$

Iteration 225:

$$||TV - V|| = 0.007055$$

$$||TG - G|| = 0.002083$$

Iteration 250:

$$||TV - V|| = 0.004676$$

$$||TG - G|| = 0.001352$$

Iteration 275:

$$||TV - V|| = 0.003102$$

$$||TG - G|| = 0.000884$$

Iteration 300:

||TV - V|| = 0.002059

||TG - G|| = 0.000580

Iteration 325:

||TV - V|| = 0.001367

||TG - G|| = 0.000382

Iteration 350:

||TV - V|| = 0.000909

||TG - G|| = 0.000252

Iteration 375:

||TV - V|| = 0.000604

||TG - G|| = 0.000167

Iteration 400:

||TV - V|| = 0.000402

||TG - G|| = 0.000111

Iteration 425:

||TV - V|| = 0.000267

||TG - G|| = 0.000074

Iteration 450:

||TV - V|| = 0.000178

||TG - G|| = 0.000049

Iteration 475:

||TV - V|| = 0.000118

||TG - G|| = 0.000033

Iteration 487: ||TV - V|| = 0.000099 ||TG - G|| = 0.000027

Generating regression data...

t = 100

t = 200

t = 300

t = 400

t = 500

t = 600

t = 700

t = 800

t = 900

```
t = 1000
t = 1100
t = 1200
t = 1300
t = 1400
t = 1500
t = 1600
t = 1700
t = 1800
t = 1900
t = 2000
```

Regime 1: 1087 periods, Regime 2: 913 periods

K(1) = 7.6979

K range: [7.6979, 8.4844]

Regime 1: $\log K' = 0.0238 + 0.9887 \log K$

Regime 1: $\Pr R_{pr} = 1 = \exp((10.2144 + -3.4054 \log K)^{-1})$

Regime 2: $\log K' = 0.0151 + 0.9930 \log K$

Regime 2: $\Pr R_{pr} = 1 = \exp((-40.7299 + 17.8984 \log K)^{-1})$

Capital: R2 for pop = 0.999692

R2 for lib = 0.999523

Regime Guessing Distance: 0.0931

Foredist = 0.093131

==== Generating K forecast Rule ====

Getting Regression Data

Solving HH problem...

Iteration 25:

||TV - V|| = 0.253029

||TG - G|| = 0.352577

Iteration 50:

$$||TV - V|| = 0.142053$$

$$||TG - G|| = 0.107321$$

Iteration 75:

$$||TV - V|| = 0.088318$$

$$||TG - G|| = 0.047497$$

Iteration 100:

$$||TV - V|| = 0.056886$$

$$||TG - G|| = 0.025146$$

Iteration 125:

$$||TV - V|| = 0.037162$$

$$||TG - G|| = 0.014435$$

Iteration 150:

$$||TV - V|| = 0.024434$$

$$||TG - G|| = 0.008519$$

Iteration 175:

$$||TV - V|| = 0.016120$$

$$||TG - G|| = 0.005183$$

Iteration 200:

$$||TV - V|| = 0.010657$$

$$||TG - G|| = 0.003262$$

Iteration 225:

$$||TV - V|| = 0.007056$$

$$||TG - G|| = 0.002090$$

Iteration 250:

$$||TV - V|| = 0.004677$$

$$||TG - G|| = 0.001356$$

Iteration 275:

$$||TV - V|| = 0.003102$$

$$||TG - G|| = 0.000888$$

Iteration 300:

$$||TV - V|| = 0.002059$$

$$||TG - G|| = 0.000583$$

Iteration 325:

$$||TV - V|| = 0.001368$$

$$||TG - G|| = 0.000384$$

Iteration 350:

$$||TV - V|| = 0.000909$$

$$||TG - G|| = 0.000254$$

Iteration 375:

$$||TV - V|| = 0.000604$$

$$||TG - G|| = 0.000168$$

Iteration 400:

$$||TV - V|| = 0.000402$$

$$||TG - G|| = 0.000111$$

Iteration 425:

$$||TV - V|| = 0.000267$$

$$||TG - G|| = 0.000074$$

Iteration 450:

$$||TV - V|| = 0.000178$$

$$||TG - G|| = 0.000049$$

Iteration 475:

$$||TV - V|| = 0.000118$$

$$||TG - G|| = 0.000033$$

Iteration 500:

$$||TV - V|| = 0.000079$$

$$||TG - G|| = 0.000022$$

Iteration 525:

$$||TV - V|| = 0.000052$$

$$||TG - G|| = 0.000014$$

Iteration 550:

$$||TV - V|| = 0.000035$$

$$||TG - G|| = 0.000010$$

Iteration 575:

$$||TV - V|| = 0.000023$$

$$||TG - G|| = 0.000006$$

Iteration 600:

$$||TV - V|| = 0.000016$$

$$||TG - G|| = 0.000004$$

Iteration 625:

$$||TV - V|| = 0.000010$$

$$||TG - G|| = 0.000003$$

Iteration 650:

||TV - V|| = 0.000007

||TG - G|| = 0.000002

Iteration 675:

||TV - V|| = 0.000005

||TG - G|| = 0.000001

Iteration 700:

||TV - V|| = 0.000003

||TG - G|| = 0.000001

Iteration 725:

||TV - V|| = 0.000002

||TG - G|| = 0.000001

Iteration 750:

||TV - V|| = 0.000001

||TG - G|| = 0.000000

Iteration 771: ||TV - V|| = 0.000001 ||TG - G|| = 0.000000

Generating regression data...

t = 100

t = 200

t = 300

t = 400

t = 500

t = 600

t = 700

t = 800

t = 900

t = 1000

t = 1100

t = 1200

t = 1300

t = 1400

t = 1500

t = 1600

t = 1700

t = 1800
t = 1900
t = 2000

Regime 1: 1087 periods, Regime 2: 913 periods

K(1) = 7.6979

K range: [7.6979, 8.4929]

Regime 1: $\log K' = 0.0227 + 0.9892 \log K$

Regime 1: $\Pr R \text{ pr} = 1 = \exp((9.3868 + -3.0139 \log K)^{-1})$

Regime 2: $\log K' = 0.0159 + 0.9926 \log K$

Regime 2: $\Pr R \text{ pr} = 1 = \exp((-39.9087 + 17.5050 \log K)^{-1})$

Capital: R2 for pop = 0.999729

R2 for lib = 0.999570

Regime Guessing Distance: 0.0170

Foredist = 0.017045

==== Generating K forecast Rule ====

Getting Regression Data

Solving HH problem...

Iteration 25:

||TV - V|| = 0.247209

||TG - G|| = 0.353205

Iteration 50:

||TV - V|| = 0.138128

||TG - G|| = 0.107853

Iteration 75:

||TV - V|| = 0.086050

||TG - G|| = 0.047702

Iteration 100:

||TV - V|| = 0.055537

```
    ||TG - G|| = 0.025312
Iteration 125:
    ||TV - V|| = 0.036358
    ||TG - G|| = 0.014685
Iteration 150:
    ||TV - V|| = 0.023957
    ||TG - G|| = 0.008702
Iteration 175:
    ||TV - V|| = 0.015841
    ||TG - G|| = 0.005351
Iteration 200:
    ||TV - V|| = 0.010496
    ||TG - G|| = 0.003391
Iteration 225:
    ||TV - V|| = 0.006964
    ||TG - G|| = 0.002182
Iteration 250:
    ||TV - V|| = 0.004626
    ||TG - G|| = 0.001430
Iteration 275:
    ||TV - V|| = 0.003075
    ||TG - G|| = 0.000941
Iteration 300:
    ||TV - V|| = 0.002046
    ||TG - G|| = 0.000621
Iteration 325:
    ||TV - V|| = 0.001361
    ||TG - G|| = 0.000412
Iteration 350:
    ||TV - V|| = 0.000907
    ||TG - G|| = 0.000274
Iteration 375:
    ||TV - V|| = 0.000604
    ||TG - G|| = 0.000183
Iteration 400:
    ||TV - V|| = 0.000402
```

```
    ||TG - G|| = 0.000122
Iteration 425:
    ||TV - V|| = 0.000268
    ||TG - G|| = 0.000082
Iteration 450:
    ||TV - V|| = 0.000179
    ||TG - G|| = 0.000055
Iteration 475:
    ||TV - V|| = 0.000119
    ||TG - G|| = 0.000037
Iteration 500:
    ||TV - V|| = 0.000080
    ||TG - G|| = 0.000024
Iteration 525:
    ||TV - V|| = 0.000053
    ||TG - G|| = 0.000016
Iteration 550:
    ||TV - V|| = 0.000035
    ||TG - G|| = 0.000011
Iteration 575:
    ||TV - V|| = 0.000024
    ||TG - G|| = 0.000007
Iteration 600:
    ||TV - V|| = 0.000016
    ||TG - G|| = 0.000005
Iteration 625:
    ||TV - V|| = 0.000011
    ||TG - G|| = 0.000003
Iteration 650:
    ||TV - V|| = 0.000007
    ||TG - G|| = 0.000002
Iteration 675:
    ||TV - V|| = 0.000005
    ||TG - G|| = 0.000001
Iteration 700:
    ||TV - V|| = 0.000003
```

```
    ||TG - G|| = 0.000001
Iteration 725:
    ||TV - V|| = 0.000002
    ||TG - G|| = 0.000001
Iteration 750:
    ||TV - V|| = 0.000001
    ||TG - G|| = 0.000000
Iteration 772: ||TV - V|| = 0.000001    ||TG - G|| =
= 0.000000
Generating regression data...
```

```
t = 100
t = 200
t = 300
t = 400
t = 500
t = 600
t = 700
t = 800
t = 900
t = 1000
t = 1100
t = 1200
t = 1300
t = 1400
t = 1500
t = 1600
t = 1700
t = 1800
t = 1900
t = 2000
```

```
Regime 1: 1087 periods, Regime 2: 913 periods
K(1) = 7.6979
K range: [7.4047, 8.0410]
Regime 1:  $\log K' = 0.0080 + 0.9959 \log K$ 
```

Regime 1: $\Pr R_{pr} = 1 = \exp((-0.2419 + 1.5927 \log K)^{-1})$
Regime 2: $\log K' = 0.0159 + 0.9925 \log K$
Regime 2: $\Pr R_{pr} = 1 = \exp((-17.1567 + 6.9837 \log K)^{-1})$

Capital: R^2 for pop = 0.999782
 R^2 for lib = 0.999562
Regime Guessing Distance: 0.6906
Foredist = 0.690602

==== Generating K forecast Rule =====

Getting Regression Data
Solving HH problem...

Iteration 25:
 $||TV - V|| = 0.249159$
 $||TG - G|| = 0.353062$
Iteration 50:
 $||TV - V|| = 0.139674$
 $||TG - G|| = 0.107677$
Iteration 75:
 $||TV - V|| = 0.086993$
 $||TG - G|| = 0.047528$
Iteration 100:
 $||TV - V|| = 0.056115$
 $||TG - G|| = 0.025176$
Iteration 125:
 $||TV - V|| = 0.036710$
 $||TG - G|| = 0.014603$
Iteration 150:
 $||TV - V|| = 0.024170$
 $||TG - G|| = 0.008656$
Iteration 175:

```
    ||TV - V|| = 0.015968
    ||TG - G|| = 0.005303
Iteration 200:
    ||TV - V|| = 0.010571
    ||TG - G|| = 0.003343
Iteration 225:
    ||TV - V|| = 0.007008
    ||TG - G|| = 0.002142
Iteration 250:
    ||TV - V|| = 0.004651
    ||TG - G|| = 0.001400
Iteration 275:
    ||TV - V|| = 0.003089
    ||TG - G|| = 0.000917
Iteration 300:
    ||TV - V|| = 0.002053
    ||TG - G|| = 0.000605
Iteration 325:
    ||TV - V|| = 0.001365
    ||TG - G|| = 0.000400
Iteration 350:
    ||TV - V|| = 0.000908
    ||TG - G|| = 0.000266
Iteration 375:
    ||TV - V|| = 0.000605
    ||TG - G|| = 0.000177
Iteration 400:
    ||TV - V|| = 0.000403
    ||TG - G|| = 0.000118
Iteration 425:
    ||TV - V|| = 0.000268
    ||TG - G|| = 0.000079
Iteration 450:
    ||TV - V|| = 0.000179
    ||TG - G|| = 0.000053
Iteration 475:
```

||TV - V|| = 0.000119

||TG - G|| = 0.000035

Iteration 487: ||TV - V|| = 0.000100 ||TG - G|| = 0.000030

Generating regression data...

t = 100

t = 200

t = 300

t = 400

t = 500

t = 600

t = 700

t = 800

t = 900

t = 1000

t = 1100

t = 1200

t = 1300

t = 1400

t = 1500

t = 1600

t = 1700

t = 1800

t = 1900

t = 2000

Regime 1: 1087 periods, Regime 2: 913 periods

K(1) = 7.6979

K range: [7.5922, 8.1200]

Regime 1: $\log K' = -0.0045 + 1.0021 \log K$

Regime 1: $\Pr R_{pr} = 1 = \exp((11.2455 + -3.9806 \log K)^{-1})$

Regime 2: $\log K' = 0.0146 + 0.9930 \log K$

Regime 2: $\Pr R_{pr} = 1 = \exp((-32.4371 + 14.3011 \log K)^{-1})$

Capital: R2 for pop = 0.999725
R2 for lib = 0.999253
Regime Guessing Distance: 0.0160
Foredist = 0.029960

==== Generating K forecast Rule ====

Getting Regression Data
Solving HH problem...

Iteration 25:
 ||TV - V|| = 0.252622
 ||TG - G|| = 0.352865
Iteration 50:
 ||TV - V|| = 0.141401
 ||TG - G|| = 0.107463
Iteration 75:
 ||TV - V|| = 0.088012
 ||TG - G|| = 0.047332
Iteration 100:
 ||TV - V|| = 0.056731
 ||TG - G|| = 0.025179
Iteration 125:
 ||TV - V|| = 0.037081
 ||TG - G|| = 0.014453
Iteration 150:
 ||TV - V|| = 0.024391
 ||TG - G|| = 0.008601
Iteration 175:
 ||TV - V|| = 0.016098
 ||TG - G|| = 0.005234
Iteration 200:
 ||TV - V|| = 0.010647
 ||TG - G|| = 0.003299

```
Iteration 225:
    ||TV - V|| = 0.007051
    ||TG - G|| = 0.002110
Iteration 250:
    ||TV - V|| = 0.004675
    ||TG - G|| = 0.001373
Iteration 275:
    ||TV - V|| = 0.003102
    ||TG - G|| = 0.000899
Iteration 300:
    ||TV - V|| = 0.002060
    ||TG - G|| = 0.000591
Iteration 325:
    ||TV - V|| = 0.001368
    ||TG - G|| = 0.000389
Iteration 350:
    ||TV - V|| = 0.000910
    ||TG - G|| = 0.000258
Iteration 375:
    ||TV - V|| = 0.000605
    ||TG - G|| = 0.000171
Iteration 400:
    ||TV - V|| = 0.000402
    ||TG - G|| = 0.000114
Iteration 425:
    ||TV - V|| = 0.000268
    ||TG - G|| = 0.000076
Iteration 450:
    ||TV - V|| = 0.000178
    ||TG - G|| = 0.000050
Iteration 475:
    ||TV - V|| = 0.000119
    ||TG - G|| = 0.000034
Iteration 500:
    ||TV - V|| = 0.000079
    ||TG - G|| = 0.000022
```

Iteration 525:

||TV - V|| = 0.000053

||TG - G|| = 0.000015

Iteration 550:

||TV - V|| = 0.000035

||TG - G|| = 0.000010

Iteration 575:

||TV - V|| = 0.000023

||TG - G|| = 0.000007

Iteration 600:

||TV - V|| = 0.000016

||TG - G|| = 0.000004

Iteration 625:

||TV - V|| = 0.000010

||TG - G|| = 0.000003

Iteration 650:

||TV - V|| = 0.000007

||TG - G|| = 0.000002

Iteration 675:

||TV - V|| = 0.000005

||TG - G|| = 0.000001

Iteration 700:

||TV - V|| = 0.000003

||TG - G|| = 0.000001

Iteration 725:

||TV - V|| = 0.000002

||TG - G|| = 0.000001

Iteration 750:

||TV - V|| = 0.000001

||TG - G|| = 0.000000

Iteration 771: ||TV - V|| = 0.000001 ||TG - G|| = 0.000000

Generating regression data...

t = 100

t = 200

t = 300
t = 400
t = 500
t = 600
t = 700
t = 800
t = 900
t = 1000
t = 1100
t = 1200
t = 1300
t = 1400
t = 1500
t = 1600
t = 1700
t = 1800
t = 1900
t = 2000

Regime 1: 1087 periods, Regime 2: 913 periods

K(1) = 7.6979

K range: [7.6979, 8.4425]

Regime 1: $\log K' = 0.0161 + 0.9922 \log K$

Regime 1: $\Pr R_{pr} = 1 = \exp((8.3935 + -2.5569 \log K)^{-1})$

Regime 2: $\log K' = 0.0142 + 0.9934 \log K$

Regime 2: $\Pr R_{pr} = 1 = \exp((-36.4472 + 15.9388 \log K)^{-1})$

Capital: R2 for pop = 0.999803

R2 for lib = 0.999625

Regime Guessing Distance: 0.0031

Foredist = 0.006467

==== Generating K forecast Rule ====

Getting Regression Data
Solving HH problem...

Iteration 25:

||TV - V|| = 0.248901

||TG - G|| = 0.353215

Iteration 50:

||TV - V|| = 0.139431

||TG - G|| = 0.107753

Iteration 75:

||TV - V|| = 0.086908

||TG - G|| = 0.047435

Iteration 100:

||TV - V|| = 0.056085

||TG - G|| = 0.025169

Iteration 125:

||TV - V|| = 0.036700

||TG - G|| = 0.014608

Iteration 150:

||TV - V|| = 0.024168

||TG - G|| = 0.008691

Iteration 175:

||TV - V|| = 0.015968

||TG - G|| = 0.005326

Iteration 200:

||TV - V|| = 0.010573

||TG - G|| = 0.003356

Iteration 225:

||TV - V|| = 0.007010

||TG - G|| = 0.002148

Iteration 250:

||TV - V|| = 0.004652

||TG - G|| = 0.001405

Iteration 275:

||TV - V|| = 0.003090

```
    ||TG - G|| = 0.000922
Iteration 300:
    ||TV - V|| = 0.002054
    ||TG - G|| = 0.000608
Iteration 325:
    ||TV - V|| = 0.001366
    ||TG - G|| = 0.000402
Iteration 350:
    ||TV - V|| = 0.000909
    ||TG - G|| = 0.000267
Iteration 375:
    ||TV - V|| = 0.000605
    ||TG - G|| = 0.000178
Iteration 400:
    ||TV - V|| = 0.000403
    ||TG - G|| = 0.000119
Iteration 425:
    ||TV - V|| = 0.000268
    ||TG - G|| = 0.000079
Iteration 450:
    ||TV - V|| = 0.000179
    ||TG - G|| = 0.000053
Iteration 475:
    ||TV - V|| = 0.000119
    ||TG - G|| = 0.000036
Iteration 500:
    ||TV - V|| = 0.000079
    ||TG - G|| = 0.000024
Iteration 525:
    ||TV - V|| = 0.000053
    ||TG - G|| = 0.000016
Iteration 550:
    ||TV - V|| = 0.000035
    ||TG - G|| = 0.000011
Iteration 575:
    ||TV - V|| = 0.000024
```

```
    ||TG - G|| = 0.000007
Iteration 600:
    ||TV - V|| = 0.000016
    ||TG - G|| = 0.000005
Iteration 625:
    ||TV - V|| = 0.000010
    ||TG - G|| = 0.000003
Iteration 650:
    ||TV - V|| = 0.000007
    ||TG - G|| = 0.000002
Iteration 675:
    ||TV - V|| = 0.000005
    ||TG - G|| = 0.000001
Iteration 700:
    ||TV - V|| = 0.000003
    ||TG - G|| = 0.000001
Iteration 725:
    ||TV - V|| = 0.000002
    ||TG - G|| = 0.000001
Iteration 750:
    ||TV - V|| = 0.000001
    ||TG - G|| = 0.000000
Iteration 772: ||TV - V|| = 0.000001    ||TG - G|| = 0.000000
= 0.000000
Generating regression data...
```

```
t = 100
t = 200
t = 300
t = 400
t = 500
t = 600
t = 700
t = 800
t = 900
t = 1000
```

```
t = 1100
t = 1200
t = 1300
t = 1400
t = 1500
t = 1600
t = 1700
t = 1800
t = 1900
t = 2000
```

Regime 1: 1087 periods, Regime 2: 913 periods

$K(1) = 7.6979$

K range: [7.5847, 8.1184]

Regime 1: $\log K' = -0.0037 + 1.0017 \log K$

Regime 1: $\Pr R_{pr} = 1 = \exp((10.3564 + -3.5524 \log K)^{-1})$

Regime 2: $\log K' = 0.0145 + 0.9931 \log K$

Regime 2: $\Pr R_{pr} = 1 = \exp((-31.4209 + 13.8124 \log K)^{-1})$

Capital: R^2 for pop = 0.999763

R^2 for lib = 0.999328

Regime Guessing Distance: 0.0015

Foredist = 0.024135

```
>> save ../d/ks_rfore_learning_T2000.mat
>>
```