```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Personal Portfolio Website</title>
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <div class="container">
      <nav>
        <img src="C:\Users\91903\Downloads\1000_F_139643973_MtFYZ9s2DeE8F7qP3Q</pre>
VOqEVqPimhD23Q.jpg" class="logo" />
        <l
          <a href="file:///C:/Users/91903/Desktop/Portfolio/index.html">Ho</a>
me</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/about.html">Ab
out</a>
          <a href="file:///C:/Users/91903/Desktop/Portfolio/project.html"></a>
Projects</a>
          <a href="file:///C:/Users/91903/Desktop/Portfolio/contact.html"></a>
Contact</a>
       </nav>
    </div>
      <div class="content">
        <div class="row">
          <div class="column1">
            <span class="title">Web Developer</span>
          <h1>Hello, I'm <span>Unnimaya S</span></h1>
            Passionate web developer creating responsive and user friendly we
b applications.
          <a href="file:///C:/Users/91903/Desktop/Unnimaya%20S_Resume.pdf" dow</pre>
nload class="btn">Download CV</a>
          </div>
          <div class="column2">
              <img src="C:\Users\91903\Desktop\Unnimaya S_Photo.jpg">
          </div>
        </div>
```

```
</div>
</body>
</html>
```

## **About**

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Personal Portfolio Website</title>
   <!---->
    <link rel="stylesheet" href="style.css" />
  </head>
  <body>
    <div class="hero">
       <img src="C:\Users\91903\Downloads\1000_F_139643973_MtFYZ9s2DeE8F7qP3Q</pre>
VOqEVqPimhD23Q.jpg" class="logo" />
         <a href="file:///C:/Users/91903/Desktop/Portfolio/index.html">Ho
me</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/about.html">Ab</a>
out</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/project.html">
Projects</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/contact.html"></a>
Contact</a>
       </nav>
   </div>
   <div id="about">
     <div class="container">
         <div class="row">
             <div class="about-col-1">
               <h1 class="subtitle">About Me</h1>
```

```
A motivated student with a keen interest in innovation a
nd technology, seeking to apply my skills and learn new ones in an organizatio
n committed to a professional development and growth.
                </div>
            <div class="about-col-2">
                <div class="tab-titles">
                   link" onclick="opentab('skills')">Skills
                   links" onclick="opentab('education')">Education
                   links" onclick="opentab('courses')">Courses
                </div>
                <div class="tab-contents active-tab" id="skills">
                   <l
                       <span>Programming Languages</span><br>Python<br>
C</C>
                       <span>Soft Skills</span><br>Adaptibility<br>Team
work</C>
                   </div>
                <div class="tab-contents" id="education">
                   <1115
                       <span>Rajiv Gandhi Institute Technology, Kottaya
m</span><br>Bachelor of Technology , ECE <br>CGPA : 8.75</C>
                       <span>Placid Vidya Vihar</span><br>Higher second
ary <br> Percentage : 88.6 %</C>
                       <span>Bishop Moore Vidyapith</span><br>High Scho
ol<br> Percentage : 100 %</C>
                   </div>
                <div class="tab-contents" id="courses">
                 <l
                     <span>Crash course on Python</span> <br>COURSERA<br/>b</r>
r>2023</C>
                 </div>
            </div>
         </div>
```

```
</div>
 </div>
 <script>
   var tablinks = document.getElementsByClassName("tab-links");
   var tabcontents = document.getElementsByClassName("tab-contents");
   function opentab(tabname){
       for(tablink of tablinks){
           tablink.classList.remove("active-link");
       for(tabcontent of tabcontents){
           tabcontent.classList.remove("active-tab");
       }
       event.currentTarget.classList.add("active-link");
       document.getElementById(tabname).classList.add("active-tab");
 </script>
 </body>
</html>
```

## **Project**

```
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="UTF-8" />
   <title>Personal Portfolio Website</title>
   <!---->
   <link rel="stylesheet" href="style.css" />
 </head>
 <body>
   <div class="hero">
       <img src="C:\Users\91903\Downloads\1000_F_139643973_MtFYZ9s2DeE8F7qP3Q</pre>
VOqEVqPimhD23Q.jpg" class="logo" />
         <a href="file:///C:/Users/91903/Desktop/Portfolio/index.html">Ho</a>
me</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/about.html">Ab
out</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/project.html"></a>
Projects</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/contact.html"></a>
Contact</a>
```

```
</nav>
    </div>
    <div id="projects">
        <div class="container">
            <h1 class="subtitle">Projects</h1><br>
            <div class="row">
                <div class="about-col-1">
                    <h2>Sign language to speech converter</h2><br>
                        Speech impaired people throughout the world uses sign
language to communicate with other
                        people. However, it is possible only between those peo
ple who understands sign language. So
                        our aim is to create a voice for the impaired. Sign la
nguage uses hand gestures and other means
                        of non-
verbal behaviours to convey their intended meaning. The idea is to create a sy
                        which recognizes the bend angle of each finger when an
 alphabet is signed with the help of a
                        flex sensor and using this information the correspondi
ng letter is recognized in the system.
                        After the complete word is signed, it is then transmit
ted to an application in our smart phone
                        through a Bluetooth module which is then converted to
speech by the app. The modules to be
                        present in the proposed system are Arduino Nano our ma
in microcontroller, flex sensors for
                        each fingers to detect the bend angle, a Bluetooth mod
ule for transmission, a LCD display.
                    </div>
                </div>
            </div>
        </div>
    </div>
```

```
</body>
</html>
```

## Contact

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8" />
    <title>Personal Portfolio Website</title>
   <!---->
    <link rel="stylesheet" href="style.css" />
    <script src="https://kit.fontawesome.com/6feadf514e.js" crossorigin="anony</pre>
mous"></script>
  </head>
  <body>
    <div class="hero">
      <nav>
        <img src="C:\Users\91903\Downloads\1000_F_139643973_MtFYZ9s2DeE8F7qP3Q</pre>
VOqEVqPimhD23Q.jpg" class="logo" />
        <l
          <a href="file:///C:/Users/91903/Desktop/Portfolio/index.html">Ho
me</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/about.html">Ab</a>
out</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/project.html">
Projects</a>
         <a href="file:///C:/Users/91903/Desktop/Portfolio/contact.html">
Contact</a>
       </nav>
    </div>
    <div id="contact">
       <div class="container">
           <div class="row">
               <div class="contact-left">
                   <h1 class="subtitle">Contact Me</h1>
                   <i class="fa-solid fa-
envelope"></i>unnimayas5801@gmail.com
```

```
<i class="fa-sharp fa-solid fa-
phone"></i>+91 8078067996<br>
                </div>
                <div class="contact-right">
                     <form name="submit-to-google-sheet">
                         <input type="text" name="Name" placeholder="Your Name"</pre>
 required>
                         <input type="email" name="Email" placeholder="Your Ema</pre>
il" required>
                        <textarea name="Message" rows="6" placeholder="Your M</pre>
essage"></textarea>
                         <button type="submit" class="btn">Submit</button>
                    </form>
                    <span id="msg"></span>
                </div>
            </div>
        </div>
    </div>
    <script>
        const scriptURL = '<https://script.google.com/macros/s/AKfycbzislEHyCF</pre>
8Z5InT14pMa0azKfJ3o7MP9wZV_LqQ55jIMTXUwz-ZEuNy6mE62UXVli0/exec>'
        const form = document.forms['submit-to-google-sheet']
        form.addEventListener('submit', e => {
          e.preventDefault()
          fetch(scriptURL, { method: 'POST', body: new FormData(form)})
            .then(response => console.log('Success!', response))
            .catch(error => console.error('Error!', error.message))
        })
      </script>
</body>
</html>
```

```
@import url("https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600
;700&display=swap");
 margin: 0;
 padding: 0;
 box-sizing: border-box;
  font-family: "Playfair Display", serif;
 text-decoration: none;
body{
 background: #fff;
  color:#0a0a0a;
  overflow-x:hidden;
.container{
 width: 100%;
 height: 100vh;
  background-size: cover;
 background-image: center;
nav {
 display: flex;
 align-items: center;
 justify-content: space-between;
  padding: 30px 100px;
.logo {
  max-height: 160px;
 width: 140px;
nav ul li {
 list-style: none;
 display: inline-block;
 padding: 10px 20px;
```

```
nav ul li a {
  color: #1d1d24;
 position: relative;
  padding: 5px 0;
nav ul li a:hover {
 color: #09b4a6b4;
nav ul li a:after {
 content: "";
 position: absolute;
 left: 0;
 width: 0;
 height: 3px;
  background: #06bb51;
 transition: 0.3s;
  bottom: 0;
nav ul li a:hover:after {
 width: 100%;
.btn {
 color: #fff;
 font-size: 16px;
 text-transform: uppercase;
 letter-spacing: 2px;
 padding: 16px 40px;
 border-radius: 500px;
  display: inline-block;
  font-weight: 500;
 transition: all 0.4s ease-in-out;
  background-size: 152% 100%;
  background: #41ac7f;
  border: 2px solid #0898d1;
.btn:hover {
 background: transparent;
 border-color: #3cca9b;
  color: #23ebaf;
.row{
 display: flex;
  justify-content: space-between;
 flex-wrap: wrap;
.column1{
  flex-basis: 60%;
```

```
.column2{
 flex-basis: 40%;
.column2 img{
 width: 85%;
.content {
 position: absolute;
 top: 35%;
 left: 8%;
.content .title {
 color: #0a0a0a;
 font-size: 15px;
 text-transform: uppercase;
 letter-spacing: 4px;
 display: inline-block;
 margin-bottom: 20px;
 background: linear-gradient(
   120deg,
   #1c99fe 20.69%,
   #7644ff 50.19%,
   #11d695 79.69%
 -webkit-background-clip: text;
 -webkit-text-fill-color: transparent;
.content h1 {
 color: #1f1f25;
 font-size: 75px;
 font-weight: 900;
 line-height: 90px;
 text-transform: inherit;
 width: 70%;
.content h1 span {
 color: #10d673;
.content p {
 width: 55%;
 color: #202020;
 margin-top: 25px;
 margin-bottom: 30px;
```

```
#about{
  padding: 80px 0;
  color:#0a0a0a;
.row{
 display: flex;
 justify-content: space-between;
  flex-wrap: wrap;
#about{
  position: absolute;
 top: 15%;
  left: 8%;
#contact{
  position: absolute;
 top: 35%;
  left: 8%;
.about-col-1{
  flex-basis: 40%;
.about-col-1 p{
  text-align: justify;
.about-col-2 img{
 width: 80%;
  border-radius: 15px;
.about-col-2{
  flex-basis: 50%;
.subtitle{
 font-size: 60px;
 font-weight: 600;
  color:#1cd19b;
.tab-titles{
 display: flex;
 margin: 20px 0 40px;
.tab-links{
 margin-right: 50px;
  font-size: 18px;
 font-weight: 500;
  cursor: pointer;
  position: relative;
```

```
.tab-links::after{
  content:"";
 width: 0;
 height: 3px;
  background: #14c77c;
  position: absolute;
  left: 0;
  bottom: -8px;
  transition: 0.5s;
.tab-links.active-link::after{
  width: 50%;
.tab-contents ul li{
 list-style: none;
  margin: 10px 0;
.tab-contents ul li span{
  color: #1ece6d;
  font-size: 14px;
.tab-contents{
  display: none;
.tab-contents.active-tab{
  display: block;
#projects{
 position: absolute;
 top: 25%;
  left: 8%;
.contact-left{
  flex-basis: 35%;
.contact-right{
  flex-basis: 60%;
.contact-left p{
  margin-top: 30px;
```

```
.contact-left p i{
  color: #15c489;
 margin-right: 15px;
 font-size: 25px;
.btn {
 color: #fff;
 font-size: 16px;
 text-transform: uppercase;
  letter-spacing: 2px;
  padding: 16px 40px;
  border-radius: 500px;
  display: inline-block;
  font-weight: 500;
  transition: all 0.4s ease-in-out;
  background-size: 152% 100%;
  background: #10d8ad;
 border: 2px solid #14e0be;
  cursor: pointer;
.btn:hover {
  background: transparent;
 border-color: #11ca93;
  color: #1bca78;
.contact-right form{
 width: 100%;
form input, form textarea{
 width:100%;
 border: 0;
 outline:none;
 background: #262626;
 padding: 15px;
 margin: 15px 0;
  color: #fff;
 font-size: 18px;
  border-radius: 6px;
```