




Angler's championship


A fishing club organizes multiple fishing competitions, which only members of the club can enter. The same angler can participate in multiple competitions. Each competition has a known location and starting time. For each angler, we know their name and the details of their catches in each competition.

A catch includes the competition in which it was made, the angler who caught it, the type of fish, and its weight (in kg). The possible fish species are carp, bream, and catfish. The value of a fish is calculated as the product of its weight and a species multiplier (catfish: 3, carp: 2, bream: 1).


Which is the most successful competition? That is, the one where the total value of all anglers' catches is the highest, and every participant caught at least one catfish.







Angler's championship




Shooting Gallery

A Fun Fair operates several shooting galleries at various locations. The park's visitors can visit multiple shooting galleries. At each shooting gallery, a visitor wins a prize for every successful hit. It is known which shooting gallery a prize was won at. A prize can be of three types: a ball, a plastic figure, or a plush animal, and it can come in four different sizes: S, M, L, or XL.


The value of a prize is calculated by multiplying the points assigned to its type (3 points for a plush animal, 2 points for a plastic figure, 1 point for a ball) by the multiplier for its size (1 point for size S, 2 points for M, 3 points for L, and 4 points for XL).

Find the best shooter of a shooting gallery, that is, the visitor whose total value of prizes won at that shooting gallery is the highest.


Shooting Gallery




Shooting Gallery



Shooting Gallery



Shooting Gallery




Shooting Gallery


Let's assume that the multiplier used to calculate the value of a prize depends not only on its size but also on its type.

	S	M	L	XL
Ball	1	1	1	3
Figure	1	1	2	2
Plush	1	2	3	4

Shooting Gallery



Shooting Gallery




Rally

When registering for a rally car race, teams receive a unique identifier that allows them to register to individual races. A competition consists of multiple races (at least one), and in each race, multiple (at least two) teams compete in at least one category (sports car, truck, motorcycle). The races start at specified times.


A team's result in a race depends on their placements in the individual categories they participated in. For each category in which a team fielded a competitor, the following formula is to be calculated: **(number of teams participating in the race + 1 – placement) × factor**, and then these values are summed. The factor varies by category: 1 for motorcycles, 3 for sports cars, 4 for trucks.

Which team is the overall winner of the entire competition based on the sum of their results across all races?


Rally




Rally




Rally




Rally



Rally





Rally

