## Complex Analysis - HW1

## SungBin Park, 20150462

November 5, 2018

1. Consider  $\prod_{i=2}^{\infty} \left(1 + \frac{(-1)^i}{i}\right)$ , then it converges since all the terms are nonzero, and

$$\prod_{i=2}^{N} \left( 1 + \frac{(-1)^i}{i} \right) = \begin{cases} \frac{3}{2} \frac{2}{3} \cdots \frac{N+1}{N} \frac{N}{N+1} = 1 & \text{For odd } N \\ \frac{3}{2} \frac{2}{3} \cdots \frac{N+1}{N} = \frac{N+1}{N} & \text{For even } N \end{cases}$$

and both goes to 1 as  $N \to 0$ .

However, it does not converges absolutely since

$$\prod_{i=2}^{N} \left( 1 + \frac{1}{i} \right) = \frac{3}{2} \frac{4}{3} \cdots \frac{N+1}{N} = \frac{N+1}{2}$$

and it goes to infinity as  $N \to \infty$ .

2. I'll start from n = 2. For even  $N \ge 4$ ,

$$0 < \prod_{i=3}^{N} \left( 1 + \frac{(-1)^{i}}{\sqrt{i}} \right) = \left( 1 - \frac{1}{\sqrt{3}} \right) \left( 1 + \frac{1}{\sqrt{4}} \right) \cdots \left( 1 - \frac{1}{\sqrt{N-1}} \right) \left( 1 + \frac{1}{\sqrt{N}} \right)$$

$$= \left( 1 + \frac{1}{\sqrt{4}} - \frac{1}{\sqrt{3}} - \frac{1}{\sqrt{12}} \right) \cdots \left( 1 + \frac{1}{\sqrt{N}} - \frac{1}{\sqrt{N-1}} - \frac{1}{\sqrt{N(N-1)}} \right)$$

$$\leq \left( 1 - \frac{1}{\sqrt{12}} \right) \cdots \left( 1 - \frac{1}{\sqrt{N(N-1)}} \right)$$

$$\leq \prod_{i=2}^{N/2} \left( 1 - \frac{1}{2i} \right) \leq \exp\left( \sum_{i=2}^{N/2} - \frac{1}{2i} \right) \to 0$$

as  $N \to \infty$ . For odd N, the partial product also goes to 0 since

$$\prod_{i=2}^{N} \left( 1 + \frac{(-1)^i}{\sqrt{i}} \right) = \left( \prod_{i=2}^{N-1} \left( 1 + \frac{(-1)^i}{\sqrt{i}} \right) \right) \left( 1 - \frac{1}{\sqrt{N}} \right) \to 1 \cdot 0 = 0$$

as  $N \to \infty$ . Therefore, the product diverges to 0. However,  $\sum_{n} \frac{(-1)^n}{\sqrt{n}}$  converges since it is alternating sequence such that the absolute value decreases and  $\frac{(-1)^n}{\sqrt{n}} \to 0$  as  $n \to \infty$ .

3. Let

$$a_n = \begin{cases} \frac{-1}{\sqrt{n}} & \text{for even } n \\ \frac{1}{\sqrt{n}} + \frac{1}{n} & \text{for odd } n. \end{cases}$$

For odd N,

$$1 + \sum_{i=1}^{N} a_i = \left(\frac{1}{\sqrt{2}} + \frac{1}{2}\right) - \frac{1}{\sqrt{3}} + \dots + \left(\frac{1}{\sqrt{N-1}} + \frac{1}{N-1}\right) - \frac{1}{\sqrt{N}}$$

$$\geq \left(\frac{1}{\sqrt{3}} + \frac{1}{2}\right) - \frac{1}{\sqrt{3}} + \dots + \left(\frac{1}{\sqrt{N}} + \frac{1}{N-1}\right) - \frac{1}{\sqrt{N}}$$

$$= \sum_{i=1}^{(N-1)/2} \frac{1}{2i}$$

and RHS goes to infinity as  $N \to \infty$ . Therefore,  $\sum_{n} a_n$  diverges.

Let  $u_n = 1 + a_n$ . Computing  $\sum_{i=2}^{N} u_i$  for odd N,

$$\prod_{i=2}^{N} u_i = \left(1 + \frac{1}{\sqrt{2}} + \frac{1}{2}\right) \left(1 - \frac{1}{\sqrt{3}}\right) \cdots \left(1 + \frac{1}{\sqrt{N-1}} + \frac{1}{N-1}\right) \left(1 - \frac{1}{\sqrt{N}}\right) \\
= \left(1 + \frac{1}{\sqrt{2}} - \frac{1}{\sqrt{3}} + \frac{1}{2} - \frac{1}{\sqrt{3}} \left(\frac{1}{\sqrt{2}} + \frac{1}{2}\right)\right) \cdots \left(1 + \frac{1}{\sqrt{N-1}} - \frac{1}{\sqrt{N}} + \frac{1}{N-1} - \frac{1}{\sqrt{N}} \left(\frac{1}{\sqrt{N-1}} + \frac{1}{N-1}\right)\right) \\
= \prod_{i=1}^{(N-1)/2} \left(1 + \frac{1}{2i} - \frac{1}{2i+1} + \frac{1}{2i} - \frac{1}{\sqrt{2i+1}} \left(\frac{1}{\sqrt{2i}} + \frac{1}{2i}\right)\right).$$

Also,

$$\begin{split} \prod_{n=2}^{N} \left| \frac{1}{\sqrt{n-1}} - \frac{1}{\sqrt{n}} + \frac{1}{n-1} - \frac{1}{\sqrt{n}} \left( \frac{1}{\sqrt{n-1}} + \frac{1}{n-1} \right) \right| \\ &\leq \sum_{n=2}^{N} \left| \frac{1}{\sqrt{n-1}} - \frac{1}{\sqrt{n}} \right| + \left| \frac{1}{n-1} - \frac{1}{\sqrt{n}} \frac{1}{\sqrt{n-1}} \right| + \left| \frac{1}{\sqrt{n}(n-1)} \right| \\ &\leq \sum_{n=2}^{N} \left| \frac{1}{\sqrt{n-1}} - \frac{1}{\sqrt{n}} \right| + \left| \frac{1}{n-1} - \frac{1}{n} \right| + \left| \frac{1}{\sqrt{n-1}^3} \right| \end{split}$$

and it converges as  $N \to \infty$  since  $\sum_{i=1}^{\infty} \frac{1}{i^{3/2}}$  converges. For even N, it also converges to the same value since

$$\prod_{i=1}^{N} u_i = \left(\prod_{i=1}^{N-1} u_i\right) \left(1 + \frac{1}{\sqrt{N}} + \frac{1}{N}\right) \to \left(\prod_{i=1}^{\infty} u_i\right) \cdot 1$$

as  $N \to \infty$ . Therefore,  $\prod_{i=2}^{N} u_i$  converges.

## 4. I'll prove a proposition.

**Proposition 1.** Let U be an open set in  $\mathbb{C}$ . Suppose that  $f_j$  defined on U are holomorphic and  $\sum_{j=1}^{\infty} |f_j|$  converges uniformly on any compact sets in U. Then,

$$\Phi_n(z) = \prod_{j=1}^n (1 + f_j(z))$$

converges uniformly to  $\Phi(z) = \prod_{i=1}^{\infty} (1 + f_j(z))$  on compact sets and the limit is holomorphic on U.

Proof. Fix a compact set  $K \subset U$ . Since  $\sum_{j=1}^{\infty} |f_j|$  converges uniformly on K and  $|f_j|$  are continuous function on the compact set, there exists C>0 such that  $\sum_{j=1}^{\infty} |f_j|$  is uniformly bounded about C and it means  $\prod_{j=1}^{\infty} (1+|f_j|)$  is uniformly bounded about  $e^C$ .

For any  $\epsilon > 0$ , there exists  $N_0$  such that for any  $N_2 > N_1 > N_0$ ,

$$\sum_{j=N_1}^{N_2} |f_j| \le \epsilon$$

since it is uniformly converging sequence, and it implies

$$|\Phi_{N_2} - \Phi_{N_1}| \le |\Phi_{N_1}| \left| \prod_{j=N_1+1}^{N_2} (1 + f_j(z)) - 1 \right| \le \prod_{j=1}^{N_1} (1 + |f_j|) \left( \exp\left(\sum_{j=N_1}^{N_2} |f_j|\right) - 1 \right) \le e^C(e^{\epsilon} - 1)$$

Therefore,  $\Phi_n$  is uniformly cauchy and uniformly converges to  $\Phi$  on K.

Finally, by the uniform boundedness of  $\sum_{j=1}^{\infty} |f_j|$ , the infinite product in  $\Phi$  is well-defined. Also,  $\Phi$  is defined on open set U and is holomorphic since it is uniform limit of holomorphic functions on compact sets.

Using the proposition, we can easily prove the problem. Since  $\Phi_n \to \Phi(z)$  uniformly on a compact set C, we know that  $\Phi'_n \to \Phi'$  uniformly on the set, and

$$\Phi'_n(z) = \sum_{k=1}^n f'_k \prod_{j \neq k}^n (1 + f_j)$$

Therefore,

$$\Phi'(z) = \lim_{n \to \infty} \Phi'_n(z) = \sum_{k=1}^{\infty} f'_k \prod_{i \neq k}^{\infty} (1 + f_j)$$