

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta property='og:title' content='MineMax' />
    <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' />
    <meta property='og:description' content='MineMax is a Minecraft web
application that allows you to create your own worlds and projects.' />
    <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt' />
    <meta property='og:type' content='website' />
    <!-- CSRF Token -->
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 8, column 9; to line 8, column 54](#)

```
>↵      <meta property='og:title' content='MineMax' />↵
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 9, column 9; to line 9, column 88](#)

```
>↵      <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' />↵
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 10, column 9; to line 10, column 147](#)

```
><      <meta property='og:description' content='MineMax is a Minecraft web
..... application that allows you to create your own worlds and projects.' /><
.....
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 11, column 9; to line 11, column 75](#)

```
><      <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt'
.....
/><
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 12, column 9; to line 12, column 53](#)

```
><      <meta property='og:type' content='website' /><
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 27, column 81; to line 27, column 153](#)

```
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/public/css/app.css" />
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 27, column 162; to line 27, column 192](#)

```
/>      <script type="text/javascript"><
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 9; to line 33, column 81](#)

```
><      <script type="text/javascript" src=http://localhost:8000/js/app.js
..... defer></scri
```

9. **Error** Attribute `role` not allowed on element `label` at this point.

[From line 39, column 21; to line 39, column 152](#)

```
<h1><label tabindex=0 for="show-menu" class="cursor-pointer"
..... role="button" aria-controls="menu" aria-expanded="false" title="Main
..... Menu">≡</lab
```

Attributes for element `label`:

[Global attributes](#)

[for](#) — Associate the label with form control

10. **Error** Attribute `aria-expanded` not allowed on element `label` at this point.

[From line 39, column 21; to line 39, column 152](#)

```
<h1><label tabindex=0 for="show-menu" class="cursor-pointer"
role="button" aria-controls="menu" aria-expanded="false" title="Main
Menu">≡</lab
```

Attributes for element [label](#):

[Global attributes](#)

[for](#) — Associate the label with form control

11. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 46, column 13; to line 46, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 42, column 95; to line 42, column 166](#)

```
r-search"><section id="main-search-section" class="main-search items-center
grid"><
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 88, column 17; to line 88, column 164](#)

```
<input id="show-menu" tabindex=0 role="button" aria-controls="menu"
aria-expanded="false" aria-pressed="true" type="checkbox" class="sr-only
peer"/>
```

14. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 105, column 13; to line 105, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

Document checking completed.

Source

```
1. <
2. <!DOCTYPE html>
3. <html lang="en">
4.   <head>
5.     <meta charset="utf-8">
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```

7.      <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.      <meta property='og:title' content='MineMax' />↵
9.      <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' />↵
10.     <meta property='og:description' content='MineMax is a Minecraft web
application that allows you to create your own worlds and projects.' />↵
11.     <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt' />↵
12.     <meta property='og:type' content='website' />↵
13.     <!-- CSRF Token -->↵
14.     <meta name="csrf-token"
content="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J">↵
15. ↵
16.     <title>Search - </title>↵
17. ↵
18.     <!-- Styles -->↵
19.     <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
20.     <link href="http://localhost:8000/css/sweetalert.minimal.css"
rel="stylesheet">↵
21.     <link rel="apple-touch-icon" sizes="180x180" href="/favicon/apple-
touch-icon.png">↵
22.     <link rel="icon" type="image/png" sizes="32x32" href="/favicon/favicon-
32x32.png">↵
23.     <link rel="icon" type="image/png" sizes="16x16" href="/favicon/favicon-
16x16.png">↵
24.     <link rel="icon" type="image/png" sizes="192x192"
href="/favicon/android-chrome-192x192.png">↵
25.     <link rel="icon" type="image/png" sizes="512x512"
href="/favicon/android-chrome-512x512.png">↵
26.     <link rel="manifest" href="/favicon/site.webmanifest">↵
27.     <script type="module" src="http://127.0.0.1:5173/@vite/client">
</script><link rel="stylesheet" href="http://127.0.0.1:5173/public/css/app.css"
/>
    <script type="text/javascript">↵
28.        // Fix for Firefox autofocus CSS bug↵
29.        // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
30.    </script>↵
31.    <script src=http://localhost:8000/js/pusher.js defer></script>↵
32.    <script src=http://localhost:8000/js/sweetalert.js></script>↵
33.    <script type="text/javascript" src=http://localhost:8000/js/app.js
defer></script>↵
34.    ↵
35.    </head>↵
36.    <body id="main-body" class="min-h-full min-w-full bg-mine text-white font-
roboto" data-auth="true">↵
37.        <nav id="navbar" class="z-20 fixed w-full py-2 h-16 bg-opacity-90 bg-
black flex justify-between transition-transform duration-300 transform
translate-y-0">↵
38.            <div id="navbar-left" class="items-center flex p-1 child:mx-2">↵
39.                <h1><label tabindex=0 for="show-menu" class="cursor-pointer"
role="button" aria-controls="menu" aria-expanded="false" title="Main
Menu">≡</label></h1>↵
40.                <a href="http://localhost:8000"></a>↵
41.            </div>↵
42.            <div class="hidden mobile:flex items-center"
id="computer-search"><section id="main-search-section" class="main-search
items-center grid">↵
43.                <form class = "main-search" method="GET"
action="http://localhost:8000/search">↵
44.                    <fieldset>↵
45.                        <legend class="sr-only">Search</legend>↵
46.                        <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off">↵
47.                        <label class="sr-only" for="main-search-anything">Search for
anything!</label>↵
48.                        <input type="text" id="main-search-anything" name="anything"
placeholder="Search anything" tabindex="0">↵
49.                    ↵
50.                        <label hidden for="mainSearch-typeFilter">Filter by type</label>↵
51.                        <select id="mainSearch-typeFilter" name="typeFilter" hidden>↵

```

```

52.         <option value="All" selected>All</option><↵
53.     </select><↵
54. ↵
55.         <label for ="mainSearch-order" hidden>Order by</label><↵
56.         <select id="mainSearch-order" name="order" hidden><↵
57.             <option value= "Relevance" selected>Relevance</option><↵
58.         </select><↵
59. ↵
60.         <input class="button" type="submit" id="mainSearchButton"
value='Search' tabindex="0" title="Search"><↵
61.     </fieldset><↵
62. </form><↵
63. </section><↵
64. </div><↵
65.         <ul id="navbar-right" class="items-
center flex"><↵
66.             <li class="py-2 mobile:mx-5
relative cursor-default" title="View Notifications"><↵
67.                 <svg id="notification-button"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" fill="currentColor"
class="h-5 w-5 cursor-pointer" tabindex="0" role="button" aria-
controls="notificationArea" aria-expanded="false" aria-label="Open
notifications"><↵
68.                     <path fill-rule="evenodd" d="M5.25 9a6.75 6.75
0 0113.5 0v.75c0 2.123.8 4.057 2.118 5.52a.75.75 0 01-.297 1.206c-1.544.57-
3.16.99-4.831 1.243a3.75 3.75 0 11-7.48 0 24.585 24.585 0 01-4.831-1.244.75.75
0 01-.298-1.205A8.217 8.217 0 005.25 9.75V9zm4.502 8.9a2.25 2.25 0 104.496 0
25.057 25.057 0 01-4.496 0z" clip-rule="evenodd"/><↵
69.                 </svg><↵
70.                 <span id="redDot" class="bg-red rounded-full w-2 h-
2 absolute top-0 right-0 hidden"></span><↵
71.                 <div id="notificationArea" class="absolute hidden
z-10 bg-dark right-0 top-10 p-1 rounded-lg mobile:w-60 desktop:w-72 w-48"><↵
72.                     <div class="flex justify-between items-
center"><↵
73.                         <h2 class="py-2 mobile:mx-3 mx-
2">Notifications</h2><↵
74.                         <button id="clearNotifications" class="link
mx-2">Clear Notifications</button><↵
75.                     </div><↵
76.                     <ul id="notificationList" class ="max-h-96
overflow-y-auto break-words"></ul><↵
77.                 </div><↵
78.             </li><↵
79.             ↵
80.             <li class="desktop:mx-0 mx-3"><a id="profile"
href="http://localhost:8000/members/mcfan_2004"><↵
81.                 <↵
82.             </a></li><↵
83.             ↵
84.             ↵
85.             <li><a id="logout" class="link
desktop:flex hidden text-red" href="http://localhost:8000/logout"> Logout </a>
</li><↵
86.         </ul>↵
87.     </nav><↵
88.         <input id="show-menu" tabindex=0 role="button" aria-
controls="menu" aria-expanded="false" aria-pressed="true" type="checkbox"
class="sr-only peer"/><↵
89.         <ul id="menu" class="fixed bg-black text-white list-none text-center
items-center flex flex-col justify-start top-16 bottom-5 py-3 w-0 peer-
checked:mobile:w-80 peer-checked:w-full transition-width duration-500 overflow-
x-hidden overflow-y-auto z-10"><↵
90.             <li class="mobile:hidden visible flex flex-col w-full items-center"
id="mobile-search"><hr class="underline text-white/60 w-2/3 my-3"> </li><↵
91.             <li class="menu-item"><a href="/">Home Page</a></li><↵
92.             <li class="menu-item"><a href="/worlds">All Worlds</a></li><↵
93.             <li class="menu-item"><a href="/myworlds">My
Worlds</a></li><↵

```

```

94.         <li class="menu-item"><a href="/myprojects">My Projects</a>
</li><
95.         <li class="menu-item"><a href="/mytasks">My Tasks</a></li><
96.         <li class="menu-item"><a href="/members/mcfan_2004">Profile</a>
</li><
97.         <li class="menu-item"><a href="/create-world">Create World</a>
</li><
98.         <li class="button visible
desktop:hidden w-fit"><a href="http://localhost:8000/logout"> Logout </a>
</li><
99.     </ul><
100. <main class="bg-black bg-opacity-40 pb-10 pt-24 tablet:px-10 px-2 z-
0"><
101.     <section id="content"><
102.         <form method="GET" action="http://localhost:8000/search"><
103.         <fieldset class="mobile:flex mobile:justify-end mobile:items-center
grid grid-flow-row mobile:child:mx-1 child:my-0.5 mb-2 mobile:mx-0 mx-3"><
104.             <legend class="sr-only">Search</legend><
105.             <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off"><
106.             <h3 class="mobile:hidden my-0 mt-3"> <label
for="anything">Search</label> </h3><
107.             <input type="text" class="mobile:hidden" id="anything"
name="anything" value="Wheat Farm"><
108.             <
109.             <h3 class="m-0 mt-3"> <label for="typeFilters">Type</label> </h3><
110.             <select id="typeFilters" name="typeFilter"><
111.                 <option value="All" selected>All</option><
112.                 <option value="World">World</option>
<option value="Project" >Project</option>
value="Task">Task</option>
value="Member">Member</option>
</select><
113.             <
114.             <h3 class="m-0 mt-3"> <label for="Tags">Tags</label> </h3><
115.             <input type="text" id="Tags" name="tags" placeholder="tag1,tag2"><
116.             <
117.             <h3 class="m-0 mt-3"> <label for="orders">Order</label> </h3><
118.             <select id="orders" name="order"><
119.                 <option value= "Relevance" selected>Relevance</option><
120.                 <option value="A-Z">A-Z</option>
<option value="Z-A">Z-A</option>
</select><
121.             <
122.             <button class="button" id="FilterSearchButton" >Filter</button><
123.         </fieldset><
124.     </form><
125.     <h1> Tasks </h1><
126.     <article class="mytask h-fit self-center p-3 mx-1
my-4 bg-black outline outline-1 outline-white/20 rounded" data-id="1"><
127.         <h2 class="break-words"><a href="/tasks/1">Gather pistons</a></h2><
128.         <h4 class="break-words"> We&#039;ll need lots of pistons to make the farm
work. </h4><
129.     </article>
130.     <article class="myproject flex h-fit p-3 mx-1 my-4
bg-black outline outline-1 outline-white/20 rounded" data-id="1"><
131.         <img src=http://localhost:8000/project/default.jpg alt="Wheat Farm image"
class="mobile:h-14 tablet:h-16 desktop:h-20 h-12 aspect-square"><
132.         <div class="flex flex-col self-center ml-3 w-11/12"><
133.             <h2 class="break-words"><a href="/projects/1">Wheat Farm</a></h2><
134.             <h4 class="break-words"> Fully automatic wheat farm </h4><
135.         </div><
136.     </article>
137. </main><
138. <nav id="footer" class="fixed bottom-0 w-full bg-black flex justify-
between px-3 py-1"><
139.     <p> @ 2023 MineMax, Inc. </p><
140.     <div class="flex space-x-3 mobile:flex-row flex-col"><
141.         <div class="flex space-x-3 justify-end"><
142.             <p> <a href="/about">About </a></p><
143.             <p> | </p><
144.             <p> <a href="/contacts">Contact Us </a></p><
145.         </div><

```

```
146.         <div class="flex space-x-3 justify-end">↵
147.         <p class="hidden mobile:flex"> | </p>↵
148.         <p> <a href="http://localhost:8000/faq">FAQs</a></p>↵
149.         <p> | </p>↵
150.         <p> <a href="/main-features">Main Features</a></p>↵
151.         </div>↵
152.     </div>↵
153. </nav>↵
154. </body>↵
155. </html>
```

Used the HTML parser.

Total execution time 32 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.11.28