

# Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

## Showing results for contents of text-input area

### Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by  ☐ CSS

```
<title>member management</title>

<!-- Styles -->
<link href="http://localhost:8000/css/app.css" rel="stylesheet">
<link href="http://localhost:8000/css/sweetalert.minimal.css"
rel="stylesheet">
<link rel="apple-touch-icon" sizes="180x180" href="/favicon/apple-touch-
icon.png">
<link rel="icon" type="image/png" sizes="32x32" href="/favicon/favicon-
32x32.png">
<link rel="icon" type="image/png" sizes="16x16" href="/favicon/favicon-
16x16.png">
<link rel="icon" type="image/png" sizes="192x192" href="/favicon/android-
chrome-192x192.png">
<link rel="icon" type="image/png" sizes="512x512" href="/favicon/android-
chrome-512x512.png">
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 8, column 9; to line 8, column 54](#)

```
>< <meta property='og:title' content='MineMax' /><
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 9, column 9; to line 9, column 88](#)

```
>< <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' /><
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 10, column 9; to line 10, column 147](#)

```
>↵      <meta property='og:description' content='MineMax is a Minecraft web
..... application that allows you to create your own worlds and projects.' />↵
.....
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 11, column 9; to line 11, column 75](#)

```
>↵      <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt'
..... />↵
.....
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 12, column 9; to line 12, column 53](#)

```
>↵      <meta property='og:type' content='website' />↵
.....
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 27, column 81; to line 27, column 153](#)

```
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/public/css/app.css" />
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 27, column 162; to line 27, column 192](#)

```
/>      <script type="text/javascript">↵
.....
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 9; to line 33, column 81](#)

```
>↵      <script type="text/javascript" src=http://localhost:8000/js/app.js
..... defer></scri
```

9. **Error** Attribute `role` not allowed on element `label` at this point.

[From line 39, column 21; to line 39, column 152](#)

```
<h1><label tabindex=0 for="show-menu" class="cursor-pointer"
..... role="button" aria-controls="menu" aria-expanded="false" title="Main
..... Menu">≡</lab
```

Attributes for element `label`:

[Global attributes](#)

[for](#) — Associate the label with form control

10. **Error** Attribute `aria-expanded` not allowed on element `label` at this point.

[From line 39, column 21; to line 39, column 152](#)

```
<h1><label tabindex=0 for="show-menu" class="cursor-pointer"
role="button" aria-controls="menu" aria-expanded="false" title="Main
Menu">≡</lab
```

Attributes for element [label](#):

[Global attributes](#)

[for](#) — Associate the label with form control

11. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 46, column 13; to line 46, column 115](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeoJZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 42, column 95; to line 42, column 166](#)

```
r-search"><section id="main-search-section" class="main-search items-center
grid"><
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 69, column 17; to line 69, column 164](#)

```
<input id="show-menu" tabindex=0 role="button" aria-controls="menu"
aria-expanded="false" aria-pressed="true" type="checkbox" class="sr-only
peer"/>
```

14. **Warning** The `navigation` role is unnecessary for element `nav`.

[From line 93, column 31; to line 93, column 117](#)

```
ss="my-5"><nav role="navigation" aria-label="Pagination Navigation"
class="flex justify-between">
```

15. **Warning** Empty heading.

[From line 95, column 21; to line 95, column 24](#)

```
<h2>
```

16. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 115, column 17; to line 115, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeoJZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

17. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 133, column 17; to line 133, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

18. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 172, column 17; to line 172, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

19. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 182, column 17; to line 182, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

20. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 199, column 17; to line 199, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

21. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 217, column 17; to line 217, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

22. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 256, column 17; to line 256, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
```

23. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 266, column 17; to line 266, column 119](#)

```
<input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeoJZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
```

24. **Warning** The `navigation` role is unnecessary for element `nav`.

[From line 272, column 31; to line 272, column 117](#)

```
ss="my-5"><nav role="navigation" aria-label="Pagination Navigation"
class="flex justify-between">
```

25. **Warning** Empty heading.

[From line 274, column 21; to line 274, column 24](#)

```
<h2>
```

26. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 288, column 5; to line 288, column 107](#)

```
gend> <input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeoJZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
```

Document checking completed.

## Source

```
1. <
2. <!DOCTYPE html>
3. <html lang="en">
4.   <head>
5.     <meta charset="utf-8">
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">
7.     <meta name="viewport" content="width=device-width, initial-scale=1">
8.     <meta property="og:title" content="MineMax" />
9.     <meta property="og:image"
content='http://localhost:8000/minemax/MineMax.png' />
10.    <meta property="og:description" content="MineMax is a Minecraft web
application that allows you to create your own worlds and projects." />
11.    <meta property="og:url" content="https://lbaw2314.lbaw.fe.up.pt" />
12.    <meta property="og:type" content="website" />
13.    <!-- CSRF Token -->
14.    <meta name="csrf-token"
content="Dnhu6DgE04ibBr5xFeoJZIzI1bQdgDuRkNZH7DHo">
15.  </head>
16.  <title>Member Management - </title>
17.  <!-- Styles -->
18.  <link href="http://localhost:8000/css/app.css" rel="stylesheet">
19.  <link href="http://localhost:8000/css/sweetalert.minimal.css"
rel="stylesheet">
20.  <link rel="apple-touch-icon" sizes="180x180" href="/favicon/apple-
touch-icon.png">
21.  <link rel="icon" type="image/png" sizes="32x32" href="/favicon/favicon-
32x32.png">
22.  <link rel="icon" type="image/png" sizes="16x16" href="/favicon/favicon-
16x16.png">
23.  <link rel="icon" type="image/png" sizes="192x192"
href="/favicon/android-chrome-192x192.png">
```

```

25.     <link rel="icon" type="image/png" sizes="512x512"
href="/favicon/android-chrome-512x512.png">↵
26.     <link rel="manifest" href="/favicon/site.webmanifest">↵
27.     <script type="module" src="http://127.0.0.1:5173/@vite/client">
</script><link rel="stylesheet" href="http://127.0.0.1:5173/public/css/app.css"
/>     <script type="text/javascript">↵
28.         // Fix for Firefox autofocus CSS bug↵
29.         // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
30.     </script>↵
31.     <script src=http://localhost:8000/js/pusher.js defer></script>↵
32.     <script src=http://localhost:8000/js/sweetalert.js></script>↵
33.     <script type="text/javascript" src=http://localhost:8000/js/app.js
defer></script>↵
34.     ↵
35.     </head>↵
36.     <body id="main-body" class="min-h-full min-w-full bg-mine text-white font-
roboto" data-auth="false">↵
37.         <nav id="navbar" class="z-20 fixed w-full py-2 h-16 bg-opacity-90 bg-
black flex justify-between transition-transform duration-300 transform
translate-y-0">↵
38.             <div id="navbar-left" class="items-center flex p-1 child:mx-2">↵
39.                 <h1><label tabindex=0 for="show-menu" class="cursor-pointer"
role="button" aria-controls="menu" aria-expanded="false" title="Main
Menu">≡</label></h1>↵
40.                 <a href="http://localhost:8000"></a>↵
41.             </div>↵
42.             <div class="hidden mobile:flex items-center"
id="computer-search"><section id="main-search-section" class="main-search
items-center grid">↵
43.                 <form class = "main-search" method="GET"
action="http://localhost:8000/search">↵
44.                     <fieldset>↵
45.                         <legend class="sr-only">Search</legend>↵
46.                         <input type="hidden" name="_token"
value="Dnhu6DgEO4ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">↵
47.                         <label class="sr-only" for="main-search-everything">Search for
anything!</label>↵
48.                         <input type="text" id="main-search-everything" name="anything"
placeholder="Search anything" tabindex="0">↵
49.                     ↵
50.                         <label hidden for="mainSearch-typeFilter">Filter by type</label>↵
51.                         <select id="mainSearch-typeFilter" name="typeFilter" hidden>↵
52.                             <option value="All" selected>All</option>↵
53.                         </select>↵
54.                     ↵
55.                         <label for ="mainSearch-order" hidden>Order by</label>↵
56.                         <select id="mainSearch-order" name="order" hidden>↵
57.                             <option value= "Relevance" selected>Relevance</option>↵
58.                         </select>↵
59.                     ↵
60.                         <input class="button" type="submit" id="mainSearchButton"
value='Search' tabindex="0" title="Search">↵
61.                     </fieldset>↵
62.                 </form>↵
63.             </section>↵
64.             </div>↵
65.             <ul id="navbar-right" class="items-
center flex">↵
66.                 <li><a
id="logout" class="link desktop:flex hidden text-red"
href="http://localhost:8000/logout"> Logout </a></li>↵
67.             </ul>↵
68.             </nav>↵
69.             <input id="show-menu" tabindex=0 role="button" aria-
controls="menu" aria-expanded="false" aria-pressed="true" type="checkbox"
class="sr-only peer"/>↵
70.             <ul id="menu" class="fixed bg-black text-white list-none text-center
items-center flex flex-col justify-start top-16 bottom-5 py-3 w-0 peer-

```

```

checked:mobile:w-80 peer-checked:w-full transition-width duration-500 overflow-
x-hidden overflow-y-auto z-10">↵
71.     <li class="mobile:hidden visible flex flex-col w-full items-center"
id="mobile-search"><hr class="underline text-white/60 w-2/3 my-3"> </li>↵
72.     <li class="menu-item"><a href="/">Home Page</a></li>↵
73.     <li class="menu-item"><a href="/worlds">All Worlds</a></li>↵
74.         <li class="button visible
desktop:hidden w-fit"><a href="http://localhost:8000/logout"> Logout </a>
</li>↵
75.         </ul>↵
76.     <main class="bg-black bg-opacity-40 pb-10 pt-24 tablet:px-10 px-2 z-
0">↵
77.         <section id="content">↵
78.             <a href="#admin-create-account" class="sr-only sr-only-
focusable">Create an Account</a>↵
79.             <a href="#admin-manage-members" class="sr-only sr-only-focusable">Manage
Members</a>↵
80.         ↵
81.         <p><a href="/">Home</a> > <a href="/admin/members">Member Management</a>
</p>↵
82.         <h1 class="my-2" id="admin-manage-members">Manage members</h1>↵
83.         <form method="GET" action="/admin">↵
84.             <fieldset>↵
85.                 <legend>Search Members</legend>↵
86.                 <h3 class="my-0 mt-3"> <label for="search-members">Search</label>
</h3>↵
87.                 <input type="text" name="search" id="search-members"
placeholder="Search by email/username" required>↵
88.                 <input class="button" type="submit" value="Search">↵
89.             </fieldset>↵
90.         </form>↵
91.         <section id="members">↵
92.             <div class="my-5 px-5 py-1 bg-black/50 outline outline-1 outline-
white/10">↵
93.                 <div class="my-5"><nav role="navigation" aria-label="Pagination
Navigation" class="flex justify-between">↵
94.                     ↵
95.                     <h2>↵
96.                 </h2>↵
97.                 ↵
98.                 ↵
99.                 <h2><a href="http://localhost:8000/admin/members?
cursor=eyJtZW1iZXJzLmlkIjoyLCJfcG9pbmRzVG90ZXh0SXRlbXMiOnRydWV9" rel="next">↵
100.                     Next &raquo;;↵
101.                 </a></h2>↵
102.                 </nav>↵
103.             </div>↵
104.             <article class="member" data-id="1" id="mcfan_2004">↵
105.                 ↵
106.                 <p><a href="/">Home</a> >↵
107.                 <a href="/members/mcfan_2004">mcfan_2004</a>↵
108.                 > <a href="/members/mcfan_2004/edit">Edit Profile</a></p>↵
109.                 ↵
110.                 <h2 class="text-center text-green"><a href="/members/mcfan_2004">@
mcfan_2004</a></h2>↵
111.                 <header class="flex justify-start tablet:my-5 my-2 ml-1">↵
112.                 <form class="member-edit-picture" method="POST"
action="/members/upload/1" enctype="multipart/form-data">↵
113.                 <fieldset class="grid mobile:grid-cols-2 mobile:grid-rows-none
grid-rows-2">↵
114.                     <legend>Upload New Profile Picture</legend>↵
115.                     <input type="hidden" name=" token"
value="Dnhu6DgEO4ibBr5xFeojZiZiIbQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="POST"> <div
class="flex flex-col">↵
116.                         <label for="edit-img-1">↵
117.                         <span class="absolute mobile:h-28 tablet:h-32
desktop:h-40 h-24 aspect-square text-center flex flex-col justify-around
pointer-events-none text-bMobile tablet:text-bTablet desktop:text-
bDesktop">&#9998;</span>↵

```



```

118.         <img class="mobile:h-28 tablet:h-32 desktop:h-40 h-24
aspect-square hover:opacity-50 object-cover"↵
119.             src=http://localhost:8000/profile/default.jpg↵
120.             alt="mcfan_2004 profile picture">↵
121.         </label>↵
122.         <input id="edit-img-1" class="hidden" name="file"
type="file" required>↵
123.             <input name="type" type="hidden" value="profile">↵
124.             <input class="button px-1 my-2 mobile:w-28 tablet:w-32
desktop:w-40 w-24" type="submit" value="Upload profile picture">↵
125.         </div>↵
126.     </fieldset>↵
127. </form>↵
128. </header>↵
129. <div class="form-outline m-0 mb-5">↵
130.     <form class="edit-member" method="POST"
action="http://localhost:8000/api/members/mcfan_2004">↵
131.         <fieldset class="form-post">↵
132.             <legend>Edit Details</legend>↵
133.             <input type="hidden" name="token"
value="Dnhu6DgE04ibBr5xFeojZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="PUT">↵
134.             <input type="hidden" class="member-id" name="id" value="1">↵
135.         ↵
136.         <h3 class="my-0"><label for="username-
1">Username</label></h3>↵
137.         <input id="username-1" type="text" class="username"
name="username"↵
138.             value="mcfan_2004" required>↵
139.         ↵
140.         <h3 class="my-0"><label for="name-
1">Name</label></h3>↵
141.         <input id="name-1" type="text" class="name" name="name"
value="John Doe"↵
142.             required>↵
143.         ↵
144.         <h3 class="my-0"><label for="email-
1">Email</label></h3>↵
145.         <input id="email-1" type="email" class="email" name="email"
value="mcfan2004@example.com"↵
146.             required>↵
147.         ↵
148.         <h3 class="my-0"><label for="birthday-
1">Birthday</label></h3>↵
149.         <input id="birthday-1" type="date" class="birthday"
name="birthday"↵
150.             value="1990-05-15" required>↵
151.         ↵
152.         <h3 class="my-0"><label for="description-
1">Description</label></h3>↵
153.         <input id="description-1" type="text" class="description"
name="description"↵
154.             value="I like building big projects!" required>↵
155.         ↵
156.         <h3 class="my-0"><label for="password-1">New
Password</label></h3>↵
157.         <input id="password-1" type="password" class="password"
name="password">↵
158.         ↵
159.         <h3 class="my-0"><label
for="password_confirmation-1">Confirm New Password</label></h3>↵
160.         <input id="password_confirmation-1" type="password"
class="password_confirmation"↵
161.             name="password_confirmation">↵
162.         ↵
163.         <input
type="hidden" id="old_password-1" class="old_password"↵
164.             name="old_password"
value="$2y$10$GCLxqExbUbYmSyRhZCJQ.qQdq50g32wfq6j.UGS1VR0MVHnGtvSK">↵
165.         ↵

```



```

166.         <input class="button" type="submit" id="submit-1" value="Edit
Profile"><
167.     </fieldset><
168. </form><
169.         <form class="admin-delete form-post outline-none mt-0 pt-0 mb-0
pb-0"><
170.             <fieldset><
171.                 <legend>Manage User Block Status</legend><
172.                 <input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="POST">
173.                 <button type="submit" class="button bg-dark
text-red/80" formmethod="POST">
174.                     formation="/members/mcfan_2004/block">Block</button><
175.                 <input type="text" name="block-reason" placeholder="Why?"><
176.                 </fieldset><
177.             </form><
178.             <form class="admin-delete form-post outline-none mt-0 pt-0"
method="POST">
179.                 action="/members/mcfan_2004"><
180.             <fieldset><
181.                 <legend>Delete User</legend><
182.                 <input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">
183.                 <input type="submit" class="button bg-dark text-red/80"
value="Delete"><
184.             </fieldset><
185.             </form><
186.         </div><
187. </article><
188. <article class="member" data-id="2" id="up202100000"><
189.     <
190.         <p><a href="/">Home</a> > <
191.         <a href="/members/up202100000">up202100000</a><
192.         > <a href="/members/up202100000/edit">Edit Profile</a></p><
193.     <
194.         <h2 class="text-center text-green"><a href="/members/up202100000">@
up202100000</a></h2><
195.         <header class="flex justify-start tablet:my-5 my-2 ml-1"><
196.         <form class="member-edit-picture" method="POST"
action="/members/upload/2" enctype="multipart/form-data"><
197.             <fieldset class="grid mobile:grid-cols-2 mobile:grid-rows-none
grid-rows-2"><
198.                 <legend>Upload New Profile Picture</legend><
199.                 <input type="hidden" name="_token"
value="Dnhu6DgE04ibBr5xFeojZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="POST">
200.                 <div
class="flex flex-col"><
201.                     <label for="edit-img-2"><
202.                         <span class="absolute mobile:h-28 tablet:h-32
desktop:h-40 h-24 aspect-square text-center flex flex-col justify-around
pointer-events-none text-bMobile tablet:text-bTablet desktop:text-
bDesktop">&#9998;</span><
203.                         <img class="mobile:h-28 tablet:h-32 desktop:h-40 h-24
aspect-square hover:opacity-50 object-cover">
204.                             src=http://localhost:8000/profile/default.jpg<
205.                             alt="up202100000 profile picture"><
206.                         </label><
207.                         <input id="edit-img-2" class="hidden" name="file"
type="file" required><
208.                         <input name="type" type="hidden" value="profile"><
209.                         <input class="button px-1 my-2 mobile:w-28 tablet:w-32
desktop:w-40 w-24" type="submit" value="Upload profile picture"><
210.                     </div><
211.                 </fieldset><
212.             </form><
213.         </header><
214.         <div class="form-outline m-0 mb-5"><
215.             <form class="edit-member" method="POST"
action="http://localhost:8000/api/members/up202100000"><

```

```

215.         <fieldset class="form-post">↵
216.             <legend>Edit Details</legend>↵
217.             <input type="hidden" name=" token"
value="Dnhu6DgEO4ibBr5xFeojZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="PUT"> ↵
218.             <input type="hidden" class="member-id" name="id" value="2">↵
219.         ↵
220.             <h3 class="my-0"><label for="username-
2">Username</label></h3>↵
221.             <input id="username-2" type="text" class="username"
name="username"↵
222.                 value="up202100000" required>↵
223.         ↵
224.             <h3 class="my-0"><label for="name-
2">Name</label></h3>↵
225.             <input id="name-2" type="text" class="name" name="name"
value="Alice Smith"↵
226.                 required>↵
227.         ↵
228.             <h3 class="my-0"><label for="email-
2">Email</label></h3>↵
229.             <input id="email-2" type="email" class="email" name="email"
value="up202100000@example.com"↵
230.                 required>↵
231.         ↵
232.             <h3 class="my-0"><label for="birthday-
2">Birthday</label></h3>↵
233.             <input id="birthday-2" type="date" class="birthday"
name="birthday"↵
234.                 value="1985-12-30" required>↵
235.         ↵
236.             <h3 class="my-0"><label for="description-
2">Description</label></h3>↵
237.             <input id="description-2" type="text" class="description"
name="description"↵
238.                 value="I&#039;m new to Minecraft." required>↵
239.         ↵
240.             <h3 class="my-0"><label for="password-2">New
Password</label></h3>↵
241.             <input id="password-2" type="password" class="password"
name="password">↵
242.         ↵
243.             <h3 class="my-0"><label
for="password_confirmation-2">Confirm New Password</label></h3>↵
244.             <input id="password_confirmation-2" type="password"
class="password_confirmation"↵
245.                 name="password_confirmation">↵
246.         ↵
247.             <input
type="hidden" id="old_password-2" class="old_password"↵
248.                 name="old_password"
value="$2y$10$XKE.2Lg8FyrxQCHStqQ4eeeQfP2HLxN.MvMAK5ne1NuU1Wf5vayae">↵
249.         ↵
250.             <input class="button" type="submit" id="submit-2" value="Edit
Profile">↵
251.         </fieldset>↵
252.     </form>↵
253.     <form class="admin-delete form-post outline-none mt-0 pt-0 mb-0
pb-0">↵
254.         <fieldset>↵
255.             <legend>Manage User Block Status</legend>↵
256.             <input type="hidden" name=" token"
value="Dnhu6DgEO4ibBr5xFeojZIzI1bQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="POST"> ↵
257.             <button type="submit" class="button bg-dark
text-red/80" formmethod="POST"↵
258.                 formation="/members/up202100000/block">Block</button>↵
259.             <input type="text" name="block-reason" placeholder="Why?">↵
260.         </fieldset>↵
261.     </form>↵

```

```
262.     <form class="admin-delete form-post outline-none mt-0 pt-0"
method="POST">
263.         action="/members/up202100000">
264.         <fieldset>
265.             <legend>Delete User</legend>
266.             <input type="hidden" name=" token"
value="Dnhu6DgEO4ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
<input type="hidden" name="_method" value="DELETE">
267.             <input type="submit" class="button bg-dark text-red/80"
value="Delete">
268.         </fieldset>
269.     </form>
270. </div>
271. </article>
272.     <div class="my-5"><nav role="navigation" aria-label="Pagination
Navigation" class="flex justify-between">
273.         <
274.             <h2>
275.         </h2>
276.         <
277.         <
278.             <h2><a href="http://localhost:8000/admin/members?
cursor=eyJtZW1iZXJzLmlkIjoyLCJfcG9pbmRzVG90ZXh0SXRlbXMiOnRydWV9" rel="next">
279.                 Next &raquo;
280.             </a></h2>
281.         </nav>
282.     </div>
283. </div>
284.     <h2 class="my-2" id="admin-create-account"> Create an account </h2>
285.     <form method="POST" class="form-outline"
action="http://localhost:8000/register">
286.     <fieldset class="form-post">
287.         <legend>Create an Account</legend>
288.         <input type="hidden" name=" token"
value="Dnhu6DgEO4ibBr5xFeojZIzIlbQdgDuRkNZH7DHo" autocomplete="off">
289.         <input type="hidden" name="login" value="0">
290.     <
291.         <h3 class="my-0"><label for="username"> <b class="text-red">*</b></label>
</h3>
292.         <input id="username" type="text" name="username" placeholder="New Username"
value="" required tabindex="0">
293.     <
294.         <h3 class="my-0"><label for="name">Display name</label></h3>
295.         <input id="name" type="text" name="name" placeholder="Display Name"
value="" tabindex="0">
296.     <
297.         <h3 class="my-0"><label for="email">E-Mail Address <b class="text-red">*</b>
</b></label></h3>
298.         <input id="email" type="email" name="email" placeholder="example@email.com"
value="" required tabindex="0">
299.     <
300.         <h3 class="my-0"><label for="password">Password <b class="text-red">*</b>
</label></h3>
301.         <input id="password" type="password" placeholder="New Password"
name="password" required tabindex="0">
302.     <
303.         <h3 class="my-0"><label for="password-confirm">Confirm Password <b
class="text-red">*</b></label></h3>
304.         <input id="password-confirm" type="password" placeholder="Repeat Password"
name="password_confirmation" required tabindex="0">
305.     <
306.         <div class="flex">
307.             <input type="checkbox" id="member-box" name="member" tabindex="0">
308.             <h3 class="my-0"><label for="member-box">Create as member?</label></h3>
309.         </div>
310.         <button class="button" type="submit" tabindex="0">
311.             Register
312.         </button>
313.     </fieldset>
314. </form> </section>
315. </section>
```

Total execution time 32 milliseconds.