

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for contents of text-input area

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by ☐ CSS

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta property='og:title' content='MineMax' />
    <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' />
    <meta property='og:description' content='MineMax is a Minecraft web
application that allows you to create your own worlds and projects.' />
    <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt' />
    <meta property='og:type' content='website' />
    <!-- CSRF Token -->
```

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 8, column 9; to line 8, column 54](#)

```
><      <meta property='og:title' content='MineMax' /><
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 9, column 9; to line 9, column 88](#)

```
><      <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' /><
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 10, column 9; to line 10, column 147](#)

```
><      <meta property='og:description' content='MineMax is a Minecraft web
..... application that allows you to create your own worlds and projects.' /><
.....
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 11, column 9; to line 11, column 75](#)

```
><      <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt'
.....
/><
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 12, column 9; to line 12, column 53](#)

```
><      <meta property='og:type' content='website' /><
```

6. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 27, column 81; to line 27, column 153](#)

```
></script><link rel="stylesheet"
href="http://127.0.0.1:5173/public/css/app.css" />
```

7. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 27, column 162; to line 27, column 192](#)

```
/>      <script type="text/javascript"><
```

8. **Warning** The `type` attribute is unnecessary for JavaScript resources.

[From line 33, column 9; to line 33, column 81](#)

```
><      <script type="text/javascript" src=http://localhost:8000/js/app.js
..... defer></scri
```

9. **Error** Attribute `role` not allowed on element `label` at this point.

[From line 39, column 21; to line 39, column 152](#)

```
<h1><label tabindex=0 for="show-menu" class="cursor-pointer"
..... role="button" aria-controls="menu" aria-expanded="false" title="Main
..... Menu">≡</lab
```

Attributes for element `label`:

[Global attributes](#)

[for](#) — Associate the label with form control

10. **Error** Attribute `aria-expanded` not allowed on element `label` at this point.

[From line 39, column 21; to line 39, column 152](#)

```
<h1><label tabindex=0 for="show-menu" class="cursor-pointer"
role="button" aria-controls="menu" aria-expanded="false" title="Main
Menu">≡</lab
```

Attributes for element [label](#):

[Global attributes](#)

[for](#) — Associate the label with form control

11. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 46, column 13; to line 46, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

12. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 42, column 95; to line 42, column 166](#)

```
r-search"><section id="main-search-section" class="main-search items-center
grid"><
```

13. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 88, column 17; to line 88, column 164](#)

```
<input id="show-menu" tabindex=0 role="button" aria-controls="menu"
aria-expanded="false" aria-pressed="true" type="checkbox" class="sr-only
peer"/>
```

14. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 119, column 9; to line 119, column 71](#)

```
> <input type="checkbox" id="show-details" class="sr-only peer"/>
```

15. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 130, column 17; to line 130, column 20](#)

```
<h1>Redsto
```

16. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other](#)

tools).

[From line 131, column 37; to line 131, column 40](#)

```
<h1><a id=
```

17. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 139, column 13; to line 139, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

18. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 151, column 13; to line 151, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

19. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 165, column 25; to line 165, column 127](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

20. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 167, column 53; to line 167, column 56](#)

```
<h1><butto
```

21. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

[From line 170, column 41; to line 170, column 121](#)

```
<input type="checkbox" id="more-options" class="sr-only sr-only-
focusable peer"/>
```

22. **Warning** Consider using the `h1` element as a top-level heading only (all `h1` elements [are treated as top-level headings by many screen readers and other tools](#)).

[From line 171, column 17; to line 171, column 20](#)

```
<h1><label
```

23. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 176, column 9; to line 176, column 111](#)

```
><      <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

24. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 186, column 9; to line 186, column 111](#)

```
><      <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

25. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 228, column 9; to line 228, column 111](#)

```
><      <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

26. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 247, column 9; to line 247, column 111](#)

```
><      <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

27. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 265, column 5; to line 265, column 107](#)

```
gendl><      <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">    <i
```

28. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 280, column 9; to line 280, column 111](#)

```
><      <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

29. **Error** An input element with a type attribute whose value is hidden must not have an autocomplete attribute whose value is on or off.

[From line 308, column 9; to line 308, column 111](#)

```
>< <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

30. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 328, column 5; to line 328, column 107](#)

```
g>< <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

31. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 374, column 13; to line 374, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

32. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 383, column 17; to line 383, column 119](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

33. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 426, column 13; to line 426, column 115](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

34. **Error** An `input` element with a `type` attribute whose value is `hidden` must not have an `autocomplete` attribute whose value is `on` or `off`.

[From line 435, column 17; to line 435, column 119](#)

```
<input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
```

35. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 118, column 5; to line 118, column 46](#)

```
<section id="worlds" class="desktop:flex">
```

36. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

[From line 101, column 13; to line 101, column 34](#)

```
<section id="content">↵
```

Document checking completed.

Source

```
1. ↵
2. <!DOCTYPE html>↵
3. <html lang="en">↵
4.   <head>↵
5.     <meta charset="utf-8">↵
6.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
7.     <meta name="viewport" content="width=device-width, initial-scale=1">↵
8.     <meta property='og:title' content='MineMax' />↵
9.     <meta property='og:image'
content='http://localhost:8000/minemax/MineMax.png' />↵
10.    <meta property='og:description' content='MineMax is a Minecraft web
application that allows you to create your own worlds and projects.' />↵
11.    <meta property='og:url' content='https://lbaw2314.lbaw.fe.up.pt' />↵
12.    <meta property='og:type' content='website' />↵
13.    <!-- CSRF Token -->↵
14.    <meta name="csrf-token"
content="WOeq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J">↵
15. ↵
16.     <title>Redstone Paradise - </title>↵
17. ↵
18.     <!-- Styles -->↵
19.     <link href="http://localhost:8000/css/app.css" rel="stylesheet">↵
20.     <link href="http://localhost:8000/css/sweetalert.minimal.css"
rel="stylesheet">↵
21.     <link rel="apple-touch-icon" sizes="180x180" href="/favicon/apple-
touch-icon.png">↵
22.     <link rel="icon" type="image/png" sizes="32x32" href="/favicon/favicon-
32x32.png">↵
23.     <link rel="icon" type="image/png" sizes="16x16" href="/favicon/favicon-
16x16.png">↵
24.     <link rel="icon" type="image/png" sizes="192x192"
href="/favicon/android-chrome-192x192.png">↵
25.     <link rel="icon" type="image/png" sizes="512x512"
href="/favicon/android-chrome-512x512.png">↵
26.     <link rel="manifest" href="/favicon/site.webmanifest">↵
27.     <script type="module" src="http://127.0.0.1:5173/@vite/client">
</script><link rel="stylesheet" href="http://127.0.0.1:5173/public/css/app.css"
/>
        <script type="text/javascript">↵
28.          // Fix for Firefox autofocus CSS bug↵
29.          // See: http://stackoverflow.com/questions/18943276/html-5-
autofocus-messes-up-css-loading/18945951#18945951↵
30.        </script>↵
31.        <script src=http://localhost:8000/js/pusher.js defer></script>↵
32.        <script src=http://localhost:8000/js/sweetalert.js></script>↵
33.        <script type="text/javascript" src=http://localhost:8000/js/app.js
defer></script>↵
34.    ↵
35.  </head>↵
36.  <body id="main-body" class="min-h-full min-w-full bg-mine text-white font-
roboto" data-auth="true">↵
37.    <nav id="navbar" class="z-20 fixed w-full py-2 h-16 bg-opacity-90 bg-
black flex justify-between transition-transform duration-300 transform
```



```

translate-y-0"><
38.     <div id="navbar-left" class="items-center flex p-1 child:mx-2">
39.         <h1><label tabindex=0 for="show-menu" class="cursor-pointer"
role="button" aria-controls="menu" aria-expanded="false" title="Main
Menu">≡</label></h1><
40.         <a href="http://localhost:8000"></a><
41.     </div><
42.         <div class="hidden mobile:flex items-center"
id="computer-search"><section id="main-search-section" class="main-search
items-center grid">
43.             <form class = "main-search" method="GET"
action="http://localhost:8000/search">
44.                 <fieldset>
45.                     <legend class="sr-only">Search</legend>
46.                     <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off">
47.                     <label class="sr-only" for="main-search-everything">Search for
anything!</label>
48.                     <input type="text" id="main-search-everything" name="everything"
placeholder="Search anything" tabindex="0">
49.                 <
50.                     <label hidden for="mainSearch-typeFilter">Filter by type</label>
51.                     <select id="mainSearch-typeFilter" name="typeFilter" hidden>
52.                         <option value="All" selected>All</option>
53.                     </select>
54.                 <
55.                     <label for ="mainSearch-order" hidden>Order by</label>
56.                     <select id="mainSearch-order" name="order" hidden>
57.                         <option value= "Relevance" selected>Relevance</option>
58.                     </select>
59.                 <
60.                     <input class="button" type="submit" id="mainSearchButton"
value='Search' tabindex="0" title="Search">
61.                 </fieldset>
62.             </form>
63.         </section>
64.     </div>
65.         <ul id="navbar-right" class="items-
center flex">
66.             <li class="py-2 mobile:mx-5
relative cursor-default" title="View Notifications">
67.                 <svg id="notification-button"
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 24 24" fill="currentColor"
class="h-5 w-5 cursor-pointer" tabindex="0" role="button" aria-
controls="notificationArea" aria-expanded="false" aria-label="Open
notifications">
68.                     <path fill-rule="evenodd" d="M5.25 9a6.75 6.75
0 113.5 0v.75c0 2.123.8 4.057 2.118 5.52a.75.75 0 01-.297 1.206c-1.544.57-
3.16.99-4.831 1.243a3.75 3.75 0 11-7.48 0 24.585 24.585 0 01-4.831-1.244.75.75
0 01-.298-1.205A8.217 8.217 0 005.25 9.75V9zm4.502 8.9a2.25 2.25 0 104.496 0
25.057 25.057 0 01-4.496 0z" clip-rule="evenodd"/>
69.                 </svg>
70.                 <span id="redDot" class="bg-red rounded-full w-2 h-
2 absolute top-0 right-0 hidden"></span>
71.                 <div id="notificationArea" class="absolute hidden
z-10 bg-dark right-0 top-10 p-1 rounded-lg mobile:w-60 desktop:w-72 w-48">
72.                     <div class="flex justify-between items-
center">
73.                         <h2 class="py-2 mobile:mx-3 mx-
2">Notifications</h2>
74.                         <button id="clearNotifications" class="link
mx-2">Clear Notifications</button>
75.                     </div>
76.                     <ul id="notificationList" class ="max-h-96
overflow-y-auto break-words"></ul>
77.                 </div>
78.             </li>
79.         </ul>

```



```

80.         <li class="desktop:mx-0 mx-3"><a id="profile"
href="http://localhost:8000/members/mcfan_2004">↵
81.         ↵
82.         </a></li>↵
83.         ↵
84.         ↵
85.         <li><a id="logout" class="link
desktop:flex hidden text-red" href="http://localhost:8000/logout"> Logout </a>
</li>↵
86.     </ul>↵
87.     </nav>↵
88.     <input id="show-menu" tabindex=0 role="button" aria-
controls="menu" aria-expanded="false" aria-pressed="true" type="checkbox"
class="sr-only peer"/>↵
89.     <ul id="menu" class="fixed bg-black text-white list-none text-center
items-center flex flex-col justify-start top-16 bottom-5 py-3 w-0 peer-
checked:mobile:w-80 peer-checked:w-full transition-width duration-500 overflow-
x-hidden overflow-y-auto z-10">↵
90.         <li class="mobile:hidden visible flex flex-col w-full items-center"
id="mobile-search"><hr class="underline text-white/60 w-2/3 my-3"> </li>↵
91.         <li class="menu-item"><a href="/">Home Page</a></li>↵
92.         <li class="menu-item"><a href="/worlds">All Worlds</a></li>↵
93.         <li class="menu-item"><a href="/myworlds">My
Worlds</a></li>↵
94.         <li class="menu-item"><a href="/myprojects">My Projects</a>
</li>↵
95.         <li class="menu-item"><a href="/mytasks">My Tasks</a></li>↵
96.         <li class="menu-item"><a href="/members/mcfan_2004">Profile</a>
</li>↵
97.         <li class="menu-item"><a href="/create-world">Create World</a>
</li>↵
98.         <li class="button visible
desktop:hidden w-fit"><a href="http://localhost:8000/logout"> Logout </a>
</li>↵
99.     </ul>↵
100. <main class="bg-black bg-opacity-40 pb-10 pt-24 tablet:px-10 px-2 z-
0">↵
101.     <section id="content">↵
102.         <a href="#search-project" class="sr-only sr-only-
focusable">Jump to Search Projects inside this World</a>↵
103.         <a href="#Ongoing-projects" class="sr-only sr-only-focusable">Jump to
Ongoing Projects</a>↵
104.         ↵
105.         <a href="#create-world-tag" class="sr-only sr-only-focusable">Jump
to Create a Tag</a>↵
106.         <a href="#comments" class="sr-only sr-only-focusable">Jump to
Comments</a>↵
107.         <a href="#make-world-comment" class="sr-only sr-only-
focusable">Jump to Make a Comment</a>↵
108.         ↵
109.         <a href="#see-members" class="sr-only sr-only-focusable">Jump to
Members</a>↵
110.         ↵
111.         <a href="#edit-world" class="sr-only sr-only-focusable">Jump to
Edit World</a>↵
112.         <a href="#invite-member-to-world" class="sr-only sr-only-
focusable">Jump to Invite Members</a>↵
113.         <a href="#create-new-project" class="sr-only sr-only-focusable">Jump to
Create a Project</a>↵
114.         <a href="#favorite" class="sr-only sr-only-focusable">Jump to
Favorite World</a>↵
115.         <a href="#more-options" class="sr-only sr-only-focusable">Jump
to More Options</a>↵
116.         ↵
117.         ↵
118.     <section id="worlds" class="desktop:flex">↵
119.         <input type="checkbox" id="show-details" class="sr-only peer"/>↵
120.         <article class="world desktop:w-2/3 desktop:mr-5" data-id="1">↵
121.         <div class="flex justify-between">↵

```

```

122.      <p><a href="/">Home</a> > <a href="/worlds/1"> Redstone Paradise</a>
    </p>↵
123.      <h4><label for="show-details" class="desktop:hidden cursor-pointer
text-opacity-50 outline outline-1 p-1 tablet:uppercase"> see details </label>
    </h4>↵
124.    </div>↵
125.    <header class="flex justify-between mobile:h-28 tablet:h-32 desktop:h-40 h-
20 tablet:my-5 my-2 ml-1">↵
126.      <div class="flex justify-start">↵
127.        <img class="h-full aspect-square object-cover"
src=http://localhost/world/default.jpg alt="Redstone Paradise image">↵
128.        <div class="flex flex-col tablet:ml-5 mobile:ml-2 ml-1 pt-1">↵
129.          <div class="flex">↵
130.            <h1>Redstone Paradise</h1>↵
131.            <h1><a id="edit-world" class="mt-2
tablet:ml-2 ml-1 hover:text-green" href="/worlds/1/edit" title="Edit
World">&#9998;</a></h1>↵
132.          </div>↵
133.          <div class="tagList flex flex-wrap overflow-hidden">↵
134.            <div class="tag flex">↵
135.              <p>Redstone</p>↵
136.              <form method="POST" class = "delete-tag" data-id="1" data-
type="world">↵
137.                <fieldset>↵
138.                  <legend class="sr-only">Delete Tag </legend>↵
139.                  <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
<input type="hidden" name="tagName" value="Redstone">↵
140.                  <input type="hidden" name="tag_id" value="1">↵
141.                ↵
142.                <p class="ml-1"><button class="deleteTagButton" type="button"
tabindex="0" title="Remove Tag from this World">&times;</button></p>↵
143.              </fieldset>↵
144.            </form>↵
145.          </div>↵
146.          <div class="tag flex">↵
147.            <p>Build</p>↵
148.            <form method="POST" class = "delete-tag" data-id="1" data-
type="world">↵
149.              <fieldset>↵
150.                <legend class="sr-only">Delete Tag </legend>↵
151.                <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
<input type="hidden" name="tagName" value="Build">↵
152.                <input type="hidden" name="tag_id" value="2">↵
153.              ↵
154.              <p class="ml-1"><button class="deleteTagButton" type="button"
tabindex="0" title="Remove Tag from this World">&times;</button></p>↵
155.            </fieldset>↵
156.          </form>↵
157.        </div>↵
158.      </div>↵
159.    </div>↵
160.  </div>↵
161.  <div class="relative flex text-left pt-1">↵
162.    <form id="favorite">↵
163.      <fieldset>↵
164.        <legend class="sr-only">Set World as
Favorite</legend>↵
165.        <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
<input type="hidden" class="id" name="id" value="1">↵
166.        <input type="hidden" class="type" name="type"
value="worlds">↵
167.        <h1><button class="pr-2"
type="submit" title="Remove from Favorites"> &#9733; </button></h1>↵
168.      </fieldset>↵
169.    </form>↵
170.    <input type="checkbox" id="more-
options" class="sr-only sr-only-focusable peer"/>↵

```

```

171.         <h1><label for="more-options" class="font-bold cursor-pointer
sr-only-focusable" title="More Options">&#8942;</label></h1><
172.         <div class="absolute right-0 px-1 z-10 mr-2 desktop:mt-7
tablet:mt-6 mt-5 min-w-max bg-black outline outline-1 outline-white/20 peer-
checked:block hidden divide-y divide-white divide-opacity-25"><
173.             <form id="delete-world" method="POST"
action="http://localhost:8000/worlds/1"><
174.                 <fieldset><
175.                     <legend class="sr-only">Delete World From</legend><
176.                         <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off">
<input type="hidden" name="_method" value="DELETE"> <label for
="deleteWorldButton" hidden>Delete World</label><
177.                         <h3><button class="px-3 py-1" id="deleteWorldButton" type="submit"
tabindex="0">Delete World</button></h3><
178.                     </fieldset><
179.                 </form>
180.             </div><
181.         </div><
182.     </header><
183.     <section id="search-project"><form class="search-project" data-id="1"><
184.         <fieldset class="flex mobile:flex-row flex-col mobile:items-end child:mx-
0.5"><
185.             <legend>Search a Project</legend><
186.                 <input type="hidden" name="token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off">
<div class="flex flex-col mr-3"><
187.                     <h3 class="my-0 mt-3"> <label for="projectName">Project Name <b
class="text-red">*</b></label></h3><
188.                     <input type="text" id="projectName" name="projectName"
placeholder="Project Name" required tabindex="0"><
189.                 </div><
190.                 <input type="hidden" name="world_id" value="1"><
191.                 <div class="flex flex-col mr-3"><
192.                     <h3 class="my-0 mt-3"> <label for="Tags">Tags</label></h3><
193.                     <input type="text" id="Tags" name="tags" placeholder="tag1,tag2"
tabindex="0"><
194.                 </div><
195.                 <div class="flex flex-col mr-3"><
196.                     <h3 class="my-0 mt-3"> <label for="project_order">Order</label>
</h3><
197.                     <select id="project_order" name="order" tabindex="0"><
198.                         <option value="Relevance" selected>Relevance</option><
199.                         <option value="A-Z">A-Z</option><
200.                         <option value="Z-A">Z-A</option><
201.                     </select><
202.                 </div><
203.                 <input id="searchProjectButton" class="button ml-3 tablet:h-8 h-7 py-1
my-2 mobile:my-0" type="submit" value="Search Projects" tabindex="0"><
204.             </fieldset><
205.         </form><
206.         <div id="popupContainer" class="popup hidden z-20 bg-dark outline outline-
white/20 outline-1 rounded fixed h-1/2 tablet:w-1/2 w-2/3 top-[30%]
tablet:left-[23%] left-[15%] justify-center"><
207.             <h2 id="closePopUp" class="my-2 mx-5 cursor-pointer">&times;</h2><
208.             <div id="popup-content" class="p-2 h-5/6 overflow-y-scroll"></div><
209.         </div><
210.     </section><
211.     <section id="projects"><
212.         <h2 class="mt-10" id="Ongoing-projects"> ONGOING PROJECTS </h2><
213.         <ul class="panel"><
214.             <li><
215.                 <nav class="container"><
216.                     <
217.                     <div class="title"><h2><a
class="hover:translate-x-[0%]" href="/projects/1">Wheat Farm</a></h2></div><
218.                     <div class="desc"><h4>Fully automatic wheat farm</h4>
</div><
219.                 </nav><
220.             </li><

```

```

221.         </li><↵
222.         </ul><↵
223.     </section><↵
224.     <span id="invite-member-to-world"></span><↵
225.     <form class="form-outline invite-member"><↵
226.     <fieldset class="form-post"><↵
227.         <legend>Invite Member</legend><↵
228.         <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
<h3>Do you want to invite someone outside MineMax? <button tabindex=0
type="button" class="invite-outside-member cursor-pointer text-green
underline">Invite someone outside MineMax</button></h3><↵
229.         <input type="hidden" class="world_id" name="world_id" value="1"
tabindex="0"><↵
230.     <↵
231.     <h3 class="my-0 mt-3"> <label for="username">Username <b class="text-
red">*</b></label> </h3><↵
232.     <input type="text" class="username" name="username" id="username"
placeholder="Username" required tabindex="0"><↵
233.     <↵
234.     <h3 class="my-0 mt-3"> <label for="choose-role-outside">Role <b
class="text-red">*</b></label> </h3><↵
235.     <select id="choose-role-outside" name="type" class="type mt-1" required
tabindex="0"><↵
236.         <option value="" disabled selected>Choose a role</option><↵
237.         <option value="false">Member</option><↵
238.         <option value="true">World Administrator</option><↵
239.     </select><↵
240.     <↵
241.     <input class="button" type="submit" value="Invite" tabindex="0"><↵
242. </fieldset><↵
243. </form><↵
244. <form class="form-outline hidden invite-new-member"><↵
245.     <fieldset class="form-post"><↵
246.         <legend>Invite outside member</legend><↵
247.         <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off">
<h3>Do you want to invite someone inside MineMax? <button tabindex=0
type="button" class="invite-outside-member cursor-pointer text-green
underline">Invite someone inside MineMax</button></h3><↵
248.         <input type="hidden" class="world_id" name="world_id" value="1"
tabindex="0"><↵
249.     <↵
250.     <h3 class="my-0 mt-3"> <label for="email">Email <b class="text-red">*</b></label> </h3><↵
251.     <input type="text" class="email" name="email" id="email"
placeholder="example@email.com" required tabindex="0"><↵
252.     <h3 class="my-0 mt-3"> <label for="choose-role-inside">Role</label>
</h3><↵
253.     <select id="choose-role-inside" name="type" class="type mt-1" required
tabindex="0"><↵
254.         <option value="" disabled selected>Choose a role</option><↵
255.         <option value="false">Member</option><↵
256.         <option value="true">World Administrator</option><↵
257.     </select><↵
258.     <↵
259.     <input class="button" type="submit" value="Invite" tabindex="0"><↵
260. </fieldset><↵
261. </form> <span id="create-new-project"></span><↵
262. <form action="http://localhost:8000/projects" id="new-project"
class="form-outline" method="POST"><↵
263.     <fieldset class="form-post"><↵
264.         <legend>Create a New Project</legend><↵
265.         <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLsAJbFNKaG092J" autocomplete="off"> <input
type="hidden" name="_method" value="POST"><↵
266.         <input type="hidden" name="world_id" value="1"><↵
267.     <↵
268.     <h3 class="my-0 mt-3"> <label for="new-project-name">Name <b class="text-
red">*</b></label></h3><↵

```

```

269.     <input type="text" name="name" id="new-project-name" placeholder="New
Project Name" required tabindex="0">↵
270.     ↵
271.     <h3 class="my-0 mt-3"> <label for="new-project-description">Description <b
class="text-red">*</b></label></h3>↵
272.     <textarea name="description" id="new-project-description" placeholder="Some
non-blank text" required tabindex="0"> </textarea>↵
273.     ↵
274.     <button class="button" type="submit" tabindex="0">Create</button>↵
275. </fieldset>↵
276. </form>           <span id="create-world-tag"></span>↵
277.     <form class = "new-tag form-outline" data-id="1" data-type="world">↵
278.     <fieldset class="form-post">↵
279.         <legend>Create a Tag</legend>↵
280.         <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off">           <h3
class="my-0 mt-3"> <label for="tagNameWorld">Tag Name <b class="text-red">*</b>
</label> </h3>↵
281.         <input type="text" id="tagNameWorld" class="tagName" name="tagName"
placeholder="New Tag Name" required tabindex="0">↵
282.         <input type="hidden" name="world_id" value="1">↵
283.         <button class="button" id="createTagButton" type="button"
tabindex="0">Create Tag</button>↵
284.     </fieldset>↵
285.     ↵
286. </form>↵
287.     <section id="comments">↵
288.     <h2 class="mt-10"> COMMENTS </h2>↵
289.     <ul>↵
290.         <li id="comment" class="outline outline-1 outline-
white/20 bg-black bg-opacity-80 p-3 my-3 break-words overflow-hidden rounded"
data-id = "1">↵
291.             <div class="h-10 flex">↵
292.                 <div class="grow-[1] pt-0.5">↵
293.                     <article class="member" data-id="1">↵
294.                         <header class="h-fit flex justify-start">↵
295.                             ↵
296.                             <h4 class="self-center"><a href="/members/mcfan_2004" title="Visit
Profile">mcfan_2004</a></h4>↵
297.                             ↵
298.                         </header>↵
299.                     </article>           </div>↵
300.                 <h3><button class="show-edit mobile:mr-3 mr-1 py-0.5 px-1.5
rounded-full outline outline-1 outline-white/20 focus:outline-
none">Edit</button></h3>↵
301.                     <p class="pt-1"> 2023-01-05 </p>↵
302.                 </div>↵
303.             <h4 class="comment-content"> Are you going to use the upcoming redstone
features from the next update? </h4>↵
304.             <div class="comment-edit hidden">↵
305.                 <form method="POST" action="http://localhost:8000/comments/1">↵
306.                 <fieldset class="flex flex-col">↵
307.                     <legend>Edit Your Comment</legend>↵
308.                     <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWXtLIZAnLSAJbFNKaG092J" autocomplete="off">
<input type="hidden" name="_method" value="PUT">           ↵
309.                     <input type="hidden" name="member" value="1" >↵
310.                     <input type="hidden" name="type" value="world">↵
311.                     ↵
312.                     <h3 class="my-0 mt-3"><label for ="comment-text">Comment <b
class="text-red">*</b></label> </h3>↵
313.                     <textarea id="comment-text" name="text" class="max-h-52 min-h-[5em]"
required tabindex="0"> Are you going to use the upcoming redstone features from
the next update? </textarea>↵
314.                     ↵
315.                     <div class="flex h-fit items-center mt-2">↵
316.                         <label for="submit-edit" hidden>Submit Edit</label>↵
317.                         <input id="submit-edit" class="button" type="submit" value="Edit"
tabindex="0">↵
318.                         <label for ="cancel-edit" hidden>Cancel Edit</label>↵

```



```

319.         <button type="button" class="close-edit link" id="cancel-edit"
tabindex="0">Cancel</button>↵
320.     </div>↵
321. </fieldset>↵
322. </form>     </div>↵
323. </li>                               </ul>↵
324.         <span id="make-world-comment"></span>↵
325.     <form id="add-content" method="POST"
action=http://localhost:8000/worlds/1/comment class="form-outline">↵
326.     <fieldset class="form-post">↵
327.     <legend>Leave a Comment!</legend>↵
328.     <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWxtLIZANLsAJbFNKaG092J" autocomplete="off">↵
329.     <input type="hidden" name="member" value="1" >↵
330.     <input type="hidden" name="type" value="world">↵
331. ↵
332.     <h2><label for="comment-text-area">Comment</label></h2>↵
333.     ↵
334.     <textarea id="comment-text-area" name="text" class="max-h-52 min-h-[5em]"
placeholder="Some non-blank text" required tabindex="0"></textarea>↵
335.     ↵
336.     <label for="submit-comment" hidden>Submit Comment</label>↵
337.     <input id="submit-comment" class="button" type="submit" value="Comment"
tabindex="0">↵
338. </fieldset>↵
339. </form>                               </section>↵
340. </article>↵
341.     <div class="desktop:hidden fixed bg-opacity-95 bg-black top-0 h-full w-
0 right-0 mobile:peer-checked:w-2/3 tablet:peer-checked:w-1/2 peer-checked:w-
full peer-checked:px-5 transition-width duration-500 z-10">↵
342.     <article id="mobilesidebar" class="desktop:w-1/3 desktop:mt-8 mt-20
desktop:ml-5 mr-3">↵
343.     <label for="show-details" class="desktop:hidden cursor-pointer m-2">&times;
</label>↵
344.     <h2> Description </h2>↵
345.     <p class="mt-3 mb-5 desktop:w-11/12">Here, we plan to make all sorts of
automated contraptions!</p>↵
346.     <h2 id="mobilesee-members">Members</h2>↵
347.     <div class="membersof mr-5 ml-2 mt-2">↵
348.         <div class="flex mb-1 items-center">↵
349.             <h3 class="decoration-green underline underline-offset-4
decoration-2"> World Owner </h3>↵
350.             <h2 class="ml-2 font-bold cursor-pointer">
<a href="/worlds/1/transfer" title="Transfer Ownership" aria-label="Transfer
Ownership">&#x2942;</a></h2>↵
351.         </div>↵
352.         <article class="member" data-id="1">↵
353.             <header class="h-fit flex justify-start">↵
354.                 ↵
355.                 <h4 class="self-center"><a href="/members/mcfan_2004" title="Visit
Profile">mcfan_2004</a></h4>↵
356.                 ↵
357.             </header>↵
358.             <h3 class="decoration-green underline underline-
offset-4 decoration-2 mb-1 mt-4"> World Admins </h3>↵
359.             <ul id="mobileworld-admins">     ↵
360.             ↵
361.             <h3 class="decoration-green underline underline-offset-4
decoration-2 mb-1 mt-4"> Members </h3>↵
362.             <ul id="mobilemembers">↵
363.                 <li class="h-5 flex items-
center justify-between my-0.5">↵
364.                     <article class="member" data-id="2">↵
365.                         <header class="h-fit flex justify-start">↵
366.                             ↵
367.                             <h4 class="self-center"><a href="/members/up202100000" title="Visit
Profile">up202100000</a></h4>↵
368.                             ↵

```

```

369.     </header><↵
370.     </article>                                     <div
class="flex items-center child:mx-1">↵
371.                                                     <form
method="POST" class="assign-admin-to-world" data-id="2">↵
372.         <fieldset>↵
373.             <legend class="sr-only">Promote World Member to World
Admin</legend>↵
374.             <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWxtLIZAnLSAJbFNKaG092J" autocomplete="off">
<input type="hidden" class="id" name="id" value="1">↵
375.             <input type="text" class="username" name="username"
value="up202100000" hidden>↵
376.         ↵
377.             <input id="mobilesubmit-promote" class="button bg-grey p-0 px-2"
type="submit" value="Promote" tabindex="0">↵
378.         </fieldset>↵
379.     </form>↵
380.
<form class="mobileremove-member-world" data-id="2">↵
381.     <fieldset>↵
382.         <legend class="sr-only">Remove Member</legend>↵
383.         <input type="hidden" name="_token"
value="W0eq1fzLoFwGiNvGUuWxtLIZAnLSAJbFNKaG092J" autocomplete="off">
<input type="hidden" class="id" name="id" value=1>↵
384.         <input type="hidden" class="username" name="username"
value=up202100000>↵
385.         <button type="submit" class="text-red" tabindex="0"
title="Remove Member"> &times; </button>↵
386.     </fieldset>↵
387. </form>↵
388.                                                     </div>↵
389.                                                     </li>↵
390.         </ul>↵
391.     </div>↵
392. </article>     </div>↵
393.     <div class="hidden desktop:contents">↵
394.         <article id="sidebar" class="desktop:w-1/3 desktop:mt-8 mt-20
desktop:ml-5 mr-3">↵
395.             <label for="show-details" class="desktop:hidden cursor-pointer m-2">&times;
</label>↵
396.             <h2> Description </h2>↵
397.             <p class="mt-3 mb-5 desktop:w-11/12">Here, we plan to make all sorts of
automated contraptions!</p>↵
398.             <h2 id="see-members">Members</h2>↵
399.             <div class="membersof mr-5 ml-2 mt-2">↵
400.                 <div class="flex mb-1 items-center">↵
401.                     <h3 class="decoration-green underline underline-offset-4
decoration-2"> World Owner </h3>↵
402.                     <h2 class="ml-2 font-bold cursor-pointer">
<a href="/worlds/1/transfer" title="Transfer Ownership" aria-label="Transfer
Ownership">&#x2942;</a></h2>↵
403.                 </div>↵
404.                 <article class="member" data-id="1">↵
405.                     <header class="h-fit flex justify-start">↵
406.                         ↵
407.                         <h4 class="self-center"><a href="/members/mcfan_2004" title="Visit
Profile">mcfan_2004</a></h4>↵
408.                     ↵
409.                 </header>↵
410.                 </article>                     <h3 class="decoration-green underline underline-
offset-4 decoration-2 mb-1 mt-4"> World Admins </h3>↵
411.                     <ul id="world-admins">     ↵
412.
</ul>↵
413.                     <h3 class="decoration-green underline underline-offset-4
decoration-2 mb-1 mt-4"> Members </h3>↵
414.                     <ul id="members">↵
415.                                                     <li class="h-5 flex items-
center justify-between my-0.5">↵

```



```
416.         <article class="member" data-id="2">↵
417.             <header class="h-fit flex justify-start">↵
418.                 ↵
419.                 <h4 class="self-center"><a href="/members/up202100000" title="Visit
Profile">up202100000</a></h4>↵
420.                     ↵
421.             </header>↵
422.         </article>↵                                     <div
class="flex items-center child:mx-1">↵
423.                                     <form
method="POST" class="assign-admin-to-world" data-id="2">↵
424.             <fieldset>↵
425.                 <legend class="sr-only">Promote World Member to World
Admin</legend>↵
426.                 <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWxtLIZAnLSAJbFNKaG092J" autocomplete="off">
<input type="hidden" class="id" name="id" value="1">↵
427.                 <input type="text" class="username" name="username"
value="up202100000" hidden>↵
428.                     ↵
429.                 <input id="submit-promote" class="button bg-grey p-0 px-2"
type="submit" value="Promote" tabindex="0">↵
430.             </fieldset>↵
431.         </form>↵
432.
<form class="remove-member-world" data-id="2">↵
433.     <fieldset>↵
434.         <legend class="sr-only">Remove Member</legend>↵
435.         <input type="hidden" name=" token"
value="W0eq1fzLoFwGiNvGUuWxtLIZAnLSAJbFNKaG092J" autocomplete="off">
<input type="hidden" class="id" name="id" value=1>↵
436.         <input type="hidden" class="username" name="username"
value=up202100000>↵
437.         <button type="submit" class="text-red" tabindex="0"
title="Remove Member"> &times; </button>↵
438.     </fieldset>↵
439. </form>↵
440.                                     </div>↵
441.                                     </li>↵
442.                                     </ul>↵
443.     </div>↵
444. </article> </div>↵
445. </section>↵
446. </section>↵
447. </main>↵
448. <nav id="footer" class="fixed bottom-0 w-full bg-black flex justify-
between px-3 py-1">↵
449.     <p> @ 2023 MineMax, Inc. </p>↵
450.     <div class="flex space-x-3 mobile:flex-row flex-col">↵
451.         <div class="flex space-x-3 justify-end">↵
452.             <p> <a href="/about">About </a></p>↵
453.             <p> | </p>↵
454.             <p> <a href="/contacts">Contact Us </a></p>↵
455.         </div>↵
456.         <div class="flex space-x-3 justify-end">↵
457.             <p class="hidden mobile:flex"> | </p>↵
458.             <p> <a href="http://localhost:8000/faq">FAQs</a></p>↵
459.             <p> | </p>↵
460.             <p> <a href="/main-features">Main Features</a></p>↵
461.         </div>↵
462.     </div>↵
463. </nav>↵
464. </body>↵
465. </html>
```

Used the HTML parser.

Total execution time 126 milliseconds.

