Exercise3:

Q1:

Status Code: 200 OK


[Status Code Description: OK]

Time	Source	Destination	Protocol	Length Info
10 4.694850	192.168.1.102	128.119.245.12	HTTP	555 GET /ethereal-labs/lab2-1.html HTTP/1.1
12 4.718993	128.119.245.12	192.168.1.102	HTTP	439 HTTP/1.1 200 OK (text/html)

Q2:

Last-Modified: Tue, 23 Sep 2003 05:29:00 GMT\r\n

response contains a date header, but request doesn't contain a date header. This is the difference between these two fields.




Q3:

the connection established between the browser and the server is persistent. Because the connect option is keep-alive.

Q4:

73bytes



Q5:

Congratulations. You've downloaded the file lab2-1.html!

Exercise 4:


Q1:

There is no "IF-MODIFIED-SINCE" line in the HTTP GET

```
TCP payload (501 bytes)
Hypertext Transfer Protocol
       GET /ethereal-labs/lab2-2.html HTTP/1.1\r\n
              [Expert Info (Chat/Sequence): GET /ethereal-labs/lab2-2.html HTTP/1.1\r\n]
               Request Method: GET
               Request URI: /ethereal-labs/lab2-2.html
               Request Version: HTTP/1.1
        Host: gaia.cs.umass.edu\r\n
       Accept: \ text/xml, application/xml, application/xhtml+xml, text/html; q=0.9, text/plain; q=0.8, video/x-mng, image/png, image/png
       Accept-Language: en-us, en;q=0.50\r\
       Accept-Encoding: gzip, deflate, compress;q=0.9\r\n
       Accept-Charset: ISO-8859-1, utf-8;q=0.66, *;q=0.66\r\n
       Keep-Alive: 300\r\n
       Connection: keep-alive\r\n
        \r\n
        [Full request URI: http://gaia.cs.umass.edu/ethereal-labs/lab2-2.html]
        [HTTP request 1/2]
        [Response in frame: 10]
        [Next request in frame: 14]
```

Q2:

the response indicate the last time that the requested file was modified



Q3:

an "IF-MODIFIED-SINCE:" line in the HTTP GET.

The date was contained in the header.

```
Hypertext Transfer Protocol

> GET /ethereal-labs/lab2-2.html HTTP/1.1\r\n

Host: gaia.cs.umass.edu\r\n

User-Agent: Mozilla/5.0 (Windows; U; Windows NT 5.1; en

Accept: text/xml,application/xml,application/xhtml+xml,

Accept-Language: en-us, en;q=0.50\r\n

Accept-Encoding: gzip, deflate, compress;q=0.9\r\n

Accept-Charset: ISO-8859-1, utf-8;q=0.66, *;q=0.66\r\n

Keep-Alive: 300\r\n

Connection: keep-alive\r\n

If-Modified-Since: Tue, 23 Sep 2003 05:35:00 GMT\r\n

If-None-Match: "1bfef-173-8f4ae900"\r\n


Cache-Control: max-age=0\r\n
```

04:

Status Code: 304

[Status Code Description: Not Modified]

the server doesn't explicitly return the contents of the file, because it shows that response is not modified.



Exercise 5:

server:

```
C:\Users\PENG\Desktop\lab2>java PingServer 1200(
Received from 127.0.0.1: A

Reply sent.
Received from 127.0.0.1: A

Reply not sent.
Received from 127.0.0.1: A
```

client:

```
Ping to 127.0.0.1, seq = 0, rrt = 125ms
Resquest time out
Resquest time out
Ping to 127.0.0.1, seq = 3, rrt = 183ms
Resquest time out
Ping to 127.0.0.1, seq = 5, rrt = 10ms
Ping to 127.0.0.1, seq = 6, rrt = 163ms
Resquest time out
Ping to 127.0.0.1, seq = 8, rrt = 120ms
Ping to 127.0.0.1, seq = 8, rrt = 120ms
Ping to 127.0.0.1, seq = 9, rrt = 157ms
```

code:

```
from socket import *
import time
import sys

HOST = '127.0.0.1'
PORT = 12000
clientSocket = socket(AF_INET, SOCK_DGRAM)

for i in range(0,10):
    try:
        start_time = time.time()
        clientSocket.sendto(b'A', (HOST, PORT))
        clientSocket.settimeout(1.0)
        message, address = clientSocket.recvfrom(1024)
        end_time = time.time()
        print('Ping to 127.0.0.1, seq = {}, rrt = {}ms'.format(i,int(1000*(end_time-start_time))))
        except timeout:
        print('Resquest time out')
```