EVIDENCE REVIEW / PRODUCT DEVELOPMENT / PACKAGING UPDATE

Daily Fibre.

Your goals. Your routine.



5 g
Psyllium husk per sachet

60
Sachets per carton

330 g
Net carton contents

A measured lemon-and-lime psyllium drink mix. The complete formula, ingredient evidence, safety considerations and development plan are retained in this dossier.

Prepared for Lucas Franco / VETUD

Version 1.1 | Artwork revised 12 November 2026 | Research reviewed 11 November 2026

DEVELOPMENT CONCEPT - NOT A VALIDATED FORMULA OR APPROVED RETAIL LABEL

01 / THE PRODUCT DECISION

Build the fibre ritual. Not the hormone promise.

Recommended route: one focused oral nutrition product, with evidence-led boundaries and a clear path to validation.

Recommendation: proceed to formulation feasibility

Develop VETUD Daily Fibre as a psyllium-led, adult food-supplement concept. Do not launch it as an Ozempic alternative, a GLP-1 booster or a guaranteed weight-loss product. Ingredient studies do not validate this finished blend. [2-9]

Product decision	Working specification
Positioning	Convenient daily fibre intake, with transparent quantities and clear preparation instructions.
Hero format	Lemon + lime dry drink mix; 5.50 g per sachet, including 5.00 g psyllium husk.
Main pack	60 sachets / 330 g. Nominal 30-day supply at two sachets daily after the introductory phase.
Intended audience	Adults seeking a convenient fibre routine; not a product specifically for children or people with significant digestive disease.
Brand architecture	VETUD master brand + proposed DAILY NUTRITION descriptor. This is not a peptide product.
Development status	Formula, taste, mixing, stability, labelling and market permissions remain unvalidated.

What makes this worth building

The product advantage should be practical: measured sachets, an enjoyable routine, conspicuous hydration instructions and a batch-linked quality page. These are proposed design advantages, not claims that the product is clinically superior to ordinary psyllium.

Inside this dossier

03-07 Article check, human evidence, complete formula, ingredient strategy and safety.
08-12 Pack concepts, physical components, label, claims and manufacturing.
13-18 Validation, economics, website, launch gates and linked sources.

02 / ARTICLE FACT-CHECK

Useful ingredient. Overstated story.

The BoxLife article is an idea source, not a scientific or regulatory basis for the product. [1]

Article proposition	Evidence assessment	Product decision
Same-hormone / Ozempic framing	Misleading equivalence. An acute human meal study did not show a simple, reliable GLP-1 increase; the fibre-plus-protein meal suppressed the response. It was not a drug-comparison trial. [3]	Do not use a GLP-1, drug-equivalence or replacement claim.
Less hunger and fewer calories	A 14-person crossover trial using 7.4 g reported 13% less hunger (not 30%) and 17% lower energy intake. This acute result does not validate a 5 g VETUD serving or long-term weight loss. [10]	Investigate fullness; do not print a percentage benefit.
Lower LDL cholesterol	Supported at the ingredient level: a 28-trial meta-analysis found an average reduction around 13 mg/dL. This is not permission to claim disease treatment. [7]	Retain as evidence context; review any specific claim separately.
HbA1c improvement	The quoted 8.5% to 7.5% change occurred within a small diabetes trial's psyllium group over eight weeks. It is not a universal or placebo-adjusted result. [9]	No diabetes-treatment promise or medicine-adjustment advice.
Predictable weight reduction	Meta-analyses disagree substantially. A favourable selected analysis cannot support guaranteed kilograms lost. [4-6]	Keep weight-loss promises off the pack.
Precise meal timing; bedtime sleep hack	The exact timing penalty, deep-sleep percentage and chain to fat loss are not established by the reviewed psyllium trials. EMA advice discourages taking husk just before bed. [2-4,12]	No bedtime, sleep-enhancement or precise timing-percentage claim.
Extremely low daily cost; most users quit	Commodity ingredient cost is not finished-product cost. The article's abandonment statistic lacks a verified basis in this review. [1]	Use quoted costs and real retention data, not borrowed numbers.

Bottom line

Psyllium has useful human evidence. The article bundles that evidence with unsupported precision and a pharmaceutical comparison. Build around the ingredient; remove the hype.

03 / HUMAN EVIDENCE

What the studies actually support

Selected human studies and syntheses. These are ingredient-level findings, not trials of VETUD Daily Fibre.

Evidence	Finding and limitation	Implication
Satiety Brum et al., 2016 [2]	Two short placebo-controlled crossover studies tested 3.4, 6.8 and 10.2 g per administration, before breakfast/lunch. The 6.8 g dose gave the most consistent subjective satiety effects.	A 5 g sachet cannot inherit the exact effect of a different dose or product.
Gut hormones Karhunen et al., 2010 [3]	16 healthy adults; acute, mixed-meal crossover study. GLP-1 was suppressed in the combined high-fibre/high-protein meal. Appetite scores were largely similar.	Not proof that psyllium never affects hormones; strong reason to reject a simple boosting claim.
Weight: favourable Gibb et al., 2023 [4]	6 trials; 354 participants. Mean 10.8 g/day over 4.8 months: -2.1 kg versus control (95% CI -2.6 to -1.6). Selected overweight/obese populations. Authors disclosed employment by a psyllium-product manufacturer.	A modest, context-dependent signal, not a guaranteed result.
Weight: null Mofrad et al., 2020 [5]	22 trials. Pooled weight difference -0.28 kg (95% CI -0.78 to 0.21); not statistically significant. Different selection and study conditions.	The wider evidence does not consistently reproduce the favourable result.
Weight: conflicting Gholami & Paknahad, 2025 [6]	27 trials; 1,352 participants. Reported weight increase, no significant BMI/waist improvement, and very high weight heterogeneity (I^2 about 94%).	Do not read this as a reliable prediction of weight gain either; the literature is inconsistent.
Lipids and glucose Jovanovski 2018; Gibb 2015 [7,8]	LDL reduction is supported across 28 trials at a median 10.2 g/day. Glycaemic benefits vary with baseline impairment and were greatest in treated type 2 diabetes.	Interesting clinical evidence, but no automatic consumer claim or medication substitution.

Evidence judgement: stronger for established fibre-related uses and LDL lowering; suggestive for short-term fullness; inconsistent for body weight; inadequate for a VETUD GLP-1 or Ozempic-equivalence claim. This is an editorial assessment, not a formal GRADE rating. [2-12]

04 / COMPLETE COMPOSITION

The prototype formula

Citrus prototype A. Exact starting quantities for manufacturer feasibility work, not a validated manufacturing instruction.

One sachet = 5.50 g blend, including 5.00 g psyllium husk

Proposed maximum routine: two sachets daily after gradual introduction, subject to tolerability and local label review. This supplies 10.00 g husk per day. It does not establish a measured dietary-fibre or soluble-fibre amount.

Component	Per sachet	Per 2 sachets	Role
Psyllium husk Plantago ovata seed husk	5.000 g	10.000 g	Core fibre ingredient; food-grade, identity and hydration properties specified.
Citric acid	0.250 g	0.500 g	Flavour acidity; not a weight-loss active.
Natural lemon + lime flavour Including all carriers	0.200 g	0.400 g	Taste and aroma. Supplier composition and allergens must be disclosed.
Steviol glycosides Proposed Reb M grade	0.025 g	0.050 g	Sweetening. Exact grade, potency and category permission require review.
Silicon dioxide	0.025 g	0.050 g	Optional flow aid. Confirm necessity and permitted use; do not assume universal approval.
TOTAL DRY BLEND	5.500 g	11.000 g	All components included; no proprietary active blend.

Batch arithmetic for the request for quotation

For **1,000 sachets**: 5.000 kg husk + 0.250 kg acid + 0.200 kg flavour + 0.025 kg sweetener + 0.025 kg silicon dioxide = **5.500 kg theoretical blend**, excluding sampling, process loss and justified overage.

Evidence-informed dose

10 g husk daily is close to amounts studied for lipid and weight outcomes, but does not replicate every study or the most consistent satiety dose. [2,4,7]

Unvalidated formulation

Flavour, excipients, particle size and mixing are bench proposals. The excipients are not supported as additional weight-loss ingredients.

Critical distinction: husk mass is not fibre assay. Confirm total and soluble dietary fibre, energy and relevant nutrients using suitable methods before preparing any nutrition panel or fibre-content claim.

05 / INGREDIENT STRATEGY

Keep the useful part. Remove the unnecessary stack.

A focused first product is easier to evaluate than a crowded multi-active blend.

01 **Psyllium husk is the core ingredient.**
Specify Plantago ovata seed husk, not an undefined plant powder. Select the particle-size grade by dispersibility, mouthfeel and measured gel behaviour. Do not assume that finer powder will automatically produce a better drink. The water-binding behaviour is central to the ingredient and its safe preparation. [11,12]

02 **Flavour should improve adherence, not imply efficacy.**
Ask for a light lemon-lime profile with no added colour in the initial brief. The acid and sweetener quantities are starting points. Review the flavour carrier, allergens, sugar contribution and additive permissions before making any absence claim.

03 **Do not add a second story without evidence.**
Do not include berberine, chromium, stimulant botanicals, probiotics, glucomannan or high-dose inulin solely to create a longer label. The selected evidence does not establish that this proposed stack would improve the product. Each addition creates new substantiation, compatibility and tolerability questions.

Format option	Development decision
A / Citrus sachet 5.50 g	Lead concept: premeasured, portable and designed around explicit hydration instructions. Requires sensory and formulation work.
B / Pure Core sachet 5.00 g	Contingency: psyllium husk only. Simpler composition if the flavoured prototype fails acceptance or local additive review. Its efficacy still needs appropriate substantiation.
Capsules / gummies / ready-to-drink	Not first-launch formats. Capsule counts, serving mass, processing and shelf-life would need a different product design; no direct evidence bridge should be assumed.

Do not conceal the trade-off

A gel-forming fibre drink may not behave like a clear, thin soft drink. Test the intended 300 mL preparation honestly and make the drink-promptly instruction prominent. A convenient format should not dilute the warning. [20]

06 / CONSUMER PREPARATION & SAFETY

Hydration is part of the product.

Draft adult-use concept for safety and regulatory review. Not a personalised treatment recommendation.

01 **Introduce gradually.**
Proposed onboarding: one sachet daily for the first several days; increase to two separate daily servings only if well tolerated and consistent with the final approved directions. Do not increase through persistent discomfort. The exact onboarding schedule is a product-development proposal.

02 **Mix fully. Drink promptly.**
Mix each full sachet into at least **300 mL cool water**, stir briskly and drink promptly before it thickens. Never swallow the powder dry. Keep normal appropriate fluid intake. The 300 mL starting instruction exceeds the 240 mL minimum in MedlinePlus guidance but still needs product-specific mixing validation. [11]

03 **Choose a practical daytime routine.**
A meal-linked routine may be convenient; there is no verified magic minute for this formulation. Do not take it immediately before bed. Avoid inhaling loose powder. [12]

Do not use without medical review

Swallowing difficulty, suspected intestinal obstruction or narrowing, unexplained rectal bleeding, or a known psyllium allergy require assessment rather than self-treatment. Ask for advice with pregnancy, breastfeeding, significant gastrointestinal disease or restricted fluid intake. [11,12]

Situation	What the product information should say
Oral medicines	Ask a pharmacist for drug-specific separation. A blanket two-hour gap is not sufficient for every medicine; MedlinePlus identifies several medicines needing three hours. [11]
Diabetes medicines / GLP-1 treatment	Discuss use with the prescriber, especially when glucose control, food intake or digestive symptoms are changing. Do not present this as an automatically safe peptide or drug companion. [8,11]
Persistent symptoms	Gas or bloating can occur. Seek advice for ongoing symptoms or persistent constipation; do not treat pain, vomiting or bleeding as a normal adaptation. [11,12]

Urgent warning

Trouble swallowing or breathing, chest pain after taking the product, or severe abdominal pain with vomiting needs urgent medical assessment. Keep this warning on the label, not only behind a QR code. [20]

07 / PACKAGING CONCEPT

The VETUD pack.

Carton + single-serve sachet. White-background studio presentation.



5 g
Psyllium husk per sachet

5.5 g
Total blend per sachet

60 sachets
330 g per carton

Original VETUD identity. A distinct nutrition product.

The mountain-and-molecule mark and spaced VETUD wordmark follow the retrieved VETUD-Stripe-logo.png brand reference. The PEPTIDE SERIES descriptor is omitted for this oral fibre product.

Both updated product images appear in this PDF: the first on the cover and the second here. These are visual concepts, not print-ready artwork. Final packaging still needs the validated formulation, complete safety text, market-specific labelling and production proofs.

08 / EVERY PHYSICAL COMPONENT

The complete pack system

Proposed bill of materials and engineering brief. The converter must confirm dimensions after fill-volume and packing trials.

Component	Starting brief	Release condition
Primary sachet 60 per main carton	Nominal 5.50 g fill. Suggested trial envelope: about 65 × 160 mm; size is indicative only. Moisture-barrier, food-contact-compliant film with easy-open notch.	Confirm bulk density, usable volume, seal margins, print area, migration compliance and seal integrity.
Outer carton 1 per pack	Folding board, matte white finish, navy/cyan print. Size from actual filled sachets; avoid an oversized premium box.	Transit and compression checks; mandatory text remains legible. No unsupported recyclability badge.
Quick-start leaflet 1 per pack	Large water-volume instruction, drink-promptly warning, gradual-introduction guidance and medicine-spacing advice.	User-comprehension test and legal review. Essential warnings also stay on the sachet/carton.
Lot and best-before fields	Variable lot coding on the carton and a suitable traceability code on each sachet. Best-before date set only from validated stability.	Readable, durable coding with release and recall traceability.
Batch evidence page Digital component	QR link to actual batch identity, test scope and dated results; plain-language methods and limitations.	No fabricated certificate or lab endorsement. Test the live QR destination before print.
Shipping case / protection	Right-sized master case and minimal protection, suited to the distribution route.	Transport validation, humidity protection and documented damaged-stock handling.

Working visual system

Navy
#082B60

Cyan
#00ABB7

Blue
#176DCE

Ice
#EAF5FA

Paper
#F5F9FC

These are working screen colours, not official VETUD colour standards. Obtain printer-approved CMYK or spot-colour equivalents and a physical proof. Use the approved logo, accessible contrast and market-specific minimum text sizes. A shared design does not create a shared legal label.

09 / DRAFT LABEL COPY

Draft label information

Great Britain-style working example. Classification, wording and every placeholder must be resolved before sale. [13,14]

VETUD DAILY FIBRE

Lemon + lime psyllium husk blend / Food supplement
60 sachets × 5.5 g | Net weight 330 g

Ingredients and declared amounts

Psyllium husk (*Plantago ovata*); citric acid; natural lemon/lime flavouring **[declare required carriers/allergens]**; sweetener: steviol glycosides **[confirm legal designation]**; anti-caking agent: silicon dioxide. Confirm order and naming against the final specifications.

Per sachet: psyllium husk 5.00 g; blend 5.50 g. **Per two sachets:** psyllium husk 10.00 g. Declare dietary fibre only from verified composition, not husk mass.

Proposed directions

Adults: start with one sachet daily; increase to one sachet twice daily only if tolerated. Mix each sachet with at least 300 mL water and drink promptly before thickening. Never take dry or immediately before bed. Do not exceed the recommended daily intake. [11,12]

Warnings and required supporting text

Not a substitute for a varied, balanced diet and healthy lifestyle. Keep out of reach of young children. Do not use with swallowing difficulty, suspected bowel obstruction or psyllium allergy. Ask a pharmacist about medicine spacing; seek advice for pregnancy, breastfeeding, relevant illness or persistent symptoms. [12,13,20]

Urgent: seek immediate help for difficulty swallowing/breathing, chest pain after use, or severe abdominal pain with vomiting. Safety reviewers must approve the final wording. [20]

Mandatory / operational fields still to complete	Status
Responsible food business name and market-valid postal address; local importer where required	TO CONFIRM
Allergens; quantified fibre/nutrient information where required; exact claims and additive permissions	TO VERIFY
Storage conditions; validated best-before period; lot; GTIN/barcode; country-specific language	TO VALIDATE

Do not print a guessed nutrition panel, a guessed shelf life or a claim of laboratory certification. A food-supplement label is not interchangeable with a US Supplement Facts panel or Thai label. [13,16,18,19]

10 / CLAIMS & MARKET ROUTING

A study is not a marketing permission.

Proposed claims policy. Final permissions depend on the product, jurisdiction and exact wording. [13-16,18,19]

Candidate wording	Decision before launch
“5 g psyllium husk per sachet” “Lemon + lime” “60 sachets”	Factual candidates. Verify composition, fill control and flavour description against the final product.
“Supports regularity” “Helps fullness between meals”	Hold for local review. Scientific substantiation and legal permission are separate. The 5 g VETUD prototype has not been clinically tested. [2,11-16]
“High fibre” / “No added sugar” “Vegan” / “Gluten-free”	Conditional. Confirm analytical values, carriers, supply chain and applicable legal conditions. Assess the correct product/preparation basis, not an assumed dry-powder shortcut. [14,15]
“Lowers cholesterol” “Balances blood sugar”	Not approved copy in this dossier. Specific health or disease-related claims require separate legal assessment and exact qualifying conditions. [7,8,14-16]
“Natural Ozempic” / “GLP-1 booster” “Burns fat” / “Lose X kg” “Clinically proven VETUD formula”	Do not use. The reviewed evidence does not establish these statements for the finished product. [2-9]

Choose one launch market before artwork approval

Market	Required workstream
Great Britain	Confirm food-supplement versus other classification, responsible operator, mandatory label fields, and the applicable nutrition/health-claim register. Northern Ireland may follow a different route. [13,14]
European Union	Review target member-state notifications, local language, operator/importer and ingredient rules. Check the applicable claims regime rather than assuming UK permission transfers. [15]
United States	Determine dietary-supplement status and label format. Structure/function claims require substantiation, the required disclaimer and applicable FDA notification; they are not FDA preapproved. [16]
Thailand	Confirm local production/import licensing, product-permission route, Thai labelling and advertising approval requirements before selling or promoting benefits. [18,19]

11 / QUALITY & MANUFACTURING

Build proof into the supply chain.

Proposed quality plan, informed by supplement manufacturing principles. Numeric limits and methods must be set for the selected market. [17]

Stage	Required evidence / controls
Raw-material identity	Traceable Plantago ovata husk; suitable identity method, supplier qualification and origin records. Avoid relying on an undefined “purity” percentage.
Raw-material performance	Particle-size distribution, moisture, bulk density, swelling/viscosity and sensory specification. Link the chosen method to the intended drink preparation.
Contaminant control	Market-appropriate limits for microbiological quality, relevant pathogens, heavy metals and pesticides. Review allergens and cross-contact. Use suitable methods and laboratories.
Blend and filling	Validated dispersion of low-dose flavour/sweetener/flow aid; blend-uniformity checks; sachet mass control; lot coding; packaging-line reconciliation.
Finished-product composition	Verify identity/amount where appropriate, total and soluble dietary fibre, relevant nutrients and allergen information. Use results to support label declarations.
Use performance	Check dispersion and drinkability at the specified water volume and temperatures. Measure thickening over time; test realistic preparation errors without exposing users to unsafe use.
Stability and packaging	Test moisture uptake, sensory change, microbiological quality, pack seals and relevant composition in the actual commercial packaging and distribution conditions.
Release and follow-up	Quality-authorised batch release; retained samples; complaint and adverse-event process; change control; traceability and recall simulation.

What the manufacturer should deliver

A signed specification pack, bill of materials, pilot-batch record, process controls, analytical methods and results, stability protocol, packaging compliance documents and a clear allocation of responsibilities. Request evidence of the manufacturing standards required for the launch market; a logo on a quotation is not sufficient. [17-19]

Shelf life is an output, not a design choice

An 18-24 month shelf life may be a commercial development target, but it must not appear as an approved expiry period until supported by a suitable stability programme. No batch has been made or tested for this concept.

12 / VALIDATION PROGRAMME

Earn the right to make stronger claims.

Proposed staged testing. Targets below are internal development criteria, not established clinical standards.

01 **Bench feasibility before buying printed stock.**
Compare a small set of husk grades and citrus flavour levels, plus the plain-husk contingency. Measure dispersion, sensory acceptance, viscosity over time, fill behaviour and packaging fit. Reject a recipe that cannot be prepared safely with clear instructions.

02 **Usability pilot, not a clinical efficacy claim.**
An ethically reviewed, appropriately supervised pilot of roughly 20-30 suitable adults could assess comprehension, preparation, convenience and tolerability. Record discontinuations, not only positive comments. Screen exclusions and obtain consent; do not treat this as medical self-experimentation.

03 **A finished-product study for a specific question.**
For a fullness claim, consider a preregistered randomised crossover comparison with a justified control and prespecified hunger/fullness outcomes. Dose, masking, meal protocol and analysis must match the question. An ingredient study does not establish equivalence of this formula. [2,3]

04 **Longer studies only for justified outcomes.**
A professionally designed study could evaluate bowel outcomes, adherence and tolerability over a defined period. Any weight, lipid or glycaemic study needs an appropriate population, medical oversight, power calculation and suitable duration. Do not promise a successful result or alter participants' medicines. [4-9]

Internal development gate	Proposed pass criterion
Instructions understood	At least 90% correctly identify water volume, prompt drinking and never-dry use in a comprehension assessment.
Consumer acceptance	At least 70% rate the final sensory experience acceptable; analyse attrition and reasons for rejection.
Critical safety comprehension	Any recurring misunderstanding of the dry-use/choking warning triggers redesign, even when the average score passes.
Claims readiness	Claim is legally permissible and supported by evidence relevant to the final formula, serving and audience.

Research safeguards: agree ethics review, consent, safety monitoring and stopping rules with qualified investigators. Report adverse effects and negative results. Testimonials, before/after photos and Scite citation counts are not substitutes for controlled evidence.

13 / COMMERCIAL MODEL

Price the finished product. Not the raw ingredient.

Illustrative USD planning assumptions only. These are not supplier quotations, competitor benchmarks or a forecast.

60-sachet carton: example unit economics	USD
Net sales revenue, after discount and excluding sales tax	39.00
Landed product cost: ingredients, filling, packaging, allocated testing and inbound freight	(12.00)
Illustrative gross profit before selling costs	27.00
Payment processing assumption	(1.20)
Pick-and-pack assumption	(3.00)
Outbound-shipping subsidy assumption	(4.50)
Returns / service allowance assumption	(1.00)
Contribution before customer acquisition and overhead	17.30
Example customer acquisition cost	(12.00)
Contribution after example acquisition cost, before overhead and tax	5.30

What the arithmetic says

At these assumptions, gross margin is 69.2%. Pre-acquisition contribution is 44.4% of net revenue. Break-even acquisition cost is $17.30 before overhead, tax and profit.

What it does not say

It does not show that $39 is the right price or that $12 production cost is achievable. Replace every assumption with a quotation, actual fee or measured cohort result.

Commercial decisions worth testing

A 60-sachet pack at this example price costs $0.65 per sachet, or $1.30 per day at two servings. The premium must be justified by convenience, quality transparency and user experience, not an unsupported promise of drug-like weight loss.

Quote both the **60-sachet / 330 g** main pack and **14-sachet / 77 g** starter. Do not describe the starter as a fixed number of treatment days. Test repeat purchase before committing to subscriptions or a large first order.

14 / WEBSITE & LAUNCH DIRECTION

Make transparency the premium feature.

Draft creative direction, not approved advertising. The product must exist and its factual statements must be verified before publication.

Proposed website hero

Meet a simpler fibre routine.

VETUD Daily Fibre is a lemon-and-lime psyllium drink mix in measured sachets. Each sachet contains 5 g psyllium husk. Mix with at least 300 mL water and drink promptly.

Primary action: Explore the formula **Secondary action:** Read the preparation guide

A product page that answers the important questions

Module	What goes on the page
The formula	Every ingredient and its purpose; 5.5 g blend versus 5 g husk explained. No hidden active blend or implied 5 g soluble-fibre claim.
Preparation	An accurate demonstration using the validated water volume, mixing and prompt-drinking instructions. Warnings are visible beside the instructions.
Evidence	A short readable summary of relevant ingredient studies, their limitations and the fact that the finished VETUD formula is not yet clinically validated.
Quality	Actual batch test scope and dates, relevant methods and the responsible business. Do not publish invented CoAs, unearned lab seals or certification badges.
Frequently asked questions	Is this a peptide? No. Is it a medicine replacement? No. Can it be mixed without water? No. Medicine spacing needs pharmacist advice.
Purchase and support	Accurate sachet count, contents, price, delivery scope, returns and contact details. No guaranteed-result countdowns or invented reviews.

Three creative routes to prototype

The daily ritual: a sachet, a measured glass of water and the product name. **The transparent formula:** five ingredients with their roles. **The batch story:** show what an actual quality report checks, and what it cannot prove.

Use the VETUD white, navy and cyan system. Keep research education distinct from sales copy. Do not borrow drug brand names, imply GLP-1 receptor activity or cross-sell this as a way to make experimental peptide use safe. [2-16]

15 / DEVELOPMENT & HANDOVER

The launch decision gates

A decision-gated workstream. Timing, costs and approval outcomes depend on the supplier and chosen market.

Gate	Owner / deliverable	Go / no-go question
1. Market & category	Founder + local regulatory specialist: choose one initial country, confirm category and claim route.	Can this exact formula and intended presentation be marketed under the selected route?
2. Supplier & prototype	Food/supplement manufacturer + quality lead: qualify ingredients; produce citrus and plain samples.	Can the product meet safety, sensory, mixing and cost requirements?
3. Evidence & label	Regulatory + safety reviewers: reconcile claims, warnings, formula declarations and responsible operator.	Does every label statement have a factual and legal basis?
4. Pilot & stability	Manufacturer + laboratory: controlled pilot, packaging checks, specification results and stability programme.	Can quality release the batch, and is the proposed shelf-life basis adequate?
5. Artwork & operations	Brand designer + operations: master logo, final dielines, readable labels, traceability, support and recall process.	Are print proof, QR, supply chain and merchant disclosures accurate and tested?
6. Limited launch	Founder + quality lead: monitor use, complaints, repeat purchase and real contribution margin.	Does real customer experience support expansion without stronger unsupported claims?

Manufacturer enquiry: ready-to-use brief

“Please quote development of an adult psyllium-husk sachet product under VETUD. Evaluate the attached 5.50 g citrus prototype and a 5.00 g psyllium-only fallback. Quote 60-sachet and 14-sachet cartons, including pilot costs, minimum order quantity, packaging, validated tests, stability work and market-relevant manufacturing documentation. Flag ingredient, claim or safety concerns before sampling.”

Still to confirm: launch country, responsible operator, master artwork, husk grade, excipients, mixing validation, test limits, expiry basis, landed cost and permitted claims.

Current status

Concept and research brief complete. No finished product has been manufactured, tested, certified, approved or clinically validated. The next decision is whether to commission professional feasibility work, not whether to launch tomorrow.

16 / RESEARCH SOURCES

The evidence trail

Numbered citations in the dossier refer to these sources. Links are clickable. Titles marked “short title” are abbreviated for readability.

[1] BoxLife Magazine. Psyllium weight-loss article supplied by the user. Updated September 2026.
Article under review; not evidence of efficacy. · Open source

[2] Brum JM et al. Satiety effects of psyllium in healthy volunteers. Appetite. 2016;105:27-36.
DOI: 10.1016/j.appet.2016.04.041 · Open source

[3] Karhunen L et al. A psyllium fiber-enriched meal strongly attenuates postprandial gastrointestinal peptide release in healthy young adults. J Nutr. 2010;140:737-744.
DOI: 10.3945/jn.109.115436 · Open source

[4] Gibb RD, Sloan KJ, McRorie JW Jr. Psyllium and weight loss: comprehensive review and meta-analysis [short title]. J Am Assoc Nurse Pract. 2023;35:468-476.
DOI: 10.1097/JXX.0000000000000882 · Open source

[5] Darooghegi Mofrad M et al. Psyllium, body weight, BMI and waist circumference: systematic review and dose-response meta-analysis [short title]. Crit Rev Food Sci Nutr. 2020;60:859-872. Online 2019.
DOI: 10.1080/10408398.2018.1553140 · Open source

[6] Gholami Z, Paknahad Z. The effect of psyllium consumption on anthropometric indices: a systematic review and dose-response meta-analysis of randomized controlled trials. J Health Popul Nutr. 2025;44:372.
DOI: 10.1186/s41043-025-01103-x · Open source

[7] Jovanovski E et al. Psyllium and LDL cholesterol, non-HDL cholesterol and apolipoprotein B: systematic review and meta-analysis [short title]. Am J Clin Nutr. 2018;108:922-932.
DOI: 10.1093/ajcn/nqy115 · Open source

[8] Gibb RD et al. Psyllium fibre and glycaemic control across baseline glycaemic states: meta-analysis [short title]. Am J Clin Nutr. 2015;102:1604-1614.
DOI: 10.3945/ajcn.115.106989 · Open source

[9] Abutair AS, Naser IA, Hamed AT. Soluble fibers from psyllium improve glycemic response and body weight among diabetes type 2 patients (randomized control trial). Nutr J. 2016;15:86.
DOI: 10.1186/s12937-016-0207-4 · Open source

[10] Rigaud D et al. Psyllium, gastric emptying, hunger and food intake: a double-blind study [short title]. Eur J Clin Nutr. 1998;52:239-245.
DOI: 10.1038/sj.ejcn.1600518 · Open source

Scite verification completed

Nine research DOIs were checked with Scite. All nine were verified; its check returned no editorial notices and one potentially contrasting citation. That citation concerned a different meal context and does not settle the product question. These are database checks, not a guarantee of study quality.

17 / SAFETY, REGULATION & METHOD

Read the limits as carefully as the findings

Public guidance and evidence were reviewed for this development brief on 11 November 2026.

[11] MedlinePlus. Psyllium drug information. Open guidance

[12] European Medicines Agency. Plantaginis ovatae seminis tegumentum (ispaghula husk): herbal medicine information. Open guidance

[13] UK Government. Food supplements: guidance for businesses. Open guidance

[14] UK Government. Nutrition/health claims and supplement labelling; related compliance guidance. Open guidance

[15] European Commission. Nutrition claims and conditions of use. Open guidance

[16] US FDA. Structure/function claims for dietary supplements. Open guidance

[17] US FDA. Small Entity Compliance Guide: dietary supplement current good manufacturing practice. Open guidance

[18] Thai FDA. Food importation requirements. Open guidance

[19] Thai FDA. Food services: frequently asked questions. Open guidance

[20] DailyMed. Metamucil psyllium product label: hydration and choking warnings. Used for safety context, not VETUD authorisation. Open guidance

Review method and boundaries

A targeted Scite search covered psyllium, satiety, GLP-1, body weight, lipids and glycaemic control. Relevant records were cross-checked against primary publications or their abstracts and official safety/regulatory guidance. This is not an exhaustive systematic review, a patent search or a country-specific legal opinion.

Access was mixed: some full texts were readable; several key papers were available as abstracts and metadata only. Scite returned only the abstract for the 2023 weight review; its numerical extraction was cross-checked against PubMed. No inference here should be treated as a full risk-of-bias assessment.

Evidence about an ingredient, another dose or another commercial preparation is not validation of the proposed VETUD formula. Novel excipients, manufacturing, preparation behaviour and the complete customer experience still need testing. Scite does not endorse this product, and database verification is not regulatory approval.

All formulation quantities, pack designs, commercial assumptions and development thresholds remain proposals. The revised mockups use VETUD-Stripe-logo.png as the brand reference; the original asset is used in the dossier headers. AI-rendered packaging is not an authorised print master. Final artwork, market permissions and the actual supply chain still require verification. Artwork was revised on 12 November 2026; the research review is unchanged.