

THALF

PREMIUM HANDMADE CHOCOLATE



User Flow & Task Flow Documentation

Document ID: THF-UF-001

Platform: Premium Mobile-First E-Commerce

Prepared By: Mohammed Unaize

Date: July 2026

Confidential — For Internal & Client Use Only

Document Control

Document Title	User Flow & Task Flow Documentation — THALF Premium Handmade Chocolate
Document ID	THF-UF-001
Version	1.0
Status	Final — Ready for Client Presentation
Prepared By	Mohammed Unaize
Reviewed By	TBD
Approved By	TBD
Date Created	July 2026
Next Review	Q4 2026
Platform	Premium Mobile-First E-Commerce (iOS, Android, Progressive Web App)
Classification	Confidential — Internal / Client Only

Revision History

Version	Date	Author	Description
1.0	July 2026	Mohammed Unaize	Initial creation — all 15 user flows
1.1	TBD	TBD	Post-client review updates
2.0	TBD	TBD	Post-development alignment review

Table of Contents

1.	Document Control
2.	Revision History
3.	Executive Summary
4.	UX Documentation Philosophy
5.	[UF-001] Visitor Flow (Social to Purchase)
6.	[UF-002] Shopping Flow (Browse to Purchase)
7.	[UF-003] Guest Checkout Flow
8.	[UF-004] Registered User Flow
9.	[UF-005] Login Flow
10.	[UF-006] Registration Flow
11.	[UF-007] Forgot Password Flow
12.	[UF-008] Search Flow
13.	[UF-009] Filter & Sort Flow
14.	[UF-010] Wishlist Flow
15.	[UF-011] Coupon & Discount Flow
16.	[UF-012] Order Tracking Flow
17.	[UF-013] Review & Rating Flow
18.	[UF-014] Admin Flow (Dashboard to Operations)
19.	[UF-015] Error Flows
App. A	Acceptance Criteria Summary
App. B	Next Steps — THF-CJ-001 Customer Journey Map

Executive Summary

This document constitutes the complete User Flow & Task Flow Documentation for the THALF Premium Handmade Chocolate e-commerce platform. It defines every critical user interaction across the customer lifecycle — from initial discovery via Instagram to post-purchase review and loyalty engagement.

THALF is a premium artisanal chocolate brand targeting discerning customers who value quality, craftsmanship, and the gifting experience. The platform must reflect this premium positioning at every touchpoint: seamless navigation, frictionless checkout, and delightful microinteractions that reinforce the brand's handmade ethos.

This documentation serves as the definitive blueprint for:

- UI Design — informing wireframes, prototypes, and final visual designs
- Frontend Development — defining screen states, transitions, and data requirements
- Backend Development — clarifying business logic, validation rules, and API contracts
- QA Testing — providing acceptance criteria and edge case scenarios for each flow
- Product Management — aligning the team on user goals and business outcomes
- Client Presentation — providing stakeholders with a professional, consultancy-grade artefact

UX Documentation Philosophy


Each user flow in this document is structured around a consistent framework ensuring every team member — from designer to QA engineer — can read a single flow and understand exactly what needs to be built, tested, and measured:

- Goal — What the user is trying to achieve in this flow
- Actor — Who initiates and drives this flow
- Entry Point — Where and how the flow begins
- Exit Point — The successful or failed conclusion of the flow
- Flow Diagram — Step-by-step visual representation of the user journey
- Decision Points — Branching logic based on user state or system response
- Edge Cases — Non-happy-path scenarios that must be designed and tested for
- Success State — The ideal outcome that defines flow completion
- Failure State — The degraded path and recovery mechanism available
- UX Recommendations — Design guidance to optimise the experience for users

UF-001 — Visitor Flow (Social to Purchase)

Goal	Convert a cold visitor arriving from Instagram into a first-time paying customer in the fewest possible steps.
Actor	Anonymous Visitor / Prospective Customer
Entry Point	Instagram post, story, or paid advertisement link
Exit Point	Order Confirmation screen (Success) or Cart Abandonment

Flow Diagram



[Order Placed]

Sees Order Success with tracking number

Decision Points

Decision	Branches
◆ Has Account?	Has Account → Pre-fill details · Guest → Manual entry
◆ Apply Coupon?	Yes → Validate & apply discount · No → Proceed at full price
◆ Payment Approved?	Approved → Order Success · Declined → Retry / Alternative method

Edge Cases

- Product sold out after adding to cart — show substitute and allow removal
- Instagram link broken / UTM redirect mismatch — fallback to homepage with campaign banner
- User returns after 48-hour gap; cart may have expired — restore with notification
- Payment declined; user has no alternative payment method — offer COD or bank transfer
- Address outside supported delivery zones — show clear message with contact option

✓ **SUCCESS STATE:** Order confirmed, confirmation email/SMS sent within 60 seconds, tracking number visible on confirmation screen.

✗ **FAILURE STATE:** Payment declined, cart expired, or user abandons at any step. Re-engagement email triggered after 1 hour.


UX Recommendations

1. Add a 'Continue as Guest' CTA above the login form — never force account creation
2. Show a sticky progress bar (Contact → Address → Payment → Review) throughout checkout
3. Pre-fill city/state from IP geolocation to reduce address entry friction
4. Display trust signals (SSL badge, secure payment icons) near the primary CTA button
5. Show estimated delivery date on the product page, not just at the final checkout step

UF-002 — Shopping Flow (Browse to Purchase)

Goal	Enable a user to discover, evaluate, and purchase THALF products starting from the homepage.
Actor	Returning Visitor / Registered Customer
Entry Point	Homepage (direct URL, app, or bookmark)
Exit Point	Order Confirmation screen or Wishlist save

Flow Diagram



Decision Points

Decision	Branches
◆ In Stock?	Yes → Add to Cart enabled · No → Show 'Notify Me'

◆ Gift Wrapping?	Yes → Add gift message & wrapping option · No → Skip
◆ Save for Later?	Yes → Move to Wishlist · No → Keep in Cart

Edge Cases

- Product goes out of stock between browsing and checkout — cart item flagged
- User has conflicting saved addresses — allow selection before checkout
- Discount changes while item sits in cart — notify user before checkout confirms
- User accidentally removes all items from cart — undo option available 5 seconds

✓ **SUCCESS STATE:** Completed purchase; inventory decremented in real-time; fulfilment queue triggered.

✗ **FAILURE STATE:** Stock depletion, payment failure, or session timeout. Cart state persisted 30 days for logged-in users.


UX Recommendations

1. Display real-time stock levels ('Only 3 left!') on PDP and product card to create urgency
2. Support quick-add from the product grid without opening the full PDP for faster browsing
3. Show 'You May Also Like' section on PDP to increase average order value
4. Persist cart across devices for logged-in users via server-side storage
5. Allow 1-tap reorder from order history for returning customers

UF-003 — Guest Checkout Flow

Goal	Allow a user to complete a purchase without creating an account, reducing friction for first-time buyers.
Actor	Anonymous / Guest User
Entry Point	Cart screen — user taps 'Proceed to Checkout'
Exit Point	Order Success page with a soft post-purchase account creation prompt

Flow Diagram



Decision Points

Decision	Branches
◆ Valid Email?	Valid format → Continue · Invalid → Inline error shown
◆ Address Valid?	Deliverable zone → Continue · Out of zone → Correction prompt
◆ Payment OK?	Approved → Order confirmed · Declined → Retry with message

Edge Cases

- Guest uses email already registered — prompt to log in or continue as guest
- No payment method available in user's region — offer COD or bank transfer
- User refreshes mid-checkout — form data persisted via sessionStorage
- Invalid postal code entered — inline error with format guidance

✓ **SUCCESS STATE:** Order placed; guest receives email confirmation with tracking link. Soft account creation CTA displayed.

✗ **FAILURE STATE:** Payment declined; address undeliverable. Offer alternative payment or flag issue with WhatsApp support CTA.


UX Recommendations

1. Never require account creation before purchase — show Guest option prominently at checkout entry
2. Use a single-page checkout layout optimised for mobile thumb reach
3. Show post-purchase account creation CTA: 'Save your details for faster checkout next time'
4. Auto-format phone number and postal code fields as user types to reduce errors
5. Send order confirmation to entered email immediately upon successful payment

UF-004 — Registered User Flow

Goal	Provide a faster, personalised checkout experience for authenticated users with pre-filled details.
Actor	Registered / Logged-In Customer
Entry Point	Homepage, direct link, or push notification
Exit Point	Order Success or Account dashboard

Flow Diagram



Decision Points

Decision	Branches
◆ Session Active?	Yes → Homepage directly · No → Silent re-auth prompt

◆ Saved Address?	Yes → Pre-fill selected address · No → Prompt to enter new
◆ Loyalty Points?	Apply → Reduce order total · Skip → Full price checkout

Edge Cases

- Saved card expired — prompt to update payment method before checkout
- Session expired mid-checkout — re-authenticate without losing cart contents
- Delivery address no longer valid (moved) — flag and offer to update
- Loyalty points applied, then item removed — recalculate total immediately

✓ SUCCESS STATE: Faster checkout completed; order appears in history; loyalty points balance updated.
✗ FAILURE STATE: Authentication failure, card expired, or stock issue. Saved cart persists through failure states.


UX Recommendations

1. Implement express checkout (1-tap) for users with complete saved profiles and valid payment
2. Show personalised 'For You' section based on purchase history and preferences
3. Notify users via push if a wishlisted product restocks or goes on sale
4. Display loyalty points balance prominently at checkout so users know their reward
5. Allow address and card management from settings without disrupting active sessions

UF-005 — Login Flow

Goal	Authenticate a returning user securely and efficiently with minimal friction.
Actor	Returning Registered User
Entry Point	Login screen via header CTA, checkout prompt, or deep link
Exit Point	Homepage (authenticated) or Forgot Password flow

Flow Diagram



Decision Points

Decision	Branches
◆ Credentials Valid?	Yes → Authenticate & redirect · No → Inline error + retry
◆ Max Attempts?	Under 5 → Allow retry · 5+ → Temporary lockout + unlock CTA
◆ Remember Me?	Yes → Extended 30-day session · No → Session-only token

Edge Cases

- User enters wrong password 5 consecutive times — temporary account lockout
- User attempts login with unregistered email — clear, non-enumeration-safe message
- Social login token expired (Google / Apple) — re-authorise prompt

- User logs in on a new device — optional 2FA verification prompt

✓ **SUCCESS STATE:** User authenticated; redirected to intended page; session persisted per Remember Me preference.

✗ **FAILURE STATE:** Invalid credentials; account locked after 5 attempts. Unlock via Forgot Password flow with clear guidance.

UX Recommendations

1. Offer 'Sign in with Google' and 'Sign in with Apple' as primary options for speed
2. Show inline error immediately ('Incorrect password') without full page reload
3. Include password visibility toggle to reduce input errors on mobile
4. Allow browser/OS password manager autocomplete — never block it
5. Implement biometric login (Face ID / Fingerprint) for returning mobile users

UF-006 — Registration Flow

Goal	Onboard a new user into the THALF ecosystem with minimal steps and a memorable first impression.
Actor	New / First-Time User
Entry Point	Register CTA (header, post-guest-checkout prompt, or onboarding screen)
Exit Point	Verified account activated + personalised homepage shown

Flow Diagram



Decision Points

Decision	Branches
◆ Email Unique?	Yes → Continue registration · No → 'Account exists' prompt with login CTA
◆ Password Strong?	Strong → Enable Submit button · Weak → Show improvement tips inline
◆ Email Verified?	Verified → Activate account · Not verified → Resend option shown

Edge Cases

- Email already registered — offer login or password reset with single CTA
- Verification email lands in spam — resend option with 60-second cooldown
- User registers via social login — skip email/password fields entirely
- User registers on web; first login on mobile app — cross-device session sync required

✓ **SUCCESS STATE:** Account created, verified, and activated. Welcome email sent. First-purchase offer displayed immediately.

✗ **FAILURE STATE:** Duplicate email, weak password, or unverified account. Clear error messaging with actionable next steps.


UX Recommendations

1. Limit registration to 4-5 fields maximum — collect optional preferences post-onboarding
2. Show a real-time password strength meter (Weak / Fair / Strong / Very Strong) with colour coding
3. Allow single-step registration with Google or Apple to remove all friction
4. Show a warm welcome screen with THALF branding and a first-order discount code
5. Use progressive profiling — collect chocolate preferences after first login, not at signup

UF-007 — Forgot Password Flow

Goal	Enable a user to securely reset their password with minimal steps and no dead ends.
Actor	Registered User who has forgotten their password
Entry Point	'Forgot Password?' link on the Login screen
Exit Point	Password reset successfully → Auto-login → Homepage

Flow Diagram



Decision Points

Decision	Branches
◆ Email Registered?	Yes → Send reset link · No → Same generic success message (anti-enumeration)

◆ Link Expired?	Valid (< 15 min) → Show reset form · Expired → Resend prompt shown
◆ Password Meets Policy?	Meets policy → Confirm change · Fails → Inline tip shown

Edge Cases

- Multiple reset emails requested — latest link invalidates all previous ones
- Reset link expires (15-minute window) — user prompted to request again
- User tries to reuse old password — block with message to choose unique password
- User on mobile: deep link should open app, not mobile web browser

✓ **SUCCESS STATE:** Password reset and user auto-logged in. Security alert email sent to account address.

✗ **FAILURE STATE:** Link expired, or password reuse attempt. Clear guidance at every dead end. Support CTA available.

UX Recommendations

1. Show the same 'Check your email' message regardless of email registration status (anti-enumeration security)
2. Send reset link that deep-links to the mobile app when accessed on mobile device
3. Invalidate all active sessions on successful password reset as standard security practice
4. Offer OTP-based reset as an alternative for users who have lost email access
5. Display clear password requirements before the user starts typing, not after they fail

UF-008 — Search Flow

Goal	Help users find specific products or categories quickly through keyword search with intelligent suggestions.
Actor	Any User (Guest or Registered)
Entry Point	Search icon / bar in header navigation or homepage hero
Exit Point	Product Detail Page or refined results list

Flow Diagram



Decision Points

Decision	Branches
◆ Results Found?	Yes → Grid view with count badge · No → Zero-state with curated suggestions
◆ Voice Search?	Enabled → Transcribe query and search · Disabled → Keyboard input only

Edge Cases

- Typo in search term — fuzzy matching returns closest product matches
- Query returns 0 results — show 'Did you mean?' and popular / trending products
- Search during network failure — cached results shown with stale data indicator
- Search query too long (> 100 chars) — graceful truncation with user notification

✓ **SUCCESS STATE:** User finds desired product and lands on PDP or filtered results within 3 seconds of tapping Search.

✗ **FAILURE STATE:** Zero results shown. Offer curated alternatives, trending items, and WhatsApp support shortcut.

UX Recommendations

1. Show autocomplete product suggestions after just 2 characters to accelerate discovery
2. Store recent searches locally and display on search bar open (no network needed for history)
3. Include visual suggestions (product thumbnails) in the dropdown alongside text
4. Support Arabic and English search queries for dual-language customer base
5. Track all zero-result searches in analytics to surface product or content catalogue gaps

UF-009 — Filter & Sort Flow

Goal	Enable precise product discovery by allowing users to filter catalogue by attributes and sort results by preference.
Actor	Any User browsing a Product Listing Page
Entry Point	Filter / Sort button on Product Listing Page
Exit Point	Filtered product grid matching user selection criteria

Flow Diagram



Decision Points

Decision	Branches
◆ Products Match?	Yes → Show filtered results · No → Zero state + clear filters prompt
◆ Multiple Filters?	AND logic applied → Narrowed results · User removes individual filter chips

Edge Cases

- Filter combination returns 0 results — suggest removing most restrictive filter
- Price range slider accidentally set to minimum by drag error
- User navigates back — filter state must persist (no reset on back navigation)

- Real-time vs. manual apply: test with user research which reduces frustration

✓ **SUCCESS STATE:** User sees filtered, relevant products and can easily modify or clear any filter at any time.

✗ **FAILURE STATE:** Zero-result filter state. Auto-suggest removing the most restrictive filter applied.

UX Recommendations

1. Use a bottom-sheet filter panel (not full page takeover) to keep product list visible behind
2. Show a count badge on the Filter button ('Filter • 3 active') for active state transparency
3. Show live count of matching products as filters are adjusted ('Showing 12 products')
4. Allow individual filter chip removal from the top of the results page at all times
5. Remember last-used filters for logged-in users across sessions to reduce repeat work

UF-010 — Wishlist Flow

Goal	Allow users to save products for future purchase consideration, driving return visits and conversions.
Actor	Any User (Guest or Registered)
Entry Point	Heart icon on Product Card or Product Detail Page
Exit Point	Wishlist page view, purchase from wishlist, or sharing wishlist

Flow Diagram



Decision Points

Decision	Branches
◆ Guest or Registered?	Registered → Save server-side instantly · Guest → Local storage + sign-in prompt
◆ Item Available?	In stock → Add to Cart active · Out of stock → Notify Me CTA shown

Edge Cases

- Guest wishlist lost when browser storage cleared — prompt to sign in to preserve
- Wishlisted item price changes — notify user via push on next app open
- User wishlists same item twice — prevent duplicate silently, animate to confirm
- Wishlist item sold out — show greyed card state with Notify Me CTA

✓ **SUCCESS STATE:** Product saved with animated confirmation. Visible in profile. Cart conversion tracked for analytics.

✗ **FAILURE STATE:** Item out of stock at time of cart add. User offered Notify Me and relevant alternatives.


UX Recommendations

1. Animate the heart icon fill with a subtle bounce for satisfying tactile feedback
2. Send push notification if a wishlisted item goes on sale or comes back in stock
3. Allow wishlist sharing via link for the gifting use case ('Send my wishlist to family')
4. Show 'Last chance — only 2 left' low-stock badges on wishlist items
5. Provide wishlist-to-gift option: send a product directly as a gift from wishlist

UF-011 — Coupon & Discount Flow

Goal	Enable users to apply promo codes or automatically applied discounts at checkout to reward and convert.
Actor	Any User at Cart or Checkout stage
Entry Point	Coupon code input field in Cart or Checkout screens
Exit Point	Discount applied and reflected in order total, or specific error message shown

Flow Diagram



Decision Points

Decision	Branches
◆ Code Valid?	Valid → Apply discount immediately · Invalid → Show specific error reason
◆ Eligibility Met?	Yes → Apply · No → Show requirement ('Min. order OMR 20')
◆ Stackable?	Multiple codes allowed → Apply all · Single code policy → Block second with message

Edge Cases

- Coupon expired — show expiry date in error message for transparency
- Minimum order value not met — show exact shortfall amount clearly
- Code already used by this account — show date it was previously used
- Code case-sensitive mismatch — normalise input to uppercase before server validation
- Code valid but specific cart item is excluded from the promotion terms

✓ **SUCCESS STATE:** Coupon applied; discount itemised clearly in order summary. User feels rewarded and validated.

✗ **FAILURE STATE:** Invalid / expired / ineligible code. Specific error displayed. Suggest valid active offers from user's account.

UX Recommendations

1. Show available coupons from the user's account automatically at cart level — no code needed
2. Normalise coupon input to uppercase client-side to eliminate case-sensitivity errors entirely
3. Show savings amount prominently and positively: 'You saved OMR 5.00 with THALF10'
4. Display coupon expiry with urgency: 'This offer expires in 2 days'
5. Remove the coupon field entirely for users with no available coupons to reduce confusion

UF-012 — Order Tracking Flow

Goal	Provide real-time visibility into order status from placement through delivery confirmation.
Actor	Customer who has placed a confirmed order
Entry Point	Order Confirmation email link, Account → My Orders, or push notification
Exit Point	Order marked Delivered; post-delivery review prompt shown

Flow Diagram



Decision Points

Decision	Branches
◆ Order Dispatched?	Yes → Show live tracking link · No → Show estimated dispatch date
◆ Courier Integrated?	Yes → Live map available · No → Milestone-based status updates

Edge Cases

- Courier tracking API unavailable — show last known status with 'Tracking temporarily unavailable'
- Order delayed beyond EDD — proactive notification with sincere apology and gesture
- Order marked delivered but not received — 'Report an Issue' CTA shown at top of tracking page
- Partial order fulfilled; remainder backordered — split tracking view clearly shown

✓ **SUCCESS STATE:** User has complete visibility throughout fulfilment. Delivery confirmed. Review prompted at right moment.

✗ **FAILURE STATE:** Courier API failure, significant delay, or delivery issue. Clear escalation path to support at every step.

UX Recommendations

1. Send proactive WhatsApp / SMS updates at each status milestone without requiring user to check
2. Show a visual step-progress timeline (not just text status) for intuitive scanning
3. Include a one-tap 'Contact Support' button permanently visible on the tracking page
4. When out for delivery, show estimated arrival window (e.g., 'Arriving between 2–4pm')
5. Send an 'Order Arrived!' push to encourage immediate review while experience is fresh

UF-013 — Review & Rating Flow

Goal	Collect authentic, high-quality product reviews post-purchase to build social proof for THALF.
Actor	Customer who has received a confirmed delivered order
Entry Point	Post-delivery push notification, review email, or Account → Orders → Leave Review
Exit Point	Review submitted and queued for publish; loyalty points awarded to account

Flow Diagram



Decision Points

Decision	Branches
◆ Photo Included?	Yes → Extra loyalty points awarded · No → Standard points awarded
◆ Passes Moderation?	Yes → Published on PDP · No → User notified with reason

Edge Cases

- Review submitted before product received (delivery data lag) — validate timing
- Profanity or spam detected — auto-block with manual review queue trigger
- User attempts multiple reviews on same product — block duplicate gracefully
- User wants to edit review post-publish — allow one edit within 48 hours

✓ **SUCCESS STATE:** Review published on PDP; loyalty points credited; social proof increased for product discovery.

✗ **FAILURE STATE:** Review blocked by moderation. User notified with specific reason and offered one resubmission.

UX Recommendations

1. Send review request 24–48 hours post-delivery for peak response rate and freshest memory
2. Make star rating the only required field — text and photo are always optional
3. Award loyalty points for reviews, and extra points for photo reviews to incentivise quality
4. Show 'Your review helps other chocolate lovers decide!' for positive motivation
5. Add a Verified Purchase badge on all reviews to build credibility with shoppers

UF-014 — Admin Flow (Dashboard to Operations)

Goal	Enable the THALF team to manage products, orders, inventory, and analytics from a unified admin dashboard.
Actor	THALF Admin / Operations Team Member
Entry Point	Admin login portal at admin.thalf.com with secure 2FA
Exit Point	Task completed (product updated, order dispatched, report exported)

Flow Diagram



Decision Points

Decision	Branches
◆ Order Flagged?	Yes → Manual review queue · No → Auto-process and notify customer

◆ Stock Below Threshold?	Yes → Alert raised + reorder trigger · No → No action required
--------------------------	--

Edge Cases

- Admin accidentally marks order as delivered — undo window of 5 minutes provided
- Bulk product price update needs staged review before publish to storefront
- Two admins edit same product simultaneously — field-level lock with conflict warning
- Analytics data lag — last-updated timestamp shown prominently on all dashboards

✓ SUCCESS STATE: Admin task completed efficiently; customer-facing operations uninterrupted; inventory accuracy maintained.
✗ FAILURE STATE: Data sync error, conflict, or permission denied. Full audit log maintained for all admin actions taken.


UX Recommendations

1. Show a daily summary banner with key metrics (orders, revenue, stock alerts) on every admin page
2. Implement role-based access control — restrict financial data and customer PII by role level
3. Require confirmation modal for all irreversible actions: delete, bulk update, refund
4. Provide CSV export for all core tables: orders, products, customers, reviews, analytics
5. Send admin daily digest email at 9am with overnight key metric summary

UF-015 — Error Flows

Goal	Handle all system failure states gracefully so users never reach a dead end, preserving trust and completion rates.
Actor	Any User encountering a payment, stock, coupon, or network error
Entry Point	Error triggered at payment gateway, stock validation, coupon check, or network layer
Exit Point	User recovers and completes intended action, or is directed to support with context pre-filled

Flow Diagram



Decision Points

Decision	Branches
◆ Error Type?	Payment Failed → Reason + alternative payment methods · Out of Stock → Notify Me + similar product alternatives · Invalid Coupon → Specific reason + valid active offers · Network Error → Auto-retry with exponential backoff
◆ Resolved?	Yes → Resume original flow seamlessly · No → Escalate to WhatsApp support

Edge Cases

- Payment charged but order not confirmed — show hold state with auto-resolve check every 30 seconds
- Multiple consecutive network errors — degrade gracefully to offline mode with cached product data
- Admin-side error during active customer session — show friendly maintenance message to customer
- Error within the error handler itself — static fallback page with direct support contact information

✓ **SUCCESS STATE:** User recovers from error state and completes intended action with minimal frustration or abandonment.

✗ **FAILURE STATE:** Unrecoverable error. User directed to WhatsApp support with pre-filled order ID and error context.

UX Recommendations

1. Never show raw error codes or technical messages to end users — humanise every error state
2. Always offer at least one actionable recovery CTA — never leave user on a dead-end screen
3. Pre-fill a WhatsApp support message with order ID and error type for zero-effort escalation
4. Log all client-side and server-side errors with full user context for debugging and improvement
5. Audit each error flow quarterly to verify copy accuracy and that all recovery paths still function

Appendix A — Acceptance Criteria Summary

Flow	Acceptance Criteria
UF-001 Visitor Flow	Purchase from Instagram link in <4 min; email confirmation within 60 seconds
UF-002 Shopping Flow	Product grid loads in <2 seconds; cart persists 30 days for logged-in users
UF-003 Guest Checkout	Complete purchase without account creation; no required field omitted
UF-004 Registered User	1-tap checkout for complete profiles; session persists across devices
UF-005 Login	Login completes in <3 seconds; lockout after 5 failed attempts with clear message
UF-006 Registration	Max 5 fields; verification email delivered within 60 seconds
UF-007 Forgot Password	Reset link in <60 sec; valid 15 minutes; anti-enumeration pattern applied
UF-008 Search	Autocomplete in <300ms; zero-result page offers curated alternatives
UF-009 Filter & Sort	Filter results update in <1 second; state persists on back navigation
UF-010 Wishlist	Animated confirmation on add; push sent on stock or price change
UF-011 Coupon	Validation in <500ms; specific error message for each failure type
UF-012 Order Tracking	Status updates within 5 min of courier event; support CTA always visible
UF-013 Review	Review prompt 24h post-delivery; points credited within 24h of published review
UF-014 Admin Flow	Dashboard in <2 seconds; destructive actions confirmed; full audit log
UF-015 Error Flows	No technical error shown to users; every error screen includes a recovery CTA

Appendix B — Next Steps: THF-CJ-001 Customer Journey Map

The next document in the THALF UX documentation suite is **THF-CJ-001: Customer Journey Map**. This is a fundamentally different document from the User Flow documentation you have just read.

While this document (THF-UF-001) answers: *What does the user do?*

The Customer Journey Map (THF-CJ-001) answers: *What does the user think and feel?*

Journey Stages to be Mapped in THF-CJ-001

- Awareness — First encounter with THALF (Instagram, word of mouth, gifting)
- Interest — Exploring the brand story, product range, and artisan credentials

- Discovery — Navigating the product catalogue; reading reviews
- Trust Building — Evaluating quality, price, and brand reputation
- Purchase Decision — Comparing options, applying discount, finalising order
- Checkout — Experiencing the payment and confirmation process
- Delivery — Anticipation and logistics tracking experience
- Unboxing — The premium physical experience of receiving THALF
- Review — Sharing experience; contributing social proof
- Repeat Purchase — Loyalty, gifting cycles, and subscription potential

What THF-CJ-001 Will Identify

- Customer goals at each stage — emotional and practical objectives at every moment
- Emotions — the full spectrum from excitement and anticipation to anxiety and delight
- Pain points — friction, confusion, and unmet expectations at each touchpoint
- Opportunities to delight — moments where THALF can meaningfully exceed expectations
- Touchpoints — Instagram, WhatsApp, Website, Email, SMS, Physical Packaging
- Moments where THALF can differentiate as a premium brand in a commoditised category

THF-UF-001 · Version 1.0 · July 2026

© THALF Premium Handmade Chocolate · Confidential — Internal & Client Use Only