



Protocol Audit Report

Version 1.0

The-Cross.io

June 6, 2026

Prepared by: unworthslaveTOCHRIST

Table of Contents

- [Table of Contents](#)
- [Protocol Summary](#)
- [Disclaimer](#)
- [Risk Classification](#)
- [Audit Details](#)
 - [Issues found](#)
- [Findings](#)

- [H – 1](#)

TITLE (Root Cause + Impact) Reentrancy attack in `PuppyRaffle::refund` allows entrant to drain contract balance

- [H – 2](#)

TITLE (Root Cause + Impact) Weak randomness in `PuppyRaffle::selectWinner` allows anyone to choose winner

- [H – 3](#)

TITLE (Root Cause + Impact) Integer overflow of `PuppyRaffle::totalFees`, results in loss of fees

- [H – 4](#)

TITLE Malicious winner can forever halt the raffle

- [M – 1](#)

Looping through players array to check for duplicates in `PuppleRaffle::enterRaffle` is a potential denial of service (DoS) attack, incrementing gas costs for future entrants

- [M – 2](#)

TITLE (Root Cause + Impact) Balance check on `PuppyRaffle::withdrawFees` enables griefers to selfdestruct a contract to send ETH to the raffle, blocking withdrawals

- [M – 3](#)

TITLE Unsafe cast of `PuppyRaffle::fee` results in fee losses

- [M – 4](#)

TITLE (Root Cause + Impact) Smart Contract wallet raffle winners without a `receive` or a `fallback` will block the start of a new contest

- [Informational / Non-Critical](#)

- [I – 1](#)
[Floating pragmas](#)
- [I – 2](#)
[Magic Numbers](#)
- [I – 3](#)
[Test Coverage](#)
- [I – 4](#)
[Zero address validation](#)
- [I – 5](#)
[_isActivePlayer is never used and should be removed](#)
- [I – 6](#)
[Unchanged variables should be constant or immutable](#)
- [I – 7](#)
[Potentially erroneous active player index](#)
- [I – 8](#)
[Zero address may be erroneously considered an active player](#)
 - [Gas \(Optional\)](#)

Protocol Summary

PasswordStore is a protocol dedicated to storage and retrieval of a user's passwords. The protocol is designed to be used by a single user, and is not designed to be used by multiple users. Only the owner should be able to set and access this password.

Disclaimer

The YOUR_NAME_HERE team makes all effort to find as many vulnerabilities in the code in the given time period, but holds no responsibilities for the findings provided in this document. A security audit by the team is not an endorsement of the underlying business or product. The audit was time-boxed and the review of the code was solely on the security aspects of the Solidity implementation of the contracts.

Risk Classification

		Impact		
		High	Medium	Low
	High	H	H/M	M
Likelihood	Medium	H/M	M	M/L
	Low	M	M/L	L

We use the [CodeHawks](#) severity matrix to determine severity. See the documentation for more details.

Audit Details

The findings described in this discount correspond to the following commit hash:

```
7d55682ddc4301a7b13ae9413095feffd9924566
```

Issues found

Severity	Number of issues founr
High	5
Medium	4
Low	0
Info	8
Gas	1
Total	16

Findings

[H-1] TITLE (Root Cause + Impact) Rentrancy attack in `PuppyRaffle::refund` allows entrant to drain contract balance

Description: The `PuppyRaffle::refund` function does not follow [CEI/FREI-PI](#) and as a result, enables participants to drain the contract balance.

In the `PuppyRaffle::refund` function, we first make an external call to the `msg.sender` address, and only after making that external call, we update the `players` array.

```
function refund(uint256 playerIndex) public {
    address playerAddress = players[playerIndex];
    require(playerAddress == msg.sender, "PuppyRaffle: Only the player can refund");
}
```

```
require(playerAddress != address(0), "PuppyRaffle: Player already
refunded, or is not active");

@> payable(msg.sender).sendValue(entranceFee);

@> players[playerIndex] = address(0);

emit RaffleRefunded(playerAddress);
}
```

A player who has entered the raffle could have a **fallback/receive** function that calls the **PuppyRaffle::refund** function again and claim another refund. They could continue to cycle this until the contract balance is drained.

Impact: All fees paid by raffle entrants could be stolen by the malicious participant

Proof of Concept:

1. Users enter a raffle
2. Attacker sets up a contract with a **fallback** function that calls **PuppyRaffle::refund**.
3. Attacker enters the raffle, with hid minimum fee
4. Attacker calls **PuppyRaffle::refund** from their contract, draining the contract balance.

Proof of Code

► Code

Recommended Mitigation: To fix this, we should have the **PuppyRaffle::refund** function update the **players** array before making the external call. Additionally, we should move the event emission up as well.

```
function refund(uint256 playerIndex) public {
    address playerAddress = players[playerIndex];
    require(playerAddress == msg.sender, "PuppyRaffle: Only the player can
refund");
    require(playerAddress != address(0), "PuppyRaffle: Player already
refunded, or is not active");

+   players[playerIndex] = address(0);
+   emit RaffleRefunded(playerAddress);
+   (bool success, ) = payable(msg.sender).sendValue(entranceFee);
+   require(success, "PuppyRaffle: Failed to refund player");

-   payable(msg.sender).sendValue(entranceFee);

-   players[playerIndex] = address(0);
-   emit RaffleRefunded(playerAddress);
}
```

```
}
```

[H-2] TITLE (Root Cause + Impact) Weak randomness in `PuppyRaffle::selectWinner` allows anyone to choose winner

Description: Hashin `msg.sender`, `block.timestamp`, `block.difficulty` together creates a predictable final number. A predictable number is not a good random number. Malicious users can manipulate these values or know them ahead of time to choose the winner of the raffle themselves

Impact: Any user can choose the winner of the raffle, winning the money and selecting the "rarest" puppy, essentially making it such that all puppies have the same rarity, *since you can choose the puppy*.

Proof of Concept:

There are a few attack vectors here.

1. Validators can know ahead of time the `block.timestamp` and `block.difficulty` and use that knowledge to predict when / how to participate. See the [solidity blog on prevrando] here. `block.difficulty` was recently replaced with `prevrandao`.
2. Users can manipulate the `msg.sender` value to result in their index being the winner.

Using on-chain values as a randomness seed is a [well-known attack vector](#).

Recommended Mitigation: Consider using an oracle for your randomness like [Chainlink VRF](#).

[H-3] TITLE (Root Cause + Impact) Integer overflow of `PuppyRaffle::totalFees`, results in loss of fees

Description: In Solidity versions prior to `0.8.0`, integers were subject to integer overflows.

```
uint64 myar = type(uint64).max;  
// myVar will be  
18446744073709551615  
myVar = myVar + 1  
//Now myVar will be 0
```

Impact: In `PuppyRaffle::selectWinner`, `totalFees` are accumulated for the `feeAddress` to collect later in `withdrawFees`. However, if the `totalFees` variable overflows, the `feeAddress` may not collect the correct amount of fees, leaving fees permanently stuck in the contract.

Proof of Concept:

1. We first conclude a raffle of 4 players to collect some fees.
2. We then have 9 additional players enter a new raffle, and we conclude that raffle as well.
3. `totalFees` will be:

```
totalFees = totalFees + uint64(fee);
// substituted
totalFees = 8000000000000000000 + 17800000000000000000;
// due to overflow, the followin is now the case
totalFees = 153255926290448384;
```

4. You wull now not be able to withdraw, due to this line in `PuppyRaffle::withdrawFees`:

```
require(address(this).balance ==
    uint256(totalFees), "PuppyRaffle: There are currently players active!");
```

Although you could use `selfdestruct` to send ETH to this contract in order for the values to match and withdraw the fees, this is clearly not what the protocol is intended to do.

► Code

Recommended Mitigation: There are a few recommended mitigations here.

1. Use a newer version of Solidity that does not allow integer overflows by default.

```
- pragma solidity ^0.7.6;
+ pragma solidity ^0.8.18;
```

Alternatively, if you want to use an older version of solidity, you can use a library like OpenZeppelin's `Safemath` to prevent integer overflows.

2. Use a `uint256` instead of a `uint64` for `totalFees`.

```
- uint64 public totalFees = 0;
+ uint256 public totalFees = 0;
```

3. Remove the balance ceck in `PuppyRaffle::withdrawFees`

```
- require(address(this).balance == uint256(totalFees), "PuppyRaffle: There
are currently players active!");
```

We additionally want to bring your attention to another attack vector as a result of this line in a future finding.

[H-4] TITLE Malicious winner can forever halt the raffle

Description: Once the winner is chosen, the `PuppyRaffle::selectWinner` function sends the prize to the corresponding address with an external call to the winner account.

```
(bool success,) = winner.call{value: prizePool}("");  
require(success, "PuppyRaffle: Failed to send prize pool to winner");
```

If the `winner` account were a smart contract that did not implement a payable `fallback` or `receive` function, or these functions were included but reverted, the external call above would fail, and execution of the `selectWinner` function would halt. Therefore, the prize would never be distributed and the raffle would never be able to start a new round.

There is another attack vector that can be used to halt the raffle, leveraging the fact that the `selectWinner` function mints an NFT to the winner using the `_safeMint` function. This function, inherited from the `ERC721` contract, attempts to call the `onERC721Received` hook on the receiver if it is smart contract. Reverting when the contract does not implement such function.

Therefore, an attacker can register a smart contract in the raffle that does not implement the `onERC721Received` hook expected. This will prevent minting the NFT and will revert the call to `selectWinner`.

Impact: In either case, because it would be impossible to distribute the prize and start a new round, the raffle would be halted forever.

Proof of Concept:

► Code

Recommended Mitigation: Favor pull-payments over push-payments. This means modifying the `selectWinner` function so that the winner account has to claim the prize by calling a function, instead of having the contract (the same as protocol being a single contract) automatically send the funds during execution of `selectWinner`.

[M-1] Looping through players array to check for duplicates in `PuppleRaffle::enterRaffle` is a potential denial of service (DoS) attack, incrementing gas costs for future entrants

Description: The `PuppleRaffle::enterRaffle` function loops through the `players` array to check for duplicates. However, the longer the `PuppleRaffle::players` array is, the more checks have to be made for before arriving at checks for new players. This means the gas costs for players who enter right when the raffle starts will be dramatically lower than those who enter later. Every additional address in the `players` array, is an additional check the loop will have to make.

```
// @audit DoS attack  
  
@> for (uint256 i = 0; i < players.length - 1; i++) {  
    for (uint256 j = i + 1; j < players.length; j++) {  
        require(players[i] != players[j], "PuppyRaffle: Duplicate  
player");  
    }  
}
```



```
    }
}
```

Impact: The gas costs for raffle entrants will greatly increase as more players enter the raffle, discouraging later users from entering, and causing a rush at the start of a raffle to be one of the first entrants in the queue

An attacker might make the `PuppleRaffle::entrants` array so big, that no one else enters, guaranteeing themselves the win

Proof of Concept(Proof of Code):

If we have 2 sets of 100 players enter, the gas costs will be as suc

- 1st 100 players: ~6503225
- 2nd 100 players: ~18995465

This is more than 3x more expensive for the second 100 players

► PoC

Recommended Mitigation: There are a few recommended mitigations

1. Consider allowing duplicates. Users can make new wallet addresses anyways, so a duplicate check doesn't prvent the same person from entering a different address
2. Consider using a mapping to check duplicates. This would allow you to check for duplicates in constant time, rather than linear time. You could have each raffle have a `uint256` id, and the mapping would be a player address mapped to their uint256 raffle Id

```
+ mapping(address => uint256) public addressToRaffleId;
+ uint256 public raffleId = 0;
.
.
.
function enterRaffle(address[] memory newPlayers) public payable {
    require(msg.value == entranceFee * newPlayers.length, "PuppyRaffle:
Must send enough to enter raffle");
    for (uint256 i = 0; i < newPlayers.length; i++) {
        players.push(newPlayers[i]);
+         addressToRaffleId[newPlayers[i]] = raffleId;
    }

-     // Check for duplicates
+     // Check for duplicates only from the new players
+     for (uint256 i = 0; i < newPlayers.length; i++) {
+         require(addressToRaffleId[newPlayers[i]] != raffleId,
"PuppyRaffle: Duplicate player");
+     }
-     for (uint256 i = 0; i < players.length; i++) {
-         for (uint256 j = i + 1; j < players.length; j++) {
```

```

-         require(players[i] != players[j], "PuppyRaffle: Duplicate
player");
-     }
- }
    emit RaffleEnter(newPlayers);
}

.
.
.

function selectWinner() external {
+     raffleId = raffleId + 1;
    require(block.timestamp >= raffleStartTime + raffleDuration,
"PuppyRaffle: Raffle not over");
}

```

Alternatively, you could use [OpenZeppelin's EnumerableSet library](#).

[M-2] TITLE (Root Cause + Impact) Balance check on `PuppyRaffle:withdrawFees` enables griefers to selfdestruct a contract to send ETH to the raffle, blocking withdrawals

Description: The `PuppyRaffle:withdrawFees` function checks the `totalFees` equals the ETH balance of the contract (`address(this).balance`). Since this contract doesn't have a `payable` fallback or `receive` function, you would think this wouldn't be possible, but a user could `selfdestruct` a contract with ETH in it and force funds to the `PuppyRaffle` contract, breaking this check.

```

function withdrawFees() external {
@>     require(address(this).balance == uint256(totalFees), "PuppyRaffle:
There are currently players active!");
    uint256 feesToWithdraw = totalFees;
    totalFees = 0;
    (bool success,) = feeAddress.call{value: feesToWithdraw}("");
    require(success, "PuppyRaffle: Failed to withdraw fees");
}

```

Impact: This would prevent the `feeAddress` from withdrawing fees. A malicious user could see a `withdrawFee` transaction in the mempool, front-run it, and block the withdrawal by sending enough fees to break the equality check.

Proof of Concept:

1. `PuppyRaffle` has 800 wei in its balance, and 800 `totalFees`.
2. Malicious user sends 1 wei via a `selfdestruct`
3. `feeAddress` is no longer able to withdraw funds

Recommended Mitigation: Remove the balance check on the `PuppyRaffle:withdrawFees` function

```

function withdrawFees() external {
-     require(address(this).balance == uint256(totalFees), "PuppyRaffle:

```

```

There are currently players active!");
uint256 feesToWithdraw = totalFees;
totalFees = 0;
(bool success,) = feeAddress.call{value: feesToWithdraw}("");
require(success, "PuppyRaffle: Failed to withdraw fees");
}

```

[M-3] TITLE Unsafe cast of `PuppyRaffle::fee` results in fee losses

Description: In `PuppyRaffle::selectWinner` there is a type cast of a `uint256` to a `uint64`. This is an unsafe cast, and if the `uint256` is larger than `type(uint64).max`, the value will be truncated.

```

function selectWinner() external {
    require(block.timestamp >= raffleStartTime + raffleDuration,
"PuppyRaffle: Raffle not over");
    require(players.length >= 4, "PuppyRaffle: Need at least 4
players");
    uint256 winnerIndex =
        uint256(keccak256(abi.encodePacked(msg.sender, block.timestamp,
block.difficulty))) % players.length;
    address winner = players[winnerIndex];
    uint256 totalAmountCollected = players.length * entranceFee; // q
why
    uint256 prizePool = (totalAmountCollected * 80) / 100;
    uint256 fee = (totalAmountCollected * 20) / 100;
@>    totalFees = totalFees + uint64(fee);
        .....
        .....
        .....
}

```

The max value of a `uint64` is `18446744073709551615`. In terms of ETH, this is only `~18` ETH. Meaning, if more than 18ETH of fees are collected, the `fee` casting will truncate the value.

Impact: This means the `feeAddress` will not collect the correct amount of fees, leaving fees permanently stuck in the contract.

Proof of Concept:

1. A raffle proceeds with a little more than 18 ETH worth of fees collected
2. The line that casts the `fee` as a `uint64` hits
3. `totalFees` is incorrectly updated with a lower amount

You can replicate this in foundry's chisel by running the following:

```

uint256 max = type(uint64).max
uint256 fee = max + 1

```

```
uint64(fee)
// prints 0
```

Recommended Mitigation: Set `PuppyRaffle:totalFees` to a `uint256` instead of a `uint64`, and remove the casting. There is a comment which says

```
// We do some storage packing to save gas
```

```
-   uint64 public totalFees = 0;
+   uint64 public totalFees = 0;
.
.
.
function selectWinner() external {
    require(block.timestamp >= raffleStartTime + raffleDuration,
"PuppyRaffle: Raffle not over");
    require(players.length >= 4, "PuppyRaffle: Need at least 4
players");
    uint256 winnerIndex =
        uint256(keccak256(abi.encodePacked(msg.sender, block.timestamp,
block.difficulty))) % players.length;
    address winner = players[winnerIndex];
    uint256 totalAmountCollected = players.length * entranceFee; // q
why
    uint256 prizePool = (totalAmountCollected * 80) / 100;
    uint256 fee = (totalAmountCollected * 20) / 100;
-   totalFees = totalFees + uint64(fee);
+   totalFees = totalFees + fee;
    .
    .
    .
}
```

[M-4] TITLE (Root Cause + Impact) Smart Contract wallet raffle winners without a `receive` or a `fallback` will block the start of a new contest

Description: The `PuppyRaffle::selectWinner` function is responsible for resetting the lottery. However, if the winner is a smart contract wallet that rejects payment, the lottery would not be able to restart

Impact: The `PuppyRaffle::selectWinner` function could revert many times, and make it difficult to reset the lottery, preventin a new one from starting

Proof of Concept:

1. 10 smart contract wallets enter the lottery without a fallback or receive function.

2. The lottery ends
3. The `selectWinner` function wouldn't work, even though the lottery is over!

Recommended Mitigation: There are a few options to mitigate this issue.

1. Do not allow smart contract wallet entrants (not recommended e.g for usecases such as Multisigs)
2. Create a mapping of addresses -> payout so winners can pull their funds out themselves, putting the 'owness' on the winner to claim their prize. (Recommended).

Informational / Non-Critical

[I-1] Floating pragmas

Description: Contracts should use strict versions of solidity. Locking the version ensures that contracts are not deployed with a different version of solidity than they were tested with. An incorrect version could lead to unintended results.

<https://swcregistry.io/docs/SWC-103/>

Recommended Mitigation: Lock up pragma versions.

```
- pragma solidity ^0.7.6;  
+ pragma solidity 0.7.6;
```

[I-2] Magic Numbers

Description: All number literals should be replaced with constants. This makes the code more readable and easier to maintain. Numers without context are called "magic number".

Recommended Mitigation: Replace all magic numbers with constants.

```
+ uint256 public constant PRIZE_POOL_PERCENTAGE = 80;  
+ uint256 public constant FEE_PERCENTAGE = 20;  
+ uint256 public constant TOTAL_PERCENTAGE = 100;  
  
- uint256 prizePool = (totalAmountCollected * 80) / 100;  
- uint256 fee = (totalAmountCollected * 20) / 100;  
+ uint256 prizePool = (totalAmountCollected * PRIZE_POOL_PERCENTAGE)  
/ TOTAL_PERCENTAGE;  
+ uint256 fee = (totalAmountCollected * FEE_PERCENTAGE) /  
TOTAL_PERCENTAGE;
```

[I-3] Test Coverage

Description: The test coverage of the tests are below 90%. This oftens means that there are parts of the code that are not tested.

```

+-----+-----+-----+-----+
+-----+-----+
| File                                     | % Lines      | % Statements  | %
Branches      | % Funcs      |
+=====+=====+=====+=====+
+=====+
| script/DeployPuppyRaffle.sol | 0.00% (0/4)   | 0.00% (0/4)   | 100.00%
(0/0) | 0.00% (0/1)   |
+-----+-----+-----+-----+
+-----+-----+
| src/PuppyRaffle.sol          | 84.00% (63/75) | 84.71% (72/85) | 69.23%
(18/26) | 80.00% (8/10)   |
+-----+-----+-----+-----+
+-----+-----+
| test/PuppyRaffleTest.t.sol   | 80.00% (16/20) | 85.71% (12/14) | 100.00%
(1/1) | 71.43% (5/7)   |
+-----+-----+-----+-----+
+-----+-----+
| Total                         | 79.80% (79/99) | 81.55% (84/103) | 70.37%
(19/27) | 72.22% (13/18) |
+-----+-----+-----+-----+
+-----+-----+

```

Recommended Mitigation: Add a zero address check whenever the `feeAddress` is updated

[I-4] Zero address validation

Description: The `PuppyRaffle` contract does not validate that the `feeAddress` is not the zero address. This means that the `feeAddress` could be set to the zero address, and fees would be lost.

```

PuppyRaffle.constructor(uint256,address,uint256)._feeAddress
(src/PuppyRaffle.sol#57) lacks a zero-check on :
    - feeAddress = _feeAddress (src/PuppyRaffle.sol#59)
PuppyRaffle.changeFeeAddress(address).newFeeAddress
(src/PuppyRaffle.sol#165) lacks a zero-check on :
    - feeAddress = newFeeAddress (src/PuppyRaffle.sol#166)

```

Recommended Mitigation: Add a zero address check whenever the `feeAddress` is updated.

[I-5] `_isActivePlayer` is never used and should be removed

Description: The function `PuppyRaffle::_isActivePlayer` is never used and should be removed.

```

-     function _isActivePlayer() internal view returns (bool) {
-         for (uint256 i = 0; i < players.length; i++) {
-             if (players[i] == msg.sender) {

```

```
-         return true;
-     }
- }
-     return false;
- }
```

Recommended Mitigation:

[I-6] Unchanged variables should be constant or immutable

Constant Instances:

```
PuppyRaffle.commonImageUri (src/PuppyRaffle.sol#35) should be constant
PuppyRaffle.legendaryImageUri (src/PuppyRaffle.sol#45) should be constant
PuppyRaffle.rareImageUri (src/PuppyRaffle.sol#40) should be constant
```

Immutable Instances:

```
PuppyRaffle.raffleDuration (src/PuppyRaffle.sol#21) should be immutable
```

[I-7] Potentially erroneous active player index

Description: The `getActivePlayerIndex` function is intended to return zero when the given address is not active. However, it could also return zero for an active address stored in the first slot of the `players` array. This may cause confusions for users querying the function to obtain the index of an active player.

Recommended Mitigation: Return $2^{256} - 1$ (or any other sufficiently high number) to signal that the given player is inactive, so as to avoid collision with indices of active players. Or return -1.

[I-8] Zero address may be erroneously considered an active player

Description: The `refund` function removes active players from the `players` array by setting the corresponding slots to zero. This is confirmed by its documentation, stating that "this function will allow there to be blank spots in the array". However, this is not taken into account by the `getActivePlayerIndex` function. If someone calls `getActivePlayerIndex` passing the zero address after there has been a refund, the function will consider the zero address an active player, and return its index in the `players` array.

Recommended Mitigation: Skip zero addresses when iterating the `players` array in the `getActivePlayerIndex`. Do note that this change would mean that the zero address can never be an active player. Therefore, it would be est if you also prevent the zero address from being registered as a valid player in the `enterRaffle` function.

Gas (Optional)

// TODO

- `getActivePlayerIndex` returning 0. Is it the player at index 0? Or is it invalid.
- MEV with the refund function
- randomness for rarity issue
- reentrancy puppy raffle before safemint (it looks ok actually, potentially informational)