

## References in DATED-1 database

- Aa, A. R. & Mangerud, J. 1981: Glasialgeologi og vegetasjonsinnvandring i Indre Nordhordaland, Vest-Norge. *Norges Geologiske Undersøkelse* 369, 33-75.
- Aa, A. R. & Sønstegaard, E. 1997: Den eldste jorda i Sogn og Fjordane. *Vegstubbene*, 10-11.
- Aaris-Sørensen, K. 2006: Northward expansion of the Central European megafauna during late Middle Weichselian interstadials, c.45 - 20 kyr BP. *Palaeontographica Abteilung A* 278, 125-133.
- Aaris-Sørensen, K. & Petersen, K. S. 1984: A Late Weichselian find of polar bear (*Ursus maritimus* Phipps) from Denmark and reflections on the paleoenvironment. *Boreas* 13, 29-33.
- Aaris-Sørensen, K. & Liljegren, R. 2004: Late Pleistocene remains of giant deer (*Megaloceros giganteus* Blumenbach) in Scandinavia: chronology and environment. *Boreas* 33, 61-73.
- Aaris-Sørensen, K., Petersen, K. S. & Tauber, H. 1990: Danish finds of mammoth (*Mammuthus primigenius* (Blumenbach)). Stratigraphical position, dating and evidence of Late Pleistocene environment. *Danmarks Geologiske Undersøgelse* 14B, 1-44.
- Aarseth, I. & Mangerud, J. 1974: Younger Dryas end moraines between Hardangerfjorden and Sognefjorden, Western Norway. *Boreas* 3, 3-22.
- Aarseth, I., Austbø, P. K. & Risnes, H. S. 1997: Seismic stratigraphy of Younger Dryas ice-marginal deposits in western Norwegian fjords. *Norges Geologisk Tidsskrift* 68, 99-106.
- Aaseth, I. 1990: *Senkvartär stratigrafi i ytre Trodelag - sett fra Froya*. PhD Thesis, University of Bergen, Norway.
- Ābolņiņš, O., Straume, J. & Juškevičs, V. 1975: Relief peculiarities and main stages of morphogenesis of the Central Vidzeme Elevation. In Danilāns, I. (ed.): *Problems of Quaternary geology*, 31-47. Zinātne, Rīga.
- Ahlberg, K., Almgren, E., Wright, H. E., Ito, E. & Hobbie, S. 1996: Oxygen-isotope record of Late-Glacial climatic change in western Ireland. *Boreas* 25, 257-267.
- Aldhouse-Green, S. 2000: *Paviland Cave and the 'Red Lady': a definitive report*. 314 pp. Western Academic and Specialist Press.
- Aldhouse-Green, S. & Pettitt, P. 1998: Paviland Cave: contextualizing the 'Red Lady' (Early Upper Palaeolithic site in Britain). *Antiquity* 72, 756-772.
- Alexanderson, H. & Murray, A. S. 2007: Was southern Sweden ice free at 19–25ka, or were the post LGM glacial sediments incompletely bleached? *Quaternary Geochronology* 2, 229-236.
- Alexanderson, H. & Murray, A. S. 2012: Problems and potential of OSL dating Weichselian and Holocene sediments in Sweden. *Quaternary Science Reviews* 44, 37-50.
- Alexanderson, H., Ingólfsson, Ó., Murray, A. S. & Dudek, J. 2013: An interglacial polar bear and an early Weichselian glaciation at Poolepynten, western Svalbard. *Boreas* 42, 532-543.
- Alexanderson, H., Hjort, C., Möller, P., Antonov, O. & Pavlov, M. 2001: The North Taymyr ice-marginal zone, Arctic Siberia—a preliminary overview and dating. *Global and Planetary Change* 31, 427-445.
- Alexanderson, H., Johnsen, T., Wohlfarth, B., Näslund, J.-O. & Stroeven, A. 2008: Applying the optically stimulated luminescence (OSL) technique to date the Weichselian glacial history of southern Sweden. *Rapporter från Institutionen för naturgeografi och kvartärgeologi*: 4, 33 pp. Stockholms Universitet, Sweden.
- Alm, T. 1993: Øvre Æråsvatn - palynostratigraphy of a 22,000 to 10,000 BP lacustrine record on Andøya, northern Norway. *Boreas* 22, 171-188.
- Andersen, B. G. 1960: Sørlandet i sen- og postglacial tid. *Norges Geologiske Undersøkelse* 210, 1-142.
- Andersen, B. G. 1968: Glacial geology of Western Troms, North Norway. *Norges Geologiske Undersøkelse* 256, 160.
- Andersen, B. G. 1975: Glacial geology of northern Nordland, North Norway. *Norges Geologiske Undersøkelse* 320, 1-74.
- Andersen, B. G. 1981: Late Weichselian ice sheets in Eurasia and Greenland. In Denton, D. H. & Hughes, P. D. (eds.): *The last great ice sheets*, 1-65. John Wiley, New York.
- Andersen, B. G., Sejrup, H. P. & Kirkhus, O. 1983: Eemian and Weichselian deposits at Bø on Karmøy, S. W. Norway, a preliminary report. *Norges Geologiske Undersøkelse* 380, 189-201.
- Andersen, B. G., Wangen, O. P. & Østmo, S. R. 1987: Quaternary geology of Jaeren and adjacent areas, southwestern Norway. *Norges Geologiske Undersøkelse* 411, 1-55.
- Andersen, B. G., Bøen, F., Rasmussen, A. & Vallevik, P. N. 1979: The deglaciation between Skjerstadfjord and Svartusen, north Norway. *Boreas* 8, 199-201.
- Andersen, B. G., Nydal, R., Wangen, O. P. & Østmo, S. R. 1981a: Weichselian before 15,000 years B.P. at Jæren-Karmøy in southwestern Norway. *Boreas* 10, 297-314.
- Andersen, B. G., Bøen, F., Nydal, R., Rasmussen, A. & Vallevik, P. N. 1981b: Radiocarbon Dates of Marginal Moraines in Nordland, North Norway. *Geografiska Annaler. Series A* 63, 155-160.
- Andersen, B. G., Bøen, F., Rasmussen, A., Rokoengen, K. & Vallevik, P. N. 1982: The Tjøtta glacial event in southern Nordland, North Norway. *Norsk Geografisk Tidsskrift* 62, 39-49.
- Andersen, B. G., Mangerud, J., Sørensen, R., Reite, A., Sveian, H., Thoresen, M. & Bergström, B. 1995: Younger Dryas ice-marginal deposits in Norway. *Quaternary International* 28, 147-169.
- Andersen, E. S., Dokken, T. M., Elverhøi, A., Solheim, A. & Fossen, I. 1996: Late Quaternary sedimentation and glacial history of the western Svalbard continental margin. *Marine Geology* 133, 123-156.
- Andersson, T., Forman, S. L., Ingólfsson, Ó. & Manley, W. F. 1999: Late Quaternary environmental history of central Prins Karls Forland, western Svalbard. *Boreas* 28, 292-307.
- Andreassen, K., Vorren, T. O. & Johansen, K. B. 1985: Pre-Late Weichselian glacial marine sediments at Arnøy, North Norway. *Geologiska Foreningens i Stockholm Förhandlingar* 107, 63-70.
- Andreev, A. A., Manley, W. F., Ingólfsson, Ó. & Forman, S. L. 2001: Environmental changes on Yugorski Peninsula, Kara Sea, Russia, during the last 12,800 radiocarbon years. *Global and Planetary Change* 31, 255-264.
- Andrén, E., Andrén, T. & Sohlenius, G. 2000: The Holocene history of the southwestern Baltic Sea as reflected in a sediment core from the Bornholm Basin. *Boreas* 29, 233-250.
- Anundsen, K. 1972: Glacial chronology in parts of south-western Norway. *Norges Geologiske Undersøkelse* 280, 1-24.
- Anundsen, K. 1977: Radiocarbon datings and glacial striae from the inner part of Boknfjord area, South Norway. *Norsk Geografisk Tidsskrift - Norwegian Journal of Geography* 31, 41-54.
- Anundsen, K. 1978: Marine transgression in Younger Dryas in Norway. *Boreas* 7, 49-60.
- Anundsen, K. 1985: Changes in shore-level and ice-front position in Late Weichsel and Holocene, southern Norway. *Norsk Geografisk Tidsskrift* 39, 205-225.
- Anundsen, K. & Simonsen, A. 1967: Et Pre-Borealt brefframstøt på Hardangervidda og i områdene mellom Bergensbanen og Jotunheimen. *Universitetet i Bergen Årbok 1967, Serie A* 7, 5-42.
- Anundsen, K., Fjeldskaar, W. & Schroeder-Lanz, H. 1983: Observed and theoretical Late Weichselian shorelevel changes related to glacier oscillation at Yrkje, Southwest Norway. In Schroeder-Lanz, H. (ed.): *Late and postglacial oscillations of glaciers: glacial and periglacial forms*, 133-170. A.A.Balkema, Rotterdam.
- Arppe, L. & Karhu, J. A. 2010: Oxygen isotope values of precipitation and the thermal climate in Europe during the middle to late Weichselian ice age. *Quaternary Science Reviews* 29, 1263-1275.
- Arppe, L. M. & Karhu, J. A. 2006: Implications for the Late Pleistocene climate in Finland and adjacent areas from the isotopic composition of mammoth skeletal remains. *Palaeogeography Palaeoclimatology Palaeoecology* 231, 322-330.
- Arslanov, K., Auslender, V., Gromova, L., Zubkov, A. & Khomutova, V. 1970: Palaeogeograficheskie osobennosti i absolyutnyi vozrast maksimalnoi stadii Valdaiskogo oledeneniya v raione Kubenskogo ozera (Palaeogeography and absolute age of the Valdaian glacial maximum in the Lake Kubenskoe area). *Doklady Akademii Nauk SSSR* 195, 1395-1398.

- Arslanov, K. A. 1971: On the age of Karuküla deposits in southwestern Estonia. *On the timing of the Pleistocene*, 205–215. Geographical Society of the USSR, Leningrad.
- Arslanov, K. A. 1975: Radiocarbon geochronology of the upper Pleistocene of the European USSR (glacial and periglacial zones). *Bulletin of the Commission for the Study of the Quaternary Period* 43, 3–25.
- Arslanov, K. A. 1987: *Radiocarbon: Geochemistry and Geochronology (in Russian)*. 300 pp. Leningrad State University Press, USSR.
- Arslanov, K. A. 1993: Late Pleistocene geochronology of European Russia. *Radiocarbon* 35, 421–427.
- Arslanov, K. A., Velichkevich, F. Y., Kondratene, O. P. & Kruklye, M. Y. 1975: New Data on Geochronology and Paleogeography of Middle-Valdaian Interstadial Complex Along Leistsiemis Section of Gauia River. *Doklady Akademii Nauk Sssr* 223, 1421–1424.
- Arslanov, K. A., Kaplyanskaya, F. A., Tarnogradsky, V. D. & Tertychnaya, T. V. 1986: Radiocarbon dates from the Quaternary deposits of the western coast of Yamal Peninsula. *Bulletin of the Commission for the Study of the Quaternary Period* 55, 132–133.
- Aseyev, A. A. 1974: *Drevniye Materikovye Oledeneniya Evropy (Ancient Continental Glaciations in Europe)*. 319 pp. Nauka, Moscow.
- Ashworth, A. C. 1972: A late glacial insect fauna from Red Moss, Lancashire, England. *Entomologica Scandinavica* 3, 211–224.
- Atkinson, T. C., Lawson, T. J., Smart, P. L., Harmon, R. S. & Hess, J. W. 1986: New data on speleothem deposition and palaeoclimate in Britain over the last forty thousand years. *Journal of Quaternary Science* 1, 67–72.
- Austad, R. & Erichsen, C. 1987: *Strandforysnying på Nord-Karmøy basert på pollen- og diatomè analyse*. PhD Thesis, University of Bergen, Norway.
- Baeten, N. J., Forwick, M., Vogt, C. & Vorren, T. O. 2010: Late Weichselian and Holocene sedimentary environments and glacial activity in Billefjorden, Svalbard. *Geological Society, London, Special Publications* 344, 207–223.
- Bakke, J., Dahl, S. O. & Nesje, A. 2005a: Lateglacial and early Holocene palaeoclimatic reconstruction based on glacier fluctuations and equilibrium-line altitudes at northern Folgefonna, Hardanger, western Norway. *Journal of Quaternary Science* 20, 179–198.
- Bakke, J., Dahl, S. O., Paasche, Ø., Løvlie, R. & Nesje, A. 2005b: Glacier fluctuations, equilibrium-line altitudes and palaeoclimate in Lyngen, northern Norway, during the Lateglacial and Holocene. *Holocene* 15, 518–540.
- Bakke, J., Dahl, S. O., Paasche, Ø., Riis Simonsen, J., Kvisvik, B., Bakke, K. & Nesje, A. 2010: A complete record of Holocene glacier variability at Austre Okstindbreen, northern Norway: an integrated approach. *Quaternary Science Reviews* 29, 1246–1262.
- Ballantyne, C. K. & Hall, A. M. 2008: The altitude of the last ice sheet in Caithness and east Sutherland, northern Scotland. *Scottish Journal of Geology* 44, 169–181.
- Ballantyne, C. K. & Stone, J. O. 2009: Rock-slope failure at Baosbheinn, Wester Ross, NW Scotland: age and interpretation. *Scottish Journal of Geology* 45, 177–181.
- Ballantyne, C. K., McCarroll, D. & Stone, J. O. 2006: Vertical dimensions and age of the Wicklow Mountains ice dome, Eastern Ireland, and implications for the extent of the last Irish ice sheet. *Quaternary Science Reviews* 25, 2048–2058.
- Ballantyne, C. K., McCarroll, D. & Stone, J. O. 2007a: The Donegal ice dome, northwest Ireland: dimensions and chronology. *Journal of Quaternary Science* 22, 773–783.
- Ballantyne, C. K., Stone, J. O. & McCarroll, D. 2008: Dimensions and chronology of the last ice sheet in Western Ireland. *Quaternary Science Reviews* 27, 185–200.
- Ballantyne, C. K., Schnabel, C. & Xu, S. 2009a: Exposure dating and reinterpretation of coarse debris accumulations ('rock glaciers') in the Cairngorm Mountains, Scotland. *Journal of Quaternary Science* 24, 19–31.
- Ballantyne, C. K., Schnabel, C. & Xu, S. 2009b: Readvance of the last British–Irish Ice Sheet during Greenland Interstade 1 (GI-1): the Wester Ross Readvance, NW Scotland. *Quaternary Science Reviews* 28, 783–789.
- Ballantyne, C. K., Stone, J. O. & Fifield, L. K. 2009c: Glaciation and deglaciation of the SW Lake District, England: implications of cosmogenic <sup>36</sup>Cl exposure dating. *Proceedings of the Geologists Association* 120, 139–144.
- Ballantyne, C. K., McCarroll, D. & Stone, J. O. 2011: Periglacial trimlines and the extent of the Kerry–Cork Ice Cap, SW Ireland. *Quaternary Science Reviews* 30, 3834–3845.
- Ballantyne, C. K., McCarroll, D., Nesje, A., Dahl, S. O. & Stone, J. O. 1998: The last ice sheet in north-west Scotland: reconstruction and implications. *Quaternary Science Reviews* 17, 1149–1184.
- Ballantyne, C. K., Hall, A. M., Phillips, W., Binnie, S. & Kubik, P. W. 2007b: Age and significance of former low-altitude corrie glaciers on Hoy, Orkney Islands. *Scottish Journal of Geology* 43, 107–114.
- Banyas, J., Gaigalas, A. & Petrosius, R. 1991: Radiocarbon datings in the laboratory of Lithuanian Geological Research and Survey Institute. *Geochronological and isotope geochemical research into Quaternary Geology and Archaeology*, 40–78. Vilnius University Press.
- Barker, H., Burleigh, R. & Meeks, N. 1969: British Museum Natural Radiocarbon Measurements VI. *Radiocarbon* 11, 177–194.
- Bartley, D. D. & Morgan, A. V. 1990: The palynological record of the King's Pool, Stafford, England. *New Phytologist* 116, 177–194.
- Bateman, M. D. 1995: Thermoluminescence dating of the British coversand deposits. *Quaternary Science Reviews* 14, 791–798.
- Bateman, M. D., Buckland, P. C., Frederick, C. D. & Whitehouse, N. J. 2001: *The Quaternary of East Yorkshire and North Lincolnshire, Field Guide*. 218 pp. Quaternary Research Association, Cambridge.
- Bateman, M. D., Buckland, P. C., Chase, B., Frederick, C. D. & Gaunt, G. D. 2008: The Late Devensian proglacial Lake Humber: new evidence from littoral deposits at Ferrybridge, Yorkshire, England. *Boreas* 37, 195–210.
- Bateman, M. D., Buckland, P. C., Whyte, M. A., Ashurst, R. A., Boulter, C. & Panagiotakopulu, E. V. A. 2011: Re-evaluation of the Last Glacial Maximum typesite at Dimlington, UK. *Boreas* 40, 573–584.
- Baxter, M. S., Ergin, M. & Walton, A. 1969: Glasgow University radiocarbon measurements I. *Radiocarbon* 11, 43–52.
- Beckett, S. C. 1981: Pollen diagrams from Holderness North Humberside. *Journal of Biogeography* 8, 177–198.
- Bennike, O., Houmark-Nielsen, M. & Wiberg-Larsen, P. 2006: A Middle Weichselian interstadial lake deposit on Sejer, Denmark: macrofossil studies and dating. *Journal of Quaternary Science* 22, 647–651.
- Bennike, O., Houmark-Nielsen, M., Bocher, J. & Heiberg, E. O. 1994: A Multidisciplinary Macrofossil Study of Middle Weichselian Sediments At Kobbeltgard, Mon, Denmark. *Palaeogeography Palaeoclimatology Palaeoecology* 111, 1–15.
- Berger, G. W., Melles, M., Banerjee, D., Murray, A. S. & Raab, A. 2004: Luminescence chronology of non-glacial sediments in Changeable Lake, Russian High Arctic, and implications for limited Eurasian ice-sheet extent during the LGM. *Journal of Quaternary Science* 19, 513–523.
- Bergersen, O. F., Thoresen, M. & Housnaes, R. 1991: Evidence for a newly discovered Weichselian Interstadial in Gudbrandsdalen, central south Norway. *Straite* 34, 103–108.
- Berglund, B. E. 1979: The deglaciation of southern Sweden 13,500–10,000 B.P. *Boreas* 8, 89–117.
- Berglund, B. E., Hakansson, S. & Lagerlund, E. 1976: Radiocarbon-dated mammoth (*Mammuthus primigenius* Blumenbach) finds in South Sweden. *Boreas* 5, 177–191.
- Berglund, B. E., Eriksson, J. A. & Fernlund, J. M. R. 1994: The late Weichselian in Halland, Southwestern Sweden: A pollen-analytical study. *Geologiska Föreningens i Stockholm Förhandlingar* 116, 215–230.
- Berglund, M. 1995a: *The Late Weichselian deglaciation, vegetational development and shore displacement in Halland, southwestern Sweden*. PhD Thesis, Lund University, Sweden.
- Berglund, M. 1995b: Late Weichselian shore displacement in Halland, southwestern Sweden: Relative sea-level changes and their glacio-isostatic implications. *Boreas* 24, 324–344.
- Bergsten, H. & Nordberg, K. 1992: Late Weichselian marine stratigraphy of the southern Kattegat, Scandinavia: evidence for drainage of the Baltic Ice Lake between 12,700 and 10,300 years BP. *Boreas* 21, 223–252.
- Bergström, B. 1975: Deglasiasjonsforløpet i Aurlandsdalen og områdene omkring, Vest-Norge. *Norges Geologisk Undersøgelse* 317, 33–69.
- Bergström, B. 1984. *Nordagutu. Description of the Quaternary Geological map 1713 IV*. 1:50 000. Norges Geologiske Undersøkelse, Trondheim.
- Bergström, B. 1995: Stratigraphical evidence of a considerable Younger Dryas glacier advance in southeastern Norway. *Norsk Geografisk Tidsskrift* 75, 127–136.

- Bergström, B. 1997. *Kragerø and Risør. Quaternary Geological Maps 1712 IV and 1812 IV with description (in Norwegian)* 1:50,000. Norges Geologiske Undersøkelse, Trondheim.
- Bergström, B. 1999: Glacial geology, deglaciation chronology and sea level changes in the southern Telemark and Vestfold countries, southeastern Norway. *Norges Geologisk Undersøkelse Bulletin* 435, 23-42.
- Bergström, B., Olsen, K. S. & Sørensen, R. 1992. *Tjøme. Quaternary geological map 1813 II with a description (in Norwegian)*. 1:50,000. Norges Geologiske Undersøkelse, Trondheim.
- Bergström, B., Olsen, H. & Sveian, H. 2005: The Tromsø-Lyngen glacier readvance (early Younger Dryas) at Hinnøya-Ofotfjorden, northern Norway: a reassessment. *Norges Geologiske Undersøkelse* 445, 73-88.
- Birkenmajer, K. & Olsson, I. U. 1998: Radiocarbon-dated Late Pleistocene and early Holocene marine shells at Werenskioldbreen, south Spitsbergen. *Bulletin of the Polish Academy of Sciences, Earth Sciences* 46, 21-34.
- Birnie, J., Harkness, D. D., J. Birnie, J. E. G. K. B. & Hall, A. M. 1993a: Radiocarbon dates on Late-glacial sediments at Aith Voe, Cunningsburgh, and adjustments for rock flour effects. *The Quaternary of Shetland.*, 39-43. Quaternary Research Association, Cambridge.
- Birnie, J. F., Gordon, J. E., Bennett, K. D. & Hall, A. M. 1993b: *The Quaternary of Shetland. Field Guide*. pp. Quaternary Research Association, Cambridge.
- Bishop, W. W. & Dickson, J. H. 1970: Radiocarbon Dates Related to Scottish Late-Glacial Sea in Firth of Clyde. *Nature* 227, 480-482.
- Bishop, W. W., Coope, G. R., Gray, J. M. & Lowe, J. J. 1977: Stratigraphical and faunal evidence for Lateglacial and early Flandrian environments in South-west Scotland. *Studies in the Scottish Lateglacial Environment*, 61-88. Pergamon Press, Oxford.
- Bitinas, A. 2007: The Quaternary of western Lithuania: from the Pleistocene glaciations to the evolution of the Baltic Sea. Excursion Guide. *The INQUA Peribaltic Group Field Symposium May 27-June 02, Plateliai, Lithuania*. Vilnius.
- Bitinas, A., Damusyte, A., Stancikaite, M. & Aleksa, P. 2002: Geological development of the Nemunas River delta and adjacent areas, West Lithuania. *Geological Quarterly* 46, 375-389.
- Bjelm, L. 1976: *Deglaciationen av Småländska höglandet, speciellt med avseende på deglaciationsdynamik, ismaktighet och tidsställning*. Thesis, University of Lund, Sweden.
- Bjune, A. E., Birks, H. J. B. & Seppä, H. 2004: Holocene vegetation and climate history on a continental-oceanic transect in northern Fennoscandia based on pollen and plant macrofossils. *Boreas* 33, 211-223.
- Bjune, A. E., Bakke, J., Nesje, A. & Birks, H. J. B. 2005: Holocene mean July temperature and winter precipitation in western Norway inferred from palynological and glaciological proxies. *The Holocene* 15, 177-189.
- Björck, S. & Digerfeldt, G. 1982: Late Weichselian shore displacement at Hunneberg, southern Sweden, indicating complex uplift. *Geologiska Föreningens i Stockholm Förhandlingar* 104, 131-155.
- Björck, S. & Håkansson, S. 1982: Radiocarbon dates from Late Weichselian lake sediments in south Sweden as a basis for chronostratigraphic subdivision. *Boreas* 11, 141-150.
- Björck, S. & Digerfeldt, G. 1986: Late Weichselian-Early Holocene shore displacement west of Mt. Billingen, within the Middle Swedish end-moraine zone. *Boreas* 15, 1-18.
- Björck, S. & Möller, P. 1987: Late Weichselian environmental history in southeastern Sweden during the deglaciation of the Scandinavian ice sheet. *Quaternary Research* 28, 1-37.
- Björck, S., Bennike, O., Possnert, G., Wohlfarth, B. & Digerfeldt, G. 1998: A high-resolution  $^{14}\text{C}$  dated sediment sequence from southwest Sweden: age comparisons between different components of the sediment. *Journal of Quaternary Science* 13, 85-89.
- Blackburn, K. B. 1952: The dating of a deposit containing an elk skeleton found at neasham near Darlington, county Durham. *New Phytologist* 51, 364-377.
- Blake, J. W. 1975: Radiocarbon age determination from the Karuküla site, Southwestern Estonia, USSR. *Report of Activities of the Geological Survey of Canada Paper* 75-1 B, 123-127.
- Blake, W. 2006: Occurrence of the *Mytilus edulis* complex on Nordaustlandet, Svalbard: radiocarbon ages and climatic implications. *Polar Research* 25, 123-137.
- Blake, W. J. 1989: Radiocarbon Dating by Accelerator Mass Spectrometry: A Contribution to the Chronology of Holocene Events in Nordaustlandet, Svalbard. *Geografiska Annaler. Series A, Physical Geography* 71, 59-74.
- Błaszkiwicz, M. 1998: The Wierzyca Valley, its genesis and development in late Pleistocene and early Holocene (in Polish with English summary). *Dokumentacja Geograficzna: 10*, 116 pp. Wydaw. Warsaw.
- Błaszkiwicz, M. 2002: Spätglaziale und frühholozäne Seebeckenentwicklung im östlichen Teil von Pommern (Polen). *Greifswalder Geographische Arbeiten* 26, 11-14.
- Błaszkiwicz, M. 2005: Late Glacial and early Holocene evolution of the lake basins in the Kociewskie Lakeland (eastern part of the Pomeranian Lakeland). *Przegląd Geograficzny* 201, 7-192.
- Bluszcz, A. & Pazdur, A. 2003: Datowanie radiowęglowe i luminescencyjne osadów w rejonie stanowisk archeologicznych we Wrocławiu Oporowie.: *Acta Universitatis Wratislaviensis: 2845 Studia Archeologiczne XXXIII*, 263-279.
- Blystad, P. 1981: An inter-till organic sediment of Early or Middle Weichselian age from Setesdal, southwestern Norway. *Boreas* 10, 363-367.
- Blystad, R. & Anundsen, K. 1983: Late Weichselian Stratigraphy at Hjelmeland, southwest Norway. *Norsk Geologisk Tidsskrift* 63, 277-287.
- Bolshiyakov, D. Y., Savatyugin, L., Shneider, G. & Molodkov, A. 1998: New data about modern and ancient glaciations of the Taimyr-Severnaya Zemlya Region. *Materialy glaciologicheskikh issledovaniy* 85, 219-222.
- Bondevik, S. & Mangerud, J. 2002: A calendar age estimate of a very late Younger Dryas ice sheet maximum in western Norway. *Quaternary Science Reviews* 21, PII S0277.
- Bondevik, S., Mangerud, J., Ronnert, L. & Salvigsen, O. 1995: Postglacial sea-level history of Edgeoya and Barentsoya, eastern Svalbard. *Polar Research* 14, 153-180.
- Bondevik, S., Birks, H. H., Gulliksen, S. & Mangerud, J. 1999: Late Weichselian marine C-14 reservoir ages at the western coast of Norway. *Quaternary Research* 52, 104-114.
- Bondevik, S., Mangerud, J., Birks, H. H., Gulliksen, S. & Reimer, P. 2006: Changes in North Atlantic radiocarbon reservoir ages during the Allerød and Younger Dryas. *Science* 312, 1514-1517.
- Bos, J. A. A., Dickson, J. H., Coope, G. R. & Jardine, W. G. 2004: Flora, fauna and climate of Scotland during the Weichselian Middle Pleniglacial – palynological, macrofossil and coleopteran investigations. *Palaeogeography, Palaeoclimatology, Palaeoecology* 204, 65-100.
- Boulton, G. S. 1979: Glacial History of the Spitsbergen Archipelago and the Problem of A Barents Shelf Ice Sheet. *Boreas* 8, 31-57.
- Bowen, D. Q. 1994: Late Cenozoic Wales and South-west England. *Proceedings of the Ussher Society* 8, 209-213.
- Bowen, D. Q., Phillips, F. M., McCabe, A. M., Knutz, P. C. & Sykes, G. A. 2002: New data for the Last Glacial Maximum in Great Britain and Ireland. *Quaternary Science Reviews* 21, 89-101.
- Braaten, A. M. & Hermansen, D. 1985: En lito- og biostratigrafisk undersøkelse av marine og limnisk sediment i Yrkje, Nord-Rogaland. 205. University of Bergen, Norway.
- Bradwell, T., Fabel, D., Stoker, M., Mathers, H., McHargue, L. & Howe, J. 2008: Ice caps existed throughout the Lateglacial interstadial in northern Scotland. *Journal of Quaternary Science* 23, 401-407.
- Bramer, H. 1972: Besonderheiten bei der Ausbildung eines Stausees im Bereich der Marginalzonen der letzten Vereisung. *Wissenschaftliche Zeitschrift der Ernst-Moritz-Arndt-Universität, Greifswald. Gesellschaftswissenschaftliche Reihe* 21, 63-65.
- Brande, A. 2003: Late pleistocene and holocene pollen stratigraphy of Lake Stechlin. In Koshel, R. & Adams, D. D. (eds.): *Advances in Limnology: Lake Stechlin – An approach to understanding an oligotrophic lowland lake.*, 281-311. E. Schweizerbart'sche Verlagsbuchhandlung, Stuttgart.
- Brauer, A., Tempelhoff, K. & Murray, A. 2005: OSL Dating of Fine-Grained Sand Deposits and its Implications for Glacial Stratigraphy and Landscape Evolution: Research Results from Stolzenhagen, Northeastern Brandenburg. *Die Erde* 136, 15-35.
- Brown, E. J., Rose, J., Coope, R. G. & Lowe, J. J. 2007: An MIS 3 age organic deposit from Balglass Burn, central Scotland: palaeoenvironmental significance and implications for the timing of the onset of the LGM ice sheet in the vicinity of the British Isles. *Journal of Quaternary Science* 22, 295-308.

- Browne, M. A. E. & Graham, D. K. 1981: Glaciomarine deposits of the Loch Lomond Stadial glacier in the Vale of Leven between Dumbarton and Balloch, west-central Scotland. *Quaternary Newsletter* 34, 1-7.
- Browne, M. A. E., McMillan, A. A. & Graham, D. K. 1983a: A Late-Devensian Marine and Non-Marine Sequence near Dumbarton, Strathclyde. *Scottish Journal of Geology* 19, 229-234.
- Browne, M. A. E., McMillan, A. A. & Hall, I. H. S. 1983b: Blocks of Marine Clay in Till near Helensburgh, Strathclyde. *Scottish Journal of Geology* 19, 321-325.
- Browne, M. A. E., Harkness, D. D., Peacock, J. D. & Ward, R. G. 1977: The date of deglaciation of the Paisley-Renfrew area. *Scottish Journal of Geology* 13, 301-303.
- Brückner, H. 1996: Studies of beach deposits in northern Spitsbergen. In Mausbacher, R. & Schulte, A. (eds.): *Beiträge zur Physiogeographie. Festschrift für Dietrich Barsch*, 375-388. Heidelberg Geographische Arbeiten.
- Brückner, H. & Halfar, R. A. 1994: Evolution and age of shore-lines along Woodfjorden, northern Spitsbergen. *Zeitschrift Für Geomorphologie, Supplementbande* 97, 75-91.
- Brückner, H., Schnellmann, G. & Van der Borg, K. 2002: Uplifted beach ridges in northern Spitsbergen as indicators for glacioisostasy and palaeo-oceanography. *Zeitschrift Für Geomorphologie* 46, 309-336.
- Buckland, P. C. 1976: The use of insect remains in the interpretation of archaeological environments. In Davidson, D. A. & Shackley, M. L. (eds.): *Geoarchaeology: earth science and the past*, 369-396. Duckworth, London.
- Buckland, P. C. 1982: The cover sands of north Lincolnshire and the Vale of York. In Adlam, B. H., Fenn, C. R. & Morris, L. (eds.): *Papers in earth Studies: Lovatt Lectures - Worcester*, 143-178. Geo Books, Norwich.
- Buckley, J. D. & Willis, E. H. 1969: Isotopes' radiocarbon measurements VII. *Radiocarbon* 11, 53-105.
- Buckley, J. D. & Willis, E. H. 1970: Isotopes' radiocarbon measurements VIII. *Radiocarbon* 12, 87-129.
- Bugge, T. 1980: Øvre lags geologi på kontinentalsokkelen utenfor Møre og Trøndelag. 104, pp. Institutt for Kontinentalsokkelundersøkelser.
- Burleigh, R., Ambers, J. & Matthews, K. 1982: British-Museum Natural-Radiocarbon Measurements XV. *Radiocarbon* 24, 262-290.
- Butomo, S. V. 1965: Radiocarbon dating in the Soviet Union. *Radiocarbon* 7, 223-228.
- Bøe, A.-G., Murray, A. & Dahl, S. O. 2007: Resetting of sediments mobilised by the LGM ice-sheet in southern Norway. *Quaternary Geochronology* 2, 222-228.
- Böse, M. 1979: *Die geomorphologische Entwicklung im westlichen Berlin nach neueren stratigraphischen Untersuchungen*. PhD Thesis, Institut für Physische Geographie der Freien Universität, Berliner Geographische Abhandlungen 28, Berlin.
- Cadman, V. 1996: *Glaciomarine sedimentation and environments during the Late Weichselian and Holocene in the Bellsund Trough and Van Keulenfjorden, Svalbard*. PhD Thesis, University of Cambridge, England.
- Carter, R. W. G. 1993: Age, origin and significance of the raised gravel barrier at Church bay, Rathlin Island, County Antrim. *Irish Geography* 26, 141-146.
- Caseldine, C. J. & Edwards, K. J. 1982: Interstadial and last interglacial deposits covered by till in Scotland: comments and new evidence. *Boreas* 11, 119-122.
- Catt, J. A. 1987: The Quaternary of east Yorkshire and adjacent areas. In Ellis, S. (ed.): *East Yorkshire, Field guide*, 1-14. Quaternary Research Association, Cambridge.
- Cepek, A. G. 1965: Stratigraphie der quartären Ablagerungen des Norddeutschen Tieflandes. In Gellert, J. F. (ed.): *Die Weichsel-Eiszeit im Gebiet der Deutschen Demokratischen Republik*, 45-65. Akademie-Verlag, Berlin.
- Cherdynstev, V. V., Zavel'skii, F. S., Kind, N. V., Sulzerzhinskii, L. D. & Forova, V. S. 1969: Radiouglerodnye daty GIN AN SSSR: soobshchenie IV. *Biulleten' Komissii po Izucheniiu Chetvertichnogo Perioda* 36, 172-193.
- Cimioti, U. 1983: *Zur Landschaftsentwicklung des mittleren Trave-Tales zwischen Bad Oldesloe und Schwissel, Schleswig-Holstein*. PhD Thesis, Berliner Geographische Studien, 13, Universität Berlin, Germany.
- Clark, J., McCabe, A. M., Bowen, D. Q. & Clark, P. U. 2012: Response of the Irish Ice Sheet to abrupt climate change during the last deglaciation. *Quaternary Science Reviews* 35, 100-115.
- Clark, J., McCabe, A. M., Schnabel, C., Clark, P. U., Freeman, S., Maden, C. & Xu, S. 2009a: <sup>10</sup>Be chronology of the last deglaciation of County Donegal, northwestern Ireland. *Boreas* 38, 111-118.
- Clark, J., McCabe, A. M., Schnabel, C., Clark, P. U., McCarron, S., Freeman, S. P. H. T., Maden, C. & Xu, S. 2009b: Cosmogenic <sup>10</sup>Be chronology of the last deglaciation of western Ireland, and implications for sensitivity of the Irish Ice Sheet to climate Change. *Geological Society of America Bulletin* 121, 3-16.
- Clark, P. U., McCabe, A. M., Mix, A. C. & Weaver, A. J. 2004: Rapid rise of sea level 19,000 years ago and its global implications. *Science* 304, 1141-1144.
- Colhoun, E. A. & Synge, F. M. 1980: The cirque moraines at Lough Nahanagan, County Wicklow, Ireland. *Proceedings of the Royal Irish Academy* 80B, 25-45.
- Colhoun, E. A., Dickson, J. H., McCabe, A. M. & Shotton, F. W. 1972: A Middle Midlandian freshwater series at Derryvree, Maguiresbridge, County Fermanagh, Northern Ireland. *Proceedings of the Royal Society of London, B* 180, 273-292.
- Coope, G. R. & Brophy, J. A. 1972: Late glacial environmental changes indicated by a coleopteran succession from North Wales. *Boreas* 1, 97-142.
- Coope, G. R. & Pennington, W. 1977: The Windermere Interstadial of the late Devensian. *Philosophical Transactions of the Royal Society of London Series B* 280, 337-339.
- Coope, G. R. & Joachim, M. J. 1980: Lateglacial environmental changes interpreted from fossil Coleoptera from St Bees, Cumbria, England. In Lowe, J. J., Gray, J. M. & Robinson, J. E. (eds.): *Studies in the Lateglacial of North-West Europe*, 55-68. Pergamon, Oxford.
- Coope, G. R. & Lister, A. M. 1987: Late-Glacial Mammoth Skeletons from Conover, Shropshire, England. *Nature* 330, 472-474.
- Corner, G. D. & Haugane, E. 1993: Marine-lacustrine stratigraphy of raised coastal basins and postglacial sea-level change at Lyngen and Vanna, Troms, northern Norway. *Norsk Geografisk Tidsskrift* 73, 175-197.
- Corner, G. D., Yevzerov, V. Y., Kolka, V. V. & Møller, J. J. 1999: Isolation basin stratigraphy and Holocene relative sea-level change at the Norwegian-Russian border north of Nikel, northwest Russia. *Boreas* 28, 146-166.
- Corner, G. D., Kolka, V. V., Yevzerov, V. Y. & Møller, J. J. 2001: Postglacial relative sea-level change and stratigraphy of raised coastal basins on Kola Peninsula, northwest Russia. *Global and Planetary Change* 31, 155-177.
- Council for British Archaeology (CBA) 2000 (updated 2008). Archaeological Site Index to Radiocarbon Dates from Great Britain and Ireland. Archaeology Data Service, York. doi:10.5284/1017767.
- Craig, A. J. 1978: Pollen percentage and influx analyses in south-east Ireland: a contribution to the ecological history of the late-glacial period. *Journal of Ecology* 66, 297-324.
- Currant, A. P., Stringer, C. B. & Collcutt, S. N. 1984: Bacon Hole Cave. In Bowen, D. Q. & Henry, A. (eds.): *Wales: Gower, Preseli, Fforest Fawr Field Guide*, 38-45. Quaternary Research Association, Cambridge.
- Cwynar, L. C. & Watts, W. A. 1989: Accelerator-Mass Spectrometer Ages for Late-Glacial Events at Ballybetagh, Ireland. *Quaternary Research* 31, 377-380.
- Dahl, S. O. & Nesje, A. 1994: Holocene glacier fluctuations at Hardangerjøkulen, central-southern Norway: a high-resolution composite chronology from lacustrine and terrestrial deposits. *The Holocene* 4, 269-277.
- Dahl, S. O., Nesje, A. & Øvstedal, J. 1997: Cirque glaciers as morphological evidence for a thin Younger Dryas ice sheet in east-central southern Norway. *Boreas* 26, 161-180.
- Dahl, S. O., Nesje, A., Lie, O., Fjorheim, K. & Matthews, J. A. 2002: Timing, equilibrium-line altitudes and climatic implications of two early-Holocene glacier readvances during the Erdalen Event at Jostedalsgreen, western Norway. *Holocene* 12, 17-25.
- Dahlgren, K. I. T. & Vorren, T. O. 2003: Sedimentary environment and glacial history during the last 40 ka of the Voring continental margin, mid-Norway. *Marine Geology* 193, 93-127.
- Daniilāns, I. 1973: *Chetvertichnye Otlozhenia Latvii [Quaternary Deposits of Latvia]*. 312 pp. Zinatne, Riga.
- Dardis, G. F., Mitchell, W. I. & Hiron, K. R. 1985: Middle midlandian deposits at Greenagho, near Belcoo, County Fermanagh, Northern Ireland. *Irish Journal of Earth Sciences* 7, 1-6.
- Dawson, A. G., Benn, D. I. & Dawson, S. 1997: Late Quaternary glaciomarine sedimentation in the Rhinns of Islay, Scottish Inner Hebrides. In Dawson, A. G. & Dawson, S. (eds.): *The Quaternary of Islay and Jura. Field Guide*. Quaternary Research Association, Cambridge.

- Demidov, I. N., Houmark-Nielsen, M., Kjær, K. H. & Larsen, E. 2006: The last Scandinavian Ice Sheet in northwestern Russia: ice flow patterns and decay dynamics. *Boreas* 35, 425-443.
- Diefendorf, A. F., Patterson, W. P., Mullins, H. T., Tibert, N. & Martini, A. 2006: Evidence for high-frequency late Glacial to mid-Holocene (16,800 to 5500 cal yr B.P.) climate variability from oxygen isotope values of Lough Inchiquin, Ireland. *Quaternary Research* 65, 78-86.
- Ditlefsen, C. 1991: *Luminescence dating of Danish Quaternary sediments*. PhD Thesis, University of Aarhus, Denmark.
- Dolukhanov, P. M. & Miklayev, A. M. 1975: Evolutsiya ozer i pervobytnye poseleniya na severo-zapade Vostochno-Evropeiskoi ravniny (Evolution of lakes and first settlements in north-western part of the East-European Plain). In Kvasov, D. D. & Yakushko, O. F. (eds.): *Istoriya ozer v Golotsene (History of Lakes in the Holocene)*, 74-76. Institut Ozerovedeniya, Leningrad.
- Donner, J., Jungner, H. & Kurtén, B. 1979: Radiocarbon dates of mammoth finds in Finland compared with radiocarbon dates of Weichselian and Eemian deposits. *Bulletin of the Geological Society of Finland* 51, 45-54.
- Donner, J. J. 1979: The Early or Middle Devensian peat at Burn of Benholm, Kincardineshire. *Scottish Journal of Geology* 15, 247-250.
- Dresser, P. Q. 1980: Dublin Radiocarbon Dates III. *Radiocarbon* 22, 1028-1030.
- Duplessy, J. C., Cortijo, E., Ivanova, E., Khudis, T., Labeyrie, L., Levitan, M., Murdmaa, I. & Paterne, M. 2005: Paleoceanography of the Barents Sea during the Holocene. *Paleoceanography* 20, PA4004.
- Dzierżek, J. & Zreda, M. 2007: Timing and style of deglaciation of north eastern Poland from cosmogenic <sup>36</sup>Cl dating of glacial and glaciofluvial deposits. *Geological Quarterly* 51, 203-216.
- Eilertsen, R. S., Corner, G. D. & Aasheim, O. 2005: Deglaciation chronology and glaciomarine successions in the Malangen–Målselv area, northern Norway. *Boreas* 34, 233-251.
- Elverhøi, A. & Solheim, A. 1987: Late Weichselian glaciation of the northern Barents Sea - a discussion. *Polar Research* 5, 285-287.
- Elverhøi, A., Fjeldskaar, W., Solheim, A., Nylandberg, M. & Russwurm, L. 1993: The Barents Sea-ice Sheet - A Model of Its Growth and Decay During the Last Ice Maximum. *Quaternary Science Reviews* 12, 863-873.
- Elverhøi, A., Svendsen, J. I., Solheim, A., Andersen, E. S., Milliman, J., Mangerud, J. & Hooke, R. L. 1995a: Late Quaternary Sediment Yield From the High Arctic Svalbard Area. *Journal of Geology* 103, 1-17.
- Elverhøi, A., Andersen, E. S., Dokken, T., Hebbeln, D., Spielhagen, R., Svendsen, J. I., Sørflaten, M., Rornes, A., Hald, M. & Forsberg, C. F. 1995b: The growth and decay of the late weichselian ice sheet in western Svalbard and adjacent areas based on provenance studies of marine sediments. *Quaternary Research* 44, 303-316.
- Engstrand, L. & Östlund, G. 1962: Stockholm natural radiocarbon measurements IV. *Radiocarbon* 4, 115-136.
- Engstrand, L. G. 1965: Stockholm natural radiocarbon measurements VI. *Radiocarbon* 7, 257-290.
- Engstrand, L. G. 1967: Stockholm natural radiocarbon measurements VII. *Radiocarbon* 9, 387-438.
- Evans, D. J. A., Clark, C. D. & Mitchell, W. A. 2005: The last British Ice Sheet: A review of the evidence utilised in the compilation of the Glacial Map of Britain. *Earth-science Reviews* 70, 253-312.
- Everest, J. & Kubik, P. 2006: The deglaciation of eastern Scotland: cosmogenic <sup>10</sup>Be evidence for a Lateglacial stillstand. *Journal of Quaternary Science* 21, 95-104.
- Everest, J., Bradwell, T., Fogwill, C. J. & Kubik, P. W. 2006: Cosmogenic <sup>10</sup>Be age constraints for the Wester Ross readvance moraine: insights into British Ice-Sheet behaviour. *Geografiska Annaler Series A* 88, 9-17.
- Everest, J. D. & Gollidge, N. R. G. 2004: Dating deglaciation in Strathspey and the Cairngorm Mountains. In Lukas, S., Merritt, J. W. & Mitchell, W. A. (eds.): *The Quaternary of the central Grampian Highlands: Field Guide*, 50-57. Quaternary Research Association, Edinburgh.
- Everest, J. D., Bradwell, T., Stoker, M. & Dewey, S. 2013: New age constraints for the maximum extent of the last British-Irish Ice Sheet (NW sector). *Journal of Quaternary Science* 28, 2-7.
- Fabel, D., Ballantyne, C. K. & Xu, S. 2012: Trilineal, blockfields, mountain-top erratics and the vertical dimensions of the last British–Irish Ice Sheet in NW Scotland. *Quaternary Science Reviews* 55, 91-102.
- Fabel, D., Small, D., Miguens-Rodriguez, M. & Freeman, S. P. H. T. 2010: Cosmogenic nuclide exposure ages from the 'Parallel Roads' of Glen Roy, Scotland. *Journal of Quaternary Science* 25, 597-603.
- Fabel, D., Stroeve, A. P., Harbor, J., Kleman, J., Elmore, D. & Fink, D. 2002: Landscape preservation under Fennoscandian ice sheets determined from in situ produced <sup>10</sup>Be and <sup>26</sup>Al. *Earth and Planetary Science Letters* 201, 397-406.
- Fabel, D., Fink, D., Fredin, O., Harbor, J., Land, M. & Stroeve, A. P. 2006: Exposure ages from relict lateral moraines overridden by the Fennoscandian ice sheet. *Quaternary Research* 65, 136-146.
- Fareth, O. W. 1987: Glacial geology of the middle and inner Nordfjord. *Norges Geologiske Undersøgelse Bulletin* 408, 1-55.
- Fernlund, J. M. R. 1988: The deglaciation sea level and the marine limit in the Laholm-Halmstad area, Sweden. *Geologiska Föreningens i Stockholm Förhandlingar* 110, 207-220.
- Fernlund, J. M. R. 1990: An introduction to the "Halland Advance" - the Fennoscandian Ice Sheet or an ice cap? *LUNDQUA Report* 32, 41-46.
- Fernlund, J. M. R. 1993: The long-singular ridges of the Halland Coastal Moraines, South-Western Sweden. *Journal of Quaternary Science* 8, 67-78.
- Feyling-Hansen, R. W. 1964: Foraminifera in Late Quaternary deposits from Oslofjord area. *Norges Geologiske Undersøkelse* 225, 1-383.
- Fimreite, S., Vorren, K.-d. & Vorren, T. O. 2001: Vegetation, climate and ice-front oscillations in the Tromsø area, northern Norway during the Allerød and Younger Dryas. *Boreas* 30, 89-100.
- Fitzpatrick, E. A. 1965: An interglacial soil at Teindland, Morayshire. *Nature* 207, 621-622.
- Fjellanger, J., Sørbel, L., Linge, H., Brook, E. J., Raisbeck, G. M. & Yiou, F. 2006: Glacial survival of blockfields on the Varanger Peninsula, northern Norway. *Geomorphology* 82, 255-272.
- Fletekval, L. H. 1991: *Strandforskryvning på Tau, Rogaland. Lito- og biostratigrafiske undersøkingar av tre myrbasseng ved Norwerk*. Thesis, University of Bergen, Norway.
- Follestad, B. A. 1985: Stangvik. Beskrivelse til kvartærgeologisk kart 1420 IV – M 1:50 000 (med fargetrykt kart). *Norges geologiske undersøkelse Skrifter*: 67, 23 pp. Universitetsforlaget, Trondheim.
- Follestad, B. A. 1986: Kristiansund 1321 II og Bremnes 1321 III. Beskrivelse til kvartærgeologiske kart M 1: 50 000 (med fargetrykte kart). *Norges geologiske undersøkelse Skrifter*: 74, 27 pp. Trondheim.
- Follestad, B. A. 1992: *Halsa 1421 III, kvartærgeologisk kart - M 1:50000*. Norges Geologiske Undersøkelse, Trondheim.
- Forman, S. L. 1990: Postglacial Relative Sea-level History of Northwestern Spitsbergen, Svalbard. *Geological Society of America Bulletin* 102, 1580-1590.
- Forman, S. L. & Ingólfsson, Ó. 2000: Late Weichselian glacial history and postglacial emergence of Phippsøya, Sjuøyane, northern Svalbard: a comparison of modelled and empirical estimates of a glacial-rebound hinge line. *Boreas* 29, 16-25.
- Forman, S. L., Mann, D. H. & Miller, G. H. 1987: Late Weichselian and Holocene Relative Sea-level History of Broggerhalvøya, Spitsbergen. *Quaternary Research* 27, 41-50.
- Forman, S. L., Ingólfsson, Ó., Gataullin, V., Manley, W. F. & Lokrantz, H. 1999a: Late Quaternary stratigraphy of western Yamal Peninsula, Russia: New constraints on the configuration of the Eurasian ice sheet. *Geology* 27, 807-810.
- Forman, S. L., Ingólfsson, Ó., Gataullin, V., Manley, W. & Lokrantz, H. 2002: Late Quaternary Stratigraphy, Glacial Limits, and Paleoenvironments of the Marresale Area, Western Yamal Peninsula, Russia. *Quaternary Research* 57, 355-370.
- Forman, S. L., Weihe, R., Lubinski, D., Tarasov, G., Korsun, S. & Matishov, G. 1997: Holocene relative sea-level history of Franz Josef Land, Russia. *Geological Society of America Bulletin* 109, 1116-1133.
- Forman, S. L., Lubinski, D., Miller, G. H., Snyder, J., Matishov, G., Korsun, S. & Myslivets, V. 1995: Postglacial emergence and distribution of late Weichselian ice-sheet loads in the northern Barents and Kara seas, Russia. *Geology* 23, 113-116.
- Forman, S. L., Lubinski, D. J., Zeeberg, J. J., Polyak, L., Miller, G. H., Matishov, G. & Tarasov, G. 1999b: Postglacial emergence and Late Quaternary glaciation on northern Novaya Zemlya, Arctic Russia. *Boreas* 28, 133-145.

- Forman, S. L., Lubinski, D., Miller, G. H., Matishov, G. G., Korsun, S., Snyder, J., Herlihy, F., Weihe, R. & Myslivets, V. 1996: Postglacial emergence of western Franz Josef Land, Russia, and retreat of the Barents Sea ice sheet. *Quaternary Science Reviews* 15, 77-90.
- Forwick, M. & Vorren, T. O. 2002: Deglaciation history and post-glacial mass movements in Balsfjord, northern Norway. *Polar Research* 21, 259-266.
- Forwick, M. & Vorren, T. O. 2007: Holocene mass-transport activity and climate in outer Isfjorden, Spitsbergen: marine and subsurface evidence. *The Holocene* 17, 707-716.
- Forwick, M. & Vorren, T. O. 2009: Late Weichselian and Holocene sedimentary environments and ice rafting in Isfjorden, Spitsbergen. *Palaeogeography, Palaeoclimatology, Palaeoecology* 280, 258-274.
- Forwick, M., Vorren, T. O., Hald, M., Korsun, S., Roh, Y., Vogt, C. & Yoo, K.-C. 2010: Spatial and temporal influence of glaciers and rivers on the sedimentary environment in Sassenfjorden and Tempelfjorden, Spitsbergen. *Geological Society Special Publication* 344, 163-193.
- Foster, H. D. 1968: *The Glaciation of the Harlech Dome*. Thesis, University of London, England.
- Foster, H. D. 1970: Establishing the age and geomorphological significance of sorted stone-strips in the Rhinog Mountains, North Wales. *Geografiska Annaler Series A* 52, 96-102.
- Fredén, C. 1975: Subfossil finds of Arctic whales and seals in Sweden. *Sveriges Geologiska Undersökning C* 710, 1-62.
- Fredén, C. 1984: Faunahistoriska notiser om några av naturhistoriska riksmuseets daterade subfossila fynd. *Göteborgs Naturhistoriska Museum. Årstryck*, 31-45.
- Gaigalas, A. 2000: Correlation of 14C and OSL dating of late Pleistocene deposits in Lithuania. *Geochronometria* 19, 7-12.
- Gaigalas, A. & al., e. 1981: Radiocarbon datings in the laboratory of Lithuanian Institute of Geology. *Geologija* 2, 75-86.
- Gaigalas, A. & Fedorowicz, S. 2009: Co-operation between Gdansk and Vilnius Universities in Pleistocene geochronology investigations. *Geologija* 51, 74-85.
- Gaigalas, A., Dvareckas, V. & Banys, J. 1987: Reconstruction of sedimentation conditions in the oxbow lakes of Lithuanian river valleys. Methods for the investigation of lake deposits: palaeoecological and palaeoclimatological aspects. *Vilnius*, 228-234.
- Gaigalas, A., Fedorowicz, S. & Melešytė, M. 2005: TL dates of aquatic sandy sediments of Middle-Upper Pleistocene in Lithuania. *Geologija* 51, 39-49.
- Gaigalas, A., Vaikutienė, G., Vainorius, J. & Kazlauskas, M. 2008: Development of Lake Rėkyva and its environment in Late Pleistocene and Holocene. *Geologija* 50, 28-36.
- Gaigalas, A., Sanko, A., Pazdur, A., Pawlyta, J., Michczyński, A. & Budėnaitė, S. 2007: Buried oaks and malacofauna of Holocene oxbow lake sediments in the Valakupiai section, Lithuania. *Geologija (Vilnius)* 58, 34-48.
- Gaigalas, A., Arslanov, K. A., Chernov, S., Tertichnaya, T., Banys, J. J., Melešytė, M. J. & Brazauskas, J. Z. 1986: The age of Middle Nemunas (Middle Valdaian) interstadial deposits according to the investigations of section Rokai at the river Jiesia. *Investigation of the glacial deposits in the Baltic republics*. Vilnius.
- García Ambrosiani, K. 1990: *Pleistocene stratigraphy in central and northern Sweden - a reinvestigation of some classical sites*. PhD Thesis, Stockholm University, Sweden.
- Gataullin, V. N. 1988: *Upper Quaternary deposits of the western coast of the Yamal Peninsula*. PhD Thesis, Federal Geological Institute, Leningrad, Russia.
- Gaunt, G. D. 1974: A radiocarbon date relating to Lake Humber. *Proceedings of the Yorkshire Geological Society* 40, 195-197.
- Gaunt, G. D. 1976: The Devensian maximum ice limit in the Vale of York. *Proceedings of the Yorkshire Geological Society* 40, 631-637.
- Gaunt, G. D., Coope, G. R. & Franks, J. W. 1970: Quaternary deposits at Oxbow opencast coal site in the Aire Valley, Yorkshire. *Proceedings of the Yorkshire Geological Society* 38, 175-200.
- Gaunt, G. D., Jarvis, R. A. & Matthews, B. 1971: The late Weichselian sequence in the Vale of York. *Proceedings of the Yorkshire Geological Society* 38, 281-284.
- Gemmell, A. M. D., Murray, A. S. & Connell, E. R. 2008: Devensian glacial events in Buchan (NE Scotland): A progress report on new OSL dates and their implications. *Quaternary Geochronology* 2, 237-242.
- Genes, A. N. 1978: Dissertation on glacial history of the island Stord, western Norway. *Norsk Geografisk Tidsskrift* 58, 33-49.
- Gheorghiu, D. M., Fabel, D., Hansom, J. D. & Xu, S. 2012: Lateglacial surface exposure dating in the Monadhliath Mountains, Central Highlands, Scotland. *Quaternary Science Reviews* 41, 132-146.
- Gillespie, R., Gowlett, J. A. J., Hall, E. T., Hedges, R. E. M. & Perry, C. 1985: Radiocarbon dates from the Oxford AMS system: Archaeometry datelist 2. *Archaeometry* 27, 237-246.
- Girling, M. A. 1974: Evidence from Lincolnshire of the age and intensity of the mid Devensian temperate episode. *Nature* 250, 270.
- Gjessing, J. & Spjeldnaes, N. 1979: Dating of the Grefsen moraine and remarks on the deglaciation of southeast Norway. *Norsk Geografisk Tidsskrift - Norwegian Journal of Geography* 33, 71-81.
- Glasser, N. F., Hughes, P. D., Fenton, C., Schnabel, C. & Rother, H. 2012: 10Be and 26Al exposure-age dating of bedrock surfaces on the Aran ridge, Wales: evidence for a thick Welsh Ice Cap at the Last Glacial Maximum. *Journal of Quaternary Science* 27, 97-104.
- Godwin, H. & Willis, E. H. 1959: Cambridge University Natural Radiocarbon Measurements I. *American Journal of Science, Radiocarbon Supplement* 1, 63-75.
- Godwin, H. & Willis, E. H. 1964: Cambridge University Natural Radiocarbon Measurements VI. *Radiocarbon* 6, 116-137.
- Goehring, B. M., Brook, E. J., Linde, H., Raisbeck, G. M. & Yiou, F. 2008: Beryllium-10 exposure ages of erratic boulders in southern Norway and implications for the history of the Fennoscandian Ice Sheet. *Quaternary Science Reviews* 27, 320-336.
- Golledge, N., Fabel, D., Everest, J. D., Freeman, S. & Binnie, S. 2007: First cosmogenic 10Be age constraint on the timing of Younger Dryas glaciation and ice cap thickness, western Scottish Highlands. *Journal of Quaternary Science* 22, 785-791.
- Gowlett, J. A. J., Hall, E. T., Hedges, R. E. M. & Perry, C. 1986: Radiocarbon dates from the Oxford AMS system: Archaeometry datelist 3. *Archaeometry* 28, 116-125.
- Graham, A. G. C., Lonergan, L. & Stoker, M. S. 2010: Depositional environments and chronology of Late Weichselian glaciation and deglaciation in the central North Sea. *Boreas* 39, 471-491.
- Gray, J. M. 1975: Lateglacial, in situ barnacles from Glen Cruitten quarry, Oban. *Quaternary Newsletter* 15, 1-2.
- Gray, J. M. & Brooks, C. L. 1972: The Loch Lomond Readvance moraines of Mull and Menteith. *Scottish Journal of Geology* 8, 95-103.
- Green, H. S. 1984: *Pontnewydd Cave: a Lower Palaeolithic hominid site in Wales: the first report*. 227 pp. National Museum of Wales, Cardiff.
- Gregory, J. W. & Currie, E. D. 1928: The Vertebrate Fossils from the Glacial and Associated Post-Glacial Beds of Scotland in the Hunterian Museum, University of Glasgow. *Monograph of the Geology Department Hunterian Museum*. Glasgow.
- Greve, S. 1984: *Kvartære avsetninger på Vigra og Valderøya, Sunnmøre: Glasial-kronologi, strandforskynning og sedimentologi*. Masters Thesis, University of Bergen, Norway.
- Grigoriev, A., Zhamoïda, V., Spiridonov, M., Sharapova, A., Sivkov, V. & Ryabchuk, D. 2011: Late-glacial and Holocene palaeoenvironments in the Baltic Sea based on a sedimentary record from the Gdansk Basin. *Climate Research* 48, 13-21.
- Grøsfjeld, K., Larsen, E., Sejrup, H. P., Vernal, A. D., Flatebø, T., Vestbø, M., Haflidason, H. & Aarseth, I. 1999: Dinoflagellate cysts reflecting surface-water conditions in Voldafjorden, western Norway during the last 11 300 years. *Boreas* 28, 403-415.
- Gulliksen, S., Nydal, R. & Lovseth, K. 1975: Trondheim Natural Radiocarbon Measurements VII. *Radiocarbon* 17, 364-395.
- Gulliksen, S., Nydal, R. & Skogseth, F. 1978: Trondheim Natural-radiocarbon Measurements VIII. *Radiocarbon* 20, 105-133.
- Gulliksen, S., Birks, H. H., Possnert, G. & Mangerud, J. 1998: A calendar age estimate of the Younger Dryas-Holocene boundary at Krakenes, western Norway. *Holocene* 8, 249-259.
- Guobytė, R. & Satkūnas, J. 2011: Pleistocene glaciations in Lithuania. In Ehlers, J., Gibbard, P. L. & Hughes, P. D. (eds.): *Developments in Quaternary Science* 15, 231-246. Elsevier, Amsterdam.
- Görsdorf, J. & Kaiser, K. 2001: Radiokohlenstoffdaten aus dem Spätpleistozän und Frühholozän von Mecklenburg-Vorpommern. *Meyniana* 53, 91-118.
- Haflidason, H., Sejrup, H. P., Kristensen, D. K. & Johnsen, S. 1995: Coupled Response of the Late-glacial Climatic Shifts of Northwest Europe Reflected In Greenland Ice Cores - Evidence From the Northern North-sea. *Geology* 23, 1059-1062.
- Hald, M., Sætem, J. & Nesse, E. 1990: Middle and Late Weichselian Stratigraphy In Shallow Drillings From the Southwestern Barents Sea - Foraminiferal, Amino-acid and Radiocarbon Evidence. *Norsk Geologisk Tidsskrift* 70, 241-257.

- Hald, M., Husum, K., Vorren, T. O., Grøsfjeld, K., Jensen, H. B. & Sharapova, A. 2003: Holocene climate in the subarctic fjord Malangen, northern Norway: a multi-proxy study. *Boreas* 32, 543-559.
- Hald, M., Kolstad, V., Polyak, L., Forman, S. L., Herlihy, F., Ivanov, G. & Nescheretov, A. 1999: Late-glacial and Holocene paleoceanography and sedimentary environments in the St. Anna Trough, Eurasian Arctic Ocean margin. *Palaeogeography Palaeoclimatology Palaeoecology* 146, 229-249.
- Hald, M., Ebbesen, H., Forwick, M., Godtlielsen, F., Khomenko, L., Korsun, S., Ringstad Olsen, L. & Vorren, T. O. 2004: Holocene paleoceanography and glacial history of the West Spitsbergen area, Euro-Arctic margin. *Quaternary Science Reviews* 23, 2075-2088.
- Hall, A. M. 1984: *Buchan. Field Guide*. 80 pp. Quaternary Research Association, Cambridge.
- Hall, A. M. & Jarvis, J. 1989: A preliminary report on the late Devnsian glaciomarine deposits around St Fergus, Grampian region. *Quaternary Newsletter*, 5-7.
- Hallam, J. S., Edwards, B. J. N., Barnes, B. & Stuart, A. J. 1973: Remains of a Late Glacial Elk Associated with Barbed Points from High-Furlong, near Blackpool, Lancashire. *Proceedings of the Prehistoric Society* 39, 100-128.
- Harbor, J., Stroeven, A. P., Fabel, D., Clarhäll, A., Kleman, J., Li, Y., Elmore, D. & Fink, D. 2006: Cosmogenic nuclide evidence for minimal erosion across two subglacial sliding boundaries of the late glacial Fennoscandian ice sheet. *Geomorphology* 75, 90-99.
- Harkness, D. D. 1981: Scottish Universities Research and Reactor Center Radiocarbon Measurements-IV. *Radiocarbon* 23, 252-304.
- Harkness, D. D. & Wilson, H. W. 1974: Scottish Universities Research and Reactor Center Radiocarbon Measurements II. *Radiocarbon* 16, 238-251.
- Harkness, D. D. & Wilson, H. W. 1979: Scottish Universities Research and Reactor Centre Radiocarbon Measurements III. *Radiocarbon* 21, 203-256.
- Harrison, S., Bailey, R. M., Anderson, E., Arnold, L. & Douglas, T. 2010a: Optical Dates from British Isles 'Solifluction Sheets' Suggests Rapid Landscape Response to Late Pleistocene Climate Change. *Scottish Geographical Journal* 126, 101-111.
- Harrison, S., Glasser, N., Anderson, E., Ivy-Ochs, S. & Kubik, P. W. 2010b: Late Pleistocene mountain glacier response to North Atlantic climate change in southwest Ireland. *Quaternary Science Reviews* 29, 3948-3955.
- Haug, E. 2005: *OSL-dateringer av Weichsel Sedimenter på Sørøstlige Hardangervidda, Sør-Norge*. Masters Thesis, University of Bergen, Norway.
- Hedges, R. E. M., Housley, R. A., Law, I. A. & Perry, C. 1988a: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 7. *Archaeometry* 30, 155-164.
- Hedges, R. E. M., Housley, R. A., Law, I. A. & Bronk, C. R. 1989: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 9. *Archaeometry* 31, 207-234.
- Hedges, R. E. M., Housley, R. A., Law, I. A. & Bronk, C. R. 1990a: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 10. *Archaeometry* 32, 101-108.
- Hedges, R. E. M., Housley, R. A., Bronk, C. R. & Van Klinken, G. J. 1990b: Radiocarbon dates from the Oxford AMS System - Archaeometry Datelist 11. *Archaeometry* 32, 211-237.
- Hedges, R. E. M., Housley, R. A., Bronk, C. R. & Klinken, G. J. 1992: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 14. *Archaeometry* 34, 141-159.
- Hedges, R. E. M., Housley, R. A., Ramsey, C. B. & Van Klinken, G. J. 1993: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 17. *Archaeometry* 35, 305-326.
- Hedges, R. E. M., Housley, R. A., Ramsey, C. B. & Van Klinken, G. J. 1994: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 18. *Archaeometry* 36, 337-374.
- Hedges, R. E. M., Housley, R. A., Ramsey, C. B. & Van Klinken, G. J. 1995: Radiocarbon dates from the Oxford AMS System - Archaeometry Datelist 19. *Archaeometry* 37, 195-214.
- Hedges, R. E. M., Pettitt, P. B., Ramsey, C. B. & Van Klinken, G. J. 1996: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 22. *Archaeometry* 38, 391-415.
- Hedges, R. E. M., Pettitt, P. B., Bronk Ramsey, C. & Van Klinken, G. J. 1997: Radiocarbon Dates from the Oxford AMS System - Archaeometry Datelist 23. *Archaeometry* 39, 247-262.
- Hedges, R. E. M., Housley, R. A., Law, I. A., Perry, C. & Gowlett, J. A. J. 1987: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 6. *Archaeometry* 29, 289-306.
- Hedges, R. E. M., Housley, R. A., Law, I. A., Perry, C. & Hendy, E. 1988b: Radiocarbon-Dates from the Oxford AMS System - Archaeometry Datelist 8. *Archaeometry* 30, 291-305.
- Heier-Nielsen, S., Condradsen, K., Heinemeier, J., Knudsen, K. L., Nielsen, H. L., Rud, N. & Sveinbjörnsdóttir, A. E. 1995: Radiocarbon dating of shells and foraminifera from the Skagen Core, Denmark: evidence of reworking. *Radiocarbon* 37, 119-130.
- Heikkinen, A. & Äikää, O. 1977: Geological survey of Finland, Radiocarbon measurements VII. *Radiocarbon* 19, 263-279.
- Heikkinen, A., Koivisto, A. K. & Äikää, O. 1974: Geological survey of Finland, Radiocarbon measurements VI. *Radiocarbon* 16, 252-268.
- Heine, K., Reuther, A. U., Thieke, H. U., Schulz, R., Schlaak, N. & Kubik, P. W. 2009: Timing of Weichselian ice marginal positions in Brandenburg (northeastern Germany) using cosmogenic in situ Be-10. *Zeitschrift Fur Geomorphologie* 53, 433-454.
- Heinsalu, A. & Veski, S. 2007: The history of the Yoldia Sea in Northern Estonia: palaeoenvironmental conditions and climatic oscillations. *Geological Quarterly* 51, 295-306.
- Helle, S. K. 2008: *Early post-deglaciation shorelines and sea-level changes along Hardangerfjorden and adjacent fjord areas, W Norway*. PhD Thesis, University of Bergen, Norway.
- Helle, S. K., Anundsen, K., Aasheint, S. & Haflidason, H. 1997: Indications of a Younger Dryas marine transgression in inner Hardanger. West Norway. *Norges Geologisk Tidsskrift* 77, 101-117.
- Helle, S. K., Rye, N., Stabell, B., Prosch-Danielsen, L. & Hoel, C. 2007: Neotectonic faulting and the Late Weichselian shoreline gradients in SW Norway. *Journal of Geodynamics* 44, 96-128.
- Helmens, K. F., Rasanen, M. E., Johansson, P. W., Jungner, H. & Korjonen, K. 2000: The Last Interglacial-Glacial cycle in NE Fennoscandia: a nearly continuous record from Sokli (Finnish Lapland). *Quaternary Science Reviews* 19, 1605-1623.
- Helmens, K. F., Johansson, P. W., Räsänen, M. E., Alexanderson, H. & Eskola, K. O. 2007: Ice-free intervals continuing into Marine Isotope Stage 3 at Sokli in the central area of the Fennoscandian glaciations. *Bulletin of the Geological Society of Finland* 79, 17-39.
- Henningsen, T. & Hovden, Ø. 1984: *Weichsel stratigrafi, deglasiasjon, lokalglasiasjon og strandforskynning i Ålesundområdet*. Masters Thesis, University of Bergen, Norway.
- Henningsmoen, K. E. 1979: En karbon-datert strandforskynningskurve fra søndre Vestfold. In Nydal, R., Westin, S., Hafsten, U. & Gulliksen, S. (eds.): *Fortiden i søkelyset. 14C datering gjennom 25 år: Laboratoriet for Radiologisk Datering*, 239-247. Universitet Forlag, Trondheim.
- Herking, C. M. 2004: *Pollenanalytische Untersuchungen zur holozänen Vegetationsgeschichte entlang des östlichen unteren Odertals und südlichen unteren Wartatal in Nordwestpolen*. PhD Thesis, University of Göttingen, Germany.
- Hibbert, F. D., Austin, W. E. N., Leng, M. J. & Gatliff, R. W. 2010: British Ice Sheet dynamics inferred from North Atlantic ice-rafted debris records spanning the last 175 000 years. *Journal of Quaternary Science* 25, 461-482.
- Hill, A. R. & Prior, D. B. 1968: Directions of ice movement in north-east Ireland. *Proceedings of the Royal Irish Academy* 66B, 71-84.
- Hillén, A. 1979: *Deglaciationsförloppet i trakten av Berghemsmoränen öster om Göteborg*. PhD Thesis, University of Lund, Sweden.
- Hillefors, Å. 1974: The stratigraphy and genesis of the Dösebacka and Ellesbo drumlins: A contribution to the knowledge of the Weichsel glacial history in western Sweden. *Geologiska Föreningens i Stockholm Förhandlingar* 96, 335-374.
- Hillefors, Å. 1975: Contributions to the knowledge of the chronology of the deglaciation of western Sweden. With special reference to the Gothenburg Moraine. *Svensk Geografisk Årsbok* 51, 70-81.
- Hiller, A., Junge, F. W., Geyh, M. A., Krbetschek, M. & Kremenetski, C. 2004: Characterising and dating Weichselian organogenic sediments: a case study from the Lusatian ice marginal valley (Scheibitz opencast mine, eastern Germany). *Palaeogeography Palaeoclimatology Palaeoecology* 205, 273-294.
- Hirvas, H. 1991: Pleistocene stratigraphy of Finnish Lapland. *Geological Survey of Finland. Bulletin* 354, 123.



- Hirvas, H. & Kujansuu, R. 1979: On glacial, interstadial and interglacial deposits in Northern Finland. *IGCP Project 73/I/24 Quaternary Glaciations in the Northern Hemisphere: Report No. 5*, 146-164 pp. Prague.
- Hirvas, H. & Kujansuu, R. 1981: Quaternary stratigraphy and chronology in northern Finland. In Gorbunov, G. I., Koshechkin, B. I. & Lisitsyn, A. I. (eds.): *Glacial deposits and glacial history in eastern Fennoscandia*, 5-15. Academy of Sciences of the USSR, Apatity.
- Hogan, K. A., Dowdeswell, J. A., Noormets, R., Evans, J. & Ó Cofaigh, C. 2010: Evidence for full-glacial flow and retreat of the Late Weichselian Ice Sheet from the waters around Kong Karls Land, eastern Svalbard. *Quaternary Science Reviews* 29, 3563-3582.
- Holloway, L. K., Peacock, J. D., Smith, D. E. & Wood, A. M. 2002: A Windermere Interstadial marine sequence: environmental and relative sea level interpretations for the western Forth valley, Scotland. *Scottish Journal of Geology* 38, 41-54.
- Holmes, R. 1977: Quaternary deposits of the central North Sea 5. The Quaternary geology of the UK sector of the North Sea between 56° and 58° N. *Report of the Institute of Geological Sciences* 77/14, 50-51.
- Holstedahl, H. 1967: Notes on the formation of fjords and fjord-valleys. *Geografiska Annaler Series A* 49, 188-203.
- Holstedahl, H. & Bjerkli, K. 1982: Late Quaternary sediments and stratigraphy on the continental shelf off Møre-Trøndelag, W. Norway. *Marine Geology* 45, 179-226.
- Holstedahl, O. 1960: Geology of Norway. *Norges Geologiske Undersøkelse* 208, 1-540.
- Holstedahl, O. 1964: An Allerød Fauna at Os, near Bergen, Norway. *Norsk Geografisk Tidsskrift* 44, 315-322.
- Hoppe, G. 1972: Ice sheets around the Norwegian Sea during the Wurm glaciation. *AMBIO Special Report* 2, 25-29.
- Hoppe, G. 1974: The glacial history of the Shetland Islands. *Transactions of the Institute of British Geographers* 7, 197-210.
- Hormes, A., Akcar, N. & Kubik, P. W. 2011: Cosmogenic radionuclide dating indicates ice-sheet configuration during MIS 2 on Nordaustlandet, Svalbard. *Boreas* 40, 636-649.
- Hormes, A., Gjermundsen, E. F. & Rasmussen, T. L. 2013: From mountain top to the deep sea – Deglaciation in 4D of the northwestern Barents Sea ice sheet. *Quaternary Science Reviews* 75, 78-99.
- Houmark-Nielsen, M. 1994: Late Pleistocene stratigraphy, glaciation chronology and Middle Weichselian environmental history from Klintholm, Mön, Denmark. *Bulletin of the Geological Society of Denmark* 41, 181-202.
- Houmark-Nielsen, M. 2003: Signature and timing of the Kattegat Ice Stream: onset of the Last Glacial Maximum sequence at the southwestern margin of the Scandinavian Ice Sheet. *Boreas* 32, 227-241.
- Houmark-Nielsen, M. 2007: Extent and age of Middle and Late Pleistocene glaciations and periglacial episodes in southern Jylland, Denmark. *Bulletin of the Geological Society of Denmark* 55, 9-35.
- Houmark-Nielsen, M. 2008: Testing OSL failures against a regional Weichselian glaciation chronology from southern Scandinavia. *Boreas* 37, 660-677.
- Houmark-Nielsen, M. 2010: Extent, age and dynamics of Marine Isotope Stage 3 glaciations in the southwestern Baltic Basin. *Boreas* 39, 343-359.
- Houmark-Nielsen, M. & Kolstrup, E. 1981: A radiocarbon dated Weichselian sequence from Sejerø, Denmark. *Geologiska Föreningens i Stockholm Föreläsningar* 103, 73-78.
- Houmark-Nielsen, M. & Kjær, K. H. 2003: Southwest Scandinavia, 40-15 kyr BP: palaeogeography and environmental change. *Journal of Quaternary Science* 18, 769-786.
- Houmark-Nielsen, M., Bennike, O. & Björck, S. 1996: Terrestrial biotas and environmental changes during the late Weichselian in north Jylland, Denmark. *Bulletin of the Geological Society of Denmark* 43, 169-176.
- Houmark-Nielsen, M., Linge, H., Fabel, D., Schnabel, C., Xu, S., Wilcken, K. M. & Binnie, S. 2012: Cosmogenic surface exposure dating the last deglaciation in Denmark: Discrepancies with independent age constraints suggest delayed periglacial landform stabilisation. *Quaternary Geochronology* 13, 1-17.
- Houmark-Nielsen, M., Demidov, I., Funder, S., Grøsfjeld, K., Kjær, K. H., Larsen, E., Lavrova, N., Lyså, A. & Nielsen, J. K. 2001: Early and Middle Valdaian glaciations, ice-dammed lakes and periglacial interstadials in northwest Russia: new evidence from the Pyozha River area. *Global and Planetary Change* 31, 215-237.
- Hughes, A. L. C., Greenwood, S. L. & Clark, C. D. 2011: Dating constraints on the last British-Irish Ice Sheet: a map and database. *Journal of Maps* 7, 156-184.
- Hulme, P. D. & Durno, S. E. 1980: Contribution to the Phytogeography of Shetland. *New Phytologist* 84, 165-169.
- Hyvärinen, H. 1973: The deglaciation history of eastern Fennoscandia - recent data from Finland. *Boreas* 2, 85-102.
- Hyvärinen, H. 1975: Absolute and relative pollen diagrams from northernmost Fennoscandia. *Fennia* 142, 1-23.
- Häggblom, A. 1982: Driftwood in Svalbard as an indicator of sea ice conditions. *Geografiska Annaler Series A* 64, 81-94.
- Håkansson, S. 1969: University of Lund radiocarbon dates II. *Radiocarbon* 11, 430-450.
- Håkansson, S. 1970: University of Lund radiocarbon dates III. *Radiocarbon* 12, 534-552.
- Håkansson, S. 1974: University of Lund radiocarbon dates VII. *Radiocarbon* 16, 307-330.
- Håkansson, S. 1976: University of Lund radiocarbon dates IX. *Radiocarbon* 18, 290-320.
- Håkansson, S. 1977: University of Lund radiocarbon dates X. *Radiocarbon* 19, 290-320.
- Håkansson, S. 1979: University of Lund radiocarbon dates XII. *Radiocarbon* 21, 384-404.
- Håkansson, S. 1980: University of Lund radiocarbon dates XIII. *Radiocarbon* 22, 1045-1063.
- Håkansson, S. 1982: University of Lund radiocarbon dates XV. *Radiocarbon* 24, 194-213.
- Håkansson, S. 1986: University of Lund radiocarbon dates XIX. *Radiocarbon* 28, 141-164.
- Håkansson, S. 1988: University of Lund radiocarbon dates XXI. *Radiocarbon* 30, 179-196.
- Idland, M. A. 1992: *Geokjemiske analyser av de norske mammutrestene med henblikk på datering*. Thesis, University of Bergen, Norway.
- Iisalo, E. 1996: Onko Ylivieskan Mertuaonjan harju Veiksel-interstadialinen? *Geologi* 48, 58-63.
- Ilves, E. 1980: Tartu radiocarbon dates X. *Radiocarbon* 22, 1084-1089.
- Ilves, E. 1990: Tartu Radiocarbon dates XI. *Radiocarbon* 32, 99-105.
- Ilves, E., Punning, J. M. & Liiva, A. 1970: Tartu radiocarbon dates IV. *Radiocarbon* 12, 238-248.
- Ilves, E., Liiva, A. & Punning, J. M. 1974: *Radiocarbon Dating in the Quaternary Geology and Archaeology of Estonia*. pp. Academy of Sciences of the Estonian SSR, Institute of Zoology and Botany and Institute of Geology, Tallinn.
- Ince, J. 1981: *Pollen Analysis and Radiocarbon Dating of Late-Glacial and Early Flandrian Deposits in Snowdonia, North Wales*. PhD Thesis, City of London Polytechnic, England.
- Ivanova, E. V., Murdmaa, I. O., Duplessy, J.-C. & Paterne, M. 2002: Late Weichselian to Holocene paleoenvironments in the Barents Sea. *Global and Planetary Change* 34, 209-218.
- Jacobi, R. M. & Higham, T. F. 2008: The "Red Lady" ages gracefully: new ultrafiltration AMS determinations from Paviland. *Journal of Human Evolution* 55, 898-907.
- Jacobi, R. M., Jacobi, E. B. & Burleigh, R. 1986: Kent's Cavern, Devon: dating of the 'Black Band' and human resettlement of the British Isles following the last glacial maximum. *Quaternary Newsletter* 48, 10-12.
- Jacobi, R. M., Rose, J., MacLeod, A. & Higham, T. F. G. 2009: Revised radiocarbon ages on woolly rhinoceros (*Coelodonta antiquitatis*) from western central Scotland: significance for timing the extinction of woolly rhinoceros in Britain and the onset of the LGM in central Scotland. *Quaternary Science Reviews* 28, 2551-2556.
- Janocko, J., Landvik, J. Y., Larsen, E., Sejrup, H. P. & Steinsund, P. I. 1998: Middle and Late Quaternary depositional history reconstructed from two boreholes at Lågjaeren and Högjaeren, SW Norway. *Norsk Geologisk Tidsskrift* 78, 153-167.
- Janowska, D. 1980: Szata roślinna okolic Gopla w późnym glacie i holocenie oraz wpływ osadnictwa na jej rozwój w świetle badań paleobotanicznych (Vegetation in the Lake Goplo area in the late glacial and Holocene periods and the influence of settlements on its growth in the light of paleobotanical research. *Przegląd Archeologiczny* 27, 5-41.
- Jardine, W. G., Dickson, J. H., Haughton, P. D. W., Harkness, D. D., Bowen, D. Q. & Sykes, G. A. 1988: A Late middle Devesnsian interstadial site at Sourlie, near Irvine, Strathclyde. *Scottish Journal of Geology* 24, 288-295.



- Jensen, C. & Vorren, K.-D. 2008: Holocene vegetation and climate dynamics of the boreal alpine ecotone of northwestern Fennoscandia. *Journal of Quaternary Science* 23, 719-743.
- Jessen, S. P., Rasmussen, T. L., Nielsen, T. & Solheim, A. 2010: A new Late Weichselian and Holocene marine chronology for the western Svalbard slope 30,000–0 cal years BP. *Quaternary Science Reviews* 29, 1301-1312.
- John, B. S. 1965: A possible Main Wurm glaciation in west Pembrokeshire. *Nature* 207, 622-623.
- John, B. S. 1967: Further evidence for a Middle Würm interstadial and a Main Würm glaciation in Southwest Wales. *Geological Magazine* 104, 630-633.
- John, B. S. & Ellis-Gruffydd, I. D. 1970: Weichselian stratigraphy and radiocarbon dating in South Wales. *Geologie en Mijnbouw* 49, 285-296.
- Johnsen, T. F., Olsen, L. & Murray, A. 2012: OSL ages in central Norway support a MIS 2 interstadial (25–20 ka) and a dynamic Scandinavian ice sheet. *Quaternary Science Reviews* 44, 96-111.
- Johnsen, T. F., Alexanderson, H., Fabel, D. & Freeman, S. P. H. T. 2009: New <sup>10</sup>Be cosmogenic ages from the vimmerby moraine confirm the timing of scandinavian ice sheet deglaciation in southern sweden. *Geografiska Annaler: Series A, Physical Geography* 91, 113-120.
- Jones, G. A. & Keigwin, L. D. 1988: Evidence from Fram Strait (78 °N) for early deglaciation. *Nature* 336, 56-59.
- Jones, R. L. 1976: Late Quaternary vegetational history of the North York Moors IV Seamer Carrs. *Journal of Biogeography* 3, 397-406.
- Jones, R. L. 1977: Late Devensian deposits from Kildale, north-east Yorkshire. *Proceedings of the Yorkshire Geological Society* 41, 398-406.
- Jones, R. L. & Gaunt, G. D. 1976: A dated Late Devensian organic deposit at Cawood, near Selby. *Naturalist*, 121-123.
- Jones, R. L. & Keen, D. H. 1993: *Pleistocene environments in the British Isles*. 346 pp. Chapman and Hall, London.
- Jungner, H. 1979: Radiocarbon dates I. *Report no. 1*, pp. Dating Laboratory, University of Helsinki, Finland.
- Jungner, H. & Sonninen, E. 1983: Radiocarbon dates II. *Report No 2*, 121 pp. Radiocarbon Dating Laboratory, University of Helsinki.
- Jungner, H. & Sonninen, E. 1996: Radiocarbon dates IV. *Report No 4*, pp. Dating Laboratory, University of Helsinki.
- Junttila, J., Aagaard-Sørensen, S., Husum, K. & Hald, M. 2010: Late Glacial–Holocene clay minerals elucidating glacial history in the SW Barents Sea. *Marine Geology* 276, 71-85.
- Kaakinen, A. N. U., Salonen, V.-P., Kubischta, F., Eskola, K. O. & Oinonen, M. 2009: Weichselian glacial stage in Murchisonfjorden, Nordaustlandet, Svalbard. *Boreas* 38, 718-729.
- Kadastik, E. 2004: *Upper-Pleistocene stratigraphy and deglaciation history in northwestern Estonia*. PhD Thesis, Dissertationes Geologicae Universitatis Tartuens XV, Tartu University Press, Tartu.
- Kaiser, K. 2004: Lake basin development in the Endinger Bruch area (Vorpommern, NE Germany) during the Late Pleistocene and Early Holocene. *Zeitschrift Fur Geomorphologie* 48, 461-480.
- Kaiser, K., Klerk, P. D. & Terberger, T. 1999: Die „Riesenhirschfundstelle“ von Endingen: geowissenschaftliche und archäologische Untersuchungen an einem spätglazialen Fundplatz in Vorpommern. *Eiszeitalter und Gegenwart* 49, 102-123.
- Kaiser, K., Rother, H., Lorenz, S., Gärtner, P. & Papenroth, R. 2007: Geomorphic evolution of small river-lake-systems in northeast Germany during the Late Quaternary. *Earth Surface Processes and Landforms* 32, 1516-1532.
- Kajak, K., Raukas, A., Hütt, G., Gaigalas, A., Jevzerov, V., Ivanova, L., Raukas, A. & Ruhina, E. 1981: Experience in dating different-aged tills using termoluminescence method. *Pleistocene geology in northwestern part of the USSR*, 3-11. Kola Branch of the USSR Academy of Sciences, Apatity.
- Kaland, T. 1988: *Strandforysnying i Hjelmeland, Ryfylke. Bio- og litostratigrafiske bassengundersøkelser på Randøy og ved Fister*. Thesis, University of Bergen, Norway.
- Kalm, V. 2005: Chronological data from Estonian Pleistocene. *Proceedings of the Estonian Academy of Science Geology* 54, 5-25.
- Kalm, V. 2006: Pleistocene chronostratigraphy in Estonia, southeastern sector of the Scandinavian glaciation. *Quaternary Science Reviews* 25, 960-975.
- Karlen, W. 1979: Deglaciation Dates from Northern Swedish Lapland. *Geografiska Annaler. Series A, Physical Geography* 61, 203-210.
- Karlen, W., Hoppe, G., Rasmussen, S. B. & Roland, M. W. 1987: Geomorfologi, glaciologi och istidsforlopp på östra Svalbard. *Expeditionen Ymer-80-en slutrapport*, 88-92. Kungliga Vetenskapsakademien.
- Karlsen, L. C. 2008: Lateglacial vegetation and environment at the mouth of Hardangerfjorden, western Norway. *Boreas* 38, 315-334.
- Kelley, J. T., Cooper, J. A. G., Jackson, D. W. T., Belknap, D. F. & Quinn, R. J. 2006: Sea-level change and inner shelf stratigraphy off Northern Ireland. *Marine Geology* 232, 1-15.
- Kershaw, P. J. 1986: Radiocarbon dating of Irish Sea sediments. *Estuarine, Coastal and Shelf Science* 23, 295-303.
- Kessel, H. & Punning, J. M. 1969: Über die Verbreitung und Stratigraphie der Sedimente des Joldiamerees in Estland. *Eesti NSV Tead. Akad. Toim. Keemia.Geol* 18, 154-163.
- Kind, N. V. 1974: *Late Quaternary geochronology according to isotopes data (Geokhronologia pozdniego antropogena po izotopnym dannym)*. 184 pp. Nauka, Moscow.
- King, E. L., Hafliðason, H., Sejrup, H. P. & Løvlie, R. 1998: Glacigenic debris flows on the North Sea Trough Mouth Fan during ice stream maxima. *Marine Geology* 152, 217-246.
- Kirk, W. & Godwin, H. 1963: A late-glacial site at Loch Droma, Ross and Cromarty. *Transactions of the Royal Society of Edinburgh* 65, 225-249.
- Kjemperud, A. 1986: Late Weichselian and Holocene shoreline displacement in the Trondheimsfjord area, central Norway. *Boreas* 15, 61-82.
- Kjær, K., Lagerlund, E., Adrielsson, L., Thomas, P. J., Murray, A. & Sandgren, P. 2006a: The first independent chronology for Middle and Late Weichselian sediments from southern Sweden and the Island of Bornholm. *Geologiska Föreningens i Stockholm Förhandlingar* 128, 209-220.
- Kjær, K., Larsen, E., Funder, S., Demidov, I., Jensen, M., Håkansson, L. & Murray, A. 2006b: Eurasian ice-sheet interaction in northwestern Russia throughout the late Quaternary. *Boreas* 35, 444-475.
- Kjær, K. H., Demidov, I. N., Larsen, E., Murray, A. & Nielsen, J. K. 2003: Mezen Bay - a key area for understanding Weichselian glaciations in northern Russia. *Journal of Quaternary Science* 18, 73-93.
- Klakegg, O. & Nordahl-Olsen, T. 1985: Nordfjordeid, Beskrivelse til kwrla'geologisk kart 12181 - M 1:50.000. *Norges Geologiske Undersøkelse* 71, 1-29.
- Klakegg, O. & Sørensen, R. 1991. *Horten 1813 I, Kvartærgeologisk kart M 1:50000 med beskrivelse*. Norges Geologiske Undersøkelse, Trondheim.
- Kleiber, H. P., Knies, J. & Niessen, F. 2000: The Late Weichselian glaciation of the Franz Victoria Trough, northern Barents Sea: ice sheet extent and timing. *Marine Geology* 168, 25-44.
- Kliwew, H. 1968: Periglazialphänomene im Spätglazialgebiet der Weichselvereisung. *Przeglad Geograficzny* 40, 351-362.
- Kliwew, H. & Janke, W. 1991: Holozäner Küstenausgleich im südlichen Ostseegebiet bei besonderer Berücksichtigung der Boddenausgleichsküste Vorpommerns. *Petermanns Geographische Mitteilungen* 1, 1-14.
- Klingberg, F. 1989: A revaluation of the Göta Älv interstadial to Late Weichselian. *Geologiska Föreningens i Stockholm Förhandlingar* 111, 51-52.
- Klitgaard-Kristensen, D., Rasmussen, T. L. & Koç, N. 2012: Palaeoceanographic changes in the northern Barents Sea during the last 16 000 years – new constraints on the last deglaciation of the Svalbard–Barents Sea Ice Sheet. *Boreas* 42, 798-813.
- Klovning, I. & Hafsten, U. 1965: Early Post-glacial pollen profile from Flåmsdalen, a tributary valley to the Sognefjord, Western Norway. *Norges Geologisk Tidsskrift* 45, 333-338.
- Knies, J., Nowaczyk, N., Müller, C., Vogt, C. & Stein, R. 2000: A multiproxy approach to reconstruct the environmental changes along the Eurasian continental margin over the last 150 000 years. *Marine Geology* 163, 317-344.
- Knies, J., Kleiber, H.-P., Matthiessen, J., Müller, C. & Nowaczyk, N. 2001: Marine ice-rafted debris records constrain maximum extent of Saalian and Weichselian ice-sheets along the northern Eurasian margin. *Global and Planetary Change* 31, 45-64.
- Knies, J., Vogt, C., Matthiessen, J., Nam, S.-I., Ottesen, D., Rise, L., Bargel, T. & Eilertsen, R. S. 2007: Re-advance of the Fennoscandian Ice Sheet during Heinrich Event 1. *Marine Geology* 240, 1-18.
- Knight, J. 2001: Glaciomarine deposition around the Irish Sea basin: some problems and solutions. *Journal of Quaternary Science* 16, 405-418.
- Knudsen, C. G. 2006: *Glacier dynamics and lateglacial environmental changes – evidences from SW Norway and Iceland*. PhD Thesis, University of Bergen, Norway.

- Knudsen, K. L. 1978: Middle and Late Weichselian marine deposits at Nørre Lyngby, northern Jutland, Denmark, and their foraminiferal faunas. *Danmarks Geologiske Undersøgelse II Række* 119, 44.
- Knutz, P. C., Zahn, R. & Hall, I. R. 2007: Centennial-scale variability of the British Ice Sheet: Implications for climate forcing and Atlantic meridional overturning circulation during the last deglaciation. *Paleoceanography* 22, PA1207.
- Knutz, P. C., Hall, I. R., Zahn, R., Rasmussen, T. L., Kuijpers, A., Moros, M. & Shackleton, N. J. 2002: Multidecadal ocean variability and European ice sheet surges during the last deglaciation. *Geochemistry Geophysics Geosystems* 3, 1077.
- Koç, N., Klitgaard-Kristensen, D., Hasle, K., Forsberg, C. F. & Solheim, A. 2002: Late glacial palaeoceanography of Hinlopen Strait, northern Svalbard. *Polar Research* 21, 307-314.
- Kolstrup, E. 1991: A late Pleistocene "initial" vegetation at Vrøgum, west Jutland (Denmark). *Palaeogeography, Palaeoclimatology, Palaeoecology* 88, 53-67.
- Kolstrup, E. 1992: Danish Pollen Records Radiocarbon-dated To Between 50000 and 57000 yr BP. *Journal of Quaternary Science* 7, 163-172.
- Kolstrup, E. & Havemann, K. 1984: Weichselian Juniperus in the Frøslev alluvial fan (Denmark). *Bulletin of the Geological Society of Denmark* 32, 121-131.
- Kolstrup, E. & Houmark-Nielsen, M. 1991: Weichselian palaeoenvironments at Kobbegård, Møn, Denmark. *Boreas* 20, 169-182.
- Kolstrup, E. & Olsen, L. 2012: Palaeoenvironmental developments in the central Scandinavian mountains during deglaciation a discussion. *Norwegian Journal of Geography* 66, 30-51.
- Kopczynska-Lamparska, K. 1976: Radiocarbon datings of the late-glacial and Holocene deposits of Western Pomerania. *Acta Geologica Polonia* 26, 413-418.
- Koren, J. H., Svendsen, J. I., Mangerud, J. & Furnes, H. 2008: The Dimna Ash — a 12.8 14C ka-old volcanic ash in Western Norway. *Quaternary Science Reviews* 27, 85-94.
- Korpela, K. 1969: Die Weichsel-Eiszeit und ihr Interstadial in Peräpohjola (nördliches Nordfinnland) im Licht von submoränen Sedimenten. *Annales Academiae Scientiarum Fennicae, Series A III* 99, 1-108.
- Kortekaas, M. & Murray, A. S. 2007: *Postglacial history of sea-level and environmental change in the southern Baltic Sea, LUNDQUA Thesis 57*. PhD Thesis, Lund University, Sweden.
- Kortekaas, M., Murray, A. S., Sandgren, P. & Björck, S. 2007: OSL chronology for a sediment core from the southern Baltic Sea: A continuous sedimentation record since deglaciation. *Quaternary Geochronology* 2, 95-101.
- Kozarski, S. & Nowaczyk, B. 1995: The Bólling interstadial at Żabinko and Late Vistulian environmental changes in middle reach of the Warsaw-Berlin Pradolina. *Quaternary Studies in Poland* 13, 43-53.
- Kramarska, R. 1998: Origin and development of the Odra Bank in the light of the geologic structure and radiocarbon dating. *Geological Quarterly* 42, 277.
- Kramarska, R. & Jurowska, Z. 1991. *Objasnienia do mapy geologicznej denn baltyku 1:200000*. 1:200000. Państwowy Instytut Geologiczny, Warszawa.
- Kremenetski, K. V., MacDonald, G. M., Gervais, B. R., Borisov, O. K. & Snyder, J. A. 2004: Holocene vegetation history and climate change on the northern Kola Peninsula, Russia: a case study from a small tundra lake. *Quaternary International* 122, 57-68.
- Kristensen, P., Knudsen, K. L., Lykke-Andersen, H., Nørmark, E., Peacock, J. D. & Sinnott, A. 1998: Interglacial and glacial climate oscillations in a marine shelf sequence from northern Denmark – a multidisciplinary study. *Quaternary Science Reviews* 17, 813-837.
- Kristiansen, I. L., Mangerud, J. & Lomo, L. 1988: Late Weichselian Early Holocene Pollenstratigraphy and Lithostratigraphy In Lakes In the Alesund Area, Western Norway. *Review of Palaeobotany and Palynology* 53, 185-231.
- Krog, H. & Tauber, H. 1974: C-14 chronology of Late- and Post-glacial marine deposits in North Jutland. *Danmarks Geologiske Undersøgelse Årbog* 1973, 93-105.
- Krohn, C. F., Larsen, N. K., Kronborg, C., Nielsen, O. B. & Knudsen, K. L. 2009: Litho- and chronostratigraphy of the Late Weichselian in Vendsyssel, northern Denmark with special emphasis on tunnel-valley infill in relation to a receding ice margin. *Boreas* 38, 811-833.
- Kronborg, C. 1983: Preliminary results of age determination by TL of interglacial and interstadial sediments. *PACT 9*, 595-605.
- Krzywińska, J., Miotk-Szpiganowicz, G. & Witak, M. 2005: Biostratigraphical investigations of the Puck Bay Quaternary deposits. *Geologia i geomorfologia Półwyspu południowego Bałtyku* 6, 21-38.
- Krzywinski, K. & Stabell, B. 1984: Late Weichselian Sea-level Changes At Sotra, Hordaland, Western Norway. *Boreas* 13, 159-202.
- Kubischta, F., Knudsen, K. L., Ojala, A. E. K. & Salonen, V.-P. 2011: Holocene benthic foraminiferal record from a high-Arctic fjord, Nordaustlandet, Svalbard. *Geografiska Annaler: Series A, Physical Geography* 93, 227-242.
- Kujansuu, R. 1975: Marrasjärven interstadialinen harju Keski-Lapissa (Interstadial esker at Marrasjärvi, Finnish Lapland). *Geologi* 27, 45-50.
- Kvamme, M. 1984: Vegetasjonshistoriske undersøkelser. In Meyer, O. (ed.): *Breheimen-Stryn konsesjonsavjørende botaniske undersøkelser*, 238-275.
- Laberg, J. S. & Vorren, T. O. 1995: Late Weichselian Submarine Debris Flow Deposits On the Bear-island-trough-mouth-fan. *Marine Geology* 127, 45-72.
- Laberg, J. S. & Vorren, T. O. 2004: Weichselian and Holocene growth of the northern high latitude Lofoten Contourite Drift on the continental slope of Norway. *Sedimentary Geology* 164, 1-17.
- Laberg, J. S., Eilertsen, R. S., Salomonsen, G. R. & Vorren, T. O. 2007: Submarine push moraine formation during the early Fennoscandian Ice Sheet deglaciation. *Quaternary Research* 67, 453-462.
- Laberg, J. S., Vorren, T. O., Mienert, J., Evans, D., Lindberg, B., Ottesen, D., Kenyon, N. H. & Henriksen, S. 2002: Late Quaternary palaeoenvironment and chronology in the Trænadjupet Slide area offshore Norway. *Marine Geology* 188, 35-60.
- Lagerbäck, R. & Robertsson, A.-M. 1988: Kettle holes - stratigraphical archives for Weichselian geology and palaeoenvironment in northernmost Sweden. *Boreas* 17, 439-468.
- Lagerlund, E. & Houmark-Nielsen, M. 1993: Timing and pattern of the last deglaciation in the Kattegat region, southwest Scandinavia. *Boreas* 22, 337-347.
- Lampe, R. 2005: Late-glacial and Holocene water-level variations along the NE German Baltic Sea coast: review and new results. *Quaternary International* 133-134, 121-136.
- Landvik, J. Y. & Mangerud, J. 1985: A Pleistocene sandur in western Norway: Facies relationships and sedimentological characteristics. *Boreas* 14, 161-174.
- Landvik, J. Y. & Hamborg, M. 1987: Weichselian glacial episodes in outer Sunnmøre, western Norway. *Norsk Geografisk Tidsskrift* 67, 107-123.
- Landvik, J. Y., Mangerud, J. & Salvigsen, O. 1987: The Late Weichselian and Holocene shoreline displacement on the west-central coast of Svalbard. *Polar Research* 5, 29-44.
- Landvik, J. Y., Bolstad, M., Lycke, A. K., Mangerud, J. & Sejrup, H. P. 1992: Weichselian Stratigraphy and Palaeoenvironments At Bellsund, Western Svalbard. *Boreas* 21, 335-358.
- Landvik, J. Y., Hjort, C., Mangerud, J., Möller, F. & Salvigsen, O. 1995: The Quaternary record of eastern Svalbard - An overview. *Polar Research* 14, 95-103.
- Landvik, J. Y., Edward, J. B., Lyn, G., Grant, R., Otto, S. & Yiou, F. 2003: Northwest Svalbard during the last glaciation: Ice-free areas existed. *Geology* 31, 905-908.
- Landvik, J. Y., Ingólfsson, Ó., Mienert, J., Lehman, S. J., Solheim, A., Elverhøi, A. & Ottesen, D. 2005: Rethinking Late Weichselian ice-sheet dynamics in coastal NW Svalbard. *Boreas* 34, 7-24.
- Landvik, J. Y., Brook, E. J., Gualtieri, L., Linge, H., Raisbeck, G., Salvigsen, O. & Yiou, F. 2013: 10Be exposure age constraints on the Late Weichselian ice-sheet geometry and dynamics in inter-ice-stream areas, western Svalbard. *Boreas* 42, 43-56.
- Landvik, J. Y., Bondevik, S., Elverhøi, A., Fjeldskaar, W., Mangerud, J., Salvigsen, O., Siegert, M. J., Svendsen, J. I. & Vorren, T. O. 1998: The Last Glacial Maximum of Svalbard and the Barents Sea area: Ice sheet extent and configuration. *Quaternary Science Reviews* 17, 43-75.
- Larsen, E., Klakegg, O. & Longva, O. 1988: Brattvåg og Ona. Quaternary coastal zone maps 1220 III og 1220 IV - Scale 1: 50 000. Explanation to the maps. Norwegian with English summary. *Geological Survey of Norway, Skrifter* 85, 1-41.
- Larsen, E., Eide, F., Longva, O. & Mangerud, J. 1984: Allerod-younger Dryas Climatic Inferences From Cirque Glaciers and Vegetational Development In the Nordfjord Area, Western Norway. *Arctic and Alpine Research* 16, 137-160.
- Larsen, E., Attig, J. W., Asbjørn, R. A. & Sønstegaard, E. 1998: Late-glacial cirque glaciation in parts of western Norway. *Journal of Quaternary Science* 13, 17-27.
- Larsen, E., Gulliksen, S., Lauritzen, S.-E., Lie, R., Løvlie, R. & Mangerud, J. 1987: Cave stratigraphy in western Norway; multiple Weichselian glaciations and interstadial vertebrate fauna. *Boreas* 16, 267-292.

- Larsen, E., Sejrup, H. P., Janocko, J., Landvik, J. Y., Stalsberg, K. & Steinsund, P. I. 2000: Recurrent interaction between the Norwegian Channel Ice Stream and terrestrial-based ice across southwest Norway. *Boreas* 29, 185-203.
- Larsen, E., Lyså, A., Demidov, I., Funder, S., Houmark-Nielsen, M., Kjær, K. H. & Murray, A. S. 1999: Age and extent of the Scandinavian ice sheet in northwest Russia. *Boreas* 28, 115-132.
- Larsen, E., Kjær, K., Demidov, I., Funder, S., Grøsfjeld, K., Houmark-Nielsen, M., Jensen, M., Linge, H. & Lyså, A. 2006: Late Pleistocene glacial and lake history of northwestern Russia. *Boreas* 35, 394-424.
- Larsen, N. K., Linge, H., Håkansson, L. & Fabel, D. 2012: Investigating the last deglaciation of the Scandinavian Ice Sheet in southwest Sweden with <sup>10</sup>Be exposure dating. *Journal of Quaternary Science* 27, 211-220.
- Larsen, N. K., Krohn, C. F., Kronborg, C., Nielsen, O. B. & Knudsen, K. L. 2009a: Lithostratigraphy of the Late Saalian to Middle Weichselian Skærumhede Group in Vendsyssel, northern Denmark. *Boreas* 38, 762-786.
- Larsen, N. K., Knudsen, K. L., Krohn, C. F., Ronborg, C., Murray, A. S. & Nielsen, O. B. 2009b: Late Quaternary ice sheet, lake and sea history of southwest Scandinavia - a synthesis. *Boreas* 38, 732-761.
- Larsson, O., Stevens, R. L. & Klingberg, F. 2007: The transition from glacial-marine to marine conditions during the last deglaciation in eastern Skagerrak. *Marine Geology* 241, 45-61.
- Lasberg, K. 2014: *Chronology of the Weichselian Glaciation in the southeastern sector of the Scandinavian Ice Sheet*. PhD Thesis, University of Tartu, Tartu, Estonia.
- Lasberg, K. & Kalm, V. 2013: Chronology of Late Weichselian glaciation in the western part of the East European Plain. *Boreas* 42, 995-1007.
- Lawson, T. J. 1984: Reindeer in the Scottish Quaternary. *Quaternary Newsletter* 42, 1-7.
- Lehman, S. J. & Forman, S. L. 1992: Late Weichselian glacier retreat in Kongsfjorden, west Spitsbergen, Svalbard. *Quaternary Research* 37, 139-154.
- Lehman, S. J., Jones, G. A., Keigwin, L. D., Andersen, E. S., Butenko, G. & Ostmo, S. R. 1991: Initiation of Fennoscandian ice-sheet retreat during the last deglaciation. *Nature* 349, 513-516.
- Levitan, M. A., Belyaev, N. A., Burtman, M. V., Duplessy, J.-C. & Khudid, T. A. 2003: Holocene sedimentation history in the southern Novaya Zemlya Trench. *Lithology and Mineral Resources* 6, 564-575.
- Lie, S. E., Stabell, B. & Mangerud, J. 1983: Diatom stratigraphy related to Late Weichselian sea-level changes in Sunnmøre, Western Norway. *Norges Geologiske Undersøkelse* 380, 203-219.
- Lien, R. 1985: *Kvartærgeologien i Bødalen, Loen, indre Nordfjord*. PhD Thesis, University of Bergen, Norway.
- Liiva, A., Ilves, E. & Punning, J. M. 1966: Tartu radiocarbon dates I. *Radiocarbon* 8, 430.
- Liiva, A., Ekman, I. & Rinne, T. 1968: Tartu radiocarbon dates VII. *Radiocarbon* 20, 441-448.
- Liiva, A., Elina, G., Tchatchkiani, V. & Rinne, T. 1979: Tartu Radiocarbon dates 9. *Radiocarbon* 21, 465-471.
- Lindén, M., Möller, P., Björck, S. & Sandgren, P. 2006: Holocene shore displacement and deglaciation chronology in Norrbotten, Sweden. *Boreas* 35, 1-22.
- Linge, H., Brook, E. J., Nesje, A., Raisbeck, G. M., Yiou, F. & Clark, H. 2006a: In situ <sup>10</sup>Be exposure ages from southeastern Norway: implications for the geometry of the Weichselian Scandinavian ice sheet. *Quaternary Science Reviews* 25, 1097-1109.
- Linge, H., Larsen, E., Kjær, K., Demidov, I., Brook, E., Raisbeck, G. & Yiou, F. 2006b: Cosmogenic <sup>10</sup>Be exposure age dating across Early to Late Weichselian ice-marginal zones in northwestern Russia. *Boreas* 35, 576-586.
- Linge, H., Olsen, L., Brook, E. J., Darter, J. R., Mickelson, D. M., Raisbeck, G. M. & Yiou, F. 2007: Cosmogenic nuclide surface exposure ages from Nordland, northern Norway: implications for deglaciation in a coast to inland transect. *Norwegian Journal of Geology* 87, 269-280.
- Lister, A. M. 2009: Late-glacial mammoth skeletons (*Mammuthus primigenius*) from Conover (Shropshire, UK): anatomy, pathology, taphonomy and chronological significance. *Geological Journal* 44, 447-479.
- Lohne, Ø. S. 2006: *Late Weichselian relative sea-level changes and glacial history in Hordaland, Western Norway*. PhD Thesis, University of Bergen, Norway.
- Lohne, Ø. S., Mangerud, J. & Svendsen, J. I. 2007a: Alderen på Halsnøy morenen og det siste isdekket i Hardangerfjorden. *Norsk Geologisk Forening*, 8-10 January 2007. Stavanger.
- Lohne, Ø. S., Mangerud, J. & Svendsen, J. I. 2012: Timing of the Younger Dryas glacial maximum in western Norway. *Journal of Quaternary Science* 27, 81-88.
- Lohne, Ø. S., Bondevik, S., Mangerud, J. & Schrader, H. 2004: Calendar year age estimates of Allerød-Younger Dryas sea-level oscillations at Os, western Norway. *Journal of Quaternary Science* 19, 443-464.
- Lohne, Ø. S., Bondevik, S., Mangerud, J. & Svendsen, J. I. 2007b: Sea-level fluctuations imply that the Younger Dryas ice-sheet expansion in western Norway commenced during the Allerød. *Quaternary Science Reviews* 26, 2128-2151.
- Lokrantz, H., Ingólfsson, Ó. & Forman, S. L. 2003: Glaciotectionised Quaternary sediments at Cape Shpindler, Yugorski Peninsula, Arctic Russia: implications for glacial history, ice movements and Kara Sea Ice Sheet configuration. *Journal of Quaternary Science* 18, 527-543.
- Longva, O. 1994: *Flood deposits and erosional features from the catastrophic drainage of Preboreal glacial lake Nedre Glåmsjø, SE Norway*. PhD Thesis, University of Bergen, Norway.
- Longva, O. & Thoresen, M. K. 1989: The Age of the Hauerseter Delta. *Norsk Geologisk Tidsskrift* 69, 131-134.
- Longva, O. & Thoresen, M. 1991: Iceberg scours, iceberg gravity craters and current erosion marks from a gigantic Preboreal flood in southeastern Norway. *Boreas* 20, 47-62.
- Lõugas, L., Ukkonen, P. & Jungner, H. 2002: Dating the extinction of European mammoths: new evidence from Estonia. *Quaternary Science Reviews* 21, 1347-1354.
- Lowe, J. J. 1978: Radiocarbon-dated lateglacial and early Flandrian pollen profiles from the Teith Valley, Perthshire, Scotland. *Pollen et Spores* 3, 367-397.
- Lowe, J. J. & Walker, M. J. C. 1976: Radiocarbon-Dates and Deglaciation of Rannoch Moor, Scotland. *Nature* 264, 632-633.
- Lowe, J. J., Walker, M. J. C., Scott, E. M., Harkness, D. D., Bryant, C. L. & Davies, S. M. 2004: A coherent high-precision radiocarbon chronology for the Late-glacial sequence at Sluggan Bog, Co. Antrim, Northern Ireland. *Journal of Quaternary Science* 19, 147-158.
- Lubinski, D. J., Polyak, L. & Forman, S. L. 2001: Freshwater and Atlantic water inflows to the deep northern Barents and Kara seas since ca 13 14C ka: foraminifera and stable isotopes. *Quaternary Science Reviews* 20, 1851-1879.
- Lukas, S. & Bradwell, T. 2010: Reconstruction of a Lateglacial (Younger Dryas) mountain ice field in Sutherland, northwestern Scotland, and its palaeoclimatic implications. *Journal of Quaternary Science* 25, 567-580.
- Lundqvist, G. 1964: Interglacials avlagringar i Sverige. *Sveriges Geologiska Undersökning C600*, 1-60.
- Lundqvist, J. 1955: Interglacialsyndet vid Boliden. *Geologiska Föreningens i Stockholm Förhandlingar* 77, 323-326.
- Lundqvist, J. 1978: New information about early and middle Weichselian interstadials in northern Sweden. *Sveriges Geologiska Undersökning C752*, 1-31.
- Lundqvist, J. & Mook, W. G. 1981: Finite date of the Jämtland Interstadial. *Boreas* 10, 133-135.
- Lundqvist, J. & Miller, U. 1992: *Weichselian stratigraphy and glaciations in the Täsjö-Höting area, central Sweden*. 35 pp. Sveriges Geologiska Undersökning, Uppsala.
- Lundqvist, J. & Mejdahl, V. 1995: Luminescence dating of the deglaciation in northern Sweden. *Quaternary International* 28, 193-197.
- Lundqvist, J. & Wohlfarth, B. 2001: Timing and east-west correlation of south Swedish ice marginal lines during the Late Weichselian. *Quaternary Science Reviews* 20, 1127-1148.
- Lunkka, J. P., Murray, A. & Korpela, K. 2008: Weichselian sediment succession at Ruunaa, Finland, indicating a Mid-Weichselian ice-free interval in eastern Fennoscandia. *Boreas* 37, 234-244.
- Lunkka, J. P., Putkinen, N. & Miettinen, A. 2012: Shoreline displacement in the Belomorsk area, NW Russia during the Younger Dryas Stadial. *Quaternary Science Reviews* 37, 26-37.
- Lunkka, J. P., Saarnisto, M., Gey, V., Demidov, I. & Kiselova, V. 2001: Extent and age of the Last Glacial Maximum in the southeastern sector of the Scandinavian Ice Sheet. *Global and Planetary Change* 31, 407-425.
- Lykke-Andersen, A. L. 1981: En ny C-14 datering fra ældre Yoldia Ler i Hirtshals Kystklint. *Dansk Geologisk Forening Årsskrift for 1980*, 1-5.
- Lykke-Andersen, A. L. 1982: Nogle nye C-14 dateringer fra Äldre Yoldia Ler i Hirtshals Kystklint. *Dansk Geologisk Forening Årsskrift 1981*, 119-121.

- Lykke-Andersen, A. L. 1987: A Late Saalian, Eemian and Weichselian marine sequence at Nørre Lyngby, Vendsyssel, Denmark. *Boreas* 16, 345-357.
- Lyså, A., Sejrup, H. P. & Aarseth, I. 2004: The late glacial-Holocene seismic stratigraphy and sedimentary environment in Ranafjorden, northern Norway. *Marine Geology* 211, 45-78.
- Lyså, A., Demidov, I., Houmark-Nielsen, M. & Larsen, E. 2001: Late Pleistocene stratigraphy and sedimentary environment of the Arkhangelsk area, northwest Russia. *Global and Planetary Change* 31, 179-199.
- Lyså, A., Jensen, M. A., Larsen, E., Fredin, O. & Demidov, I. N. 2011: Ice-distal landscape and sediment signatures evidencing damming and drainage of large pro-glacial lakes, northwest Russia. *Boreas* 40, 481-497.
- Lüthgens, C. & Böse, M. 2011: Chronology of Weichselian main ice marginal positions in north-eastern Germany. *Eiszeitalter und Gegenwart* 60, 236-247.
- Lüthgens, C., Böse, M. & Krbetschek, M. 2010a: On the age of the young morainic morphology in the area ascribed to the maximum extent of the Weichselian glaciation in north-eastern Germany. *Quaternary International* 222, 72-79.
- Lüthgens, C., Böse, M. & Preusser, F. 2011: Age of the Pomeranian ice-marginal position in northeastern Germany determined by Optically Stimulated Luminescence (OSL) dating of glaciofluvial sediments. *Boreas* 40, 598-615.
- Lüthgens, C., Krbetschek, M., Böse, M. & Fuchs, M. C. 2010b: Optically stimulated luminescence dating of fluvio-glacial (sandur) sediments from north-eastern Germany. *Quaternary Geochronology* 5, 237-243.
- Lønne, I., Nemec, W., Blikra, L. H. & Lauritsen, T. 2001: Sedimentary Architecture and Dynamic Stratigraphy of a Marine Ice-Contact System. *Journal of Sedimentary Research* 71, 922-943.
- Lønne, I. D. A. & Mangerud, J. A. N. 1991: An Early or Middle Weichselian sequence of proglacial, shallow marine sediments on western Svalbard. *Boreas* 20, 85-104.
- MacLeod, A., Palmer, A., Lowe, J., Rose, J., Bryant, C. & Merritt, J. 2011: Timing of glacier response to Younger Dryas climatic cooling in Scotland. *Global and Planetary Change* 79, 264-274.
- Malakhovsky, D. B. & Markov, K. K. (ed.) 1969: *The geomorphology and Quaternary deposits of the northwestern European USSR (Geomorfologia i chetvertichnye otlozheniya Severo-Zapada Yevropeiskoi chasti SSSR)*. 257 pp. Nauka, Leningrad.
- Mangerud, J. 1970: Late Weichselian vegetation and icefront oscillations, in the Bergen district, Western Norway. *Norsk Geografisk Tidsskrift* 24, 121-148.
- Mangerud, J. 1977: Late Weichselian marine sediments containing shells, foraminifera, and pollen, at Ågotnes, western Norway. *Norges Geologisk Tidsskrift* 57, 23-54.
- Mangerud, J. 2000: Was Hardangerfjorden, western Norway, glaciated during the Younger Dryas? *Norsk Geologisk Tidsskrift* 80, 229-234.
- Mangerud, J. 2004: Ice sheet limits on Norway and the Norwegian continental shelf. In Ehlers, J. & Gibbard, P. (eds.): *Quaternary Glaciations - Extent and Chronology. Vol. 1 Europe*, 271-294. Elsevier, Amsterdam.
- Mangerud, J. & Svendsen, J. I. 1990: Deglaciation chronology inferred from marine sediments in a proglacial lake basin, western Spitsbergen, Svalbard. *Boreas* 19, 249-272.
- Mangerud, J. & Landvik, J. Y. 2007: Younger Dryas cirque glaciers in western Spitsbergen: smaller than during the Little Ice Age. *Boreas* 36, 278-285.
- Mangerud, J., Svendsen, J. I. & Astakhov, V. I. 1999: Age and extent of the Barents and Kara ice sheets in Northern Russia. *Boreas* 28, 46-80.
- Mangerud, J., Gulliksen, S. & Larsen, E. 2010: 14C-dated fluctuations of the western flank of the Scandinavian Ice Sheet 45-25 kyr BP compared with Bølling-Younger Dryas fluctuations and Dansgaard-Oeschger events in Greenland. *Boreas* 39, 328-342.
- Mangerud, J., Larsen, E., Longva, O. & Sønstegeard, E. 1979: Glacial history of western Norway 15,000-10,000 BP. *Boreas* 8, 179-187.
- Mangerud, J., Kaufman, D., Hansen, J. & Svendsen, J. I. 2008: Ice-free conditions in Novaya Zemlya 35,000 to 30,000 cal years BP, as indicated by radiocarbon ages and amino acid racemization evidence from marine molluscs. *Polar Research* 27, 187-208.
- Mangerud, J., Gulliksen, S., Larsen, E., Longva, O., Miller, G. H., Sejrup, H.-P. & Sønstegeard, E. 1981: A Middle Weichselian ice-free period in Western Norway: the Ålesund Interstadial. *Boreas* 10, 447-462.
- Mangerud, J., Bolstad, M., Elgersma, A., Helliksen, D., Landvik, J. Y., Lønne, I., Lycke, A. K., Salvigsen, O., Sandahl, T. & Svendsen, J. I. 1992: The Last Glacial Maximum On Spitsbergen, Svalbard. *Quaternary Research* 38, 1-31.
- Manikowska, B. 1995: Aeolian activity differentiation in the area of Poland during the period 20-8 ka BP. *Biuletyn Peryglacjalny* 34, 125-166.
- Manley, W. F., Lokrantz, H., Gataullin, V., Ingólfsson, Ó., Andersson, T. & Forman, S. L. 2001: Late Quaternary stratigraphy, radiocarbon chronology, and glacial history at Cape Shpindler, southern Kara sea, Arctic Russia. *Global and Planetary Change* 31, 239-254.
- Mardal, I. 2007: *Siste istids maksimum og deglasiasjon i den sentrale og nordlige Nordsjø*. MSc Thesis, University of Bergen, Norway.
- Markts, A., Strautnieks, I. & Zelcs, V. 2007: Morphology, internal structure and genetic interpretation of the moraine ridge at Cēre, central part of the Northern Kursa Upland, NW Latvia. *Quaternary of Western Lithuania: From the Pleistocene Glaciations to Evolution of the Baltic Sea. Proceedings of the International Field Symposium*, 51-52.
- Markov, K. K. 1939: Data on the stratigraphy of Quaternary sections in the basin of Upper Volga. *Expedition to Verkhnevol'sk, Proceedings*, 1-38. Leningrad.
- Matthews, B. 1970: Age and origin of aeolian sand in the Vale of York. *Nature* 227, 1234.
- Matthews, I. P., Birks, H. H., Bourne, A. J., Brooks, S. J., Lowe, J. J., MacLeod, A. & Pyne-O'Donnell, S. D. F. 2011: New age estimates and climatostratigraphic correlations for the Borrobol and Penifiler Tephra: evidence from Abernethy Forest, Scotland. *Journal of Quaternary Science* 26, 247-252.
- Matthews, J. A., Dahl, S. O., Nesje, A., Berrisford, M. S. & Andersson, C. 2000: Holocene glacier variations in central Jotunheimen, southern Norway based on distal glaciolacustrine sediment cores. *Quaternary Science Reviews* 19, 1625-1647.
- Matthews, J. A., Berrisford, M. S., Dresser, P. Q., Nesje, A., Dahl, S. O., Bjune, A. E., Bakke, J., John, H., Birks, B., Lie, Ø., Dumayne-Peaty, L. & Barnett, C. 2005: Holocene glacier history of Bjørnbreen and climatic reconstruction in central Jotunheimen, Norway, based on proximal glaciofluvial stream-bank mires. *Quaternary Science Reviews* 24, 67-90.
- Mausbacher, R., Borg, K. V. D., Daut, G., Kroemer, E., Muller, J. & Wallner, J. 2002: Late Pleistocene and Holocene environmental changes in NW Spitsbergen - evidence from lake sediments. *Zeitschrift Für Geomorphologie* 46, 417-439.
- McCabe, A. M. & Haynes, J. R. 1996: A late Pleistocene intertidal boulder pavement from an isostatically emergent coast, Dundalk Bay, eastern Ireland. *Earth Surface Processes and Landforms* 21, 555-572.
- McCabe, A. M. & Clark, P. U. 1998: Ice-sheet variability around the North Atlantic Ocean during the last deglaciation. *Nature* 392, 373-377.
- McCabe, A. M. & Clark, P. U. 2003: Deglacial chronology from County Donegal, Ireland: implications for deglaciation of the British-Irish Ice Sheet. *Journal of the Geological Society London* 160, 847-856.
- McCabe, A. M., Mitchell, G. F. & Shotton, F. W. 1978: An inter-till freshwater deposit at Hollymount, Maguiresbridge, Co. Fermanagh. *Proceedings of the Royal Irish Academy* 78B, 77-89.
- McCabe, A. M., Haynes, J. R. & MacMillan, N. F. 1986: Late-Pleistocene tidewater glaciers and glaciomarine sequences from north County Mayo, Republic of Ireland. *Journal of Quaternary Science* 1, 7-84.
- McCabe, A. M., Clark, P. U. & Clark, J. 2005: AMS 14C dating of deglacial events in the Irish Sea Basin and other sectors of the British-Irish ice sheet. *Quaternary Science Reviews* 24, 1673-1690.
- McCabe, A. M., Clark, P. U. & Clark, J. 2007a: Radiocarbon constraints on the history of the western Irish ice sheet prior to the Last Glacial Maximum. *Geology* 35, 147.
- McCabe, A. M., Clark, P. U., Clark, J. & Dunlop, P. 2007b: Radiocarbon constraints on readvances of the British-Irish Ice Sheet in the northern Irish Sea Basin during the last deglaciation. *Quaternary Science Reviews* 26, 1204-1211.
- McCabe, A. M., Clark, P. U., Smith, D. E. & Dunlop, P. 2007c: A revised model for the last deglaciation of eastern Scotland. *Journal of the Geological Society* 164, 313-316.
- McCarroll, D., Stone, J. O., Ballantyne, C. K., Scourse, J. D., Fifield, L. K., Evans, D. J. A. & Hiemstra, J. F. 2010: Exposure-age constraints on the extent, timing and rate of retreat of the last Irish Sea ice stream. *Quaternary Science Reviews* 29, 1844-1852.
- McCormack, D. C., Brocklehurst, S. H., Irving, D. H. B. & Fabel, D. 2011: Cosmogenic 10Be insights into the extent and chronology of the last deglaciation in Wester Ross, northwest Scotland. *Journal of Quaternary Science* 26, 97-108.

- Meirons, Z. 1986: Stratigraphy of Pleistocene deposits in Latvia. In Kondratienė, O. & Mikalauskas, A. (eds.): *Issledovaniya lednikovykh obrazovaniy Pribaltiki*, 68-81. AN Litovskoi SSR, Vilnius.
- Meirons, Z. 1992: Stratigraphic scheme of Pleistocene deposits in Latvia. In Veinbergs, I., Danilans, I., Sorokin, V. & Ulst, R. (eds.): *Paleogeografiya i stratigrafiya fanerozoja Latvii i Balstiskogo morya*, 84-98. Zinatne, Riga.
- Meirons, Z. & Juskevics, V. 1984: Quaternary deposits. In Misans, J., Brangulis, A. & Straume, J. (eds.): *Geologija Latvyskoi SSR*, 89-122. Zinatne, Riga.
- Meirons, Z., Punning, J. M. & Hütt, G. 1981: Results obtained through the dating of southeast Latvian Pleistocene deposits. *Proceedings of the Estonian Academy of Science Geology* 1, 28-33.
- Mellars, P. 1990: A major 'plateau' in the radiocarbon time-scale at c. 9650 BP: the evidence from Star Carr (North Yorkshire). *Antiquity* 64, 836-841.
- Micas, L. 1963: Merkio slėnio geomorfologiniai ir litologiniai bruoai. *Geografinis metraštis* 6-7, 43-54.
- Midtun, Y. 2009: *Lokalglassjon på Stord, Hordaland, under Yngre Dryas*. MSc Thesis, University of Bergen, Norway.
- Milecka, K. 2005: *Historia jezior lobeliowych zachodniej części Borów Tucholskich na tle postglacialnego rozwoju szaty leśnej (History of lobelia lakes in Tuchola Pine woods on the background of postglacial development of forests)*. PhD Thesis, Wydawnictwo Naukowe, Uniwersytetu im. Adama Mickiewicza Poznań.
- Miller, U. 1977: *Pleistocene Deposits of the Alnarp Valley, Southern Sweden: Microfossils and their stratigraphic application*. PhD Thesis, Lund University, Sweden.
- Milling, M. E. 1975: Geological appraisal of foundation conditions, northern North Sea. *Proceedings of Oceanology International, Brighton*, 310-319.
- Mitchell, G. F. 1976: *The Irish Landscape*. pp. Collins, London.
- Mol, J. 1997: Fluvial response to Weichselian climate changes in the Niederlausitz (Germany). *Journal of Quaternary Science* 12, 43-60.
- Molleson, T. & Burleigh, R. 1978: A new date for Goat's Hole Cave. *Antiquity* 52, 143-145.
- Molodkov, A. 2007: IR-OSL dating of uranium-rich deposits from the new late Pleistocene section at the Voka site, North-Eastern Estonia. *Quaternary Geochronology* 2, 208-215.
- Molodkov, A., Dreimanis, A., Aboltins, O. & Raukas, A. 1998: The ESR age of portlandica arctica shells from glacial deposits of central Latvia: an answer to a controversy on the age and genesis of the enclosing sediments. *Quaternary Geochronology* 17, 1077-1094.
- Moora, T. 1998: Muistsete loodusolude osat kiviaja asustuse kujunemisel Kunda ümbruses. *Muinasaja teadus* 5, Loodus, inimene ja tehnoloogia. *Interdistsiplinaarseid uurimusi arheo-loogias*, 15-151. Ajaloo Instituut, Tallinn.
- Moora, T., Raukas, A. & Tavast, E. 2002: Geological history of Lake Võrtsjärv. *Proceedings of the Estonian Academy of Science Geology* 51, 157-179.
- Morgan, A. V. 1973a: The pleistocene geology of the area north and west of Wolverhampton, Staffordshire, England. *Philosophical Transactions of the Royal Society of London Series B* 265, 15-295.
- Morgan, A. V. 1973b: Late Pleistocene environmental changes indicated by fossil insect faunas of the English Midlands. *Boreas* 2, 173-212.
- Murton, D. K., Pawley, S. M. & Murton, J. B. 2009: Sedimentology and luminescence ages of Glacial Lake Humber deposits in the central Vale of York. *Proceedings-Geologists Association* 120, 209-222.
- Myklebust, R. 1992: *Eit metodestudie i bruk av termoluminescens (TL) ved datering av minerogene sediment ifrå avsetjingar i Gudbrandsdalen*. PhD Thesis, Universitetet i Bergen, Norway.
- Mykura, W. & Phemister, J. 1976: *The geology of western Shetland*. 314 pp. HMSO, Edinburgh.
- Mäkinen, K. 1985: Maaperägeologian lisensiaattiseminaari 25-26.3.1985. Turun yliopisto. Turun yliopiston maaperägeologian osaston julkaisuja 55. 30-38.
- Mäkinen, K. 2005: Dating The Weichselian Deposits Of Southwestern Finnish Lapland. In Ojala, A. E. K. (ed.): *Quaternary studies in the northern and Arctic regions of Finland*, 67-78. Geological Survey of Finland. Special Paper 40, Espoo.
- Møller, J. J., Danielsen, T. K. & Fjälstad, A. 1992: Late Weichselian glacial maximum on Andøya, North Norway. *Boreas* 21, 1-13.
- Möller, P., Bolshiyarov, D. Y. & Bergsten, H. 1999: Weichselian geology and palaeoenvironmental history of the central Taymyr Peninsula, Siberia, indicating no glaciation during the last global glacial maximum. *Boreas* 28, 92-114.
- Möller, P., Anjar, J. & Murray, A. S. 2013a: An OSL-dated sediment sequence at Idre, west-central Sweden, indicates ice-free conditions in MIS 3. *Boreas* 42, 25-42.
- Möller, P., Östlund, O., Barnekow, L., Sandgren, P., Palmbo, F. & Willerslev, E. 2013b: Living at the margin of the retreating Fennoscandian Ice Sheet: The early Mesolithic sites at Aarevaara, northernmost Sweden. *The Holocene* 23, 104-116.
- Möller, P., Lubinski, D. J., Ingólfsson, Ó., Forman, S. L., Seidenkrantz, M.-S., Bolshiyarov, D. Y., Lokrantz, H., Antonov, O., Pavlov, M., Ljung, K., Zeeberg, J. & Andreev, A. 2007: Erratum to: Severnaya Zemlya, Arctic Russia: a nucleation area for Kara Sea ice sheets during the Middle to Late Quaternary: [Quaternary Science Reviews 25(21-22) (2006) 2894-2936]. *Quaternary Science Reviews* 26, 1149-1191.
- Mörner, N. A. 1969: The Late Quaternary History of the Kattegatt Sea and the Swedish west coast. *Sveriges Geologiska Undersökning C* 640, 1-487.
- Neenen, K. 1995: *Pleistocene stratigraphy and reference sections in southern and western Finland*. PhD Thesis, Geological Survey of Finland, Kuopio.
- Neenen, K., Eriksson, B., Grönlund, T. & Kankainen, T. 1986: Interglacialav lagring i Haapavesi daterar mellersta Österbottens moränstratigrafi. *17e Nordiska geologmötet*, 12. - 15.5.1986. Helsingfors Universitet
- Nese, H. & Lauritzen, S. E. 1996: Quaternary stratigraphy of the Storsteinhol cave system, Kjøpsvik, north Norway. *Karst Waters Institute Special Publication* 2, 116-120.
- Nesje, A., Dahl, S. O. & Bakke, J. 2004: Were abrupt Lateglacial and early-Holocene climatic changes in northwest Europe linked to freshwater outbursts to the North Atlantic and Arctic Oceans? *The Holocene* 14, 299-310.
- Nesje, A., Dahl, S. O., Linge, H., Ballantyne, C. K., McCarroll, D., Brook, E. J., Raisbeck, G. M. & Yiou, F. 2007: The surface geometry of the Last Glacial Maximum ice sheet in the Andøya-Skånland region, northern Norway, constrained by surface exposure dating and clay mineralogy. *Boreas* 36, 227-239.
- Neustadt, M. 1971: O niznei granitse golotsena (About the lower boundary of the Holocene). In Neustadt, M. (ed.): *Palynologiya golotsena (Palynology of the Holocene)*, 7-13. Institut Geografii Akademii Nauk SSSR (Academy of Sciences of the USSR Publishers), Moscow.
- Niemelä, J. & Tynni, R. 1979: Interglacial and interstadial sediments in the Pohjanmaa region, Finland. *Geological Survey of Finland. Bulletin* 302, 48.
- Niewiarowski, W. 2003: Pleni- and Late Vistulian glacial lakes, their sediments and landforms: a case study from the young glacial landscape of Northern Poland. *Prace Geograficzne* 128, 133-142.
- Nikiforova, O. I., Modzalevskaya, T. L. & Bassett, M. G. 1985: *Review of the upper Silurian and lower Devonian articulate brachiopods of Podolia*. 66 pp. The Palaeontological Association, London.
- Nitz, B., Schirmermeister, L. & Klessen, L. 1995: Spätglazial-altholozane Landschaftsgeschichte auf dem nördlichen Barnim - zur Beckenentwicklung im nordostdeutschen Tiefland. *Petermanns Geographische Mitteilungen* 139, 143-158.
- Noe-Nygaard, N. & Heiberg, E. O. 2001: Lake-level changes in the Late Weichselian Lake Tøvelde, Møn, Denmark: induced by changes in climate and base level. *Palaeogeography, Palaeoclimatology, Palaeoecology* 174, 351-382.
- Nordahl Olsen, T. 1987. *Ski, Quaternary geological map, 1914-III, scale 1:50 000, with description*. Norges Geologiske Undersøkelse Skrifter, Trondheim.
- Nowaczyk, B. 1994: Wiek jezior i problemy zaniku brył pogrzebanego lodu na przykładzie sandru Brdy w okolicy Charzykow. *Acta Universitatis Nicolai Copertici, Geographica* 27, 97-110.
- Nowaczyk, N. R. & Knies, J. 2000: Magnetostratigraphic results from the eastern Arctic Ocean: AMS 14C ages and relative paleointensity data of the Mono Lake and Laschamp geomagnetic reversal excursions. *Geophysical Journal International* 140, 185-197.
- Nydal, R. 1960: Trondheim natural radiocarbon measurements II. *Radiocarbon* 2, 82-96.
- Nydal, R. 1962: Trondheim Natural Radiocarbon Measurements III. *Radiocarbon* 4, 160-181.
- Nydal, R., Lövseth, K. & Syrstad, O. 1970: Trondheim natural radiocarbon measurements V. *Radiocarbon* 12, 205-237.
- Nydal, R., Gulliksen, S. & Lövseth, K. 1972: Trondheim natural radiocarbon measurements VI. *Radiocarbon* 14, 418-451.
- Nydal, R., Holm, M., Loevsseth, K. & Skullerud, K. E. 1964: Trondheim natural radiocarbon measurements IV. *Radiocarbon* 6, 280-290.
- Nydal, R., Gulliksen, S., Loevsseth, K. & Skogseth, F. 1985: Trondheim natural radiocarbon measurements IX. *Radiocarbon* 27, 525-609.

- Nygård, A., Sejrup, H. P., Hafliðason, H., Cecchi, M. & Ottesen, D. 2004: Deglaciation history of the southwestern Fennoscandian Ice Sheet between 15 and 13 14C ka BP. *Boreas* 33, 1-17.
- Ó Cofaigh, C. & Evans, D. J. A. 2007: Radiocarbon constraints on the age of the maximum advance of the British-Irish Ice Sheet in the Celtic Sea. *Quaternary Science Reviews* 26, 1197-1203.
- Ó Cofaigh, C., Telfer, M. W., Bailey, R. M. & Evans, D. J. A. 2012: Late Pleistocene chronostratigraphy and ice sheet limits, southern Ireland. *Quaternary Science Reviews* 44, 160-179.
- Oakley, K. P. 1968: The date of the Red Lady of Paviland. *Antiquity* 42, 306-307.
- Odgaard, B. 1982: A Middle Weichselian moss assemblage from Hirtshals, Denmark, and some remarks on the environment 47,000 BP. *Danmarks Geologiske Undersøgelse Årbok* 1981, 5-45.
- Olsen, H. & Hammar, Ø. 2005: A 6-ka climatic cycle during at least the last 50,000 years. *Norges Geologiske Undersøkelse* 445, 89-100.
- Olsen, K. S. & Løwe, A. 1984. *Sandefjord, Quaternary geological map. 1813-III, scale 1:50000*. Norges Geologiske Undersøkelse, Trondheim.
- Olsen, L. 1988: Stadials and interstadials during the Weichsel glaciation on Finnmarksvidda, northern Norway. *Boreas* 17, 517-539.
- Olsen, L. 2002: Mid and Late Weichselian, ice-sheet fluctuations northwest of the Svartisen glacier, Nordland, northern Norway. *Norges Geologiske Undersøkelse Bulletin* 440, 39-52.
- Olsen, L. 2010: A buried late MIS 3 shoreline in northern Norway — implications for ice extent and volume. *Norges Geologiske Undersøkelse Bulletin* 450, 1-14.
- Olsen, L. & Bergström, B. 2007: Glacier variations during the LGM interval in the Karmøy-Jæren district, SW Norway. . *Geological Society of Norway, Abstracts and proceedings* 2, 73-74.
- Olsen, L., Mejdahl, V. & Selvik, S. F. 1996: Middle and late Pleistocene stratigraphy, chronology and glacial history in Finnmark, north Norway. *Norges Geologisk Undersøgelse Bulletin* 429, 1-111.
- Olsen, L. O., Van der Borg, K., Bergström, B., Svein, H., Lauritzen, S. E. & Hansen, G. 2001: AMS radiocarbon dating of glacial sediments with low organic carbon content - an important tool for reconstructing the history of glacial variations in Norway. *Norwegian Journal of Geology* 81, 59-92.
- Olsen, L. R., Fredin, O. & Olesen, O. (ed.) 2013: *Quaternary geology of Norway*. 173 pp. Geological Survey of Norway.
- Olsson, I. U., Elgammal, S. & Goksu, Y. 1969: Uppsala Natural Radiocarbon Measurements 9. *Radiocarbon* 11, 515-544.
- Otlet, R. L. & Walker, A. J. 1979: Harwell Radiocarbon Measurements III. *Radiocarbon* 21, 358-383.
- Page, N. R. 1972: On the age of the Hoxnian Interglacial. *Geological Journal* 8, 129-142.
- Pasda, C. 2002: Archäologie einer Düne im Baruther Urstromtal bei Groß Lieskow, Stadt Cottbus. *Veröffentlichungen des Brandenburgischen Landesmuseums für Vor- und Frühgeschichte* 32.
- Paus, A. 1988: Late Weichselian Vegetation, Climate, and Floral Migration At Sandvikvatn, North Rogaland, Southwestern Norway. *Boreas* 17, 113-139.
- Paus, A. 1989a: Late Weichselian Vegetation, Climate and Floral Migration At Eiebakken, South Rogaland, Southwestern Norway. *Review of Palaeobotany and Palynology* 61, 177-203.
- Paus, A. 1989b: Late Weichselian vegetation, climate, and floral migration at Liastemmen, North Rogaland, south-western Norway. *Journal of Quaternary Science* 4, 223-242.
- Paus, A. 1990: Late Weichselian and early Holocene vegetation, climate, and floral migration at Utsira, North-Rogaland, southwestern Norway. *Norsk Geografisk Tidsskrift* 70, 135-152.
- Paus, A. 2010: Vegetation and environment of the Rødalen alpine area, Central Norway, with emphasis on the early Holocene. *Vegetation History and Archaeobotany* 19, 29-51.
- Paus, A., Velle, G. & Berge, J. 2011: The Lateglacial and early Holocene vegetation and environment in the Dovre mountains, central Norway, as signalled in two Lateglacial nunatak lakes. *Quaternary Science Reviews* 30, 1780-1796.
- Pazdur, A., Pazdur, M. F. & Zastawny, A. 1979: Gliwice Radiocarbon dates V. *Radiocarbon* 21, 168-170.
- Pazdur, A., Pazdur, M. F., Goslar, T., Wicik, B. & Arnold, M. 1994: Radiocarbon chronology of Late Glacial and Holocene sedimentation and water-level changes in the area of the Gociaz Lake basin. *Radiocarbon* 36, 187-202.
- Pazdur, M. F., Awwsiuk, R., Bluszcz, A., Pazdur, A., Walanus, A. & Zastawny, A. 1982: Gliwice Radiocarbon dates VIII. *Radiocarbon* 24, 182-193.
- Pazdur, M. F., Awwsiuk, R., Bluszcz, A., Pazdur, A., Walanus, A. & Zastawny, A. 1983: Gliwice Radiocarbon dates IX. *Radiocarbon* 25, 843-866.
- Pazdur, M. F., Awwsiuk, R., Bluszcz, A., Goslar, T., Pazdur, A., Walanus, A. & Zastawny, A. 1985: Gliwice Radiocarbon dates X. *Radiocarbon* 27, 52-73.
- Peacock, J. D. 1971: Marine Shell Radiocarbon Dates and Chronology of Deglaciation in Western-Scotland. *Nature-Physical Science* 230, 43-45.
- Peacock, J. D. 1995: Late Devensian to early Holocene palaeoenvironmental changes in the Viking Bank area, northern North Sea. *Quaternary Science Reviews* 14, 1029-1042.
- Peacock, J. D. 1999: The Pre-Windermere Interstadial (Late Devensian) raised marine strata of eastern Scotland and their macrofauna: a review. *Quaternary Science Reviews* 18, 1655-1680.
- Peacock, J. D. 2002: Macrofauna and palaeoenvironment of marine strata of Windermere Interstadial age of the east coast of Scotland. *Scottish Journal of Geology* 38, 31-40.
- Peacock, J. D. 2008: Late Devensian palaeoenvironmental changes in the sea area adjacent to Islay, SW Scotland: implications for the deglacial history of the island. *Scottish Journal of Geology* 44, 183-190.
- Peacock, J. D. & Long, D. 1994: Late Devensian glaciation and deglaciation of Shetland. *Quaternary Newsletter*, 16-21.
- Peacock, J. D. & Browne, M. A. E. 1998: Radiocarbon dates from the Errol Beds (pre-Windermere Interstadial raised marine deposits) in eastern Scotland. *Quaternary Newsletter* 86, 1-7.
- Peacock, J. D., Graham, D. K. & Wilkinson, I. P. 1978: Late-glacial and Post-glacial marine environments at Ardyne, Scotland, and their significance in the interpretation of the history of the Clyde sea area. *Report of the Institute of Geological Sciences: 78/17*, pp. HMSO, London.
- Peacock, J. D., Graham, D. K., Robinson, J. E., Wilkinson, I. P., Gray, J. M. & Lowe, J. J. 1977: Evolution and chronology of Lateglacial marine environments at Lochgilphead, Scotland. *Studies in the Scottish Lateglacial Environment*, 89-100. Pergamon Press, Oxford.
- Peacock, J. D., Austin, W. E. N., Selby, I., Graham, D. K., Harland, R. & Wilkinson, I. P. 1992: Late Devensian and Flandrian paleoenvironmental changes on the Scottish continental shelf west of the Outer Hebrides. *Journal of Quaternary Science* 7, 145-161.
- Pearson, G. W. 1979: Belfast Radiocarbon Dates IX. *Radiocarbon* 21, 274-290.
- Pedersen, S. A. S. 2005: Structural analysis of the Rubjerg Knude Glaciotectionic Complex, Vendsyssel, northern Denmark. *Geological Survey of Denmark and Greenland, Bulletin* 8, 192 pp.
- Pennington, W. 1975: A chronostratigraphic comparison of Late Weichselian and Late Devensian subdivisions, illustrated by two radiocarbon dated profiles from western Britain. *Boreas* 4, 157-171.
- Pennington, W. 1977: Late Devensian Flora and Vegetation of Britain. *Philosophical Transactions of the Royal Society of London Series B-Biological Sciences* 280, 247-271.
- Penny, L. F., Coope, G. R. & Catt, J. A. 1969: Age and insect fauna of the Dimlington silts, East Yorkshire. *Nature* 224, 65-66.
- Perkins, N. K. & Rhodes, E. J. 1994: Optical Dating of Fluvial Sediments from Tattershall, UK. *Quaternary Science Reviews* 13, 517-520.
- Phillips, F. M., Bowen, D. Q. & Elmore, D. 1994: Surface exposure dating of glacial features in Great Britain using cosmogenic chlorine-36: preliminary results. *Mineralogical Magazine* 58A, 722-723.
- Phillips, W. M., Hall, A. M., Mottram, R., Fifield, L. K. & Sugden, D. E. 2006: Cosmogenic <sup>10</sup>Be and <sup>26</sup>Al exposure ages of tors and erratics, Cairngorm mountains, Scotland: timescales for the development of a classic landscape of selective linear glacial erosion. *Geomorphology* 73, 222-245.
- Phillips, W. M., Hall, A. M., Ballantyne, C. K., Binnie, S., Kubik, P. W. & Freeman, S. 2008: Extent of the last ice sheet in northern Scotland tested with cosmogenic <sup>10</sup>Be exposure ages. *Journal of Quaternary Science* 23, 101-107.
- Plassen, L. & Vorren, T. O. 2003: Sedimentary processes and the environment during deglaciation of a fjord basin in Ullsfjorden, North Norway. *Norwegian Journal of Geology* 83, 23-36.
- Polyak, L. & Solheim, A. 1994: Late-glacial and Postglacial Environments In the Northern Barents Sea West of Franz-Josef-Land. *Polar Research* 13, 197-207.

- Polyak, L., Lehman, S. J., Gataullin, V. & Jull, A. J. T. 1995: Two step deglaciation of the southern Barents Sea. *Geology* 23, 567-571.
- Polyak, L., Gataullin, V., Okuneva, O. & Stelle, V. 2000a: New constraints on the limits of the Barents-Kara ice sheet during the Last Glacial Maximum based on borehole stratigraphy from the Pechora Sea. *Geology* 28, 611-614.
- Polyak, L., Forman, S. L., Herlithy, F. A., Ivanov, G. & Krinitsky, P. 1997: Late Weichselian deglacial history of the Svyataya (Saint) Anna Trough, northern Kara Sea, Arctic Russia. *Marine Geology* 143, 169-188.
- Polyak, L., Levitan, M., Gataullin, V., Khusid, T., Mikhailov, V. & Mukhina, V. 2000b: The impact of glaciation, river-discharge and sea-level change on Late Quaternary environments in the southwestern Kara Sea. *International Journal of Earth Sciences* 89, 550-562.
- Prentice, H. C. 1981: A Late Weichselian and early Flandrian pollen diagram from Østervatnet, Varanger peninsula, NE Norway. *Boreas* 10, 53-70.
- Prentice, H. C. 1982: Late Weichselian and early Flandrian vegetational history of Varanger peninsula, northeast Norway. *Boreas* 11, 187-208.
- Przegiętka, K., Chruścińska, A., Oczkowski, H. & Molewski, P. 2008: Chronostratigraphy of the Vistulian Glaciation on the Kujawy Moraine Plateau (Central Poland) Based on Lithostratigraphic Research and OSL Dating. *Geochronometria* 32, 69-77.
- Prøsch-Danielsen, L. 1993: Prehistoric agriculture revealed by pollen analysis, plough-marks and sediment studies at Sola, south-western Norway. *Vegetation History and Archaeobotany* 2, 233-244.
- Punning, J. M., Liiva, A. & Ilves, E. 1968a: Tartu radiocarbon dates II. *Radiocarbon* 10, 124-150.
- Punning, J. M., Liiva, A. & Ilves, E. 1968b: Tartu radiocarbon dates III. *Radiocarbon* 10, 379-383.
- Punning, J. M., Kakum, T. & Rajamäe, R. 1973: Tallinn radiocarbon dates I. *Radiocarbon* 15, 586-591.
- Punning, J. M., Kakum, T. & Rajamäe, R. 1974: Tallinn radiocarbon dates II. *Radiocarbon* 16, 388-394.
- Punning, J. M., Raukas, A. & Rajamäe, R. (ed.) 1981: *Glacial Deposits and Glacial History in Eastern Fennoscandia*. 80–89 pp. Kola Branch of the USSR Academy of Sciences, Apatity.
- Punning, J. M., Rajamäe, R. & Hütt, G. 1982: On the age of limnic-alluvial sediments in Drichaluky and Brigitpole sections (North Byelorussia) [in Russian]. *Geologia* 31, 15-20.
- Punning, J. M., Ilves, E. & Liiva, A. 1967: Verzeichnis der im Institut für Zoologie und Botanik der Akademie der Wissenschaften der Estnischen SSR mittels der Radiokohlenstoff-Methode Datieren Proben. II. Mitteilung. *Proceedings of the Estonian Academy of Sciences, Biology* 16, 408-414.
- Punning, J. M., Ilves, E., Liiva, A. & Rinne, T. 1971: Tartu radiocarbon dates V. *Radiocarbon* 13, 78-83.
- Punning, J. M., Rajamäe, R., Joers, K. & Putnik, H. 1980: Tallinn radiocarbon dates VI. *Radiocarbon* 22, 91-98.
- Punning, J. M., Rajamäe, R., Joers, K. & Putnik, H. 1983: Tallinn radiocarbon dates VII. *Radiocarbon* 25, 908-918.
- Punning, Y. M. K. & Raukas, A. V. 1985: *Paleogeografiya Pozdnechetvertichnogo Vremeni Severnoj Evropy (Paleogeography of Northern Europe During Late Quaternary)*. 215 pp. Scientific Information Institute, Moscow.
- Putkinen, N. & Lunkka, J. P. 2008: Ice stream behaviour and deglaciation of the Scandinavian Ice Sheet in the Kuittijärvi area, Russian Karelia. *Bulletin of the Geological Society of Finland* 80, 19-37.
- Putkinen, N., Lunkka, J. P., Ojala, A. E. K. & Kosonen, E. 2011: Deglaciation history and age estimate of the Younger Dryas end moraines in the Kalevala region, NW Russia. *Quaternary Science Reviews* 30, 3812-3822.
- Pässe, T. 1986: Beskrivning till jordartskartan Kungsbacka SO. *Sveriges Geologiska Undersökning Ae* 56, 1-106.
- Pässe, T. 1987: Shore displacements during the Late Weichselian and Holocene in the Sandsjöbacka area, SW Sweden. *Geologiska Föreningens i Stockholm Föreläsningar* 109, 197-210.
- Pässe, T. 1990: Beskrivning till jordartskartan Varberg NO. *Sveriges Geologiska Undersökning Ae* 102, 1-117.
- Pässe, T. 1992: Erratic flint along the Swedish west coast. *Geologiska Föreningens i Stockholm Föreläsningar* 114, 271-262.
- Raab, A. 2003: Non-glacial paleoenvironments and the extent of Weichselian ice sheets on Severnaya Zemlya, Russian High Arctic. *Quaternary Science Reviews* 22, 2267-2283.
- Rae, D. A. 1976: *Aspects of glaciation in Orkney*. PhD Thesis, University of Liverpool, England.
- Rainio, H. & Lahermo, P. 1976: Observations on dark grey basal till in Finland. *Bulletin of the Geological Society of Finland* 48, 137-152.
- Rajamäe, R. 1982: *Geochronology of Late Pleistocene of northwestern part of the East-European plain according to the data of radiocarbon method*. Thesis, Institute of Geology, Estonian Academy of Sciences SSR, Tallinn.
- Rajamäe, R. A. 1981: On some possibilities of decreasing statistical error of the background of radiocarbon device. In Kurvits, Ü., Ilves, E., Liiva, A. & Simm, H. (eds.): *Isotope and geochemical methods in biology, geology and archaeology*, 114-117. Tartu.
- Ralska-Jasiewiczowa, M. & Rzetkowska, A. 1987: Pollen and macrofossil stratigraphy of fossil lake sediments at Niechorze I, W. Baltic coast. *Acta Palaeobotanica* 27, 153-178.
- Rasmussen, A. 1981: The deglaciation of the coastal area NW of Svartisen, Northern Norway. *Norges Geologiske Undersøkelse* 369, 1-31.
- Rasmussen, A. 1984: Late Weichselian moraine chronology of the Vesteralen islands, North Norway. *Norsk Geografisk Tidsskrift* 64, 193-219.
- Rasmussen, T. L., Thomsen, E., Ślubowska, M. A., Jessen, S., Solheim, A. & Koç, N. 2007: Paleooceanographic evolution of the SW Svalbard margin (76°N) since 20,000 14C yr BP. *Quaternary Research* 67, 100-114.
- Rattas, M., Kirsimäe, K., Ainsaar, L., Meidla, T., Sakson, M. & Tinn, O. 2001: *Arumetsa clay deposit and quarry. Excursion guide of the Balteem Workshop, March 30–April 2, 2001. Lepamäe, Estonia*. pp. University of Tartu, Institute of Geology.
- Rattas, M., Kalm, V., Kihno, K., Liivrand, E., Tinn, O., Tänavsuu-Milkeviciene, K. & Sakson, M. 2010: Chronology of Late Saalian and Middle Weichselian episodes of ice-free lacustrine sedimentation recorded in the Arumetsa section, southwestern Estonia. *Estonian Journal of Earth Sciences* 59, 125.
- Raukas, A. 2004: Application of OSL and 10Be techniques to the establishment of deglaciation chronology in Estonia. *Proceedings of the Estonian Academy of Science Geology* 53, 267-287.
- Raukas, A. & Stankowski, W. 2005: Influence of sedimentological composition on OSL dating of glaciofluvial deposits: examples from Estonia. *Geological Quarterly* 49, 463-470.
- Raukas, A., Wojciech, T. J., Stankowski, V. Z. & Sinkunas, P. 2010: Chronology of the last deglaciation in the South-Eastern Baltic region on the basis of recent OSL dates. *Geochronometria* 36, 1-8.
- Raunholm, S., Larsen, E. & Sejrup, H. P. 2002: Weichselian sediments at Foss-Eikeland, Jæren (southwest Norway): sea-level changes and glaciation history. *Journal of Quaternary Science* 17, 241-260.
- Raunholm, S., Larsen, E. & Sejrup, H. P. 2004: Weichselian interstadial sediments on Jaeren (SW Norway) - paleoenvironments and implications for ice sheet configuration. *Norwegian Journal of Geology* 84, 91-106.
- Reite, A. 1968: Lokalglaciation på Sunnmøre. *Norges Geologiske Undersøkelse* 247, 262-287.
- Reite, A., Selnes, H. & Sveian, H. 1992: A proposed deglaciation chronology for the Trondheimsfjord area, central Norway. *Norges Geologiske Undersøkelse* 373, 75-84.
- Reite, A. J. 1982. *Størdal, kvartærgeologisk kart 1621 I-M 1:50 000*. Norges Geologiske Undersøkelse, Trondheim.
- Repo, R. & Tynni, R. 1967: Zur spät- und postglazialen Entwicklung im Ostteil des ersten Salpausselkä. *Comptes Rendus de la Société géologique de Finlande* 41, 203-229.
- Richardt, N. 1996: Sedimentological examination of the Late Weichselian sea-level history following deglaciation of northern Denmark. *Geological Society, London, Special Publications* 111, 261-273.
- Richardt, N. 1998: *Marine Sedimentary Environments, Sea-Level History, and Deglaciation; Late Weichselian Vendsyssel, Denmark*. PhD Thesis, University of Copenhagen, Denmark.
- Ringen, E. 1964: Om drumliner og Skagerakmorene på Karmøy. *Norsk Geografisk Tidsskrift* XIX, 205-228.
- Rinterknecht, V., Braucher, R., Böse, M., Bourlès, D. & Mercier, J. L. 2012: Late Quaternary ice sheet extents in northeastern Germany inferred from surface exposure dating. *Quaternary Science Reviews* 44, 89-95.
- Rinterknecht, V., Marks, L., Piotrowski, J., Raisbeck, G., Yiou, F., Brook, E. & Clark, P. 2005: Cosmogenic 10Be ages on the Pomeranian Moraine, Poland. *Boreas* 34, 186-191.



- Rinterknecht, V. R., Pavlovskaya, I. E., Clark, P. U., Raisbeck, G. M., Yiou, F. & Brook, E. J. 2007: Timing of the last deglaciation in Belarus. *Boreas* 36, 307-313.
- Rinterknecht, V. R., Bitinas, A., Clark, P. U., Raisbeck, G. M., Yiou, F. & Brook, E. J. 2008: Timing of the last deglaciation in Lithuania. *Boreas* 37, 426-433.
- Rinterknecht, V. R., Clark, P. U., Raisbeck, G. M., Yiou, F., Brook, E. J., Tschudi, S. & Lunkka, J. P. 2004: Cosmogenic <sup>10</sup>Be dating of the Salpausselkä I Moraine in southwestern Finland. *Quaternary Science Reviews* 23, 2283-2289.
- Rinterknecht, V. R., Clark, P. U., Raisbeck, G. M., Yiou, F., Bitinas, A., Brook, E. J., Marks, L., Zelčs, V., Lunkka, J. P., Pavlovskaya, I. E., Piotrowski, J. A. & Raukas, A. 2006: The Last Deglaciation of the Southeastern Sector of the Scandinavian Ice Sheet. *Science* 311, 1449-1452.
- Rise, L. & Rokoengen, K. 1984: Surficial sediments in the Norwegian sector of the North Sea between 60°30' and 62°N. *Marine Geology* 58, 287-317.
- Rise, L., Bøe, R., Sveian, H. A. L. A. & Olsen, H. A. 2006: The deglaciation history of Trondheimsfjorden and Trondheimsleia, Central Norway. *Norwegian Journal of Geology* 86, 419-438.
- Rise, L., Bøe, R., Ottesen, D., Longva, O. & Olsen, H. A. 2008: Postglacial depositional environments and sedimentation rates in the Norwegian Channel off southern Norway. *Marine Geology* 251, 124-138.
- Risebrobakken, B., Moros, M., Ivanova, E. V., Chistyakova, N. & Rosenberg, R. 2010: Climate and oceanographic variability in the SW Barents Sea during the Holocene. *Holocene* 20, 609-621.
- Roberts, D. H., Chiverrell, R. C., Innes, J. B., Horton, B. P., Brooks, A. J., Thomas, G. S. P., Turner, S. & Gonzalez, S. 2006: Holocene sea levels, Last Glacial Maximum glaciomarine environments and geophysical models in the northern Irish Sea Basin, UK. *Marine Geology* 231, 113-128.
- Roberts, M. J., Scourse, J. D., Bennell, J. D., Huws, D. G., Jago, C. F. & Long, B. T. 2011: Late Devensian and Holocene relative sea-level change in North Wales, UK. *Journal of Quaternary Science* 26, 141-155.
- Robertsson, A.-M. & Ambrosiani, K. G. 1988: Late Pleistocene stratigraphy at Boliden, northern Sweden. *Boreas* 17, 1-14.
- Robertsson, A. M. 1988: *Biostratigraphical studies of interglacial and interstadial deposits in Sweden*. Thesis, Stockholm University, Sweden.
- Rokoengen, K. 1979: Isens utstrekning og nedsunkne strandlinjer på kontinentalsokkelen. In Nydal, R., Westin, S., Hafsten, U. & Gulliksen, S. (eds.): *Fortiden i søkelyset, C-14 datering gjennom 25 år*, 249-261. Laboratoriet for radiologisk datering, Trondheim.
- Rokoengen, K. & Frengstad, B. 1999: Radiocarbon and seismic evidence of ice-sheet extent and the last deglaciation on the mid-Norwegian continental shelf. *Norsk Geografisk Tidsskrift* 79, 129-132.
- Rokoengen, K., Løfaldli, M., Rise, L., Løken, T. & Carlsen, R. 1982: Description and dating of a submerged beach in the northern North Sea. *Marine Geology* 50, M21-M28.
- Rokoengen, K., Bugge, T., Dekko, T., Gunleiksrud, T., Lien, R. L. & Løfaldi, M. 1979: Shallow geology of the continental shelf off north Norway. *Port and Ocean Engineering under Arctic Conditions, POAC* 79, 859-875 pp.
- Rokoengen, K., Bell, G., Bugge, T., Dekko, T., Gunleiksrud, T., Lien, R. L., Løfaldi, M. & Vigran, J. O. 1977: Prøvetaking av fjellgrunn og løsmasser utenfor deler av Nord-Norge i 1976. 91, 67 pp. IKU.
- Rolfe, C. J., Hughes, P. D., Fenton, C. R., Schnabel, C., Xu, S. & Brown, A. G. 2012: Paired <sup>26</sup>Al and <sup>10</sup>Be exposure ages from Lundy: new evidence for the extent and timing of Devensian glaciation in the southern British Isles. *Quaternary Science Reviews* 43, 61-73.
- Rolfe, W. D. I. 1966: Woolly rhinoceros from the Scottish Pleistocene. *Scottish Journal of Geology* 2, 253-258.
- Romundset, A., Bondevik, S. & Bennike, O. 2011: Postglacial uplift and relative sea level changes in Finnmark, northern Norway. *Quaternary Science Reviews* 30, 2398-2421.
- Romundset, A., Lohne, O. S., Mangerud, J. & Svendsen, J. I. 2010: The first Holocene relative sea-level curve from the middle part of Hardangerfjorden, western Norway. *Boreas* 39, 87-104.
- Ronnert, L. 1988: Deposition of fine-grained sediments in a proximal glaciomarine environment near Berghem, southwestern Sweden. *Geologiska Föreningens i Stockholm Förhandlingar* 110, 255-262.
- Rose, J. & Jardine, W. G. 1980: Rhu. *Glasgow Region Field Guide*, 31-37. Quaternary Research Association, Cambridge.
- Ross, H. 1996: *The Last Glaciation of Shetland*. PhD Thesis, University of St Andrews, Scotland.
- Rotnicki, K. & Borowka, R. K. 1990: Impact of a future sea level rise in the Polish Baltic Coastal Zone. In Titus, J. G. (ed.): *Changing Climate and the Coast Vol. II*, 49-65. U.S. Environmental Protection Agency, Washington D.C.
- Rotnicki, K. & Borowka, R. K. 1995: Dating of the upper pleni-Vistulian Scandinavian ice sheet in the Polish Baltic middle coast. *Prace Państwowego Instytutu Geologicznego* 149, 84-89.
- Rowinsky, V. 1995: Hydrologische und stratigraphische Studien zur Entwicklungsgeschichte von Brandenburger Kesselmooren. *Berliner Geographische Abhandlungen* 60, 1-155.
- Rowlands, B. M. 1971: Radiocarbon Evidence of Age of an Irish-Sea-Glaciation in Vale of Clwyd. *Nature-Physical Science* 230, 9-11.
- Rowlands, P. H. & Shotton, F. W. 1971: Pleistocene deposits of Church Stretton (Shropshire) and its neighbourhood. *Journal of the Geological Society* 127, 599-622.
- Rubensdotter, L. & Rosqvist, G. 2009: Influence of geomorphological setting, fluvial-, glaciofluvial- and mass-movement processes on sedimentation in alpine lakes. *The Holocene* 19, 665-678.
- Rye, N. 1970: Einergrein av Preboreal alder fun net i Israndavsetning i Eidfjord, Vest-Norge. *Norges Geologiske Undersøkelse* 266, 246-251.
- Rye, N., Nesje, A., Lien, R. & Anda, E. 1987: The Late Weichselian ice sheet in the Nordfjord-Sunnmøre area and deglaciation chronology for Nordfjord, western Norway. *Norges Geologisk Tidsskrift* 41, 23-43.
- Rüther, D. C., Matingsdal, R., Andreassen, K., Forwick, M. & Husum, K. 2011: Seismic architecture and sedimentology of a major grounding zone system deposited by the Bjørnøyrenna Ice Stream during Late Weichselian deglaciation. *Quaternary Science Reviews* 30, 2776-2792.
- Rüther, D. C., Bjarnadóttir, L. R., Junttila, J., Husum, K., Rasmussen, T. L., Lucchi, R. G. & Andreassen, K. 2012: Pattern and timing of the northwestern Barents Sea Ice Sheet deglaciation and indications of episodic Holocene deposition. *Boreas* 41, 494-512.
- Rørvik, K. L., Laberg, J. S., Hald, M., Ravna, E. K. & Vorren, T. O. 2010: Behavior of the northwestern part of the Fennoscandian Ice Sheet during the Last Glacial Maximum – a response to external forcing. *Quaternary Science Reviews* 29, 2224-2237.
- Saarse, L. & Liiva, A. 1995: Geology of the Antu group of lakes. *Proceedings of the Estonian Academy of Science Geology* 44, 119-132.
- Saarse, L., Heinsalu, A. & Veski, S. 2012a: Deglaciation chronology of the Pandivere and Palivere ice-marginal zones in Estonia. *Geological Quarterly* 56, 353-362.
- Saarse, L., Heinsalu, A., Veski, S., Amon, L. & Gaidamavicius, A. 2012b: On the deglaciation chronology of the Palivere ice-marginal zone, northern Estonia. *Bulletin of the Geological Society of Finland* 84, 21-31.
- Saarse, L., Niinemets, E., Amon, L., Heinsalu, A., Veski, S. & Sohar, K. 2009: Development of the late glacial Baltic basin and the succession of vegetation cover as revealed at Paleolake Haljala, northern Estonia. *Estonian Journal of Earth Sciences* 58, 317-333.
- Saks, T., Kalvans, A. & Zelcs, V. 2012: OSL dating of Middle Weichselian age shallow basin sediments in Western Latvia, Eastern Baltic. *Quaternary Science Reviews* 44, 60-68.
- Salvigsen, O. 1977: Radiocarbon datings and the extension of the Weichselian ice-sheet in Svalbard. *Norsk Polarinstitutt Årbok* 1976, 209-224.
- Salvigsen, O. 1978: Holocene emergence and finds of pumice, whalebones and driftwood at Svartknäusflya, Nordaustlandet. *Norsk Polarinstitutt Årbok* 45, 217-228.
- Salvigsen, O. 1981: Radiocarbon Dated Raised Beaches in Kong Karls Land, Svalbard, and Their Consequences for the Glacial History of the Barents Sea Area. *Geografiska Annaler Series A-Physical Geography* 63, 283-291.
- Salvigsen, O. 1984: Occurrence of pumice on raised beaches and Holocene shoreline displacement in the inner Isfjorden area, Svalbard. *Polar Research* 2, 107-113.
- Salvigsen, O. & Nydal, R. 1981: The Weichselian Glaciation In Svalbard Before 15,000 BP. *Boreas* 10, 433-446.

- Salvigsen, O. & Osterholm, H. 1982: Radiocarbon dated raised beaches and glacial history of the northern coast of Spitsbergen Svalbard. *Polar Research* 1, 97-115.
- Salvigsen, O. & Mangerud, J. 1991: Holocene shoreline displacement at Agardhbukta, eastern Spitsbergen, Svalbard. *Polar Research* 9, 1-7.
- Salvigsen, O. & Elgersma, A. 1993: Radiocarbon dating of deglaciation and raised beaches in north-western Sørkapp Land, Spitsbergen, Svalbard. *Prace Geograficzne* 94, 39-47.
- Salvigsen, O. & Høgvard, K. 2005: Glacial history, Holocene shoreline displacement and palaeoclimate based on radiocarbon ages in the area of Bockfjorden, north-western Spitsbergen, Svalbard. *Polar Research* 25.
- Salvigsen, O., Elgersma, A. & Landvik, J. Y. 1991: Radiocarbon dated raised beaches in northwestern Wedel Jarlsberg Land, Spitsbergen, Svalbard. *Wyprawy Geograficzne na Spitsbergen*, 9-16.
- Salvigsen, O., Elgersma, A., Hjort, C., Lagerlund, E., Liestol, O. & Svensson, N. 1990: Glacial history and shoreline displacement on Erdmannflya and Bohemanflya, Spitsbergen, Svalbard. *Polar Research* 8, 261-273.
- Sandgren, P., Snowball, I. F., Hammarlund, D. & Risberg, J. 1999: Stratigraphic evidence for a high marine shore-line during the late Weichselian deglaciation on the Kullen Peninsula, southern Sweden. *Journal of Quaternary Science* 14, 223-237.
- Sanko, A. & Gaigalas, A. 2008: Allerød deposits at Zervynos on the Ūla River: geology, geochronology and macrofauna. *Geologija* 1, 49-57.
- Sarala, P. 2005: *Glacial morphology and dynamics with till geochemical exploration in the ribbed moraine area of Peräpohjola, Finnish Lapland*. PhD Thesis, Geological Survey of Finland, Espoo.
- Sarv, A. & Ilves, E. 1975: Über das Alter der Holozänen Ablagerungen im Mündungsgebiet des Flusses Emajõgi (Saviku). *Proceedings of the Estonian Academy of Sciences, Geology* 24, 64-69.
- Satkūnas, J. 1993: The Vilnia- Neris glacial depression as astmtotype region of the Upper Pleistocene deposits (in Russian with English summary). *Geologija* 14, 252-266.
- Satkūnas, J., Marcinkevicius, V., Mikulenas, V. & Taminskas, J. 2007: Rapid development of karst landscape in North Lithuania - monitoring of denudation rate, site investigations and implications for management. *Geologiska Föreningens i Stockholm Förhandlingar* 129, 345-350.
- Schlaak, N. & Schoknecht, T. 2002: Geomorphologische und palynologische Untersuchungen im Vorland der Pommerschen Eisrandlage am Beispiel der Bugsinseerinne (Nordbrandenburg). *Greifswalder Geographische Arbeiten* 26, 101-105.
- Schulz, I. & Strahl, J. 2001: Die Kersdorfer Rinne als Beispiel subglazialer Rinnenbildung im Bereich der Frankfurter Eisrandlage – Ergebnisse geomorphologischer und pollenanalytischer Untersuchungen in Ostbrandenburg. *Zeitschrift für geologische Wissenschaften* 29, 99-107.
- Scourse, J. D. 1991: Late Pleistocene stratigraphy and palaeobotany of the Isles of Scilly. *Philosophical Transactions of the Royal Society of London, B* 334, 405-448.
- Scourse, J. D. 2006: *The Isles of Scilly: Field Guide*. 180 pp. Quaternary Research Association, London.
- Scourse, J. D. & Austin, W. E. N. 1994: A Devensian Late-Glacial and Holocene sea-level and water depth record from the Central Celtic Sea. *Quaternary Newsletter* 74, 22-29.
- Scourse, J. D. & Rhodes, E. J. 2006a: Watermill Cove. In Scourse, J. D. (ed.): *The Isles of Scilly: Field Guide*, 66-72. Quaternary Research Association, London.
- Scourse, J. D. & Rhodes, E. J. 2006b: Battery. In Scourse, J. D. (ed.): *The Isles of Scilly: Field Guide*, 136-138. Quaternary Research Association, London.
- Scourse, J. D., Evans, D. J. A., Hiemstra, J. F., McCarroll, D. & Rhodes, E. J. 2004: Late Devensian glaciation of the Isles of Scilly. *Quaternary Newsletter* 102, 49-54.
- Seglinš, V. 1988: Late glacial in western Latvia based on results of investigation of the Krikmaņi section. *Izvestiye Akademii Nauk Estonskoy SSR, Geologiya* 37, 89-92.
- Seglinš, V. 1991: Condition and estimation of the results of the Pleistocene radiocarbon dating of the Upper Pleistocene separate intervals of Eastern Latvia. In Gaigalas, A. (ed.): *Geochronological and isotope geochemical research into Quaternary geology and archaeology*, 79-87. Vilnius University Press, Vilnius.
- Seglinš, V., Stelle, V., Veksler, V. S., Lacis, A. & Prede, E. 1988: Radiocarbon dating of late and postglacial deposits of western Latvia. In Punning, J. M. (ed.): *Trudy simpoziuma po osnovnym problemam presnovodnykh ozyor (25-29 maya 1970)*, 5-32. Vilnius.
- Seidenkrantz, M.-S. & Knudsen, K. L. 1993: Middle Weichselian to Holocene palaeoecology in the eastern Kattegat, Scandinavia: foraminifera, ostracods and <sup>14</sup>C measurements. *Boreas* 22, 299-310.
- Seiriene, V., Stancikaite, M., Kiselienė, D. & Sinkunas, P. 2006: Lateglacial environmental inferred from palaeobotanical and <sup>14</sup>C data and sediment sequence from Lake Kasuciai, West Lithuania. *Baltica* 19, 80-90.
- Sejrup, H. P., Nygård, A., Hall, A. M. & Hafliðason, H. 2009: Middle and Late Weichselian (Devensian) glaciation history of south-western Norway, North Sea and eastern UK. *Quaternary Science Reviews* 28, 370-380.
- Sejrup, H. P., Hafliðason, H., Aarseth, I., King, E., Forsberg, C. F., Long, D. & Rokoengen, K. 1994: Late Weichselian glaciation history of the northern North Sea. *Boreas* 23, 1-13.
- Serebryanny, L., Andreev, A., Malyasova, E., Tarasov, P. & Romanenko, F. 1998: Lateglacial and early-Holocene environments of Novaya Zemlya and the Kara Sea Region of the Russian Arctic. *The Holocene* 8, 323-330.
- Serebryanny, L. R. 1978: *The dynamics of continental ice sheet and glacio-eustasy in the Late Quaternary time*. 269 pp. Nauka, Moscow.
- Serebryanny, L. R. & Malyasova, E. 1998: The Quaternary vegetation and landscape evolution of Novaya zemlya in the light of palynological records. *Quaternary International* 45/46, 59-70.
- Shotton, F. W. (ed.) 1977: *British Quaternary Studies: Recent advances*. 310 pp. Oxford University Press.
- Shotton, F. W. & Williams, R. E. 1971: Birmingham-University Radiocarbon Dates V. *Radiocarbon* 13, 141-156.
- Shotton, F. W. & Williams, R. E. 1973: Birmingham University Radiocarbon-Dates VI. *Radiocarbon* 15, 1-12.
- Shotton, F. W., Blundell, D. J. & Williams, R. E. G. 1969: Birmingham University Radiocarbon Dates III. *Radiocarbon* 11, 263-270.
- Shotton, F. W., Blundell, D. J. & Williams, R. E. 1970: Birmingham University Radiocarbon dates IV. *Radiocarbon* 13, 141.
- Shotton, F. W., Blundell, D. J. & Johnson, A. S. 1974: Birmingham University Radiocarbon Dates VIII. *Radiocarbon* 16, 285-303.
- Simm, H. 1986: *Osnovnye napravleniya i rezul'taty issledovaniy po gidrokhimii ozer, po izofermentam rasteniy po radiouglerodnomu datirovaniyu [Basic trends and results of research into the hydrochemistry of lakes, isoferments of plants and radiocarbon dating]*. pp. Valgus, Tallin.
- Simms, M. J. & Coxon, P. 2005: Glacial and karst landscapes of the Gort lowlands and Burren. In Coxon, P. (ed.): *The Quaternary of Central Western Ireland: Field Guide*, 39-63. Quaternary Research Association & Irish Quaternary Association, London.
- Simpson, J. B. 1933: The late-glacial readvance moraines of the Highland border west of the River Tay. *Transactions of the Royal Society of Edinburgh* 57, 633-646.
- Sindre, E. 1980: Late Weichselian ice-front oscillations in the Hardanger-Sunnhordland District, West Norway. *Continental Shelf Institute* 102, 1-16.
- Šinkūnas, P., Stančikaite, M., Šeiriene, V., Kiselienė, D., N., B. & Barzdžiuvienė, V. 2001: Ūlos atodangų tyrimų rezultatai. *Akmens amžius Pietų Lietuvoje*, 67-81.
- Sissons, J. B. 1967: Glacial Stages and radiocarbon dates in Scotland. *Scottish Journal of Geology* 3, 375-381.
- Sissons, J. B. & Walker, M. J. C. 1974: Late Glacial Site in Central Grampian Highlands. *Nature* 249, 822-824.
- Skirbekk, K., Kristensen, D. K., Rasmussen, T. L., Koç, N. & Forwick, M. 2010: Holocene climate variations at the entrance to a warm Arctic fjord: evidence from Kongsfjorden trough, Svalbard. *Geological Society, London, Special Publications* 344, 289-304.
- Ślubowska-Woldengen, M., Rasmussen, T. L., Koç, N., Klitgaard-Kristensen, D., Nilsen, F. & Solheim, A. 2007: Advection of Atlantic Water to the western and northern Svalbard shelf since 17,500 cal. yr BP. *Quaternary Science Reviews* 26, 463-478.
- Small, D., Rinterknecht, V., Austin, W., Fabel, D., Miguens-Rodriguez, M. & Xu, S. 2012: In situ cosmogenic exposure ages from the Isle of Skye, northwest Scotland: implications for the timing of deglaciation and readvance from 15 to 11 ka. *Journal of Quaternary Science* 27, 150-158.
- Smith, A. G. & Goddard, I. C. 1991: A 12 500 year record of vegetational history at Sluggan Bog, Co. Antrim, N. Ireland (incorporating a pollen zone scheme for the non-specialist). *New Phytologist* 118, 167-187.
- Smith, A. G., Pearson, G. W. & Pilcher, J. R. 1971: Belfast Radiocarbon Dates IV. *Radiocarbon* 13, 450-467.

- Smith, B. W., Rhodes, E. J., Stokes, S., Spooner, N. A. & Aitken, M. J. 1990: Optical Dating of Sediments - Initial Quartz Results from Oxford. *Archaeometry* 32, 19-31.
- Snyder, J. A., Macdonald, G. M., Forman, S. L., Tarasov, G. A. & Mode, W. N. 2000: Postglacial climate and vegetation history, north-central Kola Peninsula, Russia: pollen and diatom records from Lake Yarnyshnoe-3. *Boreas* 29, 261-271.
- Sohar, K. & Kalm, V. 2008: A 12.8-ka-long palaeoenvironmental record revealed by subfossil ostracod data from lacustrine freshwater tufa in Lake Sinijärv, northern Estonia. *Journal of Paleolimnology* 40, 809-821.
- Sokolowski, R. J. 2007: *Stratygrafia i sedimentologia osado w plejstocenu w kamieniołomie "Wapienno", NE Wielkopolska*. PhD Thesis, Uniwersytet Mikołaja Kopernika, Toruń.
- Solem, T. 2011: Vegetation history of Roppaughen in Budalen, Midtre Gausdal, Central Norway, with additional information from non pollen palynomorphs (NPP). *Transactions of the Royal Norwegian Society of Sciences and Letters* 2011, 1-16.
- Sollid, J. L. & Reite, A. J. 1983: The last glaciation and deglaciation of central Norway. In Ehlers, J. (ed.): *Glacial deposits in North-West Europe*, 41-59. A. A. Balkema, Rotterdam.
- Sommer, R. S. & Benecke, N. 2009: First radiocarbon dates on woolly mammoth (*Mammuthus primigenius*) from northern Germany. *Journal of Quaternary Science* 24, 902-905.
- Spjeldnæs, N. 1978: Ecology of selected Late- and Post-Glacial marine faunas in the Oslo Fjord area. *Geologiska Föreningens i Stockholm Förhandlingar* 100, 189-202.
- Stančikaitė, M., Seirienė, V. & Sinkunas, P. 1998: The new results of Pamerkys outcrop, South Lithuania, investigations. *Geologija* 23, 77-88.
- Stančikaitė, M., Kisieliene, D., Moe, D. & Vaikutienė, G. 2009: Lateglacial and early Holocene environmental changes in northeastern Lithuania. *Quaternary International* 207, 80-92.
- Stančikaitė, M., Šinkūnas, P., Stančikaite, M., Šeiriene, V. & Kisieliene, D. 2008: Patterns and chronology of the Lateglacial environmental development at Pamerkiai and Kas' uc'iai, Lithuania. *Quaternary Science Reviews* 27, 127-147.
- Stankowska, A. & Stankowski, W. 1988: Maximum extent of the Vistulian ice sheet in the vicinity of Konin, Poland: a geomorphological, sedimentological and radiometric evidence. *Geographia Polonica* 55, 142-150.
- Stein, R., Boucsein, B., Fahl, K., de Oteyza, G., Knies, J. & Niessen, F. 2001: Accumulation of particulate organic carbon at the Eurasian continental margin during Late Quaternary times: controlling mechanisms and paleoenvironmental significance. *Global and Planetary Change* 31, 87-102.
- Stein, R., Niessen, F., Dittmers, K., Levitan, M., Schoster, F., Simstich, J., Steinke, T. & Stepanets, O. 2002: Siberian river run-off and Late Quaternary glaciation in the southern Kara Sea, Arctic Ocean: preliminary results. *Polar Research* 21, 315-322.
- Stelle, V., Savvaitov, A. S. & Veksler, V. S. 1975a: Dating of Pleistocene deposits in the territory of Latvia. In Savvaitov, A. S. & Veksler, V. S. (eds.): *Opyt i metodika izotopnogoekhimicheskikh issledovaniy v Pribaltike i Belorussii*, 80-81. Vniimorgeo, Riga.
- Stelle, V., Veksler, V. S. & Āboltiņš, O. 1975b: Radiocarbon dating of alluvial deposits from middle course of the River Gauja. In Savvaitov, A. S. & Veksler, V. S. (eds.): *Opyt i metodika izotopnogoekhimicheskikh issledovaniy v Pribaltike i Belorussii*, 87-88. Vniimorgeo, Riga.
- Stelle, V. Y. & Veksler, V. S. 1975: Radiocarbon dating of deposits from section of the Sārņate bog. In Savvaitov, A. S. & Veksler, V. S. (eds.): *Opyt i metodika izotopnogoekhimicheskikh issledovaniy v Pribaltike i Belorussii*, 85-86. Vniimorgeo, Riga.
- Stoker, M. S., Bradwell, T., Howe, J. A., Wilkinson, I. P. & McIntyre, K. 2009: Lateglacial ice-cap dynamics in NW Scotland: evidence from the fjords of the Summer Isles region. *Quaternary Science Reviews* 28, 3161-3184.
- Stone, J. O. & Ballantyne, C. K. 2006: Dimensions and deglacial chronology of the Outer Hebrides Ice Cap, northwest Scotland: implications of cosmic ray exposure dating. *Journal of Quaternary Science* 21, 75-84.
- Strahl, J. 2005: Zur Pollenstratigraphie des Weichselspätglazials von Berlin-Brandenburg. *Brandenburger geowissenschaftliche Beiträge* 12, 87-112.
- Strickertsson, K. & Murray, A. S. 1999: Optically stimulated luminescence dates for Late Pleistocene and Holocene sediments from Nørre Lyngby, Northern Jutland, Denmark. *Quaternary Science Reviews* 18, 169-178.
- Stuart, A. J. 1982: *Pleistocene Vertebrates in the British Isles*. 212 pp. Longman, London.
- Suggate, R. P. & West, R. G. 1959: On the extent of the last glaciation in eastern England. *Proceedings of the Royal Society of London, Series B, Biological Sciences* 939, 263-283.
- Sutherland, D. G. 1981: *The raised shorelines and deglaciation of the Loch Long/Fyne area, Western Scotland*. PhD Thesis, University of Edinburgh, Scotland.
- Sutherland, D. G. 1984: The Quaternary deposits and landforms of Scotland and the neighbouring shelves: a review. *Quaternary Science Reviews* 3, 157-254.
- Sutherland, D. G. 1986: A review of Scottish marine shell radiocarbon dates, their standardization and interpretation. *Scottish Journal of Geology* 22, 145-164.
- Sutherland, D. G. & Walker, M. J. C. 1984: A late Devensian ice-free area and possible interglacial site on the Isle of Lewis, Scotland. *Nature* 309, 701-703.
- Sutherland, D. G., Ballantyne, C. K. & Walker, M. J. C. 1984: Late Quaternary glaciation and environmental change on St-Kilda, Scotland and their paleoclimatic significance. *Boreas* 13, 261-272.
- Svendsen, J. I. & Mangerud, J. 1990: Sea-level Changes and Pollen Stratigraphy On the Outer Coast of Sunnmøre, Western Norway. *Norsk Geologisk Tidsskrift* 70, 111-134.
- Svendsen, J. I. & Warren, E. J. 2001: Isavsmelting- og strandforskyvningshistorie. In Kristoffersen, K. K. & Warren, E. J. (eds.), 297-309. Arkeologiske avhandlinger og rapporter fra Universitetet i Bergen 6, Bergen.
- Svendsen, J. I., Elverhøi, A. & Mangerud, J. 1996: The retreat of the Barents Sea Ice Sheet on the western Svalbard margin. *Boreas* 25, 244-256.
- Svendsen, J. I., Mangerud, J., Elverhøi, A., Solheim, A. & Schuttenhelm, R. T. E. 1992: The Late Weichselian Glacial Maximum on Western Spitsbergen Inferred from Offshore Sediment Cores. *Marine Geology* 104, 1-17.
- Switsur, V. R. & West, R. G. 1972: University of Cambridge Natural Radiocarbon Measurements X. *Radiocarbon* 14, 239-246.
- Sønstegeard, E., Rune, A. & Klakegg, O. 1999: Younger Dryas glaciation in the Ålfoten area, western Norway; evidence from lake sediments and marginal moraines. *Norges Geologisk Tidsskrift* 79, 33-45.
- Sørensen, R. 1979a: *Elvdal. Beskrivelse til kvartærgeologisk kart 2018 III.*, Trondheim.
- Sørensen, R. 1979b: Late Weichselian deglaciation in the Oslofjord area, south Norway. *Boreas* 8, 241-246.
- Sørensen, R. 1982: *NORDQUA-Ekskursjonen 1982. Preboreal-Boreal isavsmelting i Sørøst-Norge*. 74 pp. Institutt for geologi, Norges landbrukshøgskole, Ås, Norway.
- Sørensen, R. 1992: The physical environment of Late Weichselian deglaciation of the Oslofjord region, southeastern Norway. *Sveriges Geologiska Undersökning. Series C 81*, 339-346.
- Sørensen, R. 1999: En 14C datert og dendrokronologisk kalibrert strandforskyvningskurve for søndre Østfold, Sørøst-Norge. *AmS-Rapport* 12A, 227-242.
- Sørensen, R., Høeg, H. I., Henningsmoen, K. E., Skog, G., Labowsky, S. F. & Stabell, B. 2012: Utviklingen av det senglasiale og tidlig preboreale landskapet og vegetasjonen omkring steinalderboplassene ved Pauler, Larvik kommune, Vestfold. In Jakslund, L. (ed.): *E18 Brunlanesprosjektet*. Kulturhistorisk Museum, University of Oslo, Oslo.
- Tauber, H. 1964: Copenhagen radiocarbon dates VI. *Radiocarbon* 6, 215-225.
- Tauber, H. 1966: Danske kulstof-14 dateringsresultater. *Meddelelser fra Dansk Geologisk Forening* 16, 153-176.
- Telfer, M. W., Wilson, P., Lord, T. C. & Vincent, P. J. 2009: New constraints on the age of the last ice sheet glaciation in NW England using optically stimulated luminescence dating. *Journal of Quaternary Science* 24, 906-915.
- Thomas, G. S. P. 1977: The Quaternary of the Isle of Man. *The Quaternary History of the Irish Sea. Geological Journal Special Issue* 7, 155-179.
- Thomas, G. S. P., Chiverrell, R. & Huddart, D. 2004: Ice-marginal depositional responses to readvance episodes in the Late Devensian deglaciation of the Isle of Man. *Quaternary Science Reviews* 23, 85-106.
- Thomas, P., Murray, A., Kjer, K., Funder, S. & Larsen, E. 2006: Optically Stimulated Luminescence (OSL) dating of glacial sediments from Arctic Russia – depositional bleaching and methodological aspects. *Boreas* 35, 587-599.
- Thomsen, H. 1982: Late Weichselian shore-level displacement on Nord-Jæren, south-west Norway. *Geologiska Föreningens i Stockholm Förhandlingar* 103, 447-468.

- Thomsen, H. 1989: Strandforysknings-undersøkelser i Kårstø-området. Landskapsendringergjennom de siste 13.000 år grunnet strandensskiftendebeleggenhe. 124 pp. Arkeologisk Museum i Stavanger, Stavanger.
- Thoresen, M. & Bergersen, O. F. 1983: Submorene sedimenter i Folldal, Hedmark. . *Norges Geologiske Undersøkelse* 389, 37-55.
- Thrasher, I. M., Mauz, B., Chiverrell, R. C., Lang, A. & Thomas, G. S. P. 2009: Testing an approach to OSL dating of Late Devensian glaciofluvial sediments of the British Isles. *Journal of Quaternary Science* 24, 785-801.
- Tomczak, A., Krymiska, J. & Pazdur, A. 1999: Problemy interpretacji dat radiowęglowych fauny morskiej z utworów górnego czwartorzędu. In Pazdur, A., Bluszcz, A., Stankowski, W. & Starkel, L. (eds.): *Geochronologia Górnego Czwartorzędu w Polsce w świetle datowania radiowęglowego i luminescencyjnego*, 243-250. Wydawnictwo Wind-J. Wojewoda, Wrocław.
- Tooley, M. J. 1977: *The Isle of Man, Lancashire Coast and Lake District. Field Guide*. 60 pp. Geo Abstracts for International Union for Quaternary Research.
- Tooley, M. J., Kear, B. & Tooley, M. J. 1977: Shirdley Hill Sand Formation. *The Isle of Man, Lancashire Coast and Lake District. Guidebook for excursion A4 X INQUA Congress*, 9-12. Geoabstracts.
- Tornivaara, A. 2007: *Stratigrafiset kohteet maaperän monimuotoisuuden suojelussa ("Stratigraphic sites as references in geodiversity conservation")* MSc Thesis, University of Helsinki, Finland.
- Tschudi, S., Ivy-ochs, S., Schlüchter, C., Kubik, P. & Rainio, H. 2000: 10Be dating of Younger Dryas Salpausselkä I formation in Finland. *Boreas* 29, 287-293.
- Turkowska, K. 1995: Recognition of valleys evolution during the Pleistocene-Holocene transition in non-glaciated regions of Polish lowlands. *Biuletyn Peryglacjalny* 34, 209-227.
- Tveranger, J., Astakhov, V. & Mangerud, J. 1995: The margin of the last Barents-Kara ice sheet at Markhida, northern Russia. *Quaternary Research* 44, 328-340.
- Ukkonen, P., Lunkka, J. P., Jungner, H. & Donner, J. 1999: New radiocarbon dates from Finnish mammoths indicating large ice-free areas in Fennoscandia during the Middle Weichselian. *Journal of Quaternary Science* 14, 711-714.
- Ukkonen, P., Arppe, L., Houmark-Nielsen, M., Kjær, K. H. & Karhu, J. A. 2007: MIS 3 mammoth remains from Sweden—implications for faunal history, palaeoclimate and glaciation chronology. *Quaternary Science Reviews* 26, 3081-3098.
- Ukkonen, P., Lõugas, L., Zagorska, I., Lukševica, L., Lukševics, E., Daugnora, L. & Jungner, H. 2006: History of the reindeer ( Rangifer tarandus ) in the eastern Baltic region and its implications for the origin and immigration routes of the recent northern European wild reindeer populations. *Boreas* 35, 222-230.
- Ukkonen, P., Aaris-Sørensen, K., Arppe, L., Clark, P. U., Daugnora, L., Lister, A. M., Lõugas, L., Seppä, H., Sommer, R. S., Stuart, A. J., Wojtal, P. & Zupinš, I. 2011: Woolly mammoth (Mammuthus primigenius Blum.) and its environment in northern Europe during the last glaciation. *Quaternary Science Reviews* 30, 693-712.
- Undås, I. 1963: *Ra-morenen i Vest-Norge*. pp. J.W. Eides Boktrykkeri A.S. , Bergen.
- Uścinowicz, S. 1999: Southern Baltic area during the last deglaciation. *Geological Quarterly* 43, 137-148.
- Valchik, M. A., Zyc, J., Fedenja, V. & Karabanov, A. 1990: *Ice-marginal formations of the Belarussian Range*. 161 pp. Academy of Sciences, Minsk.
- Valen, V., Lauritzen, S. E. & Løvlie, R. 1997: Sedimentation in a high-latitude karst cave: Sirijordgrotta, Nordland, Norway. *Norges Geologisk Tidsskrift* 77, 233-250.
- Valen, V., Mangerud, J., Larsen, E. & Hufthammer, A. K. 1996: Sedimentology and stratigraphy in the cave Hamnsundhelleren, western Norway. *Journal of Quaternary Science* 11, 185-201.
- van Asch, N., Lutz, A. F., Duijkers, M. C. H., Heiri, O., Brooks, S. J. & Hoek, W. Z. 2012: Rapid climate change during the Weichselian Lateglacial in Ireland: Chironomid-inferred summer temperatures from Fiddaun, Co. Galway. *Palaeogeography, Palaeoclimatology, Palaeoecology* 315-316, 1-11.
- Vasari, Y. N., Gray, J. M. & Lowe, J. J. 1977: Radiocarbon dating of the Late glacial and early Flandrian vegetational succession in the Scottish Highlands and the Isle of Skye. *Studies in the Scottish Lateglacial Environment*, 143-162. Pergamon Press.
- Vasil'chuk, Y. & Vasil'chuk, A. C. 1998: 14C and 18O in Siberian syngenetic ice-wedge complexes. *Radiocarbon* 40, 883-893.
- Veksler, V. S. 1989: Radiocarbon dates of Riga II. *Radiocarbon* 31, 47-54.
- Veksler, V. S. & Stelle, V. 1986: Cosmogenic influence on the radiocarbon age of the wood from the Rakanj section. In Punning, J. M. (ed.): *Izotopno-geokhimicheskiye issledovaniya v Pribaltike i Belorussii*, 36-41. Tallinn.
- Ventris, P. A. 1985: *Pleistocene environmental history of the Nar Valley, Norfolk*. PhD Thesis, University of Cambridge, England.
- Vigdorichik, M., Auslender, V. G., Znamenskaya, O. M. & Dolukhanov, P. M. 1970: New radiocarbon datings lake deposits in north-west RSFSR abd scale of absolute geochronology of the last glaciation. In Kabailiene, M., Kalesnik, S. V., Kvasov, D. D., Klane, V., Klimkaite, I., Korde, N., Kudaba, Č. & Kuderskiy, A. (eds.): *Istoriya ozyor. Trudy simpoziuma po osnovnym problemam presnovodnykh ozyor (25-29 maya 1970)*, 5-32. Vilnius.
- Vigdorichik, M., Zarrina, E., Krasnov, I. & Auslender, V. 1974: Late Pleistocene. In Zubakov, V. A. (ed.): *Geochronology of the USSR 33, The latest Phase*, 55-75. Nedra, Leningrad.
- Vincent, P. J., Wilson, P., Lord, T. C., Schnabel, C. & Wilcken, K. M. 2010: Cosmogenic isotope (36Cl) surface exposure dating of the Norber erratics, Yorkshire Dales: Further constraints on the timing of the LGM deglaciation in Britain. *Proceedings of the Geologists' Association* 121, 24-31.
- Vinogradov, A. P., Devirts, A. L., Dobkina, E. I. & Markova, N. G. 1966: Radiocarbon dating in the Vernadsky Institute I-IV. *Radiocarbon* 8, 292-323.
- Vinogradov, A. P., Devirts, A. L., Dobkina, E. I. & Markova, N. G. 1968: Radiocarbon dating in the Vernadsky Institute V. *Radiocarbon* 10, 454-464.
- von Weymarn, J. & Edwards, K. J. 1973: Interstadial site on the Island of Lewis. *Nature* 246, 473-474.
- Vorren, K.-D. 1978: Late and Middle Weichselian stratigraphy of Andøya, north Norway. *Boreas* 7, 19-38.
- Vorren, K.-D. & Alm, T. 1999: Late Weichselian and Holocene environments of lake Endletvatn, Andflya, northern Norway: as evidenced primarily by chemostratigraphical data. *Boreas* 28, 505-520.
- Vorren, T. O. 1973: Glacial Geology of the area between Jostedalsbreen and Jotunheimen, South Norway. *Norges Geologiske Undersøkelse* 291, 46.
- Vorren, T. O. & Kristoffersen, Y. 1986: Late Quaternary Glaciation In the Southwestern Barents Sea. *Boreas* 15, 51-59.
- Vorren, T. O. & Laberg, J. S. 1996: Late glacial air temperature, oceanographic and ice sheet interactions in the southern Barents Sea region. In Andrews, J. T., Austin, W. E. N., Bergsten, H. & Jennings, A. E. (eds.): *Late Quaternary palaeoceanography of the North Atlantic margins. Geological Society Special Publication*, 111, 303-321. Geological Society of London, London.
- Vorren, T. O. & Plassen, L. 2002: Deglaciation and palaeoclimate of the Andfjord-Vagsfjord area, North Norway. *Boreas* 31, 97-125.
- Vorren, T. O., Vorren, K.-D., Alm, T., Gulliksen, S. & Løvlie, R. 1988: The last deglaciation (20,000 to 11,000 B. P.) on Andøya, northern Norway. *Boreas* 17, 41-77.
- Vozniachuk, L., Sanko, A. & Arslanov, H. 1981: On geochronology and palaeogeography of the Middle and Late Valdai of the eastern part of the Belorussian Lake District.: *Isotopic and geochemical methods in biology, geology and archeology*, 43-47. University of Tartu, Tartu.
- Walker, M., Lowe, J., Blockley, S. P. E., Bryant, C., Coombes, P., Davies, S., Hardiman, M., Turney, C. S. M. & Watson, J. 2012: Lateglacial and early Holocene palaeoenvironmental events in Sluggan Bog, Northern Ireland: comparisons with the Greenland NGRIP GICC05 event stratigraphy. *Quaternary Science Reviews* 36, 124-138.
- Walker, M. J. C. 1980: Late-Glacial History of the Brecon Beacons, South-Wales. *Nature* 287, 133-135.
- Walker, M. J. C. 1982: The Late-Glacial and Early Flandrian Deposits at Traeth Mawr, Brecon Beacons, South-Wales. *New Phytologist* 90, 177-194.
- Walker, M. J. C. & Lowe, J. J. 1979: Postglacial Environmental History of Rannoch Moor, Scotland. II. Pollen Diagrams and Radiocarbon Dates from the Rannoch Station and Corrou Area. *Journal of Biogeography* 6, 349-362.
- Watson, J. E., Brooks, S. J., Whitehouse, N. J., Reimer, P. J., Birks, H. J. B. & Turney, C. 2010: Chironomid-inferred late-glacial summer air temperatures from Lough Nadourcan, Co. Donegal, Ireland. *Journal of Quaternary Science* 25, 1200-1210.
- Wedel, P. O. 1969: C14-datering av molluskskal fran Fjärås Bräcka. *Geologiska Föreningens i Stockholm Föreläsningar* 91, 287-290.
- Whittington, G. & Hall, A. M. 2002: The Tolsta Interstadial, Scotland: correlation with D-O cycles GI-8 to GI-5? *Quaternary Science Reviews* 21, 901-915.
- Whittington, G., Connell, R. E., Coope, G. R., Edwards, K. J., Hall, A. M., Hulme, P. D. & Jarvis, J. 1998: Devensian organic interstadial deposits and ice sheet extent in Buchan, Scotland. *Journal of Quaternary Science* 13, 309-324.
- Winsborrow, M. C. M., Andreassen, K., Corner, G. D. & Laberg, J. S. 2010: Deglaciation of a marine-based ice sheet: Late Weichselian palaeo-ice dynamics and retreat in the southern Barents Sea reconstructed from onshore and offshore glacial geomorphology. *Quaternary Science Reviews* 29, 424-442.

- Wintle, A. G. 1981: Thermoluminescence dating of late Devensian loesses in southern England. *Nature* 289, 479-480.
- Wintle, A. G. & Catt, J. A. 1985: Thermoluminescence dating of Dimlington Stadial deposits in eastern England. *Boreas* 14, 231-234.
- Wisniewski, A., Wojtal, P., Krzeminska, A., Zych, J., Przybylski, B. & Badura, J. 2009: Unique site of the mammoth remains in the Lower Silesia. *Przegląd Geograficzny* 57, 234-242.
- Wohlfarth, B. 2009: Ice-free conditions in Fennoscandia during Marine Oxygen Isotope Stage 3? *Technical Report: TR-09-12*, pp. Swedish Nuclear Fuel and Waste Management Company, Stockholm.
- Wohlfarth, B., Björck, S. & Possnert, G. 1995a: The Swedish time scale: a potential calibration tool for the radiocarbon time scale during the late Weichselian. *Radiocarbon* 37, 347-359.
- Wohlfarth, B., Bennike, O., Brunnberg, L., Demidov, I., Possnert, G. & Vyahirev, S. 1999: AMS  $^{14}\text{C}$  measurements and macrofossil analyses of a varved sequence near Pudozh, eastern Karelia, NW Russia. *Boreas* 29, 575-586.
- Wohlfarth, B., Lemdahl, G., Olsson, S., Persson, T., Snowball, I., Ising, J. & Jones, V. 1995b: Early Holocene environment on Bjornoya (Svalbard) inferred from multidisciplinary lake sediment studies. *Polar Research* 14, 253-275.
- Wojciechowski, A. 2000: Zmiany paleohydrologiczne w środkowej Wielkopolsce w cięgu ostatnich 12000 lat w świetle badań osadów jeziornych rynny kórnicko-zaniemskiej (Palaeohydrological changes in the central Wielkopolska Lowland during the last 12,000 years on the basis of deposits of the Kórnik-Zaniemy myśl lakes). *Wydawnictwa Naukowe UAM, Poznań, Seria Geografia* 63, 1-236.
- Woodman, P., McCarthy, M. & Monaghan, N. 1997: The Irish Quaternary Fauna Project. *Quaternary Science Reviews* 16, 129-159.
- Worsley, P. 1967: Problems in naming the Pleistocene deposits of the North-East Cheshire Plain. *Mercian Geologist* 2, 51-55.
- Wysota, W., Molewski, P. & Sokolowski, R. J. 2009: Record of the Vistula ice lobe advances in the Late Weichselian glacial sequence in north-central Poland. *Quaternary International* 207, 26-41.
- Wysota, W., Lankauf, K. R., Szymańska, J., Chruścińska, A., Oczkowski, H. L. & Przeglądka, K. R. 2002: Chronology Of The Vistulian (Weichselian) Glacial Events In The Lower Vistula Region, Middle-North Poland. *Geochronometria* 21, 137-142.
- Yakushko, O. F., Khomich, A. A., Elovicheva, Y. K. & Naumenko, L. B. 1975: Genetic peculiarities of lakes in the Byelorussian Poles'e region. . *Istoriya ozer v Golotsene (Holocene lake history). Abstracts IV All-Union Symposium.*, 138-144. Leningrad.
- Yamasaki, F., Hamada, T. & Hamada, C. 1969: Riken Natural Radiocarbon Measurements V. *Radiocarbon* 11, 451-462.
- Yelovicheva, Y. & Sanko, A. 1999: Palynostratigraphy of the Poozerie Glaciation (Vistulian) in Belarus. *Geological Quarterly* 43, 203-212.
- Zachowicz, J. 1995: Radiocarbon sample information: Gd-9545 Chłapowo C2/4,0-4,1 *Radiocarbon Database*. Silesian University of Technology Radiocarbon Laboratory.
- Zeeberg, J. J., Lubinski, D. J. & Forman, S. L. 2001: Holocene relative sea-level history of Novaya Zemlya, Russia and implications for Late Weichselian ice sheet loading. *Quaternary Research* 56, 218-230.
- Zelčs, V. & Markots, A. 2004: Deglaciation history of Latvia. In Ehlers, J. & Gibbard, P. L. (eds.): *Quaternary Glaciations Extent and Chronology Part I: Europe*, 225-243, Volume 2, Part 1 ed. Elsevier, Amsterdam.
- Zernitskaya, V., Maknach, N. & Kolkovskij, V. 2007: Stratigraphy of Late Glacial and Holocene deposits in Belarussian Poozerie. In Guobite, R. & Stancikaite, M. (eds.): *The Quaternary of Western Lithuania: From the Pleistocene Glaciations to the Evolution of the Baltic Sea. The INQUA Peribaltic Group Field Symposium, May 27–June 2*, 106-107. Lithuanian Geological Survey, Vilnius.
- Zimenkov, O. 1989: New data about Cenozoic geology of Belarus and adjacent areas. *Nauka i tekhnika* 1989, 30-44.
- Zimenkov, O. & Kuznetsov 1985: Cenozoic geology and hydrogeology of Belarus. *Nauka i tekhnika*, 127-132.
- Zimenkov, O. I. 1985: On the age of maximum stage of the Valdai glaciation in Byelorussia. *Marginal forms of continental glaciations*, 131-132. Nauka, Moscow.
- Zimenkov, O. I., Valchik, M. A. & Kolkovski, V. M. 1985: Absolyutniy vozrast allyuviya rechnykh terras i poimyy Belorusskogo Ponyemanya. In Kovalev, V. A., Dromashko, S. G. & Shimanovich, S. L. (eds.): *Mineralogiya i geokhimiya kaynozoysskikh otlozheniy Belorussii*, 129-137. Nauka i tekhnika, Minsk.
- Zobens, V., Putāns, B. & Stelle, V. 1969: The first dating of absolute age in the Riga radiocarbon laboratory. In Danilāns, I. (ed.): *Problems of Quaternary Geology* 141-145. Zinātne, Riga.
- Zubakov, V. A. 1974: Pozdnyy pliocen – četvertichnyy period. In Zubakov, V. A. (ed.): *Geokhronologiya SSSR III, Noveyshiyy etap*, 44-84. Nedra, Leningrad.
- Zurek, S., Michczyńska, D. & Pazdur, A. 2002: Time record of palaeohydrologic changes in the development of mires during the Late Glacial and Holocene north Podlasie Lowland and Holy Cross Mts. *Geochronometria* 21, 109-118.
- Östlund, G. & Engstrand, L. G. 1960: Stockholm Natural Radiocarbon Measurements III. *Radiocarbon* 2, 186-196.
- Øvstedahl, D. O. & Aarseth, I. 1975: Bryophytes from Late Weichselian sediments at Vinnes, Western Norway. *Lindbergia* 3, 61-68.