## Normal form of your dynamical system

A. J. Roberts, University of Adelaide http://orcid.org/0000-0001-8930-1552

6:44am, April 28, 2021

Throughout and generally: the lowest order, most important, terms are near the end of each expression.

off echo;

## Specified dynamical system

$$\begin{split} \dot{x}_1 &= \varepsilon (-x_1y_1 + y_2) \\ \dot{x}_2 &= \varepsilon (-x_2y_1 - x_1y_2 + y_3) \\ \dot{x}_3 &= \sigma \varepsilon w_1 + \varepsilon (-x_3y_1 - 2x_2y_2 - x_1y_3) \\ \dot{y}_1 &= \varepsilon (x_2 - 1/2x_1^2 - 1/2y_1^2) - y_1 \\ \dot{y}_2 &= \varepsilon (x_3 - x_2x_1 - y_2y_1) - y_2 \\ \dot{y}_3 &= \sigma \varepsilon w_2 + \varepsilon (-x_3x_1 - x_2^2 - y_3y_1 - y_2^2) - y_3 \\ \text{off echo;} \end{split}$$

## Time dependent coordinate transform

$$y_1 = \varepsilon (X_2 - 1/2X_1^2 + 1/2Y_1^2) + Y_1$$
  
$$y_2 = \varepsilon (X_3 - X_2X_1 + Y_2Y_1) + Y_2$$

$$y_3 = \sigma \varepsilon e^{-1t} \star w_2 + \varepsilon (-X_3 X_1 - X_2^2 + Y_3 Y_1 + Y_2^2) + Y_3$$

$$x_1 = \varepsilon (X_1 Y_1 - Y_2) + X_1$$

$$x_2 = \varepsilon (X_2 Y_1 + X_1 Y_2 - Y_3) + X_2$$

$$x_3 = \varepsilon (X_3 Y_1 + 2X_2 Y_2 + X_1 Y_3) + X_3$$

## Result normal form DEs

$$\begin{split} \dot{Y}_1 &= \varepsilon^2 \big( -1/2X_1^2 Y_1 + 2X_1 Y_2 - Y_3 \big) - Y_1 \\ \dot{Y}_2 &= \varepsilon^2 \big( -X_2 X_1 Y_1 + 2X_2 Y_2 - 1/2X_1^2 Y_2 + 2X_1 Y_3 \big) - Y_2 \\ \dot{Y}_3 &= -\sigma \varepsilon^2 w_2 Y_1 + \varepsilon^2 \big( -X_3 X_1 Y_1 - X_3 Y_2 - X_2^2 Y_1 - 2X_2 X_1 Y_2 + X_2 Y_3 - 1/2X_1^2 Y_3 \big) - Y_3 \\ \dot{X}_1 &= \varepsilon^2 \big( X_3 - 2X_2 X_1 + 1/2X_1^3 \big) \\ \dot{X}_2 &= \sigma \varepsilon^2 w_2 + \varepsilon^2 \big( -2X_3 X_1 - 2X_2^2 + 3/2X_2 X_1^2 \big) \\ \dot{X}_3 &= -\sigma \varepsilon^2 w_2 X_1 + \sigma \varepsilon w_1 + \varepsilon^2 \big( -3X_3 X_2 + 3/2X_3 X_1^2 + 3X_2^2 X_1 \big) \end{split}$$