A normal form of your dynamical system

A. J. Roberts, University of Adelaide http://orcid.org/0000-0001-8930-1552

11:26am, June 16, 2021

Generally, the lowest order, most important, terms are near the end of each expression.

off echo;

Specified dynamical system

$$\dot{x}_1 = -\varepsilon x_1 y_1$$

$$\dot{y}_1 = \sigma w_1 + \varepsilon (x_1^2 - 2y_1^2) - y_1$$
off echo;

Time dependent normal form coordinates

$$y_1 = 4\sigma\varepsilon e^{-1t} \star w_1 Y_1 + \sigma e^{-1t} \star w_1 + \varepsilon (X_1^2 + 2Y_1^2) + Y_1$$

 $x_1 = \sigma\varepsilon e^{-1t} \star w_1 X_1 + \varepsilon X_1 Y_1 + X_1$

Result normal form DEs

$$\dot{Y}_{1} = 8\sigma^{2}\varepsilon^{2}e^{-1t} \star w_{1} w_{1}Y_{1} - 4\sigma\varepsilon w_{1}Y_{1} - 2\varepsilon^{2}X_{1}^{2}Y_{1} - Y_{1}$$
$$\dot{X}_{1} = 2\sigma^{2}\varepsilon^{2}e^{-1t} \star w_{1} w_{1}X_{1} - \sigma\varepsilon w_{1}X_{1} - \varepsilon^{2}X_{1}^{3}$$