

**UNIVERSITY OF BRISTOL**

**January 2023 Examination Period**

**FACULTY OF ENGINEERING**

**Third Year Examination for the Degrees  
of  
Bachelor of Science  
Master of Engineering**

**COMS30039J  
Types and Lambda Calculus**

**TIME ALLOWED:  
2 Hours**

This paper contains *two* questions, answer *both*. Each question is worth 25 marks. The maximum for this paper is *50 marks*. Credit will be given for partially correct answers.

**PLEASE WRITE YOUR 7 DIGIT STUDENT NUMBER ON THE FRONT PAGE OF  
YOUR ANSWERS. YOUR STUDENT NUMBER CAN BE FOUND ON YOUR  
UCARD.**

**Other Instructions:**

**You may bring one page of A4 notes with you, and consult them freely during the  
examination. You may use any result from the course material, as long as it is  
labelled clearly.**

**TURN OVER ONLY WHEN TOLD TO START WRITING**

**Q1.** This question concerns untyped PCF.

(a) For each of the following statements, is it true or false?

- i.  $(\lambda xy. xxy)(\lambda y. y)(\lambda z. zz) \triangleright (\lambda y. y)(\lambda y. y)(\lambda z. zz)$
- ii.  $(\lambda y. y)(\lambda y. y)(\lambda z. zz) \triangleright (\lambda xy. xxy)(\lambda y. y)(\lambda z. zz)$
- iii.  $(\lambda xy. xxy)(\lambda y. y)(\lambda z. zz) \triangleright^* (\lambda y. y)(\lambda y. y)(\lambda z. zz)$
- iv.  $(\lambda y. y)(\lambda y. y)(\lambda z. zz) \triangleright^* (\lambda xy. xxy)(\lambda y. y)(\lambda z. zz)$
- v.  $(\lambda xy. xxy)(\lambda y. y)(\lambda z. zz) \approx (\lambda y. y)(\lambda y. y)(\lambda z. zz)$

[5 marks]

(b) For each of the following equations, construct a term  $M$  that satisfies it for all  $N$ :

- i.  $M N \approx \lambda x. x$
- ii.  $M N \approx N (N N)$
- iii.  $M N M \approx N$
- iv.  $M N \approx M M$
- v.  $\text{id } (\lambda x. M N) \approx \text{const } (\text{const } N) \text{ id}$

[5 marks]

(c) The factorial function  $n!$  is defined by the following equations:

$$\begin{aligned} 0! &= 1 \\ (n+1)! &= (n+1) * n! \end{aligned}$$

- i. Define a term fac that defines the factorial function in PCF. You may recall that there is a term mult satisfying:

$$\text{mult } n \ m \approx n * m$$

- ii. Prove that your definition works, i.e: for all  $n \in \mathbb{N}$ , fac  $n \approx n!$ .

[6 marks]

(d) Define the size  $|M|$  of a term  $M$  as the natural number given as follows:

$$\begin{aligned} |x| &= 1 \\ |c| &= 1 \\ |(P Q)| &= |P| + |Q| \\ |(\lambda x. P)| &= |P| + 3 \end{aligned}$$

Show that there is no term length that satisfies the following equation, for all  $N$ :

$$\text{length } N \approx |N|$$

[4 marks]

(cont.)

(e) Prove that there is no term halting such that, for all *closed* terms  $M$ :

$$\underline{\text{halting}} M \approx \begin{cases} 1 & \text{if } M \text{ has a normal form} \\ 0 & \text{otherwise} \end{cases}$$

[5 marks]

**Q2.** This question is about the type system.

(a) Give a typing derivation for each of the following judgements:

- i.  $x : \text{Nat} \rightarrow \text{Nat}, y : \text{Nat} \rightarrow \text{Nat} \vdash x (y \ 0) : \text{Nat}$
- ii.  $y : \text{Nat} \vdash (\lambda z. z)(\text{pred } y) : \text{Nat}$
- iii.  $y : \text{Nat} \rightarrow \text{Nat} \vdash (\lambda x. x \ y) (\lambda z. z) : \text{Nat} \rightarrow \text{Nat}$

[6 marks]

(b) For each of the following, find a closed term that inhabits the type:

- i.  $a \rightarrow b \rightarrow b$
- ii.  $(a \rightarrow a \rightarrow c) \rightarrow (c \rightarrow b) \rightarrow a \rightarrow b$
- iii.  $((a \rightarrow b \rightarrow a) \rightarrow c) \rightarrow c$

[6 marks]

(c) Prove that  $\vdash \lambda xy. xyy : C$  implies that  $C$  has shape  $(A \rightarrow A \rightarrow B) \rightarrow A \rightarrow B$  for some types  $A$  and  $B$ .

[5 marks]

(d) Define the type  $A[B/a]$  arising from the substitution of  $B$  for all occurrences of type variable  $a$  in  $A$  as follows:

$$\begin{aligned} a[B/b] &= B & \text{if } a = b \\ a[B/b] &= a & \text{if } a \neq b \\ \text{Nat}[B/b] &= \text{Nat} \\ (A_1 \rightarrow A_2)[B/b] &= A_1[B/b] \rightarrow A_2[B/b] \end{aligned}$$

Extend substitution to environments by:

$$\Gamma[B/b] = \{x : A[B/b] \mid x : A \in \Gamma\}$$

Fix a type  $B$  and a type variable  $b$ . Prove that, for all  $M, \Gamma$  and  $A$ :

$$\Gamma \vdash M : A \text{ implies } \Gamma[B/b] \vdash M : A[B/b]$$

[5 marks]

(e) Construct a closed term  $N$  and a term  $M$  with one free variable  $x$ , such that:

- There are no types  $A, B$  such that  $x:B \vdash M : A$ ,
- but the closed term  $M[N/x]$  is typable.

[3 marks]