WORKING PAPER 409

SELECTED CHINESE MAPS

FRANK LEEMING

School of Geography University of Leeds LEEDS LS2 9JT

 ${\bf v}^{\pm}$

December 1984

FOREWORD

Geographers concerned with China have long felt the need of a convenient collection of maps; but it has been difficult to compile such a collection given the poor and incomplete coverage of originals from China, and the lack of materials with which to construct them. Matters have now improved somewhat, and the present experimental collection contains maps not only for physical geography, which have been available for some years, but also for agricultural systems, population distribution and industrial geography - all fields in which materials have been scarce.


All the materials in this Working Paper have been taken from Chinese originals - very little of this kind is so far available from China in English. An excellent romanised topographical atlas is available: this is *Zhonghua renmin gongheguo fan sheng dituji* (Atlas of China in pinjin), Cartographic Press, Beijing, 1977. This atlas uses romanised Chinese throughout but it is quite intelligible.

Maps 8, 9, 10, 13, 14 in this present collection were originally prepared for the author's Rural China Today (Longmans, London, 1985), and are reproduced by permission.


 $\label{eq:most_of_the_maps} \mbox{ in this collection were drawn or redrawn} \mbox{ by } \mbox{Tim Hadwin.}$

LIST OF MAPS

- 1. China the provinces
- 2. Climatic indicators at major centres
- 3. Annual precipitation millimetres
- 4. Isotherms actual temperatures, January and July
- 5. Frost-free days
- 6. Soils
- 7. Natural vegetation
- 8. Cropping systems
- 9. Rural land use
- 10. Agricultural systems
- 11. Land resources
- Isopleths of dates of sowing and harvest of winter and spring wheat
- Grain yields per unit area, 1975
- 14. Areas of surplus and deficit in grain output
- 15. Rural population densities
- 16. Urban populations
- Chinese industry industrial jobs per 100 population, by provinces
- Chinese industry proportions of national total of industrial jobs, by provinces
- Sixty-eight large and medium projects under the sixth five-year plan (1981-86)




Beijing, Tianjin and Shanghai (BJ, TJ and SH) have the rank of provinces





Annual precipitation - millimetres

Source; JZD, 179



4. <u>Isotherms - actual temperatures</u>, January and July






Small circles represent the provincial capitals

Sources: #2L, 173,175


5. Frost-free days



Circles indicate provincial capitals (not all are named)

Source: JZD, 201

6. Soils



Forest soils

- 1. Podzolic soils
 2. Brown forest soils
 3. Red-earths with yellow-earths
 4. Red-earths

Forest-steppe soils

- 5. Black-earths 6. Cinnamon soils

Steppe soils

- 7. Chenozems 8. Soils akin to chenozems 8. Soils akin to 9. Chestnut soils

Source: 200, 62-3

Desert and semi-desert soils

10. Brown desert soils


Mountain and plateau soils

- 11. Mountain desert soils
 12. Mountain meadow and steppe soils
 13. Mountain forest soils

Man-made soils

14. Paddy soils

Natural vegetation



Humid forest regions

- Cold-temperate deciduous coniferous forest
 Temperate deciduous broad-leaf forest
 Sub-tropical evergreen broad-leaf forest
 Tropical rain-forest

Semi-arid grassland regions


- Temperate grassland
 Alpine meadow

Arid desert regions

- Temperate desert
 Alpine desert

Source: ZDZ, ii, 28

8. Cropping sy



Cropping systems in China - key diagram - For regions D and E, triple cropping with two or three nce crops respectively, or by other methods, should be regarded as ideal and potential, and in places where realised exceptional, rather than typical in present conditions.


Cropping systems in China Source. Hou Xueyu

Key Group A. One crop annually, with cold-resistant economic

crops A. One crop annually, with cold-resistant economic crops
A1 (nurth-east)
Spring wheat, suya beans, maize, millet, sugar-beet, flax, plums, apricorts, Chinese apples
A2 (loess)
Spring wheat, millet, putatoes, sugar-beet, flax,
A3 (Tiber)

Spring barley, spring and winter wheat, peas, polatoes, rapesced

Group B. Two crops annually or three crops in two years



(with rice locally), with warm-temperate economic forests and deciduous orchards.

B1 (Shandong, Liaodong)
Winter wheat, soya beans (or maize) – two crops annually; peanuts, sweet potatoes, tobacco, apples, pears, graper.

B2 (north China plain)
Winter wheat, coarse grains (kaoliang, maize, millet) – three crops in two years; soya beans, cniton: Chinese dates; apples, pears, grapes, persimmons, chestinuts, walnuts
B3 (transition zone)
Winter wheat, coarse grains (maize, millet, sweet potatoes) – two crops annually; cotton, peanuts suya beans; Chinese dates, apples, pears
B4 (Xinjiang)
Winter (spring) (zheat, maize, millet – three crops in two

os yentrentgi Winter (spring) (zheat, matze, millet - three crops in two years or two crops annually, cotton, grapes, melons, pears, apricois.

Group C Two crops annually (rice and a dry crop), with subtropical evergreen or deciduous economic forests and orchards. C1 (Yangga - north). Summer rice, winter wheat (or rapesced) - two crops annually (double-cropping rice locally); cotton, peatings fea, pointegranales, peaches, pears loquids. C2 (suith-west).

Colombinated (in maize), winter wheat, (or rapeseed) two crops annually, potatoes, tobacco for lacourer red bayberry walnuts apples pears.

Group D Double-cropping rice followed by a cold-tolerant crop annually, or three upland crops annually, with subtropical evergreen economic forests and orchards. Di (Yangai – south) Double-cropping rice followed by winter wheat (or rape-seed or green manure); cotton, ramie, mulberry, oranges. Di (Sichuan) Single or double-cropping rice followed by winter wheat (or rapeseed) annually; sweet potatoes, peanuts, dry grains – five crops in two years sugar-cane, ramie; oranges, tong-oil, mulberry, palm. Di (southern coasts, valleys) Single or double-cropping rice followed by winter wheat for rapeseed or green manure) annually; or sweet potatoes, dry grains, sova beans—three upland crops annually, rame, pile, tea, tea-oil, red bayberry, oranges, loquats.


Group E Triple-cropping rice annually, or double-cropping rice followed by subtropical crops, with tropical evergreen economic forests and plantation.

E1 (Guangdung)
Double-cropping rice followed by sweet potatoes, double-cropping mate, sugar-cane, manioc; litchis, longans, bananas, pricapples
E2 (Hannan)

figureaction for the control of the


Other areas agriculture local and scottered or absent

9 Rural land use




Rural land use in Cluna, Source Pringgra dature 14

10. Agricultural systems




Agricultural systems in China. Source. Thougsuo diture. 15


11. Land resources



- Arable land
 Mixed arable and woodland
 High mountain forest and prairie
 Mixed forest, arable and wasteland
 Marsh
 Major forest areas
 Prairie
 High-elevation cold prairie
 Sand seas
 Rock and other desert surfaces

Source: JZD, 217






- . Mid-September
 Late September
 Early October
 Mid-October
 Late October
 Late October
 Late November
 Late November

- Late February to mid-April

- Late April
 Early May
 Mid-May
 Late May
 Late May
 Early June
 Mid-June
 Late June
 Mid- to late June
 Early to mid-July
 Mid- to late July
 Early to mid-August
 Mid- to late August


Note: In both maps the dotted line indicates the boundary between spring-sown and winter-sown wheat Source: Zhu Kezhen and Wan Minwei, 53, 54

13. Grain yields per unit area, 1975




Grain yields per unit area, 1975. Source: Geographical Research Institute: 121.


14. Areas of surplus and deficit in grain output




Areas of surplus and deficit in grain output. Sensic Geographical Research Institute. 37



Note: No date is given for the original from which this map has been made. It was prepared before 1978 and probably relates to a notional figure for total Chinese population of the order of 800 millions. Source: *Zhongguo dituse, 7.*






Note: No date is given for the original from which this map has been made. It was prepared before 1978 and probably relates to a notional figure for total Chinese population of the order of 800 millions.


Source: Zhonyguo ditucu, 7.

17. Chinese industry - industrial jobs per 100 population, by provinces





18. Chinese industry - proportions of national total of industrial jobs, by provinces




Source: Table 2.2 in $Selected\ Chinese\ Statistics$, (Leeds School of Geography Working Paper 406), based on figures in $ZTN\ \theta 3$.

Between 4% and 6% More than 6%

Between 6 and 4

More than 6

 Sixty-eight large and medium projects under the sixth five-year plan (1981-86)



Note: A number of these projects are second or subsequent stages of installations already in existence, major improvements such as double-tracking or electrification of railways already in use, etc.

Source: JC 1983, 43.

SOURCES

- Geographical Research Institute : 2hongguo nongye dili zonglun (Agricultural geography of China), Science Press, Beijing, 1980.
- Hou Xueyu 1979 : Zhonghua remmin gongheguo zhibei ditu (Map of vegetation cover of the People's Republic of China), Cartographic Publishing House, Beijing.
- JC 1983 Jinmin Chugoku 1983(9), Beijing and Tokyo.
- JZD Jianming Zhongguo dili (Short geography of China) by a group at the Shanghai Teachers' University, People's Publishing House, Shanghai, 1974.
- QDC Qingnian dituoe (Atlas for youth), Cartographic Publishing House, Xian, 1978.
- ZDZ Zhongguo dili zhishi (Geographical knowledge of China), Shangwu, Beijing, 1973.
- 2hongguo ditues (Atlas of China), Cartographic Publishing House, Shanghai, 1978.
- Zhu Kezhen and Wan Minwei, Wuhouxue (Climate study), Science Press, Beijing, 1973.
- 2TN 1983, Zhongauo tongji nianjian (Statistical Yearbook of China, 1983), State Statistical Bureau, PRC, Hong Kong, 1983.