

Discrete/UMA Schematics Document

Sandy Bridge

Intel PCH

2011-01-19

REV : XXX

DY :None Installed
UMA:UMA platform installed
PARK:DIS PARK platform installed
MADISON:DIS MADISON platform installed
Colay :Manual modify BOM
MUX : PX

BOM

緯創資通

Wistron Corporation
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,
Taipei Hsien 221, Taiwan, R.O.C.

Title

Cover Page

Size

A3

Document Number

LZ57

Rev

-1

Date:

Tuesday, March 29, 2011

Sheet



1

of








100

Block Diagram (UMA/Optimus co-lay)

- USB BD
- POWER BD
48, 41M03, 05A
- Finger Printer BD
48, 41M04, 05A
- IO BD
48, 41M02, 05A
- AV BD



Project code : 91.4PA01.001
PCB P/N : 10290
Revision : -SC



SYSTEM DC/DC		RT8208B	48	CPU DC/DC		NCP6131	42~44
INPUTS	OUTPUTS	DCBATOUT	6085V_S0	INPUTS	OUTPUTS	DCBATOUT	VCC_CORE
SYSTEM DC/DC		UP6111CQHC	45	SYSTEM DC/DC		UP6183AQAG	41
INPUTS	OUTPUTS	DCBATOUT	1085V_VTT	INPUTS	OUTPUTS	5V_AUX_S5	303V_AUX_S5
SYSTEM DC/DC		UP6111C	46	INPUTS	OUTPUTS	105V_S3	DDR_VREF_S3
SYSTEM DC/DC		NCP5911	44	INPUTS	OUTPUTS	DCBATOUT	VCC_GFXCORE
VGA		RT8208B	92	INPUTS	OUTPUTS	DCBATOUT	VGA_CORE
TI CHARGER		BQ24745	40	INPUTS	OUTPUTS	+DC_IN_S5	DCBATOUT
LDO		RT9025	47	INPUTS	OUTPUTS	303V_S5	108V_S0
SYSTEM DC/DC		G9091-180T11U	24, 93	INPUTS	OUTPUTS	303V_S5	105V_S5
LDO		RT9026	46	INPUTS	OUTPUTS	5V_S5	0075V_S0
PCB LAYER		L1:Top L5:VCC L2:GND L6:Signal L3:Signal L7:GND L4:Signal L8:Signal					

緯創資通 Wistron Corporation
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,
Taipei Hsien 221, Taiwan, R.O.C.


Title: Block Diagram

Size: K3 Document Number: L757

Date: Tuesday, March 25, 2014 Sheet: 2 of 102

SSID = CP0

Signal Routing Guideline:
PEG_ICOMPO keep W/S=12/15 mils and routing length less than 500 mils.
PEG_ICOMPI & PEG_RCOMPO keep W/S=4/15 mils and routing length less than 500 mils.



BCM

緯創資通 Wistron Corporation
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,
Taippei Hsien 221, Taiwan, R.O.C.

Title
CPU (PCIe/DMI/FDI)

Size A3 Document Number LZ57 Rev -1

Date: Tuesday, March 25, 2014 Sheet 4 of 102

SSID = CP0

CPU1B SANDY CLOCKS THERMAL MISC PWR MANAGEMENT JTAG & BPM

Connect EC to PROCHOT# through inverting OD buffer.

Signal Routing Guideline:
SM_RCOMP keep routing length less than 500 mils.

Disabling Guidelines:
If motherboard only supports external graphics:
Connect DPLL_REF_SSCLK# on Processor to GND through
1K +/- 5% resistor.
Connect DPLL_REF_SSCLOCK# on Processor to VCCP
through 1K +/- 5% resistor power (~15 mW) may be
wasted.

20100722 SA confirm.

20100722 follow Astro add buffer


BOM



緯創資通 Wistron Corporation
ZUF, Bldg, Sec.1, Hsin Tai Wu Rd., Foshan,
Taipei Hsien Z21, Taiwan, R.O.C.

Title CPU (THERMAL/CLOCK/PM)

Size A3 Document Number LZ57 Rev -1

Date Tuesday, March 29, 2011 Sheet 5 of 102






SSID = CPU

POWER

PROCESSOR CORE POWER

53A




VCC Output Decoupling Recommendation:
4 x 470 uF at Bottom Socket Edge
8 x 22 uF at Top Socket Cavity
8 x 22 uF at Top Socket Edge
8 x 22 uF at Bottom Socket Cavity

VCC_CORE

SANDY

6 OF 9

VCCIO Output Decoupling Recommendation:
 2 x 330 uF (3 x 330 uF for 2012 capable designs)
 5 x 22 uF & 5 x 0805 no-stuff at Bottom
 7 x 22 uF & 2 x 0805 no-stuff at Top




No-stuff sites outside the socket may be removed.
No-stuff sites inside the socket cavity need to remain.

PEG AND DDR

CORE SUPPLY

SVID

SENSE LINES



BON


緯創資通 **Wistron Corporation**
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,
Taipei Hsien 221, Taiwan, R.O.C.



Title	CPU (VCC CORE)
-------	-----------------------


Size	Document Number	Rev
Custom	L757	-1

SSID = CPU

VAXG Output Decoupling Recommendation:
2 x 470 uF at Bottom Socket Edge
2 x 22 uF at Top Socket Cavity
4 x 22 uF at Top Socket Edge
2 x 22 uF at Bottom Socket Cavity
4 x 22 uF at Bottom Socket Edge







(Blanking)


BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 12 of 102	





(Blanking)

BOM

緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 13 of 102	



2nd = 62.10024.E01



PART NUMBER	Height	TYPE
62.10017.Q31	9.2mm	STANDARD
62.10017.N11	9.2mm	REVERSED




(Blanking)

BOM






緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
DDR3-SODIMM2			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet	16 of 102

SSID = PCH

















































20100725 Annie modify



BOOT BIOS Strap		
GNT1# / GP1051	SATA1GP / GP1019	BOOT BIOS Location
0	0	LPC
0	1	Reserved
1	0	Reserved
1	1	SPI (Default)





Cougar Point




SSID = PCH




Signal Routing Guideline:
DMI_ZCOMP keep W=4 mils and routing length less than 500 mils.
DMI_IRCOMP keep W=4 mils and routing length less than 500 mils.



S0_PWR_GOOD after PM_SLP_S3# delay 200 ms




PCIE_WAKE#
CRB : 1K
CEKLT: 10K



2nd = 84.DM631.03F

Deep S4/S5 Supported



Deep S4/S5 Not Supported



For platforms not supporting Deep S4/S5

- 1.VccSUS3_3 and VccDSW3_3 will rise at the same time (connected on board)
- 2.DPWROK and RSMRST# will rise at the same time (connected on board)
- 3.SLP_SUS# and SUSACK# are left as 'no connect'
- 4.SUSWARN# used as SUSPWRDNACK/GPIO30


System Power Management





BOM

緯創資通 Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
File	PCH (DM I/FDI/PM)
Size A3	Document Number LZ57
Date: Tuesday, March 29, 2011	Sheet 19 of 100

SSID = PCH








SSID = PCH




This signal has a weak internal pull down.
On Die PLL VR is supplied by 1.5V when
sampled high, 1.8 V when sampled low.
Needs to be pulled High for Huron River platform.
co-operate with R2310


PLL ODVR VOLTAGE	
HDA_SYNC	Low = 1.8V (Default) High = 1.5V







[illegible]

Cougar Point	
USB	
PCI/GPIO/LPC	
SATA	
MISC	
HDA	



SSID = PCH




BOM


緯創資通 Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
File	
Size A3	Document Number
PCH (VSS)	
LZ57	
Date: Tuesday, March 29, 2011	Sheet 25 of 102
Rev -1	

(Blanking)

BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 26	of 102





blanking

BOM

緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title reserved	
Size A4	Document Number LZ57
Date Tuesday, March 29, 2011	Rev -1
Sheet 30 of 102	

9

2

6

l

9

9

1.

BOM

緯創資通

Wistron Corporation
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,

21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih
Taipei Hsien 221, Taiwan, R.O.C.

Title	Author	Year	Source
...	...	...	...

RTS5159 (CARD READER)

Size

A3

Document Number:

LZ57

Date:

Tuesday, March 29, 2011

Sheet 32

102

REV
1

(Blanking)


BOM




緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet	33 of 102


(Blanking)


BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 34 of 102	





BOM		 Wistron Corporation 21F, 8B, Sec. 1, Hsin Tai Wu rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title		ADAPTER L757	
Size A3	Document Number		Rev -1
Date:	Tuesday, March 29, 2011	Sheet	37 of 102



BOM

緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsinchu, Taipei Hsien 221, Taiwan, R.O.C.	
Title		DCIN JACK	
Size	Document Number	LZ57	Rev
			-1
Date: Tuesday, March 29, 2011		Sheet 38	of 102

5 4 3 2 1

D

C

B




A

D

C

B


A




BOM	
緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
File BATT_CONN	
Size	Document Number LZ57 Rev -1
Date: Tuesday, March 29, 2011 Sheet 99 of 102	

5 4 3 2 1



AD+ total power	R1	R2	AD+ total power	R1	R2
65w	187k (64.18735.60L)	49.9k	80w	137k (64.76825.60L)	49.9k
90w	121k (64.12135.60L)	49.9k	120w	76.8k (64.76825.60L)	49.9k





SSID = PWR.Plane.Regulator_5v3p3v




SKIPSEL	VREG3 or VREG5	VREF(2V)	GND
Operating Mode	00A Auto Skip	Auto Skip	PWM only












RT8015B for 1D8V_S0



The diagram shows two signals: DCBATOUT (red line) and PWR_VCCSA_DCBATOUT (purple line). Three pulses of PG4801 are shown. Each pulse is labeled 'Do Not Stuff' and 'GP'.




LVDS CONNECTOR



SB 0923'10

[illegible]

BOM		 Wistron Corporation 21F, 8B, Sec.1, Hsien Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title		LCD Connector	
Size A3	Document Number	Rev -1	
Date:	1055day, March 29, 2011	Sheet	49 of 102



BOM


緯創資通 Wistron Corporation		
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.		
Title		
CRT Connector		
Size	Document Number	Rev
A4	LZ57	-1
Date:	Tuesday, March 29, 2011	Sheet 50 of 102

SSID = VIDEO


HDMI CONNECTOR

HDMI Passive Level Shifter



Close to HDMI Connector



HDMI CONN





HDMI DDC Passive Level Shifter



20100727 modify, KBC isn't use.

20100727 follow intel design guide



Wistron Corporation
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,
Taipei Hsien 221, Taiwan, R.O.C.

HDMI Level Shifter/Connector
LZ57

Rev -1

(Blanking)

(Blanking)

BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
S-VIDEO			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 53 of 102	

(Blanking)


BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 54	of 102

SSID = User.Interface

ITP Connector



H_CPURST# use pull-up Resistor close
ITP connector 500 mil (max),
others place near CPU side.



BOM


緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
ITP			
Size A4	Document Number		Rev
	LZ57		-1
Date:	Tuesday, March 29, 2011		Sheet 55 of 102

SATA HDD Connector




ODD Connector





SATA_RX- and SATA_RX+ Trace
Length match within 20 mil
Mars:
Exchange ODD and ESATA differential pair each other.



SATA Zero Power ODD




BOM	
緯創資通	Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.
File	
HDD/ODD	
Size A3	Document Number LZ57
Date:	Tuesday, March 29, 2011 Sheet 56 of 102
Rev -1	



BOM

緯創資通 Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title E-SATA/LUSB	
Size A3	Document Number LZ57
Date: Tuesday, March 29, 2011	Sheet 57 of 102
Rev -1	

INTERNAL STEREO SPEAKERS





BOM			
緯創資通		Wistron Corporation	
		21F, 8B, Sec.1, Hsin Tai Wu Rd., Hsinchu, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
MIC/SPEAKER/AUDIO JACK			
Size	Document Number	Rev	
A3	L757	-1	
Date: Tue/Sun, March 29, 2011		Sheet 58	of 102

Reserved

BOM	
緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichu, Taipei Hsien 221, Taiwan, R.O.C.	
Title Reserved	
Size A3	Document Number LZ57
Date Tuesday, March 29, 2011	Rev -1
Sheet 59 of 102	


RJ45_USB Board USB Power



I/O Board USB Power


BOM		緯創資通 Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title		USB Power SW	
Size A3	Document Number	LZ57	Rev -1
Date: Tuesday, March 29, 2011		Sheet 61 of 102	

Left Side USB Power Switch




SSID = User.Interface
Bluetooth Module conn.

Bluetooth Module




BOM	
緯創資通 Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title Bluetooth	
Size A4	Document Number LZ57
Date: Tuesday, March 29, 2011	Sheet 63 of 102



LA47 change to 3D3V_S0

Finger Printer Connector



BOM


緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
RESERVED			
Size A4	Document Number LZ57		Rev -1
Date: Tuesday, March 29, 2011	Sheet 64	of 102	




84.2N702.E31

SSID = KBC

Internal Keyboard Connector



SSID = Touch.Pad



BOM


Title	
Size	Document Number
A3	LZ57
Date:	Wednesday, March 29, 2011

Wistron Corporation
21F, 8th Sec.1, Hsin T'ien Wu Rd., Hsinchu, Taiwan, R.O.C.

Key Board/Touch Pad


Rev -1

Sheet 69 of 102



BOM

緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
Hall Sensor			
Size A4	Document Number LZ57		Rev -1
Date:	Tuesday, March 29, 2011	Sheet 70 of	102



BOM

緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.		
Title Dubug connector		
Size A4	Document Number LZ57	Rev -1
Date Tuesday, March 29, 2011	Sheet 71	of 102

(Blanking)

BOM

緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title Reserved	
Size A4	Document Number LZ57
Date: Tuesday, March 29, 2011	Rev -1
2	Sheet 72 of 102 1

(Blanking)

BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 73 of 102	

5	4	3	2	1
D				D
C				C
B				B
A				A
5	4	3	2	1

BOM

緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
CARD Reader CONN			
Size A4	Document Number LZ57		Rev -1
Date:	Tuesday, March 29, 2011	Sheet 74 of	102

5	4	3	2	1
D				D
C				C
B				B
A				A
5	4	3	2	1

BOM

緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
New Card			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 75 of 102	

(Blanking)

BOM




緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.		
Title Reserved		
Size A4	Document Number LZ57	Rev -1
Date: Tuesday, March 29, 2011		Sheet 76 of 102

(Blanking)

BOM



緯創資通 Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.		
Title Reserved		
Size A4	Document Number LZ57	Rev -1
Date: Tuesday, March 29, 2011		Sheet 77 of 102

LED Bord CONN.



LZ57 => Analog Mic => Add analog circuit.
LA57 => Digital Mic

LZ57 Touch Pad LED




[illegible]

Layout Comment :

(1) Place C483, C484, Q46, R528, R530, C479, C476, R509, R508 close to U55.

(2) Avoid routing under DCDC switching area.



	ADXL322 LIS244AL LIS34AL	No Accel
R530	NO_ASM	ASM
R509	ASM	ASM
All other	ASM	NO_ASM

 緯創資通		Wistron Corporation 21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichai, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
G-Sensor			
Size	Document Number		Rev
Customer	L757		-1
Date:	Tuesday, March 25, 2011	Sheet 79	of 102

(Blanking)

BOM


緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet	80 of 102
2		1	

(Blanking)


BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.			
Title			
Reserved			
Size	Document Number		Rev
A4	LZ57		-1
Date: Tuesday, March 29, 2011		Sheet 81 of 102	

RJ45_USB CONN.









Card Reader Board CONN.






BOM


緯創資通 Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
File	
IO Board Connector	
Size A3	Document Number LZ57
Date: Tuesday, March 29, 2011	Sheet 82 of 102
Rev -1	



LVDS Interface






VGA_CORE








DG requires 4x0.1uF and 8x1.0uF per VRAM chip




VIDEO FRAME BUFFER PORT C





Wistron Corporation	
2/F, 88, Sec. 2, Hsin-Feng Rd., Hsinchu, Taiwan, R.O.C.	
VRAM CHANNEL-C	
Document Number	L257
Date	Thursday, March 29, 2012
Drawn	80
Checked	80



VIDEO FRAME BUFFER PORT C

Wistron Corporation	
22F, 88, 100, 120, 140, 160, 180, 200, 220, 240, 260, 280, 300, 320, 340, 360, 380, 400, 420, 440, 460, 480, 500, 520, 540, 560, 580, 600, 620, 640, 660, 680, 700, 720, 740, 760, 780, 800, 820, 840, 860, 880, 900, 920, 940, 960, 980, 1000	
VRAM CHANNEL-C	
Part Number	LZ57
Rev	1
Date	2010/07/02





(Blanking)

(Blanking)

BOM

緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title		CRT Switch	
Size	Document Number		Rev
A3	LZ57		-1
Date:	Tuesday, March 29, 2011	Sheet 95 of	102


5	4	3	2	1
D				D
C				C
B				B
A				A
5	4	3	2	1

BOM


緯創資通		Wistron Corporation	
		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
TOUCH PANEL			
Size A4	Document Number LZ57		Rev -1
Date:	Tuesday, March 29, 2011	Sheet 96 of	102

CPU Plate



VGA Std-Off



Structure boss




MiniPCI Std-Off




POWER TESTING POINT--TOP





POWER TESTING POINT--Bottom



Check test point



Test Point放在Dimm Door打開可量測處



BOM

緯創資通 Wistron Corporation
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih,
Taipei Hsien 221, Taiwan, R.O.C.

Title
Size
Date
Document Number
L757
Rev
-1


(Blanking)

BOM

緯創資通		Wistron Corporation	
21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.		21F, 88, Sec.1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
Change History			
Size	Document Number		Rev
A4	LZ57		-1
Date:	Tuesday, March 29, 2011		Sheet 98 of 102
2	1		102


(AC mode)


red word: KBC GPI




(DC mode)

red word: KBC GPI







PCH SMBus Block Diagram



KBC SMBus Block Diagram



Audio Block Diagram



BOM		 Wistron Corporation 21F, 8B, Sec. 1, Hsin Tai Wu Rd., Hsichih, Taipei Hsien 221, Taiwan, R.O.C.	
Title			
Thermal/Audio Block Diagram			
Size	Document Number	Rev	
	L757	-1	
Date:	Tuesday, March 29, 2011	Sheet	102 of 102