

Basic of Go programming





Somkiat Puisungnoen

Somkiat Puisungnoen

Update Info 1 View Activity Log 10+ ...

Timeline About Friends 3,138 Photos More

When did you work at Opendream? X

... 22 Pending Items

Intro

Software Craftsmanship

Software Practitioner at สยามชัมนาณกิจ พ.ศ. 2556

Agile Practitioner and Technical at SPRINT3r

Post Photo/Video Live Video Life Event

What's on your mind?

Public Post

Somkiat Puisungnoen 15 mins · Bangkok · ⚙️

Java and Bigdata



Page

Messages

Notifications 3

Insights

Publishing Tools

Settings

Help ▾



somkiat.cc


@somkiat.cc

Home

Posts

Videos

Photos



Help people take action on this Page. 


+ Add a Button



**[https://github.com/up1/
course-go-2021](https://github.com/up1/course-go-2021)**



Let's



About Go

Compiled language
Modern and Fast
Powerful of standard library
Concurrency build-in
Static language
Perform garbage collection
Designed for multi-core computers



Go's inspiration

C => statement and expression syntax

Pascal => declaration syntax

Modula/Oberon 2 => package

CSP/Occam/Limbo => concurrency

BCPL => the semicolon rule


Smalltalk => method

Newsqueak => <-, :=

APL => iota




About Go



Installation

[Documents](#)[Packages](#)[The Project](#)[Help](#)[Blog](#)[Play](#)

Go is an open source programming language that makes it easy to build **simple, reliable, and efficient** software.

[Download Go](#)

Binary distributions available for Linux, macOS, Windows, and more.

[Try Go](#)[Open in Playground ↗](#)

```
// You can edit this code!
// Click here and start typing.
package main

import "fmt"

func main() {
    fmt.Println("Hello, 世界")
}
```

[Run](#)[Share](#)[Tour](#)

<https://golang.org/>



Go programming

© 2017 - 2018 Siam Chamnkit Company Limited. All rights reserved.

Hello Go

\$go version



Hello Go environment

\$go env



Development tools



Visual Studio Code

The screenshot shows the official website for Visual Studio Code. At the top, there's a navigation bar with links for "Visual Studio Code", "Docs", "Updates", "Blog", "API", "Extensions", and "FAQ". There's also a search icon and a large blue "Download" button. A banner at the top says "Version 1.47 is now available! Read about the new features and fixes from June." Below the banner, the main headline reads "Code editing. Redefined." followed by the subtext "Free. Built on open source. Runs everywhere." A prominent blue button says "Download for Mac Stable Build". To the right, there's a screenshot of the VS Code interface showing the code editor with some JavaScript code, the Extensions Marketplace sidebar listing various extensions like Python, GitLens, C/C++, ESLint, and Vetur, and the terminal window showing build logs.

<https://code.visualstudio.com/>




Extension for Go

Go in Visual Studio Code



Using the Go extension for Visual Studio Code, you get language features like IntelliSense, code navigation, symbol search, bracket matching, snippets, and many more that will help you in [Golang](#) development.



You can install the Go extension from the [VS Code Marketplace](#).

<https://code.visualstudio.com/docs/languages/go>



Resources for beginner



Go tour

A Tour of Go

Hello, 世界

Welcome to a tour of the Go programming language.

The tour is divided into a list of modules that you can access by clicking on [A Tour of Go](#) on the top left of the page.

You can also view the table of contents at any time by clicking on the [menu](#) on the top right of the page.

Throughout the tour you will find a series of slides and exercises for you to complete.

You can navigate through them using

- "[previous](#)" or PageUp to go to the previous page,
- "[next](#)" or PageDown to go to the next page.

The tour is interactive. Click the [Run](#) button now (or type shift-enter) to compile and run the program on a remote server. The result is displayed below the code.

These example programs demonstrate different aspects of Go. The programs in the tour are meant to be starting points for your own experimentation.

Edit the program and run it again.

Note that when you click on [Format](#) or ctrl-enter the text in the editor is formatted using the [fmt](#) tool. You can switch syntax highlighting on and off by clicking on the [Imports off](#) and [Syntax off](#) buttons.

< 1/5 >

```
hello.go
```

```
1 |
2 package main
3
4 import ("fmt")
5
6 func main() {
7     fmt.Println("Hello, 世界")
8 }
9
```

Imports off Syntax off

Reset Format Run



<https://tour.golang.org>



Effective Go

Effective Go

Introduction

Examples

Formatting

Commentary

Names

Package names

Getters

Interface names

MixedCaps

Semicolons

Control structures

If

Redeclaration and reassignment

For

Switch

Type switch

Functions

Multiple return values

Named result parameters

Defer

Constants

Variables

The init function

Methods

Pointers vs. Values

Interfaces and other types

Interfaces

Conversions

Interface conversions and type assertions

Generality

Interfaces and methods

The blank identifier

The blank identifier in multiple assignment

Unused imports and variables

Import for side effect

Interface checks

Embedding

Concurrency

Share by communicating

Goroutines

https://golang.org/doc/effective_go.html



Learn Go

Learn

Saurabh Hooda edited this page on Jul 1 · 33 revisions




In addition to the resources available at golang.org there are a range of community-driven initiatives:

- [The Little Go Book](#)
- [Exercism.io - Go](#) - Online code exercises for Go for practice and mentorship.
- [Learn Go in an Hour - Video 2015-02-15](#)
- [Learning to Program in Go](#), a multi-part video training class.
- [Pluralsight Classes for Go](#) - A growing collection of (paid) online classes.
- [Ardan Labs Training](#) - Commercial, live instruction for Go programming.
- [O'Reilly Go Fundamentals](#) - Video learning path for Go programming.
- [Go By Example](#) provides a series of annotated code snippets.
- [Learn Go in Y minutes](#) is a top-to-bottom walk-through of the language.
- [Workshop-Go](#) - Startup Slam Go Workshop - examples and slides.
- [Go Fragments](#) - A collection of annotated Go code examples.
- [50 Shades of Go: Traps, Gotchas, Common Mistakes for New Golang Devs](#)

<https://github.com/golang/go/wiki/Learn>




Books



Go development workflow



Development workflow



<https://golang.org/cmd/go/>



Coding

```
package main


import "fmt"

func main() {
    fmt.Println("Hello")
}
```




Package

Collection of source files in the save directory
Main package = “main”




Module

Collection of related Go packages that are released together



Module

\$go mod init <name>



Remote modules keep in \$GOPATH/pkg/mod



Formatting

Reformat Go source code

```
$go fmt <filename>  
$go fmt  
$go fmt ./...
```

<https://golang.org/cmd/gofmt/>



Linting

Check mistake of coding style

```
$go get -u golang.org/x/lint/golint  
$golint
```

<https://github.com/golang/lint>



Vet

Help you detect any suspicious, abnormal,
or useless code in your application.

\$go vet

\$go tool vet help

<https://golang.org/cmd/vet/>



Build

```
$go install  
$go build -o <output>
```

<https://golang.org/pkg/go/build/>



Build with OS specified

```
$GOOS=windows go build  
$GOARCH=amd64 go build
```

<https://golang.org/doc/install/source#environment>

<https://github.com/golang/go/blob/master/src/go/build/syslist.go>



Testing

Production code

```
package hello

func SayHi(m string) string {
    return "Hello " + m
}
```

Test code

```
package hello_test

import (
    "hello"
    "testing"
)

func TestHello(t *testing.T) {
    result := hello.SayHi("somkiat")
    if result != "Hello somkiat" {
        t.Errorf("Error %v", result)
    }
}
```

<https://golang.org/pkg/testing/>



Testing

\$go test

\$go test ./...

\$go help test

<https://golang.org/pkg/cmd/go/internal/test/>



Testing with coverage

```
$go test -cover
```

```
$go test -coverprofile=coverage.out
```

```
$go tool cover -html=coverage.out
```

<https://golang.org/pkg/cmd/go/internal/test/>



Testing with benchmark

\$go test -bench .

```
func BenchmarkHello(b *testing.B) {
    for i := 0; i < b.N; i++ {
        hello.SayHi("somkiat")
    }
}
```

https://golang.org/cmd/go/#hdr-Testing_flags



Basic of Go



Features of Go is no new features



Keywords


break	default	func	interface	select
case	defer	go	map	struct
chan	else	goto	package	switch
const	fallthrough	if	range	type
continue	for	import	return	var

<https://golang.org/ref/spec#Keywords>



Variables and Data types

A variable is just a convenient name given to a memory location where the data is stored



Define variables

```
var <variableName> <type>
```

```
var a int  
var i, j, k int  
var b int = 1  
var x, y, z = 1, 2, 3
```

```
// Short assignment  
number := 1  
name := "Hello"
```

```
// _ (blank) is a special variable name  
_, email := 1, "xxx.com"
```



Define variables

Declare variables that are set to their zero value

```
var a int  
var i, j, k int  
var s string
```



Zero values

Any variable declared without an initial value will have a **zero-value** depending on the type

Type	Zero value
bool	FALSE
string	""
Int, int8, int16, int32	0
float32, float64	0.0
Pointer, struct, interface	Nil

https://golang.org/ref/spec#The_zero_value




Grouping

```
var (
    a      int
    i, j, k int
    b      int = 1
    x, y, z      = 1, 2, 3
)
```



Compiler features



Compiler features

\$go run variable.go

```
./variable.go:4:6: a declared but not used
./variable.go:5:6: i declared but not used
./variable.go:5:9: j declared but not used
./variable.go:5:12: k declared but not used
./variable.go:6:6: b declared but not used
./variable.go:7:6: x declared but not used
./variable.go:7:9: y declared but not used
./variable.go:7:12: z declared but not used
./variable.go:10:2: number declared but not used
./variable.go:11:2: name declared but not used
./variable.go:11:2: too many errors
```



Constants

const <constantName> = <value>



Data Types

Boolean (true, false)

Numerical (int, uint)

String (use UTF-8)

Error

Data structures (array, slice, map)



Numerical

uint8	the set of all unsigned 8-bit integers (0 to 255)
uint16	the set of all unsigned 16-bit integers (0 to 65535)
uint32	the set of all unsigned 32-bit integers (0 to 4294967295)
uint64	the set of all unsigned 64-bit integers (0 to 18446744073709551615)
int8	the set of all signed 8-bit integers (-128 to 127)
int16	the set of all signed 16-bit integers (-32768 to 32767)
int32	the set of all signed 32-bit integers (-2147483648 to 2147483647)
int64	the set of all signed 64-bit integers (-9223372036854775808 to 9223372036854775807)
float32	the set of all IEEE-754 32-bit floating-point numbers
float64	the set of all IEEE-754 64-bit floating-point numbers
complex64	the set of all complex numbers with float32 real and imaginary parts
complex128	the set of all complex numbers with float64 real and imaginary parts
byte	alias for uint8
rune	alias for int32

https://golang.org/ref/spec#Numeric_types



String

**Using double quotes for single line
Using backticks for multi-line**



Working with String

```
package main

import "fmt"

func main() {
    name := "Hello"

    // Convert string to []byte type
    tmp := []byte(name)
    fmt.Println(tmp[0])

    // Convert to string
    s := string(tmp[0])
    fmt.Println(s)
    fmt.Println(s + name[1:])

}
```



Error types

Go has **error type** to dealing with errors
Use from package errors

<https://golang.org/pkg/errors/>



Error types

```
package main

import (
    "errors"
    "fmt"
)

func main() {
    err := errors.New("Normal error")
    if err != nil {
        fmt.Println(err)
    }
}
```



Data Structures




Arrays



Arrays

Fixed length data structure, can't change



Working with Arrays

```
func main() {
    var numbers [5]int
    numbers[0] = 1
    numbers[1] = 2

    var colors = [2]string{"Red", "Blue"}
    for i:=0; i< len(colors); i++ {
        fmt.Println(colors[i])
    }
}
```



Using “...” or ellipsis

```
func main() {  
  
    var colors = [...]string{"Red", "Blue"}  
  
    for i := 0; i < len(colors); i++ {  
        fmt.Println(colors[i])  
    }  
}
```



Array is of value type !!

```
func main() {
    var color1 = [2]string{"Red", "Blue"}
    var color2 = [...]string{"Red", "Blue"}

    color3 := color1
    color3[0] = "New Red"

    fmt.Println(color1)
    fmt.Println(color2)
    fmt.Println(color3)

    fmt.Println(color1 == color2)
    fmt.Println(color1 == color3)
}
```




Slices



Slice

More powerful, flexible than an array
Lightweight data structure
Dynamic size



Working with slice

```
func main() {
    numbers := []int{1, 2, 3, 4, 5}
    var s []int = numbers[1:3]
    fmt.Println(s)

    names := make([]string, 2)
    names[0] = "n1"
    names[1] = "n2"
    names[2] = "Error" // Runtime error

    names = append(names, "n3")

    fmt.Println(names)
}
```

<https://golang.org/pkg/builtin/#append>



Slice is reference to array !!

Slices allow for multiple "views" of the same underlying array

```
func main() {
    numbers := [5]int{1, 2, 3, 4, 5}

    var s1 []int = numbers[1:3]
    var s2 []int = numbers[2:4]

    fmt.Println(numbers)
    fmt.Println(s1)
    fmt.Println(s2)

    s2[0] = 333

    fmt.Println(numbers)
    fmt.Println(s1)
    fmt.Println(s2)
}
```



Maps



Map

Data structure that allow for the storage and management of key/value pair data



Map

map[keyType]valueType

```
func main() {
    var numbers map[string] int
    numbers = make(map[string] int)

    numbers["one"] = 1
    numbers["two"] = 2
    numbers["three"] = 3

    fmt.Println(numbers)
}
```



Working with Map

Insert, Update, Get, Check

```
func main() {
    numbers := make(map[string]int)

    numbers["one"] = 1
    e1 := numbers["one"]
    e2, ok := numbers["two"]

    fmt.Println(numbers)
    fmt.Println(e1, e2, ok)

    delete(numbers, "one")
    numbers["two"] = 2
    fmt.Println(numbers)
}
```



Control Flows



Control statements

If-else

Goto

For

Switch (not required break)



Control statements

Control Flow in Go is similar to most C family languages

Switch-case



If with initialize value

```
func main() {  
  
    if score := 10; score > 10 {  
        fmt.Println("Case 1")  
    } else {  
        fmt.Println("Case 2")  
    }  
  
}
```



For loop

Most powerful control logic in Go

```
func main() {  
    sum := 0  
    for i := 0; i < 100; i++ {  
        sum += i  
    }  
  
    sum = 1  
    for sum < 100 {  
        sum += sum  
    }  
}
```



For loop with range

```
func main() {
    var numbers = []int{100, 200, 300, 400, 500}
    for i, v := range numbers {
        fmt.Printf("%d => %d\n", i, v)
    }
}
```



Switch-case

Readable more than if-else

```
func main() {
    input := 5
    switch input {
        case 1:
            fmt.Println("Case 1")
        case 2, 3, 5:
            fmt.Println("Case 2")
            fallthrough
        case 4:
            fmt.Println("Case 3")
        default:
            fmt.Println("Default")
    }
}
```



Switch-case with no condition

Readable more than if-else

```
func main() {
    score := 65
    switch {
        case score > 80:
            fmt.Println("Grade A")
        case score > 70:
            fmt.Println("Grade B")
        case score > 60:
            fmt.Println("Grade C")
        default:
            fmt.Println("Grade D")
    }
}
```



Struct



Struct

Type of containers of properties/fields

```
type person struct {
    name string
    age  int
}

func main() {
    p1 := person{}
    p2 := person{"your name", 20}
    p3 := person{age: 20}
    p4 := &person{"your name", 20}

    fmt.Println(p1, p2, p3, p4)
}
```



Anonymous struct

Type of containers of properties/fields

```
// Declare a variable of an anonymous type
var e1 struct {
    flag    bool
    counter int16
    pi      float32
}
```

```
// Declare a variable of an anonymous type and init
e2 := struct {
    flag    bool
    counter int16
    pi      float32
} {
    flag:    true,
    counter: 10,
    pi:      3.141592,
}
```



**Anonymous struct
can be assigned to variables of
a named struct type
when they are identical**



Padding in struct

Reduce memory usage


```
type first struct {
    b bool      // 1 byte
    f float64   // 8 bytes
    i int32     // 4 bytes
}
a := first{}

fmt.Println(unsafe.Sizeof(a)) // 24 bytes
```



Padding in struct

Reduce memory usage



Padding in struct

Reduce memory usage

```
type first struct {
    f float64 // 8 bytes
    b bool     // 1 byte
    i int32    // 4 bytes
}
a := first{}

fmt.Println(unsafe.Sizeof(a)) // 16 bytes
```



Padding in struct

Reduce memory usage



Embedded fields in Struct

```
type person struct {
    name string
    age  int
}

type special struct {
    person
    email string
}

func main() {
    p1 := special{person{}, "xxx.com"}
    fmt.Println(p1)
}
```



Pointers




Pointers

Pointers provide a way to **share data** across program boundaries


There is **only one copy** of the data and everyone can see it changing



```
func main() {  
    a := 40  
}
```



```
func main() {  
    a := 40  
    var b *int  
    b = &a  
}
```



Pass by value

Values in Go are always **pass by value**

```
func main() {
    count := 10

    // Pass the "value of" the count.
    increment(count)

    println("count:\tValue Of[", count, "]\tAddr Of[", &count, "]")
}

func increment(inc int) {
    // Increment the "value of" inc.
    inc++
    println("inc:\tValue Of[", inc, "]\tAddr Of[", &inc, "]")
}
```



Share data

Using a pointer to share data

```
func main() {
    count := 10
    // Pass the "address of" count.
    increment(&count)
    println("count:\tValue Of[", count, "]\t\tAddr Of[", &count, "]")
}

func increment(inc *int) {
    // Increment the "value of" count that the "pointer points to".
    *inc++
}
```



Share data

Using a pointer to share data

```
func main() {
    count := 10

    // Pass the "address of" count.
    increment(&count)

    println("count:\tValue Of[" , count, "] \t\tAddr Of[" , &count, "]")
}
```

```
func increment(inc *int) {
    // Increment the "value of" count that the "pointer points to".
    *inc++
}
```



Function



Function

Functions are at the core of the language
Group and organise our code to separate off functionality



Function

Use keyword **func**

```
func funcName(input1 type1, input2 type2) (output1 type1, output2 type2) {  
    // function body  
    // multi-value return  
    return value1, value2  
}
```



Function

```
func main() {
    result := add(1, 2)
    fmt.Println(result)
}

func add(a int, b int) int {
    return a + b
}
```



Return multiple values

```
func main() {
    result, err := divide(10, 0)
    if err != nil {
        fmt.Println(err)
    } else {
        fmt.Println(result)
    }
}

func divide(a int, b int) (int, error) {
    if b <= 0 {
        return 0, fmt.Errorf("Invalid input")
    }
    return a / b, nil
}
```



Variadic functions

Function with a variable number of arguments

```
func main() {
    print("N1", "N2", "N3")
}

func print(args ...string) {
    for _, val := range args {
        fmt.Printf("Data with %s\n", val)
    }
}
```



Anonymous function/Closure

```
func main() {
    var n int

    // Declare an anonymous function and call it.
    func() {
        fmt.Println("Direct:", n)
    }()
}

// Declare an anonymous function and assign it to a variable.
f := func() {
    fmt.Println("Variable:", n)
}

// Call the anonymous function through the variable.
f()
}
```



More function !!

Defer, Panic, Recover





Defer functions

Execute when end function

```
func main() {  
    defer fmt.Println("World")  
  
    fmt.Println("Hello")  
}
```



Read file

```
func main() {  
  
    f, err := os.Open("input.txt")  
    if err != nil {  
        log.Fatal(err)  
    }  
  
    defer f.Close()  
  
    scanner := bufio.NewScanner(f)  
    for scanner.Scan() {  
        fmt.Println(scanner.Text())  
    }  
  
    if err := scanner.Err(); err != nil {  
        log.Fatal(err)  
    }  
}
```



Read file

```
func main() {  
  
    f, err := os.Open("input.txt")  
    if err != nil {  
        log.Fatal(err)  
    }  
  
    defer f.Close()  
  
    scanner := bufio.NewScanner(f)  
    for scanner.Scan() {  
        fmt.Println(scanner.Text())  
    }  
  
    if err := scanner.Err(); err != nil {  
        log.Fatal(err)  
    }  
}
```

<https://golang.org/src/log/log.go?s=10156:10184#L320>



os.Exit(1) !!!

```
// Fatal is equivalent to Print() followed by a call to os.Exit(1).
func Fatal(v ...interface{}) {
    std.Output(2, fmt.Sprint(v...))
    os.Exit(1)
}
```

```
// Fatalf is equivalent to Printf() followed by a call to os.Exit(1).
func Fatalf(format string, v ...interface{}) {
    std.Output(2, fmt.Sprintf(format, v...))
    os.Exit(1)
}
```

```
// Fatalln is equivalent to Println() followed by a call to os.Exit(1).
func Fatalln(v ...interface{}) {
    std.Output(2, fmt.Sprintln(v...))
    os.Exit(1)
}
```

<https://golang.org/src/log/log.go?s=10156:10184#L320>



Panic

Similar to throwing an **exception** in Go
Continue from **defer** function
Runtime error



Recover

Recover from a panic

Using build-in function **recover()**

Back to normal situation

Only call recover within a deferred function



Example with panic

```
func main() {
    // Read data from file
    b, err := ioutil.ReadFile("try_panic.go")
    if err != nil {
        panic(err)
    }
    fmt.Println(string(b))
}
```



Example recover

```
func panicHandler() {  
    err := recover()  
    if err == "some error" {  
        fmt.Println("Try to recover from panic")  
        debug.PrintStack()  
    }  
  
    func main() {  
        // Defer  
        defer panicHandler()  
  
        // Read data from file  
        b, err := ioutil.ReadFile("try_panic.go")  
        if err != nil {  
            panic("some error")  
        }  
  
        fmt.Println(string(b))  
    }  
}
```



Object-Oriented in Go !!



No class in Go

How to add then behaviour to **struct** ?



No class in Go


How to add then behaviour to struct ?

```
type person struct {
    name string
    age  int
}

func (p person) say(message string) {
    fmt.Printf("Hi from %s with %s", p.name, message)
}

func main() {
    p := person{"pui", 20}
    p.say("called")
}
```

Receiver argument (Value)



Working with pointer !!


Try to update value

```
type person struct {
    name string
    age  int
}

func (p *person) say(message string) {
    p.age = 200
    fmt.Printf("Hi from %s with %s", p.name, message)
}

func main() {
    p := person{"pui", 20}
    p.say("called")
}
```

Receiver argument (Pointer)



Value vs Pointer

https://golang.org/doc/effective_go.html#methods



Example

```
type user struct {  
    name string  
    email string  
}
```

```
// notify implements a method with a value receiver.  
func (u user) notify() {  
    fmt.Printf("Sending User Email To %s<%s>\n",  
        u.name,  
        u.email)  
}
```

```
// changeEmail implements a method with a pointer receiver.  
func (u *user) changeEmail(email string) {  
    u.email = email  
}
```



Builder pattern



Method overriding

```
type person struct {
    name string
    age  int
}

type special struct {
    person
    email string
}

func (p person) say(message string) {
    fmt.Printf("Hi from %s with %s\n", p.name, message)
}

func main() {
    p1 := person{}
    p2 := special{person{}, "xxx.com"}

    p1.say("From person")
    p2.say("From special")
}
```



Named Types Methods



Named Types Methods

```
type duration int64
```

```
const (
    nanosecond duration = 1
    microsecond = 1000 * nanosecond
    millisecond = 1000 * microsecond
    second       = 1000 * millisecond
    minute      = 60 * second
    hour        = 60 * minute
)
```

```
// setHours sets the specified number of hours.
```

```
func (d *duration) setHours(h float64) {
    *d = duration(h) * hour
}
```

```
// hours returns the duration as a floating point number of hours.
```

```
func (d duration) hours() float64 {
    hour := d / hour
    nsec := d % hour
    return float64(hour) + float64(nsec)*(1e-9/60/60)
}
```




Working with JSON

<https://golang.org/pkg/encoding/json/>



Working with JSON



<https://golang.org/pkg/encoding/json/>



JSON message

```
{  
    "userId": 0,  
    "id": 100,  
    "title": "",  
    "body": ""  
}
```



Create struct

Go code

```
import (
    "encoding/json"
    "fmt"
)

type Post struct {
    UserID int `json:"userId"`
    ID     int `json:"id"`
    Title  string `json:"title"`
    Body   string `json:"body"`
}
```

JSON

```
{  
    "userId": 0,  
    "id": 100,  
    "title": "",  
    "body": ""  
}
```

<https://golang.org/pkg/encoding/json/>



Generate Struct from JSON

Visual Studio Code > Other > Paste JSON as Code

The screenshot shows the Visual Studio Marketplace page for the "Paste JSON as Code" extension by quicktype. The extension has 536,588 installs and a rating of 4.73/5 based on 26 reviews. It is marked as free. The description indicates it can copy JSON and paste it as Go, TypeScript, C#, C++ and more. There are "Install" and "Trouble Installing?" links. Below the main card, there are tabs for "Overview" (which is selected), "Q & A", and "Rating & Review". At the bottom, there are badges for the Visual Studio Marketplace, version v12.0.46, 536571 installs, and a rating of 4.73/5 (26).

Paste JSON as Code

quicktype | 536,588 installs | ★★★★★ (26) | Free

Copy JSON, paste as Go, TypeScript, C#, C++ and more.

Install Trouble Installing? ↗

Overview Q & A Rating & Review

Visual Studio Marketplace v12.0.46 installs 536571 rating 4.73/5 (26)

<https://marketplace.visualstudio.com/items?itemName=quicktype.quicktype>



Struct to JSON

```
p1 := Post{ID: 100}
// b, err := json.Marshal(p1)
b, err := json.MarshalIndent(p1, "", "    ")
if err != nil {
    fmt.Println("Error ", err)
} else {
    fmt.Println(string(b))
}
```

<https://golang.org/pkg/encoding/json/>



JSON to Struct

```
var out Post
err = json.Unmarshal(b, &out)
if err != nil {
    fmt.Println("Error ", err)
} else {
    fmt.Println(out)
}
```

<https://golang.org/pkg/encoding/json/>



Testing



Testing in Go

Build-in testing framework

Using **testing** package

\$go test

<https://golang.org/pkg/testing/>



Testing package

Testing Benchmark

<https://golang.org/pkg/testing/>



Hello testing

hello_test.go

```
package main

import(
    "testing"
)

func TestHello(t *testing.T) {
    expectedResult := "Hello my first testing"
    result := hello()
    if result != expectedResult {
        t.Fatalf("Expected %s but got %s", expectedResult, result)
    }
}
```



System under test

hello.go

```
package main

func hello() string {
    return "Hello my first testing"
}
```



Run test

\$go test

\$go test -v

\$go test -v -run <test name>

\$go test ./...



***testing.T ?**

Used for error reporting

t.Error
t.Fatal
t.Log



***testing.T ?**

Enable parallel testing

t.Parallel()



*testing.T ?

To control a test run

t.Skip()



Table/data driven test

Working with data driven testing

Operand 1	Operand 2	Expected result
1	2	3
5	10	15
10	-5	5



Table structure

```
func TestAdd(t *testing.T) {  
  
    var dataTests = []struct{  
        op1 int  
        op2 int  
        expectedResult int  
    }{  
        {1, 2, 3},  
        {5, 10, 15},  
        {10, -5, 5},  
    }  
}
```



Testing

```
func TestAdd(t *testing.T) {  
    ...  
  
    for _, test := range dataTests{  
        result := add(test.op1, test.op2)  
        if result != test.expectedResult {  
            t.Fatalf("Expected %d but got %d",  
                    test.expectedResult, result)  
        }  
    }  
}
```



Test/code coverage

Go tool can report test coverage statistic

```
$go test -cover
```



Generate coverage report

```
$go test -coverprofile=coverage.out  
$go tool cover -html=coverage.out
```

```
/Users/somkiat/data/slide/golang/go2020/demo/testing/hello.go (100.0%) ▾ not tracked not covered covered  
  
package main  
  
func hello() string {  
    return "Hello my first testing"  
}
```



Benchmark



Write first benchmark

\$go test -bench=.

```
package main

import "testing"

func BenchmarkFib(b *testing.B) {
    for n := 0; n < b.N; n++ {
        Fib(n)
    }
}

func Fib(n int) int {
    if n < 2 {
        return n
    }
    return Fib(n-1) + Fib(n-2)
}
```



Run benchmark

\$go test -bench=.

\$go test -bench=. -run=<test name>



Benchmark Struct to JSON



Solution 1

Use json.Marshal

```
func structToJson01() {
    p1 := Post{ID: 100}
    _, err := json.Marshal(p1)
    if err != nil {
        fmt.Println("Error ", err)
    }
}
```



Solution 2

Use json.Encoder

```
func structToJson02() {  
    p1 := Post{ID: 100}  
    var buffer bytes.Buffer  
    json.NewEncoder(&buffer).Encode(&p1)  
}
```



Create benchmark

```
func BenchmarkSolution01(b *testing.B) {
    for i := 0; i < b.N; i++ {
        structToJson01()
    }
}

func BenchmarkSolution02(b *testing.B) {
    for i := 0; i < b.N; i++ {
        structToJson02()
    }
}
```



Run benchmark

go test -bench=.

goos: darwin		
goarch: amd64		
BenchmarkSolution01-8	4019841	309 ns/op
BenchmarkSolution02-8	3472522	352 ns/op



Workshop with JSON

Read data from JSON file

[https://raw.githubusercontent.com/up1/course-go-2021/main/
demo/json/read_from_file/data.json](https://raw.githubusercontent.com/up1/course-go-2021/main/demo/json/read_from_file/data.json)



Interface

https://golang.org/doc/effective_go.html#interfaces_and_types



Interface

Collection of method signatures

Way to specify behaviour for a type

Interfaces are implemented implicitly



Stringer example

Interface from **fmt** package

```
type Stringer interface {
    String() string
}
```

<https://golang.org/pkg/fmt/#Stringer>



Stringer example

Interface from **fmt** package

```
type Animal struct {
    Name string
    Age  uint
}

func (a Animal) String() string {
    return fmt.Sprintf("%v (%d)", a.Name, a.Age)
}
```

<https://golang.org/pkg/fmt/#Stringer>



Empty interface

Interface with zero methods

```
func describe(i interface{}) {  
    fmt.Printf("(%v, %T)\n", i, i)  
}
```

<https://golang.org/src/fmt/print.go?s=7925:7974#L263>




Interface for polymorphism




https://en.wikipedia.org/wiki/Polymorphism_%28computer_science%29



Working with interface



Working with interface



Interface Animal

```
type animal interface {  
    eat()  
}
```

```
type human int  
type cat int  
type dog int
```



Implement from interface

```
func (h human) eat() {  
    fmt.Println("Human eat")  
}  
  
func (c cat) eat() {  
    fmt.Println("Cat eat")  
}  
  
func (d dog) eat() {  
    fmt.Println("Dog eat")  
}
```



Using like Polymorphism

```
func callEat(a animal) {  
    a.eat()  
}  
  
func main() {  
    var h human  
    var c cat  
    callEat(h)  
    callEat(c)  
}
```



Using interface as parameter

```
func callEat2(i interface{}) {  
    i.(animal).eat()  
}
```

```
func main() {  
    var h human  
    var c cat  
    callEat2(h)  
    callEat2(c)  
}
```

Empty interface



Using empty interface

```
func myPrintln(a interface{}) {  
  
    switch v := a.(type) {  
    case string:  
        fmt.Printf("Is string : type(%T) : value(%s)\n", v, v)  
    case int:  
        fmt.Printf("Is int      : type(%T) : value(%d)\n", v, v)  
    case float64:  
        fmt.Printf("Is float64 : type(%T) : value(%f)\n", v, v)  
    default:  
        fmt.Printf("Is unknown : type(%T) : value(%v)\n", v, v)  
    }  
  
}  
}
```



Workshop with interface

[https://github.com/up1/course-go-2021/blob/main/
demo/interface/main_problem.go](https://github.com/up1/course-go-2021/blob/main/demo/interface/main_problem.go)



Error interface

type error

The error built-in interface type is the conventional interface representing no error.

```
type error interface {
    Error() string
}
```

<https://golang.org/pkg/builtin/#error>



Go Modules

<https://blog.golang.org/using-go-modules>



Modules

Basis of dependency management
Group of packages into single unit

Set of dependencies and versioning



Semantic versioning

v<major>.<minor>.<patch>

<https://semver.org/>




Project

Main package



Project



Using a single module per repository



Create a module


```
$go mod init <module name>
```

go: creating new go.mod: module demo



Publish module to GitHub

```
$go mod init github.com/<user>/<repo>
```



Go project structure



Project structure

Flat structure

Layering

Modular, DDD

Clean architecture

Hexagonal architecture



Flat

Easy to start

```
/  
|   └── data.go  
|   └── handlers.go  
|   └── main.go  
|   └── model.go  
|   └── storage.go  
|   └── storage_json.go  
└── storage_mem.go
```



Layering

Grouping by function

```
.
├── data.go
├── handlers
│   ├── beers.go
│   └── reviews.go
├── main.go
├── models
│   ├── beer.go
│   ├── review.go
│   └── storage.go
└── storage
    ├── json.go
    └── memory.go
```




Modular

Grouping by logical/business


```
.  
├── beers  
│   ├── beer.go  
│   └── handler.go  
├── main.go  
├── reviews  
│   ├── handler.go  
│   └── review.go  
└── storage  
    ├── data.go  
    ├── json.go  
    ├── memory.go  
    └── storage.go
```



Clean architecture




Hexagonal architecture



Go routine and channel




Concurrency



Concurrency is about *dealing with*
lots of things at once

Parallelism



Parallelism is about *doing*
lots of things at once



Go routine

Independently executing function

Launch by a **go** statement

Very cheap


Not a thread

May be only a thread with 1,000 of goroutines



Example

Independently executing function



Example

```
func hello(name string) {
    for i := 0; ; i++ {
        fmt.Println(name, i)
        time.Sleep(time.Duration(rand.Intn(1e3)) * time.Millisecond)
    }
}

func main() {
    go hello("somkiat")
    fmt.Println("Start process")
    time.Sleep(2 * time.Second)
    fmt.Println("Finish process")
}
```




Main function can't see the output from other go routine !!



Need waiting !!



Using sync.WaitGroup



Using sync.WaitGroup

```
var wg sync.WaitGroup

func hello(name string) {
    defer wg.Done()

    fmt.Printf("Start with = %s\n", name)
    time.Sleep(time.Duration(rand.Intn(1e3)) * time.Millisecond)
    fmt.Printf("Processed with = %s\n", name)
}

func main() {
    fmt.Println("Start process")

    for i := 0; i < 5; i++ {
        wg.Add(1)
        go hello(fmt.Sprintf("task=%d", i))
    }
    wg.Wait()

    fmt.Println("Finish process")
}
```



Need communication !!



Channel

Provides a connection between 2 go routines
Allow them to communicate



Channel

Create channel with `make()`

```
func hello(out chan< string) {
    time.Sleep(2 * time.Second)
    out <- "Called hello"
}


func main() {
    c := make(chan string)

    go hello(c)
    fmt.Println("Main")

    fmt.Println(<-c)
}
```



Duplex of channel



Example

```
func service(name string, jobs <chan int, results chan<- string) {
    for j := range jobs {
        fmt.Println("Worker", name, "started job", j)
        time.Sleep(time.Duration(rand.Intn(1e3)) * time.Millisecond)
        results <- fmt.Sprintf("Worker %s finished job %d", name, j)
    }
}
```




Example

```
func main() {  
  
    jobs := make(chan int, 3)  
    results := make(chan string, 5)  
  
    for i := 0; i < 3; i++ {  
        name := fmt.Sprintf("name_%d", i)  
        go service(name, jobs, results)  
    }  
  
    for i := 0; i < 5; i++ {  
        jobs <- i  
    }  
    close(jobs)  
  
    for a := 1; a < 5; a++ {  
        fmt.Println(<results)  
    }  
}
```



Workshop



Race detector




https://en.wikipedia.org/wiki/Race_condition



Race Detector

to prevent simultaneous **read** and **write** access
to the **same** variable or memory location



Race Detector

Added to Go 1.1+

`$go run -race <package name>`

https://golang.org/doc/articles/race_detector.html



Problem ?

```
func main() {
    fmt.Println(getNumber())
}

func getNumber() int {
    var i int
    go func() {
        i = 5
    }()
    return i
}
```



Run with race detector

go run -race problem.go

```
=====
WARNING: DATA RACE
Write at 0x00c00001c0b0 by goroutine 7:
  main.getNumber.func1()
```



Problem ?

```
func main() {  
    fmt.Println(getNumber())  
}
```

```
func getNumber() int {  
    var i int  
    go func() {  
        i = 5  
    }()  
  
    return i  
}
```

Write and read data !!



Describe

Main go routine



Describe


Main go routine

Call getNumber




Describe

Main go routine




Second go routine




Describe

Main go routine




Second go routine




Describe

Main go routine



Read data !!

Second go routine



Write data !!



How to solve a problem ?



Solutions

Blocking with waitGroup

Blocking with channel

Mutex

Atomic



Wait Group

```
func getNumber() int {
    var i int
    var wg sync.WaitGroup
    wg.Add(1)

    go func() {
        i = 5
        wg.Done()
    }()

    wg.Wait()
    return i
}
```



Channel

```
func getNumber() int {  
    var i int  
    done := make(chan struct{})  
  
    go func() {  
        i = 5  
        done <- struct{}{}  
    }()  
  
    <done  
    return i  
}
```



Logging

<https://golang.org/pkg/log/>



Logging

Logging is an important part of every program
Working with standard library



RESTful API with Go

https://github.com/up1/workshop-go-20201019/blob/main/demo/rest_api/README.md



Building REST APIs

HTTP + JSON

Go provide **net/http** package



<https://golang.org/pkg/net/http/>



REST

REpresentational State Transfer

HTTP Method	Description
GET	Get data
POST	Create data
PUT	Update data
DELETE	Delete data



Hello API Server

```
package main

import (
    "net/http"
)

func Response(w http.ResponseWriter, r *http.Request) {
    w.Write([]byte("Hello world."))
}

func main() {
    http.HandleFunc("/", Response)
    http.ListenAndServe(":8080", nil)
}
```



Run

\$go run <filename.go>



Performance testing

\$go-wrk http://localhost:8080



Working with JSON

Data structure with struct

```
import (
    "encoding/json"
    "net/http"
)

type User struct {
    Firstname string `json:"firstname"`
    Lastname  string `json:"lastname"`
    Title     string `json:"title"`
}

type Users []User
```



Working with JSON

```
func UserHandler(w http.ResponseWriter, r *http.Request) {
    u := Users{
        User{
            Firstname: "f1",
            Lastname: "l1",
            Title:     "Mr.",
        },
        User{
            Firstname: "f2",
            Lastname: "l2",
            Title:     "Miss.",
        },
    }
    w.WriteHeader(http.StatusOK)
    w.Header().Set("Content-Type", "application/json")
    json.NewEncoder(w).Encode(u)
}
```



Better structure



Manage routes

```
func main() {
    http.HandleFunc("/", Response)
    http.HandleFunc("/users", UserHandler)
    http.ListenAndServe(":8080", nil)
}
```



Handlers

```
func UserHandler(w http.ResponseWriter, r *http.Request) {  
    ...  
    w.WriteHeader(http.StatusOK)  
    w.Header().Set("Content-Type", "application/json")  
    json.NewEncoder(w).Encode(u)  
}
```



Web framework



Example with Echo

```
import (
    "net/http"
    "github.com/labstack/echo/v4"
)

func main() {
    e := echo.New()
    e.GET("/", func(c echo.Context) error {
        return c.String(http.StatusOK, "Hello, World!")
    })
    e.Logger.Fatal(e.Start(":8080"))
}
```

<https://echo.labstack.com/guide>



Performance testing

\$go-wrk http://localhost:8080



Example with Gin

```
import (
    "io/ioutil"
    "github.com/gin-gonic/gin"
)

func main() {
    gin.SetMode(gin.ReleaseMode)
    gin.DefaultWriter = ioutil.Discard
    r := gin.Default()
    r.GET("/", func(c *gin.Context) {
        c.JSON(200, gin.H{
            "message": "pong",
        })
    })
    r.Run()
}
```

<https://github.com/gin-gonic/gin>



Performance testing


\$go-wrk http://localhost:8080



Workshop refactoring




Easy to change !!




echo



Better structure



Better structure



Service

Business process/flow

```
type UserService struct{}

func NewUserService() UserService {
    return UserService{}
}

func (us UserService) GetUser(c context.Context) (User, error) {
    user := User{}
    return user, nil
}
```



Handler/Router

Create routes of RESTful API

```
type UserHandler struct {  
    Service UserServicer  
}
```

```
func NewUserHandler(e *echo.Echo, service UserServicer) {  
    h := UserHandler{Service: service}  
    e.GET("/user", h.GetUser)  
}
```

Inject service to handler and Create routes



Handler/Router

Handle request and return response

```
func (h *UserHandler) GetUser(c echo.Context) error {
    ctx := c.Request().Context()

    user, err := h.Service.GetUser(ctx) Call service layer
    if err != nil {
        return c.JSON(getStatusCode(err), ResponseError{Message:
err.Error()})
    }
    return c.JSON(http.StatusOK, user)
}
```



Main

Initial and start server

```
func main() {
    // Create server with Echo
    e := echo.New()
    Create service and initial handler
    // Initial dependencies
    userService := user.NewUserService()
    user.NewUserHandler(e, userService)
    // Start server
    e.Logger.Fatal(e.Start(":8080"))
}
```



Testing RESTful APIs



Testing

net/http/test


Postman

Robotframework

Cotton



Testing



Using net/httpptest

```
func TestHTTPGetHello(t *testing.T) {
    // Arrange
    request, err := http.NewRequest(http.MethodGet, "/", nil)
    if err != nil {
        t.Error(err)
    }
    response := httptest.NewRecorder()
    handler := http.HandlerFunc(Response)
    handler.ServeHTTP(response, request)

    // Assert
    if status := response.Code; status != http.StatusOK {
        t.Errorf("Wrong code: got %v want %v", status, http.StatusOK)
    }
    if response.Body.String() != "Hello world" {
        t.Errorf("errors %s", response.Body.String())
    }
}
```

<https://golang.org/pkg/net/http/httptest/>




Testing JSON response

```
func TestHTTPGetUsers(t *testing.T) {
    // Arrange
    request, err := http.NewRequest(http.MethodGet, "/users", nil)
    if err != nil {
        t.Error(err)
    }
    response := httptest.NewRecorder()
    handler := http.HandlerFunc(UserHandler)
    handler.ServeHTTP(response, request)


    // Assert
    results := Users{}
    if err := json.NewDecoder(response.Body).Decode(&results); err != nil {
        t.Error(err)
    }
    if len(results) != 2 {
        t.Errorf("Errors with length %v", len(results))
    }
}
```



Testing !!




Problem ?




Problem ?

Problem ...




Problem ?




Testing with Mock service

```
type stubUserService struct {  
    err error  
}
```

```
func (s stubUserService) GetUser(c context.Context) (user.User,  
error) {  
    user := user.User{Firstname: "user test"}  
    return user, s.err  
}
```



Testing with Mock service



Create interface of user

```
type UserServicer interface {
    GetUser(c context.Context) (User, error)
}
```



Testing :: success

```
func TestSuccessWith GetUser(t *testing.T) {
    e := echo.New()
    req, err := http.NewRequest(http.MethodGet, "/user", nil)
    assert.NoError(t, err)

    rec := httptest.NewRecorder()
    c := e.NewContext(req, rec)
    handler := user.UserHandler{
        Service: stubUserService{},
    }
    err = handler.GetUser(c)
    require.NoError(t, err)

    assert.Equal(t, http.StatusOK, rec.Code)
    assert.JSONEq(t, `{"firstname":"user test","lastname":"","title":""}`,
        rec.Body.String())
}
```



Testing :: failure

```
func TestFailWith GetUser(t *testing.T) {
    e := echo.New()
    req, err := http.NewRequest(http.MethodGet, "/user", nil)
    assert.NoError(t, err)

    rec := httptest.NewRecorder()
    c := e.NewContext(req, rec)
    handler := user.UserHandler{
        Service: stubUserService{err: fmt.Errorf("Error")},
    }
    err = handler.GetUser(c)
    require.NoError(t, err)


    assert.Equal(t, http.StatusInternalServerError, rec.Code)
}
```



Graceful Shutdown



Workshop



Workshop with RESTful API



Working with database



Connect to Database

```
import (
    _ "github.com/lib/pq"
)

func createConnection() *sql.DB {
    // Open the connection
    db, err := sql.Open("postgres", os.Getenv("POSTGRES_URL"))
    if err != nil {
        panic(err)
    }
    db.SetMaxOpenConns(5)

    // check the connection
    err = db.Ping()
    if err != nil {
        panic(err)
    }

    return db
}
```

<https://github.com/lib/pq>



Query data

```
sqlStatement := `SELECT * FROM users`
rows, err := u.Db.Query(sqlStatement)
if err != nil {
    log.Fatalf("Unable to execute the query. %v", err)
}
defer rows.Close()

// iterate
for rows.Next() {
    var user model.User
    err = rows.Scan(&user.Id, &user.Name, &user.Price)
    if err != nil {
        log.Fatalf("Unable to scan the row. %v", err)
    }
    users = append(users, user)
}
```

<https://github.com/lib/pq>



Database testing



Performance testing



Test Double with Go



Better structure



Design RESTful API

Resource	Path	HTTP Verb	Description
todo	/todo/	GET	List of TODO
todo	/todo/	POST	Create new TODO
todo	/todo/1	GET	Get detail of TODO by id
todo	/todo/1	PUT	Update TODO by id
todo	/todo/1	DELETE	Delete TODO by id



List of TODO

```
← → ⌂ ⓘ localhost:8080/todo/  
[  
  - {  
      id: 1,  
      title: "Todo 1",  
      done: false  
    },  
  - {  
      id: 2,  
      title: "Todo 2",  
      done: false  
    },  
  - {  
      id: 3,  
      title: "Todo 3",  
      done: false  
    }  
]
```



Create a new TODO

The screenshot shows the Postman application interface. At the top, there is a header bar with 'POST' selected, the URL 'http://localhost:8080/todo/', a 'Params' button, and a 'Send' button. Below the header, tabs for 'Authorization', 'Headers (1)', 'Body' (which is currently selected), 'Pre-request Script', and 'Tests' are visible. Under the 'Body' tab, there are five options: 'form-data', 'x-www-form-urlencoded', 'raw' (which is selected), and 'binary'. The 'raw' section is set to 'JSON (application/json)'. Below these options is a code editor containing the following JSON:

```
1 {  
2   "title": "test",  
3   "done": true  
4 }
```

Below the body editor, there are tabs for 'Body', 'Cookies (25)', 'Headers (3)', and 'Tests'. The 'Body' tab is selected, and the status is shown as 'Status: 200 OK'. Under the 'Body' tab, there are three buttons: 'Pretty', 'Raw', and 'Preview'. The 'Pretty' button is selected. To the right of these buttons is a dropdown menu set to 'JSON'. Below this is another code editor showing the same JSON response:

```
1 {  
2   "id": 0,  
3   "title": "test",  
4   "done": true  
5 }
```



Get TODO by ID



A screenshot of a web browser window. The address bar shows the URL `localhost:8080/todo/2`. The main content area displays the following JSON object:

```
{  
  id: 2,  
  title: "XXXX",  
  done: true  
}
```



Go Tools



Dynamic program analysis

Profiling
Tracing



Profiling

Benchmark
Profiling
Flame graph



Pprof

<https://golang.org/pkg/runtime/pprof/>




Workshop Pprof

<https://github.com/up1/workshop-go-20201019/tree/main/demo/profiling>




Using graphviz



The screenshot shows the official Graphviz website. At the top, there is a navigation bar with links: About, Download, Gallery, Documentation, Theory and Publications, License, Resources, Credits, FAQ, Contact, and Issues/Bugs. Below the navigation bar is a large teal header section containing the text "Graphviz - Graph Visualization Software" and a small icon of a magnifying glass over a graph. The main content area has a white background and features the heading "Welcome to Graphviz". Below this, a text block invites users to join the forum and provides a note about the URL change.

About Download Gallery Documentation Theory and Publications License
Resources Credits FAQ Contact Issues/Bugs

 Graphviz - Graph Visualization Software

Welcome to Graphviz


Please join the brand new (March 2020) [Graphviz forum](#) to ask questions and discuss Graphviz. **Note:** The URL is new since May 6 2020. Please update your bookmarks.

What is Graphviz?


<https://graphviz.org/>



Result



Result



Tracing

Tracing Go programs for deep understanding
Added to Go 1.5

\$go tool trace



Workshop Tracing

<https://github.com/up1/workshop-go-20201019/tree/main/demo/tracing>



Let's Go !!

