



AI for Software Development Software Delivery





Facebook somkiat.cc

Page Messages Notifications 3 Insights Publishing Tools Settings Help

somkiat.cc
@somkiat.cc

Home Posts Videos Photos

Liked Following Share ...

+ Add a Button




**[https://github.com/up1/
workshop-ai-with-technical-team](https://github.com/up1/workshop-ai-with-technical-team)**



Goals

Integrate Generative AI in Development
Optimize code quality
Team up with AI on coding tasks
Develop innovative solutions



Software Development

Requirement

Design

Develop


Testing

Deploy


Generative AI

Improve Productivity ... (Replace human !!)





Generative AI



<https://grow.google/ai-essentials/>



Generative AI

LLMs

Large Language Models

Text generation

Code generation

Chatbot

Conversation AI

GANs

Generative Adversarial Network

Image generation

Deep fake

Art creation

Simulate financial market

VAEs


Variational Autoencoders

Data compression

Synthetic data generation

Image reconstruction





Large Language Model (LLM)

Type of AI model

Process, understand

Generate human readable data

LLM


Training data !!



Large Language Model (LLM)

Neural network

Predicts the next word in a sequence



Let's go !!



ສືເໜືອງ



ມະນຸງ



ເຕາ







มีด



LLM components !!

Components of the Decoder-only Transformer




*Feed-Forward
Transformation*




<https://stackoverflow.blog/2024/08/22/l1ms-evolve-quickly-their-underlying-architecture-not-so-much>



Transformer inside



Transformer process



OpenAI Tokenizer

GPT-4o & GPT-4o mini (coming soon) **GPT-3.5 & GPT-4** GPT-3 (Legacy)

ประเทศไทย

[Clear](#) [Show example](#)

Tokens 10	Characters 9
---------------------	------------------------

ประเทศไทย

[Text](#) [Token IDs](#)

<https://platform.openai.com/tokenizer>



Token Calculator for LLM

Token Calculator for LLMs

Calculate the number of tokens in your text for all LLMs (GPT-4o, GPT-o1, GPT-4, Claude, Gemini, etc)

Token Calculator

Input/Paste your text here

T Tokens 0	# Words 0	Characters (no spaces) 0	Total characters 0
-------------------------	------------------------	------------------------------------	------------------------------

Model	Provider	Context	Input/1M Tokens	Output/1M Tokens	Input Price	Output Price
gpt-o1-preview	OpenAI/Azure	128K	\$15	\$60	\$0.0000	\$0.0000
gpt-o1-mini	OpenAI/Azure	128K	\$3	\$12	\$0.0000	\$0.0000

<https://token-calculator.net/>


The logo features a stylized 'A' shape composed of several thin, curved lines, with a small circular element at the top center.

AI for Software Development
© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

22

Embedding ?


Map items of unstructured data to high-dimensional real vectors



<https://towardsdatascience.com/transfomers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Vector Database



Unstructured data


0.2	-1.7	•••	2.3
0.4	0.5	•••	-1.7
4.1	-1.9	•••	-1.5
-1.1	0.7	•••	5.3
-3.5	2.3	•••	0.5
-1.7	0.4	•••	0.2
2.3	0.2	•••	0.7
-1.9	4.1	•••	-2.4
0.5	-1.5	•••	2.3

Embeddings

<https://www.dailydoseofds.com/a-crash-course-on-building-rag-systems-part-1-with-implementations/>



Visual of Vector space




Distance Metrics in Vector Search

Cosine Distance

$$1 - \frac{A \cdot B}{\|A\| \|B\|}$$

OpenAI




Squared Euclidean (L2 Squared)

$$\sum_{i=1}^n (x_i - y_i)^2$$

Dot Product

$$A \cdot B = \sum_{i=1}^n A_i B_i$$




Manhattan (L1)

$$\sum_{i=1}^n |x_i - y_i|$$


<https://help.openai.com/en/articles/8984345-which-distance-function-should-i-use>



Distance measure in Data Science




Store data in Vector Database



Vector Database ?

Map items of unstructured data to high-dimensional real vectors




<https://towardsdatascience.com/transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Vector Database


Indexing data with embedding



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Embedding data



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Search similar items



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>



Transformer Explainer



<https://platform.openai.com/tokenizer>



LLMs in industry

Model name	Company
Bidirectional Encoder Representation from Transformers (BERT)	Google AI
Generative Pre-trained transformer-3 (GPT-3)	OpenAI
Generative Pre-trained transformer-4 (GPT-4)	OpenAI
Pathways Language Model-E (PaLM-E)	Google AI
BLOOM	NVIDIA AI
Llama 3	Facebook
Claude 3.5 Sonnet	Anthropic



LLM Development timeline




Figure 3: LLM development timeline. The models below the arrow are closed-source while those above the arrow are open-source.

<https://arxiv.org/abs/2311.16989>




Application

Infrastructure

Model



Generative AI (GenAI)



Trust, but verify output !!



Challenges in Gen AI

Lack of high-quality data


Data licenses

Generation latency

High computational power




Generative AI in Nutshell



<https://www.youtube.com/watch?v=2IK3DFHRFw>



Generative AI Application Stack



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/>



Generative AI Roadmap

Generate roadmaps with AI

Enter a topic and let the AI generate a roadmap for you

Enter a topic to generate a roadmap for

 Generate

OAuth ↗

UI / UX ↗

SRE ↗

DevRel ↗

Explore AI Roadmaps 

You have generated 0 of 10 roadmaps today.


Need to generate more? [Click here.](#)

<https://roadmap.sh/ai>



Application Tool chains





Tool chains category

Assist
tasks

Interaction
modes

Prompt
composition

Properties of
model



Assist tasks

Finding information faster in context

Generating code

Reasoning about code

Transforming code into something ..

Requirement

Design

Develop

Testing

Deploy

Software Delivery Lifecycle



Interaction modes

Chat interfaces


In-line assistance (typing in code editor)

CLI (command-line interface)



Prompt composition

Prompt engineering
Compose prompts from user inputs and context



<https://platform.openai.com/docs/guides/prompt-engineering>



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering>



Iterative Prompt Development




Iterative Process

- Try something
- Analyze where the result does not give what you want
- Clarify instructions, give more time to think
- Refine prompts with a batch of examples

<https://www.deeplearning.ai/short-courses/chatgpt-prompt-engineering-for-developers/>



Basic of Prompt Engineer



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering/six-strategies-for-getting-better-results>




Prompt Structure



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/working-with-langs/prompt-engineering>



Structure of Prompt



<https://platform.openai.com/docs/guides/prompt-engineering>



Prompting Guide

Prompt Engineering

Prompt Engineering Guide

Prompt engineering is a relatively new discipline for developing and optimizing prompts to efficiently use language models (LMs) for a wide variety of applications and research topics. Prompt engineering skills help to better understand the capabilities and limitations of large language models (LLMs).

Researchers use prompt engineering to improve the capacity of LLMs on a wide range of common and complex tasks such as question answering and arithmetic reasoning. Developers use prompt engineering to design robust and effective prompting techniques that interface with LLMs and other tools.

Prompt engineering is not just about designing and developing prompts. It encompasses a wide range of skills and techniques that are useful for interacting and developing with LLMs. It's an important skill to interface, build with, and understand capabilities of LLMs. You can use prompt engineering to improve safety of LLMs and build new capabilities like augmenting LLMs with domain knowledge and external tools.

<https://www.promptingguide.ai/>



Structure of Prompt !!

APE
Action, Purpose,
Expectation

RACE
Role, Action,
Context,
Expectation

TAG
Task, Action, Goal

COAST
Context, Objective,
Action, Scenario,
Task

RISE
Role, Input, Step,
Expectation

<https://twitter.com/pradeepeth/status/1673271866696544257>



Prompt Generator

OpenAI GPT prompt generator

As we explain in our guide [How to write a good prompt](#), the key to writing a good prompt is to be very specific about what you want. You don't have to remember all the important informations. Use our easy generator to create your perfect prompt:

Task	Write a blogpost
Topic	OpenAI
Style	Academic
Tone	Assertive
Audience	5-year old
Length	2 paragraphs
Format	Text

<https://gptforwork.com/tools/prompt-generator>



Example Prompt

Prompt examples

Explore what's possible with some example prompts

 Search...

All categories 



Grammar correction

Convert ungrammatical statements into standard English.



Summarize for a 2nd grader

Simplify text to a level appropriate for a second-grade student.



Parse unstructured data

Create tables from unstructured text.



Emoji Translation

Translate regular text into emoji text.



Calculate time complexity

Find the time complexity of a function.



Explain code

Explain a complicated piece of code.



Keywords

Extract keywords from a block of text.



Product name generator

Generate product names from a description and seed words.

<https://platform.openai.com/docs/examples>




OpenAI Playground

The screenshot shows the OpenAI Playground interface. On the left, a sidebar menu includes PLAYGROUND, Chat (selected), Assistants, TTS, and Completions. The main area is titled "Chat" and shows "gpt-4o" selected. A "SYSTEM" section contains the placeholder "Enter system instructions". Below it is a text input field with "Enter user message..." and two buttons: "User" and "File". To the right are "Presets", "Save", and other controls. A "Functions" panel has an "+ Add function" button. Configuration sliders include "Response format" (Text, 0), "Temperature" (1), "Maximum Tokens" (256), "Stop sequences" (input field), "Top P" (1), "Frequency penalty" (0), and "Presence penalty" (0). A note at the bottom states: "API and Playground requests will not be used to train our models." with a "Learn more" link.

<https://platform.openai.com/playground>




Anthropic Dashboard



<https://console.anthropic.com/dashboard>



Anthropic Prompt Generator



<https://docs.anthropic.com/en/docs/build-with-claude/prompt-engineering/prompt-generator>



Google AI Studio

The screenshot shows the Google AI Studio interface. On the left is a sidebar with links like 'Get API key', 'Create new prompt' (which is selected), 'New tuned model', 'My library', 'Allow Drive access', 'Prompt Gallery', 'Developer documentation', 'Developer forum', and 'Gemini API for Enterprise'. Below that is a note about Gemini making mistakes and a 'Settings' link. At the bottom is a user profile icon and email address.

The main area has tabs for 'Untitled prompt' and 'Edit'. It includes sections for 'System Instructions' (optional tone and style instructions for the model) and 'User' (the prompt itself). The User section contains a Python function for bubble sort:

```
def sort_list(list_to_sort):
    """
    This function sorts a list of numbers in ascending order using the bubble sort algorithm.

    Args:
        list_to_sort: A list of numbers to be sorted.

    Returns:
        A new list with the numbers sorted in ascending order.
    """
    # Create a copy of the list to avoid modifying the original
    sorted_list = list_to_sort.copy()
    n = len(sorted_list)

    # Iterate through the list n-1 times
    for i in range(n-1):
        # Flag to track if any swaps were made in a pass
        swapped = False
        # Iterate through the unsorted portion of the list
        for j in range(n-i-1):
            # Compare adjacent elements and swap if necessary
            if sorted_list[j] > sorted_list[j+1]:
                sorted_list[j], sorted_list[j+1] = sorted_list[j+1], sorted_list[j]
                swapped = True


    return sorted_list
```

On the right side, there are 'Run settings' and 'Reset' buttons. Under 'Model', it's set to 'Gemini 1.5 Flash'. It also shows 'Token Count' (441 / 1,000,000), 'Temperature' (set to 1), and 'Tools' options for 'JSON mode' (disabled), 'Code execution' (disabled), and 'Function calling' (disabled). There's also an 'Edit schema' button under Tools. At the bottom are buttons for 'Type something', 'Stop', and 'Clear'.

<https://ai.google.dev/aistudio>



Evolution of Prompt Engineering




<https://github.com/promptslab/Awesome-Prompt-Engineering>




Basic Prompts

User




Prompt Pipelines



<https://cobusgreyling.medium.com/the-evolution-of-prompt-engineering-29c3d6943af2>



Hallucinations in LLMs



<https://www.teneo.ai/blog/avoid-llm-hallucinations>



Hallucinations in LLMs

Training data set
issue

Architecture and
training objective

Prompt engineering

Over-optimization



Count r in Strawberry !!

The word "strawberry" contains 2 instances of the letter "r".

The word "strawberry" contains 2 occurrences of the letter "r".

<https://hackernoon.com/why-cant-ai-count-the-number-of-rs-in-the-word-strawberry>



Count r in Strawberry !!

✳️ Perplexity

Counting the Letter "R" in "Strawberry"

To count the number of times the letter "R" appears in the word "strawberry", we can break it down character by character:

S-T-R-A-W-B-E-R-R-Y

In this analysis, we see that the letter "R" appears 3 times in the word "strawberry" ① ② ③.

Some key points:

- Language models like ChatGPT do not always count letters correctly in words like "strawberry" ② ③
- This is because they break down words into tokens rather than individual letters, and the tokens may not map directly to the letters ②
- To get the right answer, you can have the AI spell out the word and count the "R"s as it goes ④
- Counting letters is a simple task for humans but can trip up even advanced AI systems ⑤ ⑥

So in summary, the letter "R" appears 3 times in the word "strawberry". While this is obvious to humans, it can be a tricky problem for current AI language models to solve consistently.



Count r in Strawberry !!

Count r in Strawberry

step-by-step of your thinking



Prompt Techniques

Zero-shot

Chain-of
Thought (CoT)

Few-shot

Meta or structure

<https://www.promptingguide.ai/techniques>



Chain of Thought Prompting (CoT)


Technique used to improve the reasoning ability of LLM

Try to break down a complex problem into smaller, More manageable steps, lead to final answer

Reasoning model !!



Chain of Thought Prompting (CoT)



Chain of Thought Prompting (CoT)

(a) Few-shot

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The answer is 8. ✗

(b) Few-shot-CoT

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. $5 + 6 = 11$. The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The juggler can juggle 16 balls. Half of the balls are golf balls. So there are $16 / 2 = 8$ golf balls. Half of the golf balls are blue. So there are $8 / 2 = 4$ blue golf balls. The answer is 4. ✓

(c) Zero-shot

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: The answer (arabic numerals) is

(Output) 8 ✗

(d) Zero-shot-CoT (Ours)

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: Let's think step by step.

(Output) There are 16 balls in total. Half of the balls are golf balls. That means that there are 8 golf balls. Half of the golf balls are blue. That means that there are 4 blue golf balls. ✓

<https://www.promptingguide.ai/techniques/cot>



Advice from OpenAI

CoT prompt may not enhance performance

Keep prompts simple and direct

Avoid CoT

Use delimiter for clarity


Limit additional context in RAG

<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



How reason works ?

Reasoning token (invisible token but billed)




<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



ReAct Prompt

LLM reasoning and additional tools (expert)
Improve better answer



<https://www.promptingguide.ai/techniques/react>




Write code with prompt




<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/prompt>




RGB ?



[255, 0, 0]



[255, 192, 203]




[0, 255, 0]

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-rgb>




Visualize RGB



https://huggingface.co/spaces/jphwang/colorful_vectors



Text-to-SQL



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-sql>




Retrieval Augmented Generation (RAG)



LLM-based app ?

External knowledge



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge

Up-to-date
Information

Citing sources

Data security
Access control List
(ACL)



Retrieval

Fetch the relevant information from external knowledge
Important step in curating the meaningful and contextually

Augmentation

Enhancing and adding more relevant context for user query

Generation

Output to user by LLM providers with knowledge and context




RAG helps ?

Hallucination
Cost and time consuming
Text repetition
Outdated of information
Uncontrollable
Accuracy !!




Limitation of LLM




RAG ?

Fixed-knowledge !!




RAG ?

Without




with RAG




<https://medium.com/google-cloud/google-cloud-rag-api-c7e3c9931b3e>




Basic RAG Architecture



RAG process



Contextual Compression Retriever (Reranker)




DG,


<https://medium.com/towards-data-science/advanced-retriever-techniques-to-improve-your-rags-1fac2b86dd61#8232>



Cross-Encoder (It is used to the reranking)



Bi-Encoder (It is used to the naive retriever)



DGG

<https://medium.com/towards-data-science/advanced-retriever-techniques-to-improve-your-rags-1fac2b86dd61#8232>



Evaluate Output ?



Great LLM Evaluation


==

Quality of Dataset × Quality of Metrics

<https://docs.confident-ai.com/confident-ai/confident-ai-introduction>



Evaluate Output ?



Evaluate Output ?

Test cases

Metrics

Evaluate
datasets

G-Eval

Answer relevancy

Bias

Toxicity

Custom metrics !!

<https://docs.confident-ai.com/docs/metrics-introduction>



DeepEval

DeepEval.

\$ the open-source LLM evaluation framework

[Get Started](#) [Try the DeepEval Platform](#)



Regression Testing for LLMs →
LLM evaluation metrics to unit test LLM
outputs in Python


Prompt and Model Discovery →
Gain insights to quickly iterate towards
optimal prompts and model

LLM Red Teaming →
Security and safety test LLM applications
for vulnerabilities

<https://docs.confident-ai.com/>




DeepEval



<https://docs.confident-ai.com/>




DeepEval



<https://docs.confident-ai.com/>



DeepEval




<https://docs.confident-ai.com/>




RAG with LLM

Improve your LLM models, more accurate answer




Retrieval-Augmented Generation (RAG) Framework



<https://www.k2view.com/blog/rag-genai>




RAG Implementation



<https://blog.dailydoseofds.com/p/5-chunking-strategies-for-rag>




RAG Implementation



<https://www.dailydoseofds.com/a-crash-course-on-building-rag-systems-part-1-with-implementations/>




RAG Implementation




<https://www.dailydoseofds.com/a-crash-course-on-building-rag-systems-part-1-with-implementations/>



RAG Implementation



RAG Implementation



https://huggingface.co/learn/cookbook/advanced_rag



RAG Key Terms

Tokenization

Chunking

Embedding


Embedding models

Similarity search
Vector search

LLM window
context



RAG Key Terms



<https://levelup.gitconnected.com/semantic-chunking-for-enhanced-rag-applications-b6bc92942af0>



Tokenization

Process of breaking down text into smaller units
called **t**okens

Tokens can be words, characters, or subwords,
depending on the task

Help prepare text data for analysis
by representing it in a structured way



Chunking



Chunking


Chunking is the grouping of tokens into meaningful sections, often based on grammatical structure, like noun phrases or verb phrases.

Helps in understanding the structure of sentences and the relationships between words






What Chunking ?

Size of Document
> context window size



Chunking



Good Chunking

Efficiency

Relevance

Context
preservation

Improve content
generation

Reduce noise



Bad Chunking

Loss context

Redundancy

Inconsistency



Chunking Strategies



Chunking Strategies !!

Fixed length
Recursive characters
Document structure-based
Semantic chunking
LLM-based chunking
Contextual retrieval

<https://www.linkedin.com/pulse/prompt-engineering-chunking-strategies-ravi-naarla/>

<https://blog.dailydoseofds.com/p/5-chunking-strategies-for-rag>



Chunking Visualization

ChunkViz v0.1

Want to learn more about AI Engineering Patterns? Join me on [Twitter](#) or [Newsletter](#).

Language Models do better when they're focused.

One strategy is to pass a relevant subset (chunk) of your full data. There are many ways to chunk text.

This is an tool to understand different chunking/splitting strategies.

[Explain like I'm 5...](#)

One of the most important things I didn't understand about the world when I was a child is the degree to which the returns for performance are superlinear.

Teachers and coaches implicitly told us the returns were linear. "You get out," I heard a thousand times, "what you put in." They meant well, but this is rarely true. If your product is only half as good as your competitor's, you don't get half as many customers. You get no customers, and you go out of business.

It's obviously true that the returns for performance are superlinear in business. Some think this is a flaw of capitalism, and that if we changed the rules it would stop being true. But superlinear returns for performance are a feature of the world, not an artifact of rules we've invented. We see the same pattern in fame, power, military victories, knowledge, and ...

[Upload txt](#)

Splitter: 

Chunk Size: 

Chunk Overlap: 

Total Characters: 2658
Number of chunks: 107
Average chunk size: 24.8

One of the most important things I didn't understand about the world when I was a child is the degree to which the returns for performance are superlinear.

Teachers and coaches implicitly told us the returns were linear. "You get out," I heard a thousand times, "what you put in." They meant well, but this is rarely true. If your product is only half as good as your competitor's, you don't get half as many customers. You get no customers, and you go out of business.

<https://chunkviz.up.railway.app/>



Choosing the right one !!



Based on
embedding model


User's query

Latency and
performance



Context

Precision



DGG

<https://medium.com/towards-data-science/advanced-retriever-techniques-to-improve-your-rags-1fac2b86dd61#8232>



Text Splitter Playground

Split a text into chunks using a **Text Splitter**. Parameters include:

- `chunk_size`: Max size of the resulting chunks (in either characters or tokens, as selected)
- `chunk_overlap`: Overlap between the resulting chunks (in either characters or tokens, as selected)
- `length_function`: How to measure lengths of chunks, examples are included for either characters or tokens
- The type of the text splitter, this largely controls the separators used to split on


Chunk Size	Chunk Overlap	Length Function	Select a Text Splitter
1000	- +	200	- +
Characters	RecursiveCharacter		

<https://langchain-text-splitter.streamlit.app/>



Contextual Retrieval


Contextual Retrieval Preprocessing



<https://www.anthropic.com/news/contextual-retrieval>



Contextual Retrieval



<https://www.anthropic.com/news/contextual-retrieval>



Contextual Retrieval

Implementation considerations

Chunk
boundary

Embedding
model

Custom
contextualizer
prompt

Number Of
chunks

<https://www.anthropic.com/news/contextual-retrieval>



Example




Document ?


(1) Stuff docs into long context llm



(2) Perform targeted table extraction




(3) Chunk doc w/ tables



<https://blog.langchain.dev/benchmarking-rag-on-tables/>



Document ?




<https://blog.langchain.dev/benchmarking-rag-on-tables/>



Embedding



Embedding



<https://levelup.gitconnected.com/the-best-rag-technique-yet-anthropics-contextual-retrieval-and-hybrid-search-62320d99004e>



Embedding


Embedding is a representation of text data in **numerical vector form**

Each word or sentence is represented as a **high-dimensional vector**, capturing its semantic meaning

Embeddings allow text to be used in **machine learning models** by converting it into a format the models can process.



Summary



Hello world


Token	Hello	World
Token id	1	2

[1,2]

```
[[ -3.95261124e-02 -1.66764930e-02 9.81786475e-02 1.27390521e-02  
-4.50244620e-02 -1.57272965e-02 6.66662678e-02 2.10209060e-02  
9.99843255e-02 3.95087115e-02 3.87372263e-02 -2.51084827e-02  
5.32396603e-03 4.54628207e-02 7.42979953e-03 2.00463505e-03  
-4.58151475e-02 -1.20408414e-03 -8.42441767e-02 -3.62469666e-02  
-1.61933392e-01 6.05303086e-02 4.38679755e-03 -1.14583876e-03  
-1.38427421e-01 2.52840482e-02 5.86531451e-03 -8.12693834e-02  
4.02542809e-03 -1.90829430e-02 -1.93073396e-02 9.50673595e-03  
-1.89097337e-02 3.16560529e-02 -4.22104448e-02 -1.75430663e-02  
3.54745984e-02 1.34416856e-02 4.95691150e-02 5.71430475e-02
```




RAG with PDF file



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/rag/demo-pdf>



RAG with MongoDB




<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/rag/demo-mongodb>



Contextual Retrieval


Combine Contextual Retrieval and Reranking to maximize retrieval accuracy



<https://www.anthropic.com/news/contextual-retrieval>



Context + Chunk !!



<https://www.anthropic.com/news/contextual-retrieval>




Prompt caching

Innovative technique designed to optimize the inference process of LLM

Store and reuse precomputed states

Reduce cost and increase speed



ANTHROPIC
Gemini

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-caching>



When to Use ?

Conversational agents

Coding assistance

Large document processing

Detailed instruction sets


Agentic search and tool use

Talk to books, papers, docs and large content

<https://www.anthropic.com/news/prompt-caching>



OpenAI



<https://platform.openai.com/docs/guides/prompt-caching>




Anthropic



<https://www.anthropic.com/news/prompt-caching>




Gemini



<https://ai.google.dev/gemini-api/docs/caching?lang=python>



RAG with Semantic/Contextual




<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/rag/demo-chunking>



Fine Tuning




Fine Tuning



Fine Tuning


Training with small and specific dataset
Adjust the model's weight based on our data



<https://towardsdatascience.com/rag-vs-finetuning-which-is-the-best-tool-to-boost-your-lm-application-94654b1eaba7>



Fine Tuning Process



<https://platform.openai.com/docs/guides/fine-tuning>



RAG vs Fine-tuning

Scenario	RAG preferred	Fine tune preferred
Skillset requirements	Strong in RAG engineering	Strong in deep learning model and fine tuning
Data freshness	Realtime or frequently updated	Static, domain-specific data
Domain complexity	Multiple domains or high data diversity	Specialized and heavy domain (medical)
Resources usage	Lower computation	Higher computation

<https://www.kdnuggets.com/go-out-stay-in-rag-vs-fine-tuning>



LLMs !!

Prompt
engineering

RAG

Fine tuning

Train from
scratch




Complexity
Cost
Quality



AI Agent



Goal or Result-based




<https://github.com/e2b-dev/awesome-ai-agents>



Goal-based agent


Attempts to choose best strategy to achieve goal on environment



<https://www.baeldung.com/cs/goal-based-vs-utility-based-agents>



AI Agent



<https://aws.amazon.com/th/what-is/ai-agents/>



Types of AI Agent

Simple reflex

Model-based
reflex

Goal-based

Utility-based


Learning

Hierarchical

<https://github.com/e2b-dev/awesome-ai-agents>



End-to-end Software Agent




<https://www.cognition.ai/blog/introducing-devin>



The AI Scientist: Towards Fully Automated Open-Ended Scientific Discovery

Chris Lu^{1,2,*}, Cong Lu^{3,4,*}, Robert Tjarko Lange^{1,*}, Jakob Foerster^{2,†}, Jeff Clune^{3,4,5,†} and David Ha^{1,†}

*Equal Contribution, ¹Sakana AI, ²FLAIR, University of Oxford, ³University of British Columbia, ⁴Vector Institute, ⁵Canada CIFAR AI Chair, [†]Equal Advising



<https://arxiv.org/abs/2408.06292>



Let's Start



Chat and Search



Chat and Search

Gemini



ChatGPT



perplexity



ChatGPT from OpenAI

The screenshot shows the ChatGPT interface. At the top left is the "ChatGPT" logo with a dropdown arrow. In the center is the AI icon (a stylized blue and white knot). Below the icon are four cards, each with an icon and text:


- Create a Renaissance-style painting
- Pick outfit to look good on camera
- Activities to make friends in new city
- Thank my interviewer

At the bottom is a message input field with a "Message ChatGPT" button and an upward arrow icon. A note below the field says: "ChatGPT can make mistakes. Check important info."

<https://chatgpt.com/>



ChatGPT Search



Google Gemini

Hello, somkiat
How can I help you today?

Help create a weekly meal plan for two

Settle a debate: how should you store bread?


Improve the readability of the following code

Revise my writing and fix my grammar

Your conversations are processed by human reviewers to improve the technologies powering Gemini

Enter a prompt here


Gemini may display inaccurate info, including about people, so double-check its responses. [Your privacy & Gemini Apps](#)



<https://gemini.google.com/app>



Microsoft Bing Copilot



<https://www.bing.com/chat>



Claude.AI

Using limited free plan [Upgrade](#)

* Good afternoon, Somkiat

How can Claude help you today?

Claude 3.5 Sonnet

Get started with an example below



Add content

Generate excel formulas

Summarize meeting notes

Write a memo




<https://claude.ai/new>



Claude AI + Artifact

Try to automatically compile and run generated code



<https://www.anthropic.com/news/clause-3-5-sonnet>



Demo

Claude Q Generate "Hello World" SVG ...

generate svg file for word "Hello World"

✖ Edit

Certainly! I'll create an SVG file with the text "Hello World." for you.

🔗 Hello World SVG
Click to open image

I've created an SVG file containing the text "Hello World". Here are some details about the SVG:

1. The SVG has a viewBox of 0 0 200 100, which means it has a width of 200 units and a height of 100 units.
2. The text "Hello World" is positioned at x=10 and y=50 within this viewBox.
3. The font used is Arial (with a sans-serif fallback), and the font size is 24 units.
4. The text color is black.

You can use this SVG in various ways, such as embedding it in a webpage or using it as a standalone image. The SVG format allows for scaling without loss of quality, making it suitable for various display sizes.

Would you like me to explain any part of the SVG code or make any modifications to the design?

Copy Retry ...

✳️

Claude can make mistakes. Please double-check responses.

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet. Subscribe to Pro X

Reply to Claude... ...

Claude 3.5 Sonnet A. 1

Last edited just now ... Publish

<https://claude.ai/>



Demo

The screenshot shows the Claude AI interface with a demo titled "React Login Form with Tailwind CSS".

Left Panel (Demo Preview):

- Title:** Create login form with reactjs and tailwind css
- Description:** I'd be happy to create a login form using React and Tailwind CSS for you. This is a great use case for a reusable component, so I'll create it as a React artifact.
- Component Preview:** A button labeled "React Login Form with Tailwind CSS Click to open component".
- List of Features:**
 1. A form with email and password input fields
 2. State management for email and password using React hooks
 3. A submit handler that logs the email and password (you'll need to replace this with your actual login logic)
 4. Tailwind CSS classes for styling, including responsive design
 5. A "Remember me" checkbox
 6. A "Forgot your password?" link
 7. A submit button
- Usage Instructions:** To use this component in your React application:
 1. Make sure you have React and Tailwind CSS set up in your project.
 2. Copy this component into your project.

Bottom Left (User Interaction):

- Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet.
- Reply to Claude...
- Claude 3.5 Sonnet 2 1

Right Panel (Code Preview):

- Title:** React Login Form with Tailwind CSS
- Content:** Sign in to your account form with fields for Email address and Password, a Remember me checkbox, a Forgot your password? link, and a Sign in button.
- Status:** Last edited just now
- Actions:** Publish

<https://claude.ai/>



Perplexity.AI

The screenshot shows the Perplexity AI interface. At the top, there's a navigation bar with a logo, a search bar containing the query "Create login form with reactjs and tailwind css", and a timestamp "Now". To the right of the search bar are icons for "Edit", "Share", and "Copy". On the left, there's a sidebar with links for "New Thread", "Home", "Discover", "Library", "Sign in", and a prominent "Sign Up" button. The main content area has a title "Create login form with reactjs and tailwind css" and a sub-section "Edit". Below this is a section titled "Answer" with a brief explanatory text. A code block shows bash commands: "npx create-react-app my-login-form" and "cd my-login-form". To the right of the main content is a sidebar with options to "Search Images", "Search Videos", and "Generate Image", each with a plus sign icon. A modal window is partially visible on the right, prompting the user to "Sign in or create an account" and offering "Continue with Google". It also includes fields for "Your email" and a "Continue with email" button.

<https://www.perplexity.ai/>



Perplexity.AI

Create REST API with nodejs and express

❖ Sources

- Creating a REST API with Node.js and Express | Postman Blog · blog.postman · 1
- How to create a backend API in Express JS - DEV Community · dev · 2
- Create Simple REST API with Node.js & Express - YouTube · youtube · 3

View 4 more

Perplexity

To create a REST API using Node.js and Express, follow these structured steps:

Prerequisites

- Node.js: Ensure Node.js is installed on your system. You can download it from the official site.
- NPM: This comes with Node.js and is used to manage packages.

Step-by-Step Guide

1. Set Up Your Project

- Create a Project Folder: Choose a name for your project folder, e.g., 'express-api'.
- Initialize Node.js Application: Open your terminal, navigate to your project folder, and

<https://www.perplexity.ai/search/create-rest-api-with-nodejs-an-H1bLD2YdSJyQgOrjbgvk5g>



Meta AI

 Meta AI X

New conversation
 Saved

History
Your conversations with Meta AI will appear here.

Ask Meta AI anything



Film genre debate



Help me change a tire



Imagine an image

Try experimental AI demos ↗

 Try experimental AI demos
Explore experimental AI demos that feature the latest advancements in AI research.

Ask Meta AI anything... ↑

Messages are generated by AI and may be inaccurate or inappropriate. [Learn more](#)

AI Demos ↗

 Somkiat Puisungnoen

Meta © 2024
[Privacy](#) · [Terms](#) · [AI Terms](#) · [Cookies](#)

<https://www.meta.ai/>



DeepSeek

Launching DeepSeek-V2.5, combining general and coding capabilities, API and Web upgraded.

deepseek

Brand new experience, redefining possibilities

Start Now

Free access to DeepSeek-V2.5.

Ignite questions, illuminate solutions.

Access API

128K context length.

\$0.14-\$0.28 for 1 million more.

<https://www.deepseek.com/>



Grok from X

Grok

Ask anything ➤

Grok can make mistakes. Verify its outputs.

What can you do? ➤

Give me a recipe for... ➤

Play 20 questions ➤

Homework help ➤

<https://x.com/i/grok?focus=1>



Groq (use LPU)

The screenshot shows the Groq AI Inference interface. At the top, there's a navigation bar with 'Products', 'Developers', 'Insights', 'About', 'DEV CONSOLE' (in red), a search icon, and a menu icon. The main heading is 'Groq is Fast AI Inference'. Below it is a large button labeled 'USE FULL CHAT'.

The central area displays 'Speed Insights' for a query. It shows:

Tokens			1200.00 T/s
30	25	55	1200.00 T/s
Input tokens	Output tokens	Tokens	

Below that, 'Inference Time' is shown:

Inference Time		
0.02	0.02	0.04
Input seconds	Output seconds	Seconds

At the bottom, there's a chart titled 'Tokens / second' with three data points:


	1745	1200	1446
Tokens / second	1745	1200	1446

A red circular button with a white square icon is located in the bottom right corner of the interface.

<https://groq.com/>



HuggingFace Chat




<https://huggingface.co/chat/>



WebLLM Chat


High-performance in-browser LLM inference engine



<https://webllm.mlc.ai/>



WebLLM Architecture



<https://blog.mlc.ai/2024/06/13/webllm-a-high-performance-in-browser-llm-inference-engine>




Chrome build-in AI

API	Explainer	Web	Extensions	Chrome Status
Prompt API	GitHub	In EPP	Origin trial	Not applicable
Summarizer API	GitHub	Origin trial	Origin trial	View
Language Detector API	GitHub	Origin trial	Known bug	View
Translator API	GitHub	In EPP	In EPP	View
Writer API	GitHub	Known bug	Known bug	View
Rewriter API	GitHub	Known bug	Known bug	View

<https://developer.chrome.com/docs/ai/built-in-apis>



Chrome build-in AI



<https://developer.chrome.com/docs/ai/built-in-apis>



Chrome Canary



Nightly build for developers

Get on the bleeding edge of the web. Be warned: Canary can be unstable.

[Download Chrome Canary](#)

For macOS 11 or later.

By downloading Chrome, you agree to the [Google Terms of Service](#) and [Chrome and ChromeOS Additional Terms of Service](#)

You can also download Chrome for [Windows 64-bit](#), [Windows 32-bit](#), [Windows ARM](#), [Linux](#) and [Android](#).

<https://www.google.com/chrome/canary/>



Chat and Search

User	Company	Console	Best model
ChatGPT	OpenAI	OpenAI platform	GPT-4o
Claude	Anthropic	Anthropic console	Claude 3.5 sonnet
Gemini	Google	Google AI Studio	Gemini 1.5 pro



LLMs on Devices

Provider
Server

OpenAI
Anthropic
Gemini
Local LLM

Web browser

WebLLM
Chrome build-in AI

Devices
Mobile phone

Lightweight models
Mllm model
Gemini nano


<https://github.com/UbiquitousLearning/mllm>
<https://deepmind.google/technologies/gemini/nano/>



Generative AI Use Cases



Generative AI Use Case Impact/Feasibility Matrix



<https://altair.com/blog/executive-insights/want-to-identify-good-generative-ai-use-cases-dont-be-boring>



Generative Design




Canva

The screenshot displays two main sections of the Canva interface. On the left, the 'Magic Media' feature is shown, allowing users to describe an image they want generated. A text input field contains the description: 'Blue and green space rover lost in a strange planet'. Below it is a button labeled 'Try an example'. To the right of the input field is a purple button with a white plus sign and the name 'Charlie'. At the bottom of this section are three style options: 'None', 'Filmic', and 'Watercolor'. A large blue button at the bottom right of this panel says 'Generate AI Images'. On the right side of the screen, the 'Storyboard' feature is displayed. It shows a grid-based storyboard with a single frame labeled '1'. This frame depicts a landscape with green hills and white clouds against a blue sky. Several annotations are present: a pink box on the right says 'Add sandstorm GGI in post prod', a yellow box below it says 'APPROVED BY DIRECTOR', and another yellow box at the bottom right says 'Vin'. The storyboard has a header with the 'Storyboard' title and a 'CO' logo.

<https://www.canva.com/ai-image-generator/>



Figma AI



The screenshot shows the Figma AI landing page. At the top, there's a navigation bar with the Figma logo, 'Products', 'Solutions', 'Community', 'Resources', 'Pricing', 'Contact sales', 'Log in', and a 'Get started for free' button. The main headline reads 'Your creativity, unblocked with Figma AI'. Below it, a sub-headline says 'Get started faster, find what you're looking for, and stay in the flow. Make space for more creativity.' A link 'Learn about our approach to building AI' is provided. To the right is a large, stylized graphic composed of overlapping blue, orange, and yellow shapes, set against a grid background.

Your creativity,
unblocked with Figma AI

Get started faster, find what you're looking for, and stay in the flow. Make space for more creativity.

[Learn about our approach to building AI](#)

<https://www.figma.com/ai/>



FigJam AI




Products ▾ Enterprise ▾ Pricing Resources ▾ Community ▾ Contact sales Log in Get started for free

Redesign the way you jam with FigJam AI

FigJam AI helps you instantly visualize ideas, suggest best practices, and automate tedious tasks.

Try it out



<https://www.figma.com/figjam/ai/>



Notion AI

 Notion ≡

Just ask Notion AI.

Knowledge, answers, ideas. One click away.

[Get Notion free](#)

 **Get answers**
Just ask Q&A, and find the info you need in seconds.

 **Write better**
Get help writing and brainstorming in Notion, not in a separate browser tab.

 **Autofill tables**
Turn overwhelming data into clear, actionable information in seconds.



<https://www.notion.so/product/ai>



Generative Generation



Mid Journey



<https://www.midjourney.com/>



FreePik

The FreePik homepage features a large, blurred background image of a flower. At the top left is the "FREEPIK" logo. The top navigation bar includes links for Tools, Images, Icons, Videos, Templates, PSD, Mockups (with a "NEW" badge), More, Pricing, and Sign in. A central call-to-action says "Create great designs, faster". Below it, a sub-headline reads "High-quality photos, videos, vectors, PSD, AI images, icons... to go from ideas to outstanding designs". A search bar at the top right includes a dropdown for "Assets", a search input, and a magnifying glass icon. Below the search bar are three smaller search boxes labeled "menu", "coloring pages", and "magazine mockup". At the bottom, a call-to-action button says "Sign up for 10 daily free downloads and access to AI tools" next to a "Sign up now" button.

<https://www.freepik.com/>



DALL.E 2 from OpenAI



Research ▾ Product ▾ Safety Company ▾

DALL·E 2

DALL·E 2 is an AI system that can create realistic images and art from a description in natural language.

[Try DALL·E ➔](#)

[Follow on Instagram ➔](#)

<https://openai.com/dall-e-2>



AI DeepFake



Celebrity Deepfakes AI Image Generator Premium Sign up Log in 日本語 English



Online Deepfake Maker

オンラインフェイススワップツール

動画を作成する

<https://deepfakesweb.com/>



AI-Powered !!



AI Data Analyst

Julius

Docs

Analyze your data with computational AI.

Chat with your files and get expert-level insights in seconds.

Try Julius AI >



Loved by over 1,200,000 users worldwide



HARVARD
UNIVERSITY

BCG

Yale

zapie

<https://julius.ai/>



AI Research Assistant

Think Smarter,
Not Harder

The ultimate tool for understanding the information that matters
most to you, built with Gemini 1.5

Try NotebookLM

<https://notebooklm.google/>



Transcription Services



Pricing Business

Convert audio to text

Automatically transcribe your meetings, interviews, lectures, and other conversations.

State of the art A.I., simple interface

Try It Free

Login →

Transcribe audio to text in 100+ languages




<https://transkriptor.com/>



AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Presentation Creator



The screenshot shows the homepage of the Gamma Presentation Creator website. At the top left is the Gamma logo with the word "Gamma". At the top right are links for "English", "Pricing", "Careers", "Login", and a "Try for free" button. The main visual is a background image of two people working at a table with laptops and sticky notes, overlaid with large, colorful text. The text reads "A new medium for presenting ideas." in purple and orange, and "Powered by AI." in black. Below the text, there are two descriptive lines: "Beautiful presentations, documents, and websites." and "No design or coding skills required." At the bottom center is a purple "Sign up for free" button.

A new medium
for presenting
ideas.

Powered by AI.

Beautiful presentations, documents, and websites.
No design or coding skills required.

Sign up for free

<https://gamma.app/>



Read Document



Read Documents Faster

Let AI summarize, find information, translate, transcribe, and get citations from your files in seconds. Works in 90+ languages.



Trusted by 100,000+ researchers and professionals.



<https://www.getcoralai.com/>



Software Development Life Cycle



SDLC

Requirement

Design

Develop

Testing

Deploy



Planning

Written planning process

Arch diagrams

Testing

Automated testing

TDD

Testing environments

Testing in prod

Performance testing

Load testing

Generate test data

Development

Automated dev env

CI/CD

Prototyping

Code review

Code generation

Templates

Cross-platform dev

Preview env

Post-commit code review

Linting

Static code analysis

Project mgmt

Shipping

FF & experimentation

Logging

Monitoring & alerting

Staged rollouts

Maintenance

Debug production

Documentation


Runbook examples

Mitigation runbook

pragmaticengineer.com



SDLC



Impacts with productivity ?

Automated
simple tasks

Improve quality
and reliability

Improve
communication


Faster
prototype



Survey




"Which AI tools have you tried or used for software development?"



pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>






pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



"Which AI tools have you tried or used for software development?"



pragmaticengineer.com


<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



**Generative AI isn't just a tool
it's your team member**



3 Pillar of Software Development



Requirement and Analysis



Requirement and Analysis

Requirement

Design

Develop


Testing

Deploy

Requirements writing and analysis
User story generation



Agents AI for Automated tasks



The screenshot shows the Taskade website's AI Agile User Story Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent 'Sign up for free' button. Below the navigation is a breadcrumb trail showing 'Project Management > Agile User Story'. To the right are search and categories filters. The main title 'AI Agile User Story Generator' is displayed with a small AI icon. A sub-headline explains the tool's purpose: 'Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.' Two buttons are visible: 'Generate AI Agile User Story' and 'Start with AI'. Below these buttons, four features are listed with icons: Dynamic AI builders, 100% fully customizable, Download & edit on-the-go, and Generate, publish, & share everywhere.

taskade

Product Solutions Learn Tools Pricing Help Log in Sign up for free

Project Management Agile User Story

Search Categories

AI Agile User Story Generator

Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.

Generate AI Agile User Story Start with AI

Dynamic AI builders 100% fully customizable Download & edit on-the-go Generate, publish, & share everywhere

<https://www.taskade.com/generate/project-management/agile-user-story>



Example with food delivery

Food Delivery Workflow Template

🛒 Order Processing #order

- Check for new orders
 - Verify customer details
 - Confirm payment status
- Prepare order items
 - Gather ingredients
 - Cook or prepare food
 - Package items securely

🚚 Delivery Management #delivery

- Assign delivery driver
- Plan delivery route
 - Prioritize multiple deliveries
 - Use GPS for directions
- Confirm delivery with customer
 - Send delivery notification
 - Obtain customer signature

📊 Post-Delivery Tasks #postdelivery

⌚ What would you like to do next? ▶

+ Create project ➡



✍ Continue writing

☰ Make longer

<https://www.taskade.com/generate/project-management/agile-user-story>




User Story Generator



<https://userstorygenerator.ai/>



Napkin




The screenshot shows the Napkin AI website homepage. At the top left is the Napkin logo with the word "beta" underneath. The top right features navigation links for "Home", "Pricing", "About us", "Sign in", and a "Get Napkin Free" button with a right-pointing arrow. The main headline "Get visuals from your text" is displayed in large, bold, dark font, accompanied by a blue lightning bolt icon. Below the headline, a subtext explains: "Napkin turns your text into visuals so sharing your ideas is quick and effective." To the left, there's a screenshot of the Napkin interface showing various visual elements like circles and arrows. To the right, a flowchart illustrates the process: "Start" leads to a decision diamond "Have a doc?". If "No", it goes to a "Type" action; if "Yes", it branches off. The URL <https://www.napkin.ai/> is visible at the bottom of the page.

<https://www.napkin.ai/>



Product Owner ChatGPT Prompt



The screenshot shows the homepage of PromptLeo. At the top, there is a navigation bar with a purple logo icon, the text "PromptLeo", and links for "Docs", "Contact", "Pricing", "Log In", "Sign Up", and a user icon. Below the navigation bar, the main title "Product Owner ChatGPT Prompts" is displayed in a large, bold, dark font. Underneath the title, there is a paragraph of text: "With so many tools available in 2023, it can be difficult to know how you can get the most out of ChatGPT. To help you out, this page offers over 100 ChatGPT prompt examples, ideas, and templates focusing on prompts for product owners." The background of the page has a subtle grid pattern.

<https://promptleo.com/prompt/chatgpt/product-owner>



Requirement analysis

Clarify of User requirement ?

<https://github.com/up1/workshop-ai-with-technical-team/wiki/Requirement-analysis>



Design Process



Design

Requirement

Design

Develop

Testing

Deploy

Architecture writing assistance


Sequence flow diagram generation

Data modeling

UX/UI design assistance



Excalidraw with AI



<https://excalidraw.com/>



DiagramGPT

The screenshot shows the DiagramGPT interface. At the top left is the DiagramGPT logo. At the top right is a link to the folks at eraser. Below the logo are two tabs: "Twitter data model" and "Flowchart". A large central area contains a dark gray box with the text: "Data model for Twitter that includes users, followers, DMs, likes, bookmarks, retweets, tweets, lists". At the bottom right of this box is a blue "Generate Diagram" button. Below this is another dark gray box labeled "Eraser Diagram" with a checkmark and the word "Complete". To the right of this box are two buttons: "Save" and "Save and Edit Diagram".

<https://www.eraser.io/diagramgpt>



Demo

Text to diagram AI Beta Mermaid

Currently we use Mermaid as a middle step, so you'll get best results if you describe a diagram, workflow, flow chart, and similar.

Prompt 9 requests left today

Try to generate authentication service from below
1. Customer call api gateway with REST API /login
2. Api gateway check user and password from auth service via gRPC
3. API gateway send response to client

Preview

```
sequenceDiagram
    participant Customer1 as Customer
    participant APIGateway as APIGateway
    participant AuthService as AuthService
    Customer1->>APIGateway: REST API /login with credentials
    activate APIGateway
    APIGateway->>AuthService: gRPC check user and password
    activate AuthService
    AuthService-->>APIGateway: gRPC response (success or failure)
    deactivate AuthService
    deactivate APIGateway
    APIGateway-->>Customer1: HTTP response (success or failure)
```

The diagram illustrates a three-step process for generating an authentication service. It starts with a 'Customer' sending a 'REST API /login with credentials' request to an 'APIGateway'. The 'APIGateway' then sends a 'gRPC check user and password' request to an 'Authservice'. Finally, the 'Authservice' returns a 'gRPC response (success or failure)' to the 'APIGateway', which in turn sends an 'HTTP response (success or failure)' back to the 'Customer'.

Generate → Cmd Enter View as Mermaid → Insert →



Database

The screenshot shows a database management interface with the following details:

- New database**: A button in the top-left corner.
- User Management Database ...**: A link in the top-left corner.
- User and Shipping Address ...**: A link in the top-left corner.
- Diagram**: The active tab in the top navigation bar.
- Migrations**: A tab in the top navigation bar.
- shipping_addresses**: A table with columns: id (Primary key), user_id, address_line1, address_line2, city, state, postal_code, country.
- users**: A table with columns: id (Primary key), name, email.
- Executed SQL**: A dropdown menu in the top-right corner.
- Create table of user that have many shipping address**: A tooltip message.
- The tables 'users' and 'shipping_addresses' have been created successfully. Here's a brief overview:**
 - Users Table**: Contains user information with columns for 'id', 'name', and 'email'.
 - Shipping Addresses Table**: Stores multiple addresses for each user, with columns for 'id', 'user_id' (foreign key referencing 'users'), 'address_line1', 'address_line2', 'city', 'state', 'postal_code', and 'country'.
- Conversation renamed to User and Shipping Address Management chance**: A message at the bottom left.
- PG 18 | Local-only database**: Database information at the bottom left.
- Primary key**, **Identity**, **Unique**, **Nullable**: Column options at the bottom left.
- Message AI or write SQL**: A text input field at the bottom right with an upward arrow icon.

<https://database.build/>



MongoDB Compass

The screenshot shows the MongoDB Compass interface. At the top, there's a search bar with a placeholder question: "How many users signed up last month?". To the right of the search bar is a "Generate" button. Below the search bar, the text "Use natural language to generate queries and pipelines" is displayed. Underneath this text, a message states: "Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass." At the bottom of the interface, there are two buttons: a green "Log in to Atlas to enable" button and a blue "Not now" button. A note at the bottom reads: "This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information."

How many users signed up last month?

Generate

Use natural language to generate queries and pipelines

Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass.

Log in to Atlas to enable


Not now

This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information.

<https://www.mongodb.com/products/tools/compass>



v0.dev (support Figma)



<https://v0.dev/>



Val Town

The screenshot shows a software development interface with a dark-themed header bar. The top left shows the project name "val town" and a branch "up1/zanyTomatoLamprey". The top right includes a search icon, a "New" dropdown, and a user profile icon.

Code Review: A dark card on the left displays the commit message "up1/zanyTomatoLamprey version 1" and a detailed description of the changes made to create a login form with React and SQLite storage. It also lists the steps required to add a "Forgot Password" link.

Changes: A light card shows the commit message "up1/zanyTomatoLamprey version 2" and a note that a "Forgot Password" link has been added to the login form.

Deployment: A light card on the right shows the deployed URL <https://up1-zanytomatolamprey.web.val.run>. The page displays a clean login form with fields for "Username" and "Password", a blue "Login" button, and a "Forgot Password?" link below it. A green message states "Password reset functionality not implemented yet." Below the form is a "View Source" link.

Footer: At the bottom, there are buttons for "Reply to Townie", "version 2", "Logs", and "Requests".

<https://www.val.town/>



OpenUI

User Profile Card

I need a user profile card with an avatar, name, and social media links in Tailwind CSS.

Version 0

HTML JSX

```
<div class="bg-card dark:bg-card-foreground text-card-foreground dark:text-card-foreground">
  <div class="flex items-center justify-center">
    
  </div>
  <div class="text-center mt-4">
    <h2 class="text-lg font-bold">John Doe</h2>
    <div class="mt-2">
      <a href="#" class="text-primary hover:underline">Twitter</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">LinkedIn</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">GitHub</a>
    </div>
  </div>
</div>
```

Ask for changes to the current UI

<https://openui.fly.dev/>



Magic Pattern

The screenshot shows the Magic Patterns web application interface. At the top, there is a navigation bar with links for 'Magic Patterns', 'Use Cases', 'Customers', and a user profile icon. Below the navigation bar, a large heading reads 'Prototype your product ideas with AI.' followed by a subtext: 'Iterate on components & designs in our AI-native editor. Export to React or Figma.' Three buttons are visible: 'Generate a new UI' (disabled), 'Add a new feature to an existing UI' (highlighted in blue), and 'Apply a theme to an existing UI'. The main area features a flowchart diagram with three boxes connected by arrows. The first box on the left contains the text 'Import your existing UI' and a placeholder 'Add an image or screenshot'. The middle box contains the text 'Describe what to add to the existing UI' with examples like 'e.g. add an error state' and '(Optional) Include an image'. The third box on the right contains a 'Generate' button with a loading icon. The entire interface has a clean, modern design with a light gray background and white grid lines.

<https://www.magicpatterns.com/>



Screenshot to Code

Screenshot to Code

Sign in Get started

Build User Interfaces 10x Faster


Convert any screenshot or design to clean code (with support for most frameworks)

Get started GitHub 46,018 stars

#1 tool used by developers and designers from leading companies. Fully open source with 46,000+ stars on GitHub.

Microsoft Amazon MIT


Stanford ByteDance Baidu 百度



<https://github.com/abi/screenshot-to-code>




Make Real



<https://github.com/tldraw/make-real>



Working with LLM's APIs




ANTHROPIC
Gemini



Development Process



AI CODING LANDSCAPE (JAN 2025)



https://www.linkedin.com/posts/zhu-liang_there-are-so-many-ai-coding-tools-how-to-activity-7286969704546480128-vLMB/



Advantage LLM for Coding

More memory
Understand context
Analysis
Generation



Develop

Requirement

Design

Develop

Testing

Deploy

Code generation

Review and explain code

Debugging code


Improve consistency

Code translation



Development

Generative AI can increase developer speed, but less so for complex tasks.



<https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/unleashing-developer-productivity-with-generative-ai>



Tools (Seamless with developer)

GitHub Copilot

Codium AI

aider

Continue

Bito



Category of Tools

Chat AI

Code AI

Agent AI

ChatGPT

Gemini

Claude.ai

Bing



Category of Tools

Chat AI

ChatGPT
Gemini
Claude.ai
Bing

Code AI


GitHub Copilot

AI Agent
Public and Local

Aider
Continue
Codium




Development




<https://martinfowler.com/articles/2023-chatgpt-xu-hao.html>




Development



Development



Development + Testing



Main Features

Ask question

Generate code

Refactor code

Document code


Find problems in your code



Tools on Web




GPT Engineer => Lovable



<https://lovable.dev/>



GPT Engineer



<https://gptengineer.app/>



v0.dev

The screenshot displays the v0.dev platform's user interface. At the top, there is a navigation bar with a logo on the left and a "Private Beta" button on the right. Below the navigation bar, a dark modal window titled "A 'report an issue' modal" is open, featuring three small icons: a square with a diagonal line, a checkmark, and a left arrow. Underneath the modal, there are four small buttons labeled "Product categories", "Hero section", "Contact form", and "Ecommerce dashboard". The main content area is divided into two tabs: "New Generations" (which is selected) and "Featured". Below these tabs, there are several cards, each showing a different website prototype. The prototypes include a "Soccer Game" landing page, a "Enhance Your Education Journey" hero section, a "Black and White Website" template, a "product tour like appcues" card, a "Quiz" page, a "Products" page, and an "Ecommerce dashboard". Each card has a small circular profile picture of a person at the bottom left and a descriptive text bubble at the bottom right.

<https://v0.dev/>



Bolt.new

What do you want to build?

Prompt, run, edit, and deploy full-stack web apps.

How can Bolt help you today?

Start a blog with Astro Build a mobile app with NativeScript Create a docs site with Vitepress

Scaffold UI with shadcn Draft a presentation with Sliddev Code a video with Remotion

or start a blank app with your favorite stack

Next.js Next.js 13 React Native Cloudinary Vite

React Router TS React Query Apollo GraphQL

<https://bolt.new/>



Galileo.ai

Generate interface designs at lightning speed

Galileo AI is a UI generation platform for easy and fast design ideation

Describe your design

Generate

Featured Mobile Web

The image displays four generated user interface designs side-by-side, each with a title and a creator's name:

- Product portal for unstructured data transformation at Trellis...** by **Marker**
- Turn this website into a more kinda social media website for sharing, likin...** by **azvect**
- Finance website account page for premium features: A section for...** by **azvect**


<https://www.usegalileo.ai/>



AI in Editor



What is your favorite coding editor with GenAI features (that help your work)?




pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ide-that-software-engineers-love>



GitHub Copilot



The screenshot shows the GitHub Copilot homepage. At the top, there's a navigation bar with links for Product, Solutions, Resources, Open Source, Enterprise, Pricing, a search bar, a dashboard button, and a user profile icon. Below the navigation is a secondary navigation bar with links for Features, Copilot (which is underlined), Security, Code review, Search, Issues, Actions, Packages, Codespaces, and Discussions. A prominent banner in the center says "Copilot Enterprise now available". The main headline reads "The world's most widely adopted AI developer tool." Below the headline is a button labeled "Get started with Copilot >". In the bottom right corner, there's a small, stylized blue and purple AI character.

<https://github.com/features/copilot>



Using GitHub Copilot Chat correlates with better code quality


85% of developers felt more confident in their code quality when authoring code with GitHub Copilot and GitHub Copilot Chat

85%




Code reviews were more actionable and completed 15% faster than without GitHub Copilot Chat

15%




88% of developers reported maintaining flow state with GitHub Copilot Chat

88%



GitHub Copilot + Multi-models



<https://github.blog/news-insights/product-news/bringing-developer-choice-to-copilot/>



Cursor.sh



Pricing Features Forum Docs Careers Blog

Sign In

Download

The AI Code Editor

Built to make you extraordinarily productive, Cursor is the best way to code with AI.



Download for Free



Watch Demo
1 Minute

<https://www.cursor.com/>



AI for Software Development
© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Cursor Directory

cursor.directory

Get latest updates [Subscribe](#) [Live](#) [Learn](#) [About](#)

Search... All Popular

Topic	Count
TypeScript	15
Python	9
Next.js	9
React	9
PHP	5
C#	4
Expo	4
React Native	4
Tailwind	4
Supabase	4
Web Development	3
Game Development	3
JavaScript	3
Laravel	3

TypeScript

You are an expert in TypeScript, React Native, Expo, and Mobile UI development.

Code Style and Structure

- Write concise, technical TypeScript code; accurate examples.
- Use functional and declarative programming patterns; avoid classes.
- Prefer iteration and modularization over duplication.
- Use descriptive variable names with auxiliary verbs (e.g., isLoading, hasError).
- Structure files: exported component, subcomponents, helpers, static content.
- Follow Expo's official documentation for best practices.

Krish Kalaria
expo-router expo-status-bar +7 more ~

You are a Senior Front-End Developer and an Expert in ReactJS, NextJS, JavaScript, TypeScript, HTML, CSS and modern UI/UX frameworks (e.g., TailwindCSS, Shadon, Radix). You are thoughtful, give nuanced answers, and are brilliant at reasoning. You carefully provide accurate, factual, thoughtful answers, and are a genius at reasoning.

- Follow the user's requirements carefully & to the letter.

- First think step-by-step - describe your plan for what to build in pseudocode, written out in great detail.

Mohammadali Karimi
Tailwind CSS Shadon UI +1 more ~

You are an expert in TypeScript, Node.js, Next.js App Router, React, Shadon UI, Radix UI and Tailwind.

Code Style and Structure

- Mditate concisely, functionally, TypeScript-like.

Nathan Brachotte
gatsby react +2 more ~

You are an expert in Solidity, TypeScript, Node.js, Next.js 14 App Router, React, Vite, View v2, Wagmi v2, Shadon UI, Radix UI, and Tailwind Aria.

[Submit +](#)

<https://cursor.directory/>



Windsurf by Codeium



Built to keep you in *flow state*

The first agentic IDE, and then some. The Windsurf Editor is where the work of developers and AI truly flow together, allowing for a coding experience that feels like literal magic.

 Download the Windsurf Editor

See all download options

<https://codeium.com/windsurf>



AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Aide

[Blog](#)[Pricing](#)[Docs](#)[Releases](#)[About](#) ▾[Account](#)


The open-source AI-native IDE.

Powered by the state-of-the-art agentic framework on
swebench-verified

Download for MacOS
Apple Silicon

[View on GitHub](#)

Looking for a different platform?



<https://aide.dev/>



AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Pair programming with AI



AI Pair Programming

Aider is AI pair programming in your terminal

Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).




<https://github.com/paul-gauthier/aider>




Test-Driven Development




Test-Driven-Development




Test-Driven-Development



Test-Driven-Development




AI-DD



<https://dev.to/dawiddahl/ai-is-changing-the-way-we-code-ai-driven-development-aidd-2ngo>




TDD with AI



<https://github.com/allenheltondev/tdd-ai>



TDD with AI



<https://arxiv.org/html/2405.10849v1>



Test-Driven-Generation (TDG)



Test-Driven-Generation (TDG)

Development practice that integrate Generative AI into the development life-cycle

TDD

+

Pair
programming


+

Generative AI

<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>




Test-Driven-Generation (TDG)



<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>



Test-Driven-Generation (TDG)



Tips and Techniques with AI

Scope of prompt

Error in result

Setup and config
project

Latest information

Use technical
keywords



Workshop with Coding



Workshop with Coding

Chat

Text Editor with AI

Pair programming
with AI

AI Agent



Pair programming with Aider

GPT-4o and
o1

Claude 3.5
Sonnet


DeepSeek
Coder

llama

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/aider>



TDD with AI



<https://github.com/up1/workshop-ai-with-technical-team/wiki/TDD-with-AI>



More tools ...



Auto pilot with Code

 Continue

Enterprise

About Us

Docs

Blog



Amplified developers, automated development

The leading open-source AI code assistant. You can connect any models and any context to build custom autocomplete and chat experiences inside the IDE



VS Code



JetBrains

<https://github.com/continuedev/continue>



CodeGPT



Academy Developers ▾ Partners Pricing Business Solutions

Get Started

AI Coding for Developers

Explore our **AI Code Assistants** and **Copilot Generator Platform**, tailored for AI coding. We offer the perfect solution, specifically designed to make it simple for the engineering teams to code using AI.

Create Free Account

Download VSCode/Cursor Extension

<https://codegpt.co/>



Code Review

The screenshot shows the homepage of the Codium AI website. At the top, there is a dark blue header with the Codium AI logo on the left and navigation links for Products, Pricing, Blog, Contact, and About on the right. The main title "Generating meaningful tests for busy devs" is displayed in large, white, sans-serif font. Below the title, a descriptive paragraph explains the product's purpose: "With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it." At the bottom of the main section, there is a call-to-action button labeled "Get your FREE Codiumate now:" followed by two smaller buttons for "VS Code" and "JetBrains".

Codium^{ai} Products ▾ Pricing Blog Contact About ▾

Generating meaningful tests for busy devs

With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it.


Get your FREE Codiumate now:

VS Code → JetBrains →

<https://www.codium.ai/>



Code Review




The image shows a screenshot of the Codeium AI Assistant interface. At the top, there is a dark header bar with the text "Introducing Codeium Teams →". Below this, the main title "The modern coding superpower" is displayed in large, bold, white and teal text. A subtitle "AI assistant" is partially visible below the main title. At the bottom, there are two buttons: a teal button labeled "Get Extension >" and a white button labeled "Try in browser".

<https://codeium.com/>



AI Code Review




The screenshot shows the Bito AI Code Review homepage. At the top, there's a navigation bar with links for Product, Enterprise, Resources, Pricing, and Docs, along with Sign In and Get Started for Free buttons. The main headline reads "Cut review time by 50%" and "High quality AI code reviews". Below this are two buttons: "Get Started" and "Get a demo". To the right, there's a large screenshot of the Bito interface showing a sidebar with options like "Merge Requests" and a video feed of a developer. The main area displays a "Code Review Agent Run Status" section with a list of successful tasks and a "Watch demo" button. At the bottom, a footer states "Accessible, accurate AI tools trusted by developers across the world."

<https://bito.ai/>



Gemini Code Assist



Gemini Code Assist

Google [google.com](#) | 215,059 | ★★★★★ (21)

AI-assisted development powered by Gemini 2.0

[Uninstall](#) Auto Update 

[DETAILS](#) [FEATURES](#)

Gemini Code Assist - Your AI assistant powered by Gemini 2.0

Bring the power of Gemini 2.0 to help you build applications faster and easier than ever before.

Key Features


- Coding assistance powered by Gemini 2.0.
- Contextualized responses to your prompts to help guide you on what you're trying to do with your code.
- Source citations regarding which documentation and code samples the assistant used to generate its responses.
- Automated code reviews in GitHub with Gemini Code Assist for GitHub.

2025/02/25

<https://codeassist.google/products/business?hl=en>



* Welcome to **Claude Code** research preview!



Claude Code is billed based on API usage through your Anthropic Console account.

Pricing may evolve as we move towards general availability.

Press Enter to login to your Anthropic Console account...

2025/02/25

<https://www.anthropic.com/news/clause-3-7-sonnet>



Claude Code is at capacity

Claude Code is currently experiencing high demand. Anthropic has paused sign ups to provide the best possible service to customers. We'll notify you when we have a spot for you!

[Don't notify me when signups resume](#)

Go to developer console



<https://www.anthropic.com/news/clause-3-7-sonnet>



Testing Process with High quality process

Functional

Non-Functional



Testing

Requirement

Design

Develop


Testing

Deploy

Test cases writing
Test code generation
Bug detection
Test planning
Data test generation



Test Case generator



The image shows the top navigation bar of the Taskade website. It includes the Taskade logo, a search bar, and various menu options like Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent green "Sign up for free" button.

taskade Product ▾ Solutions ▾ Learn ▾ Tools ▾ Pricing Help Log in [Sign up for free](#)

Programming ▾ Test Case Search Categories ▾

AI Test Case Generator

Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy.

 Save Workflow

 Generate Now

 Dynamic AI builders  100% fully customizable  Download & edit on-the-go  Generate, publish, & share everywhere

<https://www.taskade.com/generate/programming/test-case>




Testing with Postman

Postbot, our AI-powered assistant, will supercharge your API development.

Speed up your most common API development workflows with natural-language input, conversational interactions, and contextual suggestions.

[Get Started](#)



<https://www.postman.com/product/postbot/>



PostBot

The screenshot shows the Postman application interface. A GET request is being made to <https://jsonplaceholder.typicode.com/users/1>. The 'Tests' tab is selected in the request header bar. The response body is displayed in Pretty JSON format, showing a user object with fields like id, name, username, email, and address. A context menu is open over the response body, listing options such as 'Add tests to this request', 'Test for response...', 'Visualize response...', 'Save a field from response', and 'Add documentation'. A 'New on Postbot' modal is also visible, explaining AI features for test completion.

```
1 {  
2   "id": 1,  
3   "name": "Leanne Graham",  
4   "username": "Bret",  
5   "email": "Sincere@april.biz",  
6   "address": {  
7     "street": "Kulas Light",  
8     "suite": "Apt. 556".  
9   }  
10 }
```

<https://www.postman.com/product/postbot/>



6 Keys software quality

Defect density

Code duplication

Hardcode token/key

Security
vulnerabilities

Outdated package

Non-permissive
opensource libraries



Deployment Process



Deploy and manage

Requirement

Design

Develop

Testing

Deploy

CI/CD pipeline

Infrastructure as a code

Automated script

Performance and monitoring suggestion

Document generation

AI-assist support

ChatOps, AIOps



PromptOps



Solutions ▾ Resources ▾ Contact us Log In

ChatGPT for your DevOps Teams

Turn DevOps tasks into automated workflows with a single prompt straight from Slack

Get started

Learn More

A screenshot of the PromptOps Slack app interface. At the top, there's a message from the "PromptOps APP" bot: "Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!". Below this, a Slack conversation shows a user named "Sergoy" reporting an issue: "Uh oh, MOAR 408 errors in graph-engine. Help, @PromptOps!". The "PromptOps APP" bot responds with "Eleven ran into this issue last week" and suggests a fix: "aws easily fixed it by bumping up CPU cores on nginx node. Should I do it?". Two buttons at the bottom right of the message are "Yes" and "No". At the bottom of the screenshot, there are four buttons: "Acknowledge", "Resolve", "Run a play ▾", and "Edit code".

PromptOps APP
Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!

Sergoy 02:14am
Uh oh, MOAR 408 errors in graph-engine.
Help, @PromptOps!

PromptOps APP 02:14am
Eleven ran into this issue last week
aws easily fixed it by bumping up CPU cores on nginx node.
Should I do it?

Yes No

Acknowledge Resolve Run a play ▾ Edit code

<https://www.promptops.com/devops/>




ChatOps for DevOps




[Product](#)[How it Works](#)[Learn](#)[Company](#)[Uptime](#)[Sign In](#)[Book a demo](#)[Sign Up](#)

> ChatGPT for DevOps

Converse with your engineering platforms, powered by LLM.
A virtual teammate to handle DevOps requests so you can handle the rest.

[Add Kubi to Slack](#)

-  Kubi (DevOps)
@Alerts I got an alert from Prometheus:

Deployment 'alert-manager' on namespace 'Openfaas' is experiencing high traffic
-  Kubi (DevOps)
@Alerts Should I increase the number of replicas on 'alert-manager'?
-  Jeff (R&D)
Yes
-  Kubi (DevOps)

✓ The following deployment has been updated:
Deployment: alert-manager
Namespace: Openfaas
Replicas: 3

<https://www.kubiya.ai/>



K8sGPT



**CLOUD NATIVE
SANDBOX** K8sGPT joins the
CNCF Sandbox


K8sGPT is a tool for scanning your kubernetes clusters, diagnosing and triaging issues in simple english. It has SRE experience codified into its analyzers and helps to pull out the most relevant information to enrich it with AI.

Get it now!

<https://k8sgpt.ai/>



Forecast problem from data



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-ops/time-serie-data>



Risks when using Generative AI





Risks

Quality of output generated
Explainability of decisions
Security policy !!
Sensitive data !!



Tips

Understand what you want


Modular approach

Clear and Precise inputs

Make sure you understand the code




Quality process ?



Skill Required


Knowledge of ethical AI principles, legal and regulatory compliance, stakeholder management



Security !!



OWASP Top 10 for LLM app



<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM01

Prompt Injection

Crafty inputs can manipulate a Large Language Model, causing unintended actions. Direct injections overwrite system prompts, while indirect ones manipulate inputs from external sources.

LLM02

Insecure Output Handling

This vulnerability occurs when an LLM output is accepted without scrutiny, exposing backend systems. Misuse may lead to severe consequences like XSS, CSRF, SSRF, privilege escalation, or remote code execution.

LLM03

Training Data Poisoning

This occurs when LLM training data is tampered, introducing vulnerabilities or biases that compromise security, effectiveness, or ethical behavior. Sources include Common Crawl, WebText, OpenWebText, & books.

LLM04

Model Denial of Service

Attackers cause resource-heavy operations on Large Language Models leading to service degradation or high costs. The vulnerability is magnified due to the resource-intensive nature of LLMs and unpredictability of user inputs.

LLM05

Supply Chain Vulnerabilities

LLM application lifecycle can be compromised by vulnerable components or services, leading to security attacks. Using third-party datasets, pre-trained models, and plugins can add vulnerabilities.

LLM06

Sensitive Information Disclosure

LLM's may reveal confidential data in its responses, leading to unauthorized data access, privacy violations, and security breaches. It's crucial to implement data sanitization and strict user policies to mitigate this.

<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM07

Insecure Plugin Design

LLM plugins can have insecure inputs and insufficient access control. This lack of application control makes them easier to exploit and can result in consequences like remote code execution.

LLM08

Excessive Agency

LLM-based systems may undertake actions leading to unintended consequences. The issue arises from excessive functionality, permissions, or autonomy granted to the LLM-based systems.

LLM09

Overreliance

Systems or people overly depending on LLMs without oversight may face misinformation, miscommunication, legal issues, and security vulnerabilities due to incorrect or inappropriate content generated by LLMs.

LLM10


Model Theft

This involves unauthorized access, copying, or exfiltration of proprietary LLM models. The impact includes economic losses, compromised competitive advantage, and potential access to sensitive information.

<https://llmtop10.com/>




Prompt Injection !!



<https://llmtop10.com/>



Prompt Injection !!




https://learnprompting.org/docs/prompt_hacking/injection



Secure GenAI

Generative AI Security Scoping Matrix

A MENTAL MODEL TO CLASSIFY USE CASES



<https://aws.amazon.com/blogs/security/securing-generative-ai-data-compliance-and-privacy-considerations/>



National AI Policies & Strategies


The screenshot shows the homepage of the OECD.AI Policy Observatory. The top navigation bar includes links for Blog, Experts, AI Principles, Policy areas, Trends, and a search bar. Below the navigation is a breadcrumb trail: Home > National strategies & policies. A large teal header banner reads "National AI policies & strategies". A descriptive text below the banner states: "This section provides a live repository of over 1000 AI policy initiatives from 69 countries, territories and the group targeted by the policy." A grid of country and territory logos and names is displayed, categorized into three columns: Countries & territories, Policy instruments, and Target Groups.

Countries & territories	Policy instruments	Target Groups
African Union	Costa Rica	Iceland
Argentina	Croatia	India
		Luxembourg
		Malta

<https://oecd.ai/en/dashboards/overview>



Test & Secure your LLM apps



<https://www.promptfoo.dev/>



Local LLM



Local LLM

Run LLM on local machine/device
Try to customize with your requirement

Reduce cost

Data privacy


Responsive

Offline mode




Local LLM

Improve your LLM models, more accurate answer



Models ?

How to download models ?



Local LLM Server



Local LLM with LM Studio

The screenshot shows the LM Studio website on the left and the application interface on the right.

Website (Left):

- Header: LM Studio
- Top navigation: Docs, Blog, Download
- Main heading: LM Studio
- Text: Discover, download, and run local LLMs
- Announcement: LM Studio v0.3.0 is finally here! 🎉🎉🎉 Read the announcement
- Run buttons: LLaMa, Phi, Gamma, DeepSeek, Owen, Mistral
- Built with open source projects like [llama.cpp](#) and [lmstudio.js](#)
- Download buttons:
 - Download LM Studio for Mac (M1/M2/M3) 0.3.2
 - Download LM Studio for Windows (x64) 0.3.2
 - ⚠️ Download LM Studio for Linux (x86) 0.3.2
- Text: LM Studio is provided under the [terms of use](#).

Application (Right):


A screenshot of the LM Studio application window titled "LM Studio - Community Edition 0.3.0". The window shows a file tree on the left and a configuration panel on the right. The configuration panel includes sections for "Advanced Configuration" (with fields for "System Prompt" and "Model"), "P Serial", and "C Sensors". A cursor is visible over the "C Sensors" section.

<https://lmstudio.ai/>



Local LLM with LM Studio

Load model from Hugging Face




<https://lmstudio.ai/>



Local LLM with Ollama

\$ollama run **llama3.1**



<https://ollama.com/>



Local LLM with LlamaEdge



LlamaEdge

Feature FAQ Models Docs | [View on GitHub](#)

The easiest, smallest and fastest local LLM runtime and API server.

[Quick Start with Gaia](#)

Powered by Rust & WasmEdge (A CNCF hosted project) ⓘ

<https://llamaedge.com/>



Local LLM with LocalAI



<https://localai.io/>



More

GPT4All

LlamaFile

Jan.ai

NextChat

Anything LLM

<https://github.com/Hannibal046/Awesome-LLM>



LLM Models



Hugging Face Model Hub

NEW AI Tools are now available in HuggingChat

The AI community building the future.

The platform where the machine learning community collaborates on models, datasets, and applications.

Models 450,541

Tasks

- Vision
- Computer Vision
- Natural Language Processing
- Audio
- Tabular
- Reinforcement Learning

Datasets

Spaces

Posts

Docs

Pricing

Log In

Sign Up

meta-llama/Llama-2-7b
Text Generation • Updated 4 days ago • 25.2k • 4.6k

stabilityai/stable-diffusion-v1-base-0.4
Text-to-Image • Updated 1 day ago • 2.7M • 1.4k

openai/openchat
Text Generation • Updated 2 days ago • 1.1M • 2.8k

lilyaydin/ControlNet-v1.2
Image-to-Image • Updated 4 days ago • 1.8M

ceresense/zeroscope_v2_XL
Text Generation • Updated 2 days ago • 3.05k • 2.2k

meta-llama/Llama-2-20b
Text Generation • Updated 4 days ago • 1.1M • 2.4k

tiiuae/falcon-40b-instruct
Text Generation • Updated 27 days ago • 1.28M • 5.9k

MirroredH/MixedCodes-v1B-v1.0
Text Generation • Updated 2 days ago • 11.2k • 0.3k

CompVis/stable-diffusion-v2-4
Text-to-Image • Updated about 17 hours ago • 1.4M • 2.6k

StabilityAI/stable-diffusion-v2-2
Text-to-Image • Updated about 17 hours ago • 1.7M • 2.8k

Salesforce/qwen-2b-8w-inat
Text Generation • Updated 4 days ago • 2.1M • 0.5k

<https://huggingface.co/>



Hugging Face :: Model

The screenshot shows the Hugging Face Model Hub interface. On the left, there's a sidebar with sections for Tasks (Libraries, Datasets, Languages, Licenses), Other, Filter Tasks by name, Multimodal (Image-Text-to-Text, Visual Question Answering, Document Question Answering, Video-Text-to-Text, Any-to-Any), and Computer Vision (Depth Estimation, Image Classification, Object Detection, Image Segmentation, Text-to-Image, Image-to-Text, Image-to-Image, Image-to-Video, Unconditional Image Generation, Video Classification, Text-to-Video, Zero-Shot Image Classification, Mask Generation, Zero-Shot Object Detection, Text-to-3D). The main area is titled 'Models 233,861' and has a search bar with 'llama'. It includes 'Full-text search' and 'Sort: Trending' buttons. The search results list several Llama models:

- black-forest-labs/FLUX.1-dev** (Text-to-Image, Updated Aug 16, 919k, 4.73k)
- meta-llama/Meta-Llama-3.1-8B-Instruct** (Text Generation, Updated Aug 21, 3.09M, 2.61k)
- jinaai/reader-lm-1.5b** (Text Generation, Updated 5 days ago, 8.28k, 382)
- black-forest-labs/FLUX.1-schnell** (Text-to-Image, Updated Aug 16, 1.06M, 2.35k)
- nvidia/Llama-3_1-Nemotron-51B-Instruct** (Text Generation, Updated about 14 hours ago, 61, 79)
- dleemiller/word-llama-12-supercat** (Updated Aug 12, 81)
- ICTNLP/Llama-3.1-8B-Omni** (Updated 12 days ago, 1.39k, 324)

<https://huggingface.co/>



Big Code model leader board

★ Big Code Models Leaderboard

Inspired from the [Open LLM Leaderboard](#) and [Open LLM-Perf Leaderboard](#), we compare performance of base multilingual code generation models on [HumanEval](#) benchmark and [MultiPL-E](#). We also measure throughput and provide information about the models. We only compare open pre-trained multilingual code models, that people can start from as base models for their trainings.

Evaluation table Performance Plot About Submit results ↗

See All Columns

Search for your model and press ENTER...

Filter model types

all base instruction-tuned EXT external-evaluation

T	Model	Win Rate	humaneval-python	java	javascript	cpp
♦ EXT	OpenCodeInterpreter-DS-33B	55.83	75.23	54.8	69.06	64.47
♦ EXT	Nxcode-CQ-7B-crop	55.42	87.23	60.91	71.69	68.04
♦	CodeQwen1.5-7B-Chat	55.08	87.2	61.04	70.31	67.85
♦ EXT	CodeFuse-DeepSeek-33b	54.33	76.83	60.76	66.46	65.22
♦ EXT	DeepSeek-Coder-33b-instruct	52	80.02	52.03	65.13	62.36
♦ EXT	Artigenz-Coder-DS-6.7B	51.5	70.89	56.84	66.16	59.75
♦ EXT	DeepSeek-Coder-7b-instruct	50.33	86.22	53.34	65.8	59.66
♦ EXT	OpenCodeInterpreter-DS-6.7B	49.67	73.2	51.41	63.85	60.81

<https://huggingface.co/spaces/bigcode/bigcode-models-leaderboard>



Model in Ollama

The screenshot shows the Ollama library interface. At the top left is a circular icon of a cartoon llama head. To its right, the word "Models" is displayed. Below this is a search bar containing the text "deepseek". To the right of the search bar is a dropdown menu set to "Featured".

The first model listed is "deepseek-coder-v2". Its description reads: "An open-source Mixture-of-Experts code language model that achieves performance comparable to GPT4-Turbo in code-specific tasks." Below the description are three blue buttons labeled "Code", "16B", and "236B". Underneath these buttons are three small icons with the numbers "307K", "65", and "3 months ago" respectively.


The second model listed is "deepseek-coder". Its description reads: "DeepSeek Coder is a capable coding model trained on two trillion code and natural language tokens." Below the description are four blue buttons labeled "Code", "1B", "7B", and "33B". Underneath these buttons are three small icons with the numbers "303.9K", "102", and "9 months ago" respectively.

<https://ollama.com/library>



Workshop with Ollama

\$ollama run **llama3.1**




<https://github.com/up1/workshop-ai-with-technical-team/wiki/Local-LLM-with-Ollama>



LiteLLM as a Proxy



LiteLLM as a Proxy




<https://www.litellm.ai/>



Workshop

Use docker compose to build and run



<https://github.com/up1/workshop-ai-with-technical-team/wiki/LiteLLM-and-WebUI>



Retrieval-Augmented Generation (RAG)



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge


Up-to-data
Information

Citing sources

Data security
Access control List
(ACL)




RAG



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG Data Pipeline



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG Agent



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>



RAG Process




<https://medium.com/@codeawake/ai-chatbot-5bd2fa3324e3>




RAG with LLM

Improve your LLM models, more accurate answer



RAG with LLM




<https://aws.amazon.com/th/what-is/retrieval-augmented-generation/>



Better RAG application


How can we make better RAG applications?



<https://stackoverflow.blog/2024/08/15/practical-tips-for-retrieval-augmented-generation-rag/>




Demo with Chatbot



<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>




RAG with MongoDB



<https://www.mongodb.com/developer/products/atlas/taking-rag-to-production-documentation-ai-chatbot/>




Frameworks and Tools



LangChain

Framework for develop application powered by LLM



<https://python.langchain.com/>



Llamaindex



BOOK A DEMO

GET STARTED

Build AI Knowledge Assistants over your enterprise data

Build production agents that can find information, synthesize insights, generate reports, and take actions over the most complex enterprise data.

GET STARTED


CONTACT SALES

[ENTERPRISES BUILDING WITH LLAMAINDEX]


<https://www.llamaindex.ai/>



Data Analysis Agent



Steps to develop




<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>



AI Agent



AI Agent



LLM

Prompt



LLM




Answer

<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




LLM → RAG



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




Agent



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>



LLM → RAG → Agent



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>



AI Agent Tools



Microsoft AutoGen

AutoGen


An Open-Source Programming Framework for Agentic AI

Getting Started - 3min 

<https://microsoft.github.io/autogen/>



Multi-Agent Orchestrator from AWS



<https://github.com/awslabs/multi-agent-orchestrator>



Swarms



The screenshot shows the GitHub profile for the 'swarms' repository. At the top, there's a large logo consisting of a black square containing a red hexagonal pattern that resembles a molecular or crystal structure. To the right of the logo, the word 'Swarms' is written in a large, bold, red sans-serif font.

Below the logo, a subtitle in a smaller gray font reads: *The Enterprise-Grade Production-Ready Multi-Agent Orchestration Framework*.

Technical details are displayed in a row of colored buttons: a blue button for 'PYTHON', a dark gray button for 'PYPI', and a blue button for 'V6.2.0'.

Below these buttons are several social media and community links: 'Twitter' (blue), 'Discord' (blue), 'Swarms Platform' (blue), and 'Documentation' (blue).

A horizontal navigation bar contains links: 'DISCORD' (gray), 'JOIN OUR SERVER' (blue), 'YOUTUBE' (gray), 'SUBSCRIBE' (red), 'LINKEDIN' (gray), 'CONNECT' (blue), 'X.COM' (gray), and 'FOLLOW' (blue).

Statistical information is shown in a row of colored boxes: 'Issues 30 open' (yellow), 'Forks 239' (light gray), 'Stars 1.8k' (white), 'license AGPL-3.0' (dark orange), 'Stars 1.8k' (white), 'dependencies up to date' (green), and 'downloads/month 75k' (light blue).

At the bottom, there are three sharing options: 'Share @kyegomez/swarms' (gray), 'Share facebook' (blue), and 'Share linkedin' (blue).


<https://github.com/kyegomez/swarms>



Group's workshop with AI



Workshop Record Expense



Here is the extracted data from the payment slip in JSON format:

```
{  
    "payment_status": "Completed",  
    "date_time": "20 Aug 24 1:33 PM",  
    "payer_name": "Mr. Somkiat P",  
    "bank": "KBank",  
    "payer_account": "xxx-x-x9323-x",  
    "payee_name": "AMZ_SD4330 UNION MALL",  
    "company_name": "DEEMAPHARUAY CO., LTD.",  
    "transaction_id": "202408202155006",  
    "payment_reference_id": "014233133358BQR09410",  
    "amount": "45.00 Baht",  
    "fee": "0.00 Baht"  
}
```



Workshop Record Expense

Requirement

Design

Develop

Testing

Deploy


Generative AI



More ...



Learning Flow with AI



Software Development

Requirement

Design

Develop

Testing

Deploy

Generative AI

Improve Productivity ... (Replace human !!)



More ...




Model Context Protocol (MCP)



Model Context Protocol (MCP)

New standard for connecting AI assistants to system




<https://www.anthropic.com/news/model-context-protocol>



Model Context Protocol (MCP)

Traditional Integration vs MCP Approach

Traditional: N×M Connections



Each model needs custom integration
with each data source

9 Total Connections

MCP: N+M Connections




Models and data sources only need
to integrate once with MCP

6 Total Connections


<https://salesforcedevops.net/index.php/2024/11/29/anthropics-model-context-protocol/>




Model Context Protocol (MCP)




Model Context Protocol (MCP)



Example MCP by Anthropic



Example MCP by Anthropic



<https://www.somkiat.cc/model-context-protocol/>



List of MCP Servers

The screenshot shows the MCP.so website interface. At the top left is the logo 'MCP.so'. To its right are two navigation links: 'Servers' and 'Clients'. On the far right are a user icon and a red 'Sign In' button. Below the header, there's a grid-like background with faint vertical and horizontal lines. In the center, a red rounded rectangle contains the text '1577 MCP Servers in list'. Below this, a large bold heading reads 'Find Awesome MCP Servers and Clients'. Underneath the heading is the text 'The largest collection of MCP Servers.' A search bar at the bottom left contains the placeholder 'Search with keywords'.

<https://mcp.so/>




ReAct

<https://arxiv.org/abs/2210.03629>



ReAct

Think and Act



<https://www.promptingguide.ai/techniques/react>



Start your journey

