



AI for Software Development Software Delivery





Facebook somkiat.cc

Page Messages Notifications 3 Insights Publishing Tools Settings Help

somkiat.cc
@somkiat.cc

Home Posts Videos Photos

Liked Following Share ... + Add a Button




**[https://github.com/up1/
workshop-ai-with-technical-team](https://github.com/up1/workshop-ai-with-technical-team)**




Goals

Integrate Generative AI in Development
Optimize code quality
Team up with AI on coding tasks
Develop innovative solutions






Machine Learning



<https://grow.google/ai-essentials/>




Generative AI



<https://grow.google/ai-essentials/>





Large Language Model (LLM)

Type of AI model

Process, understand

Generate human readable data

LLM


Training data !!



Large Language Model (LLM)

Neural network

Predicts the next word in a sequence



Let's go !!



ສືເໜືອງ



ມະນຸງ



ເຕັກ







มีด



LLM components !!

Components of the Decoder-only Transformer




```
from torch import nn
class Block(nn.Module):
    def __init__(self, d, h, T, base, dropout=0.2, **kwargs):
        super().__init__()
        self.ln_1 = nn.LayerNorm(d)
        self.attn = CausalSelfAttention(d, h, T, base, dropout)
        self.ln_2 = nn.LayerNorm(d)
        self.ffn = FFNN(d, base, dropout)

    def forward(self, x):
        x = x + self.attn(self.ln_1(x))
        x = x + self.ffn(self.ln_2(x))
        return x
```


<https://stackoverflow.blog/2024/08/22/lms-evolve-quickly-their-underlying-architecture-not-so-much>



Transformer inside



Transformer process



OpenAI Tokenizer

GPT-4o & GPT-4o mini (coming soon) **GPT-3.5 & GPT-4** GPT-3 (Legacy)

ประเทศไทย

[Clear](#) [Show example](#)

Tokens	Characters
10	9

ประเทศไทย

[Text](#) [Token IDs](#)

<https://platform.openai.com/tokenizer>



Token Calculator for LLM

Token Calculator for LLMs

Calculate the number of tokens in your text for all LLMs (GPT-4o, GPT-o1, GPT-4, Claude, Gemini, etc)

Token Calculator

Input/Paste your text here

T
Tokens
0

Words
0

Characters (no spaces)
0

Total characters
0

Model	Provider	Context	Input/1M Tokens	Output/1M Tokens	Input Price	Output Price
gpt-o1-preview	OpenAI/Azure	128K	\$15	\$60	\$0.0000	\$0.0000
gpt-o1-mini	OpenAI/Azure	128K	\$3	\$12	\$0.0000	\$0.0000

<https://token-calculator.net/>


The logo features a stylized 'A' shape composed of several thin, curved lines of varying lengths, creating a dynamic and modern appearance.

AI for Software Development
© 2020 - 2024 Siam Chamnkit Company Limited. All rights reserved.

21

Embedding ?


Map items of unstructured data to high-dimensional real vectors




<https://towardsdatascience.com transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Visual of Vector space




Store data in Vector Database



Vector Database ?

Map items of unstructured data to high-dimensional real vectors



<https://towardsdatascience.com/transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>




Distance Metrics in Vector Search

Cosine Distance

$$1 - \frac{A \cdot B}{\|A\| \|B\|}$$

OpenAI




Squared Euclidean (L2 Squared)

$$\sum_{i=1}^n (x_i - y_i)^2$$

Dot Product

$$A \cdot B = \sum_{i=1}^n A_i B_i$$




Manhattan (L1)

$$\sum_{i=1}^n |x_i - y_i|$$


<https://help.openai.com/en/articles/8984345-which-distance-function-should-i-use>



Distance measure in Data Science




Basic Flow



Vector Database


Indexing data with embedding



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Embedding data



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Search similar items



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>



Large Language Model (LLM)



LLMs in industry

Model name	Company
Bidirectional Encoder Representation from Transformers (BERT)	Google AI
Generative Pre-trained transformer-3 (GPT-3)	OpenAI
Generative Pre-trained transformer-4 (GPT-4)	OpenAI
Pathways Language Model-E (PaLM-E)	Google AI
BLOOM	NVIDIA AI
Ollama 3	Facebook
Claude 3.5 Sonnet	Anthropic



LLM Development timeline




Figure 3: LLM development timeline. The models below the arrow are closed-source while those above the arrow are open-source.

<https://arxiv.org/abs/2311.16989>




Application

Infrastructure


Model



Generative AI (GenAI)



Generative AI (GenAI)



Trust, but verify output !!



Challenges in Gen AI

Lack of high-quality data


Data licenses

Generation latency

High computational power




Generative AI in Nutshell



<https://www.youtube.com/watch?v=2IK3DFHRFw>



Generative AI Application Stack



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/>



Generative AI Roadmap

Generate roadmaps with AI

Enter a topic and let the AI generate a roadmap for you

Enter a topic to generate a roadmap for

 Generate

OAuth ↗

UI / UX ↗

SRE ↗

DevRel ↗

Explore AI Roadmaps 

You have generated 0 of 10 roadmaps today.

Need to generate more? [Click here.](#)

<https://roadmap.sh/ai>



Application Tool chains



Global Generative AI Landscape

The Global Generative AI Landscape 2024

AIport

North America

MULTIMODAL	CHATBOTS
AcuteFretty, GPT4All, Gemini, perplexity	ANTHROPIC, glean, YandexART, Frame.ai, deepgenomics, OBSERVE-AI, Meta
TEXT	IMAGE
NFT, AssemblyAI, intuit, ImageFX	NVIDIA, OpenAI, LumenG, Neuraseal
AUDIO	VIDEO
AssemblyAI, Suno, soundful, ElevenLabs	Speechly, PlayHT, RØBLOX
CODE	GAMES
mosaic, Codebreaker AI	LEVELAI, layer6

South America

IMAGE
HUTT DATA

Europe

MULTIMODAL	CHATBOTS	TEXT
runway, YandexART	ultimate.ai, LightOn, YandexGPT	Kafka, contents.com, clearword, SMARTLT.IO
stability.ai	stability.ai	stability.ai, blackshark.ai
stability.ai	ACCELERATAI, USICO	GOLUCINITY, DeepMind, wizard, VOICEMOD, SYNTHO

Africa

CHATBOTS	AUDIO	BUSINESS INTELLIGENCE
chatbot, sas, sasbot	audio, sasbot	business intelligence

Asia

CHATBOTS			
AI21studio, CHAI, gptech, Tymely, Tencent, Weibo, SAMSUNG, MetaDialog, HUA ZANG, 文, 犬, VIA			
TEXT			
SAMSUNG, dog, BH, synonym, DID, 女			
Tencent, 文, SAMSUNG			
MULTIMODAL	VIDEO	AUDIO	GAMES
Dubverse, FourOne	codium, tobeline	tabnine, dog	SYNTHSYS, Game, Virtual Game
CODE			BUSINESS INTELLIGENCE
codium, tobeline, dog			DeepMind


Oceania

IMAGE	VIDEO	AUDIO
RightScript, modhex		splash

COMPANIES DEVELOPING TWO OR MORE TYPES OF MODELS

<https://www.blog.aiport.tech/p/the-first-truly-global-generative>





Tool chains category

Assist
tasks

Interaction
modes

Prompt
composition

Properties of
model



Assist tasks

Finding information faster in context

Generating code

Reasoning about code

Transforming code into something ..

Requirement

Design

Develop

Testing

Deploy

Software Delivery Lifecycle



Interaction modes

Chat interfaces

In-line assistance (typing in code editor)


CLI (command-line interface)



Prompt composition

Prompt engineering

Compose prompts from user inputs and context



<https://platform.openai.com/docs/guides/prompt-engineering>



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering>



Iterative Prompt Development




Iterative Process

- Try something
- Analyze where the result does not give what you want
- Clarify instructions, give more time to think
- Refine prompts with a batch of examples

<https://www.deeplearning.ai/short-courses/chatgpt-prompt-engineering-for-developers/>



Basic of Prompt Engineer



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks

Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering/six-strategies-for-getting-better-results>



Example Prompt

Prompt examples

Explore what's possible with some example prompts

 Search...

All categories 



Grammar correction

Convert ungrammatical statements into standard English.



Summarize for a 2nd grader

Simplify text to a level appropriate for a second-grade student.



Parse unstructured data

Create tables from unstructured text.



Emoji Translation

Translate regular text into emoji text.



Calculate time complexity

Find the time complexity of a function.



Explain code

Explain a complicated piece of code.



Keywords

Extract keywords from a block of text.



Product name generator

Generate product names from a description and seed words.

<https://platform.openai.com/docs/examples>




OpenAI Playground

The screenshot shows the OpenAI Playground interface. On the left, a sidebar menu includes PLAYGROUND, Chat (selected), Assistants, TTS, and Completions. The main area is titled "Chat" and shows "gpt-4o" selected. A "SYSTEM" section contains the placeholder "Enter system instructions". Below it is a text input field with "Enter user message..." and two buttons: "User" and "Add". To the right, there are "Presets", "Save", and other controls. A "Functions" section has a "+ Add function" button. Configuration sliders include "Response format" (Text, 0), "Temperature" (1), "Maximum Tokens" (256), "Stop sequences" (empty input), "Top P" (1), "Frequency penalty" (0), and "Presence penalty" (0). A note at the bottom states: "API and Playground requests will not be used to train our models." with a "Learn more" link.

<https://platform.openai.com/playground>



Prompt Structure



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/working-with-langs/prompt-engineering>



Prompting Guide

Prompt Engineering

Prompt Engineering Guide

Prompt engineering is a relatively new discipline for developing and optimizing prompts to efficiently use language models (LMs) for a wide variety of applications and research topics. Prompt engineering skills help to better understand the capabilities and limitations of large language models (LLMs).


Researchers use prompt engineering to improve the capacity of LLMs on a wide range of common and complex tasks such as question answering and arithmetic reasoning. Developers use prompt engineering to design robust and effective prompting techniques that interface with LLMs and other tools.

Prompt engineering is not just about designing and developing prompts. It encompasses a wide range of skills and techniques that are useful for interacting and developing with LLMs. It's an important skill to interface, build with, and understand capabilities of LLMs. You can use prompt engineering to improve safety of LLMs and build new capabilities like augmenting LLMs with domain knowledge and external tools.

<https://www.promptingguide.ai/>



Structure of Prompt



<https://platform.openai.com/docs/guides/prompt-engineering>



Structure of Prompt !!

APE
Action, Purpose,
Expectation

RACE
Role, Action,
Context,
Expectation

TAG
Task, Action, Goal


COAST
Context, Objective,
Action, Scenario,
Task

RISE
Role, Input, Step,
Expectation

<https://twitter.com/pradeepeth/status/1673271866696544257>



Prompt Generator



<https://docs.anthropic.com/en/docs/build-with-claude/prompt-engineering/prompt-generator>



Prompt Generator

OpenAI GPT prompt generator


As we explain in our guide [How to write a good prompt](#), the key to writing a good prompt is to be very specific about what you want. You don't have to remember all the important informations. Use our easy generator to create your perfect prompt:

Task	Write a blogpost
Topic	OpenAI
Style	Academic
Tone	Assertive
Audience	5-year old
Length	2 paragraphs
Format	Text

<https://gptforwork.com/tools/prompt-generator>



Evolution of Prompt Engineering




<https://github.com/promptslab/Awesome-Prompt-Engineering>




Basic Prompts

User



Prompt Pipelines



<https://cobusgreyling.medium.com/the-evolution-of-prompt-engineering-29c3d6943af2>



Hallucinations in LLMs

The diagram shows two separate AI interactions between a user (person icon) and a large language model (robot icon). In the top interaction, the user asks if 9677 is a prime number. The model responds that it is not, providing a factorization. This response is marked with a red 'X' and grouped under 'incorrect assertion'. In the bottom interaction, the user asks if 9677 is divisible by 13. The model correctly responds 'No', which is marked with a green checkmark and grouped under 'snowballed hallucination'.

Is 9677 a prime number?

No, 9677 is not a prime number.
It can be factored into 13 and 745, as $9677 = 13 \times 745$.

Is 9677 divisible by 13?

No

} incorrect assertion
} snowballed hallucination

in a separate session,
GPT-4 recognizes its
claim as incorrect!



Hallucinations in LLMs

Training data set
issue

Architecture and
training objective

Prompt engineering

Over-optimization



Count r in Strawberry !!

The word "strawberry" contains 2 instances of the letter "r".

The word "strawberry" contains 2 occurrences of the letter "r".

<https://hackernoon.com/why-cant-ai-count-the-number-of-rs-in-the-word-strawberry>



Count r in Strawberry !!

✳️ Perplexity

Counting the Letter "R" in "Strawberry"

To count the number of times the letter "R" appears in the word "strawberry", we can break it down character by character:

S-T-R-A-W-B-B-E-R-R-Y

In this analysis, we see that the letter "R" appears 3 times in the word "strawberry" ① ② ③.

Some key points:

- Language models like ChatGPT do not always count letters correctly in words like "strawberry" ② ③
- This is because they break down words into tokens rather than individual letters, and the tokens may not map directly to the letters ②
- To get the right answer, you can have the AI spell out the word and count the "R"s as it goes ④
- Counting letters is a simple task for humans but can trip up even advanced AI systems ⑤ ⑥

So in summary, the letter "R" appears 3 times in the word "strawberry". While this is obvious to humans, it can be a tricky problem for current AI language models to solve consistently.



Count r in Strawberry !!

Count r in Strawberry

step-by-step of your thinking



Chain of Thought Prompting (CoT)


Technique used to improve the reasoning ability of
LLM

Try to break down a complex problem into smaller,
More manageable steps, lead to final answer

OpenAI o1 model



Chain of Thought Prompting (CoT)



Chain of Thought Prompting (CoT)

(a) Few-shot

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The answer is 8. ✗

(b) Few-shot-CoT

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. $5 + 6 = 11$. The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The juggler can juggle 16 balls. Half of the balls are golf balls. So there are $16 / 2 = 8$ golf balls. Half of the golf balls are blue. So there are $8 / 2 = 4$ blue golf balls. The answer is 4. ✓

(c) Zero-shot

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: The answer (arabic numerals) is

(Output) 8 ✗

(d) Zero-shot-CoT (Ours)

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: Let's think step by step.

(Output) There are 16 balls in total. Half of the balls are golf balls. That means that there are 8 golf balls. Half of the golf balls are blue. That means that there are 4 blue golf balls. ✓

<https://www.promptingguide.ai/techniques/cot>



Advice from OpenAI (o1 model)

CoT prompt may not enhance performance

Keep prompts simple and direct

Avoid CoT

Use delimiter for clarity


Limit additional context in RAG

<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



How reason works ?

Reasoning token (invisible token but billed)



<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



Write code to generate prompt



Retrieval Augmented Generation (RAG)



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge

Up-to-data
Information


Citing sources

Data security
Access control List
(ACL)



RAG with LLM


Improve your LLM models, more accurate answer



AI Agent



Goal or Result-based




<https://github.com/e2b-dev/awesome-ai-agents>



Goal-based agent


Attempts to choose best strategy to achieve goal on environment



<https://www.baeldung.com/cs/goal-based-vs-utility-based-agents>



AI Agent



<https://aws.amazon.com/th/what-is/ai-agents/>



Types of AI Agent

Simple reflex

Model-based
reflex

Goal-based

Utility-based

Learning

Hierarchical

<https://github.com/e2b-dev/awesome-ai-agents>



End-to-end Software Agent




<https://www.cognition.ai/blog/introducing-devin>



The AI Scientist: Towards Fully Automated Open-Ended Scientific Discovery

Chris Lu^{1,2,*}, Cong Lu^{3,4,*}, Robert Tjarko Lange^{1,*}, Jakob Foerster^{2,†}, Jeff Clune^{3,4,5,†} and David Ha^{1,†}

*Equal Contribution, ¹Sakana AI, ²FLAIR, University of Oxford, ³University of British Columbia, ⁴Vector Institute, ⁵Canada CIFAR AI Chair, [†]Equal Advising



<https://arxiv.org/abs/2408.06292>



Let's Start



Chat and Search



Chat and Search

Gemini



ChatGPT



perplexity



ChatGPT from OpenAI

The screenshot shows the ChatGPT interface. At the top left is a dropdown menu labeled "ChatGPT". In the center is the AI logo, a stylized blue and white knot-like shape. Below the logo are four cards, each with an icon and text:

- Create a Renaissance-style painting
- Pick outfit to look good on camera
- Activities to make friends in new city
- Thank my interviewer

At the bottom is a message input field with a placeholder "Message ChatGPT" and an upward arrow icon. A note below the field states: "ChatGPT can make mistakes. Check important info."

<https://chatgpt.com/>



Google Gemini

Hello, somkiat
How can I help you today?

Help create a weekly
meal plan for two



Settle a debate: how
should you store
bread?



Improve the readability
of the following code



Revise my writing and
fix my grammar



Your conversations are processed by human reviewers to improve the technologies powering Gemini

Enter a prompt here




Gemini may display inaccurate info, including about people, so double-check its responses. [Your privacy & Gemini Apps](#)

<https://gemini.google.com/app>



Microsoft Bing Copilot



<https://www.bing.com/chat>



Claude.AI

Using limited free plan [Upgrade](#)

✿ Good afternoon, Somkiat

How can Claude help you today?

Claude 3.5 Sonnet

Get started with an example below



Add content

Generate excel formulas

Summarize meeting notes

Write a memo



<https://claude.ai/new>



Perplexity.ai

The screenshot shows the Perplexity.ai web interface. At the top, there's a navigation bar with a logo, a search bar containing the query "Create login form with reactjs and tailwind css", and a timestamp "Now". To the right of the search bar are icons for "Edit", "Share", and "Copy". On the left side, there's a sidebar with links for "New Thread", "Home", "Discover", "Library", "Sign in", and a prominent "Sign Up" button. The main content area displays the search results. The first result is titled "Create login form with reactjs and tailwind css" and has an "Edit" link. Below it is an "Answer" section with a brief explanatory text. A code block follows, showing bash commands: "npx create-react-app my-login-form" and "cd my-login-form". Further down, another section titled "Step 2: Install Tailwind CSS" is shown with a note about installing Tailwind CSS. A sidebar on the right provides options to "Search Images", "Search Videos", and "Generate Image". A modal window is also visible on the right, prompting the user to "Sign in or create an account" with "Continue with Google" and "See all options (Apple, SSO)".

<https://www.perplexity.ai/>



DeepSeek

Launching DeepSeek-V2.5, combining general and coding capabilities, API and Web upgraded.

deepseek

Brand new experience, redefining possibilities

Start Now

Free access to DeepSeek-V2.5.

Ignite questions, illuminate solutions.

Access API

128K context length.

\$0.14-\$0.28 for 1 million more.

<https://www.deepseek.com/>



SearchGPT

July 25, 2024

SearchGPT Prototype

We're testing SearchGPT, a temporary prototype of new AI search features that give you fast and timely answers with clear and relevant sources.

Waitlist closed ↗

<https://openai.com/index/searchgpt-prototype/>



Chat and Search


User	Company	Console	Best model
ChatGPT	OpenAI	OpenAI platform	GPT-4o
Claude	Anthropic	Anthropic console	Claude 3.5 sonnet
Gemini	Google	Google AI Studio	Gemini 1.5 pro



Generative AI Use Cases



Generative AI Use Case Impact/Feasibility Matrix



<https://altair.com/blog/executive-insights/want-to-identify-good-generative-ai-use-cases-dont-be-boring>



Generative Design



Canva

The screenshot shows the Canva interface with two main sections: 'Magic Media' on the left and 'Storyboard' on the right.

Magic Media (Left Side):

- Design:** Shows a small icon of a house.
- Brand:** Shows a small icon of a person.
- Elements:** Shows a small icon of geometric shapes.
- Text:** Shows a small icon of a T.
- Uploads:** Shows a small icon of a cloud.
- Apps:** Shows a small icon of a grid.
- Magic Media:** This section is highlighted with a dark background. It has tabs for 'Images' (selected) and 'Videos'. A text input field says 'Describe the image you want and we'll generate it for you.' Below it, a box contains the text 'Blue and green space rover lost in a strange planet'. A button labeled 'Try an example' is shown, along with a purple '+' button and a name tag 'Charlie'. Below this are 'Styles' options: 'None', 'Filmic' (with a photo of a dog), and 'Watercolor' (with a photo of a puppy). A 'See all' link is also present.

Storyboard (Right Side):

- Storyboard Header:** Shows a 'Storyboard' title with a circular icon containing three people's faces.
- Storyboard Content:** A storyboard panel for frame 1, which is a landscape scene with clouds and green hills. A callout box says 'Add sandstorm CGI in post prod'. Another box says 'Sam APPROVED BY DIRECTOR' and 'Vim'. The storyboard panel has a light gray dotted grid background.
- Text Labels:** Below the storyboard panel, there are labels: 'Day • Establishing Shot • Pan' and 'Action: Opening shot of the barren, red Martian landscape. We hear the sound of a rover approaching. Cut to the inside'.
- Bottom Buttons:** A 'Generate AI Images' button is located at the bottom of the Magic Media section, and a large blue 'Next' button is at the bottom center of the entire interface.

<https://www.canva.com/ai-image-generator/>



Figma AI



Products ▾ Solutions ▾ Community ▾ Resources ▾ Pricing

Contact sales


[Log In](#)

[Get started for free](#)

Your creativity, unblocked with Figma AI

Get started faster, find what you're looking for, and stay in the flow. Make space for more creativity.

[Learn about our approach to building AI](#)



<https://www.figma.com/ai/>



FigJam AI



Products ▾ Enterprise ▾ Pricing Resources ▾ Community ▾ Contact sales Log in Get started for free

Redesign the way you jam with FigJam AI

FigJam AI helps you instantly visualize ideas, suggest best practices, and automate tedious tasks.

Try it out



<https://www.figma.com/figjam/ai/>



Notion AI

 Notion ≡

Just ask Notion AI.

Knowledge, answers, ideas. One click away.

[Get Notion free](#)

 **Get answers**
Just ask Q&A, and find the info you need in seconds.

 **Write better**
Get help writing and brainstorming in Notion, not in a separate browser tab.

 **Autofill tables**
Turn overwhelming data into clear, actionable information in seconds.



<https://www.notion.so/product/ai>



Generative Generation



Mid Journey



<https://www.midjourney.com/>



FreePik

The FreePik homepage features a large, vibrant background image of a flower. At the top left is the "FREEPIK" logo. The top navigation bar includes links for Tools, Images, Icons, Videos, Templates, PSD, Mockups (with a "NEW" badge), More, Pricing, and Sign in. A central call-to-action reads "Create great designs, faster" with the subtext "High-quality photos, videos, vectors, PSD, AI images, icons... to go from ideas to outstanding designs". Below this is a search bar with "Assets" dropdown, a search input, and a magnifying glass icon. There are also three smaller search boxes for "menu", "coloring pages", and "magazine mockup". At the bottom, a call-to-action button says "Sign up now" next to the text "Sign up for 10 daily free downloads and access to AI tools".

<https://www.freepik.com/>



Hugging Face

The screenshot shows the Hugging Face website. On the left, there's a large yellow smiley face icon. Below it, the text "The AI community building the future." is displayed in a large, bold, white font. Underneath that, a smaller text reads: "The platform where the machine learning community collaborates on models, datasets, and applications." To the right, there's a search bar with placeholder text "Search models, datasets, users...". Above the search bar are navigation links: Models, Datasets, Spaces, Docs, Solutions, Pricing, Log In, and Sign Up. The main area features a "Tasks" tab selected, showing categories like Multimodal, Computer Vision, Natural Language Processing, Audio, and Tabular, each with sub-tasks. To the right, a "Models" section lists various AI models with their names, descriptions, and statistics (e.g., updated time, size, and number of stars).

Model Name	Description	Updated	Size	Stars
meta-llama/Llama-2-70b	Text Generation	4 days ago	~4.25B	~64
stabilityai/stable-diffusion-xl-base-6.9	Updated 6 days ago	~3.20B	~399	
openchat/openchat	Text Generation	Updated 1 day ago	~1.13B	~136
2llyasviel/ControlNet-v2-1	Updated Apr 26	~1.13B	~136	
cezspense/zeroscope_v2_XL	Updated 3 days ago	~1.00B	~334	
meta-llama/Llama-2-30b	Text Generation	Updated 1 day ago	~4.32B	~64
tiiuae/Falcon-40b-instruct	Text Generation	Updated 27 days ago	~3.88B	~899
wizardLM/wizardCoden-1.5B-v1.0	Text Generation	Updated 3 days ago	~12.5B	~322
DenoVis/stable-diffusion-v1-4	Text-to-Image	Updated about 11 hours ago	~3.44B	~32K
stabilityai/stable-diffusion-2-1	Text-to-Image	Updated about 1 hour ago	~3.4B	~2.1M

<https://huggingface.co/>



DALL.E 2 from OpenAI



Research ▾ Product ▾ Safety Company ▾

DALL·E 2

DALL·E 2 is an AI system that can create realistic images and art from a description in natural language.

[Try DALL·E ➔](#)

[Follow on Instagram ➔](#)

<https://openai.com/dall-e-2>



AI DeepFake !!



Celebrity Deepfakes AI Image Generator Premium Sign up Log in 日本語 English



Online Deepfake Maker

オンラインフェイススワップツール

動画を作成する

<https://deepfakesweb.com/>



Software Development Life Cycle



SDLC

Requirement

Design

Develop

Testing

Deploy



Planning

Written planning process

Arch diagrams

Testing

Automated testing

TDD

Testing environments

Testing in prod

Performance testing

Load testing

Generate test data

Development

Automated dev env

CI/CD

Prototyping

Code review

Code generation

Templates

Cross-platform dev

Preview env

Post-commit code review

Linting

Static code analysis

Project mgmt

Shipping

FF & experimentation

Logging

Monitoring & alerting

Staged rollouts

Maintenance

Debug production

Documentation


Runbook examples

Mitigation runbook

pragmaticengineer.com



SDLC



Impacts with productivity ?

Automated
simple tasks

Improve quality
and reliability

Improve
communication


Faster
prototype



Survey




"Which AI tools have you tried or used for software development?"



pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>






pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



"Which AI tools have you tried or used for software development?"



pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



**Generative AI isn't just a tool
it's your team member**



Requirement and Analysis



Requirement and Analysis

Requirement

Design

Develop


Testing

Deploy

Requirements writing and analysis
User story generation



Agents AI for Automated tasks



The screenshot shows the Taskade website's AI Agile User Story Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent 'Sign up for free' button. Below the navigation is a breadcrumb trail showing 'Project Management > Agile User Story'. To the right are search and categories filters. The main title 'AI Agile User Story Generator' is displayed with a small AI icon. A sub-headline explains the tool's purpose: 'Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.' Two buttons are visible: 'Generate AI Agile User Story' and 'Start with AI'. At the bottom, there are four icons with descriptions: 'Dynamic AI builders', '100% fully customizable', 'Download & edit on-the-go', and 'Generate, publish, & share everywhere'.

taskade

Product Solutions Learn Tools Pricing Help Log in Sign up for free

Project Management Agile User Story

Search Categories

AI Agile User Story Generator

Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.

Generate AI Agile User Story Start with AI

Dynamic AI builders 100% fully customizable Download & edit on-the-go Generate, publish, & share everywhere

<https://www.taskade.com/generate/project-management/agile-user-story>



Example with food delivery

Food Delivery Workflow Template

🛒 Order Processing #order

- Check for new orders
 - Verify customer details
 - Confirm payment status
- Prepare order items
 - Gather ingredients
 - Cook or prepare food
 - Package items securely

🚚 Delivery Management #delivery

- Assign delivery driver
- Plan delivery route
 - Prioritize multiple deliveries
 - Use GPS for directions
- Confirm delivery with customer
 - Send delivery notification
 - Obtain customer signature

📊 Post-Delivery Tasks #postdelivery

⌚ What would you like to do next? ▶

+ Create project ➡



✍ Continue writing

☰ Make longer

<https://www.taskade.com/generate/project-management/agile-user-story>



User Story Generator



<https://userstorygenerator.ai/>




Notion AI Template

As Title	As User Story	Acceptance Criteria	Notes	Business Value	Priority	Story Points
Password Reset Feature	As a user, I want to be able to reset my password using my registered email address or username associated with my account, so that I can regain access to my account in case I forget my password or suspect my account has been compromised.	<ul style="list-style-type: none">The user can reset their password using their registered email address or username associated with their account.The password reset feature is accessible on all devices, including mobile and desktop.The password reset email does not contain the user's password or other sensitive information.The password reset link expires after a specified time period to prevent unauthorized access.The password reset feature is not available if the user's account is locked or suspended.	<ul style="list-style-type: none">The password reset feature must be accessible to all users, including those with disabilities.The password reset process must be secure and protect user data from potential threats.The password reset feature must have a time limit for completion to prevent abuse.The password reset feature must be logged for audit and security purposes.The password reset feature must be tested thoroughly before deployment to ensure reliability and functionality.	High	High	3
Introduction of a new feature	As a customer, I want to be able to introduce a new feature to my Notion workspace.	<ul style="list-style-type: none">A user can add a new feature to their Notion workspace.	<ul style="list-style-type: none">The introduced feature should be... Detailed	Medium	Medium	4

<https://www.notion.so/templates/user-story-writer-ai-powered-notion-template>



Product Owner ChatGPT Prompt



The screenshot shows the homepage of PromptLeo. At the top, there is a navigation bar with the logo "PromptLeo" (a purple icon of a brain with wings), followed by links for "Docs", "Contact", "Pricing", "Log In", "Sign Up", and a user icon. The main title "Product Owner ChatGPT Prompts" is displayed prominently in large, bold, dark blue text. Below the title, there is a paragraph of text: "With so many tools available in 2023, it can be difficult to know how you can get the most out of ChatGPT. To help you out, this page offers over 100 ChatGPT prompt examples, ideas, and templates focusing on prompts for product owners." The background of the page has a subtle grid pattern.

<https://promptleo.com/prompt/chatgpt/product-owner>



Design Process



Design

Requirement

Design

Develop

Testing

Deploy

Architecture writing assistance


Sequence flow diagram generation

Data modeling

UX/UI design assistance



Excalidraw with AI



<https://excalidraw.com/>



Demo

Text to diagram AI Beta Mermaid

Currently we use Mermaid as a middle step, so you'll get best results if you describe a diagram, workflow, flow chart, and similar.

Prompt 9 requests left today

Try to generate authentication service from below
1. Customer call api gateway with REST API /login
2. Api gateway check user and password from auth service via gRPC
3. API gateway send response to client

Preview

```
graph TD; Customer[Customer] -- "REST API /login with credentials" --> APIGateway[APIGateway]; APIGateway -- "gRPC check user and password" --> AuthService[Authservice]; AuthService -- "gRPC response (success or failure)" --> APIGateway; APIGateway -- "HTTP response (success or failure)" --> Customer;
```

Generate → Cmd Enter View as Mermaid → Insert →



Database

The screenshot shows a PostgreSQL database interface. At the top, there are tabs for "New database", "Diagram", and "Migrations". Below the tabs, there are two tables displayed:

- shipping_addresses**:
 - id (Primary key, Integer)
 - user_id (Text)
 - address_line1 (Text)
 - address_line2 (Text)
 - city (Text)
 - state (Text)
 - postal_code (Text)
 - country (Text)
- users**:
 - id (Primary key, Integer)
 - name (Text)
 - email (Text)

On the right side of the interface, there is a sidebar with the following text:

Create table of user that have many shipping address

Executed SQL

The tables 'users' and 'shipping_addresses' have been created successfully. Here's a brief overview:

- Users Table:** Contains user information with columns for 'id', 'name', and 'email'.
- Shipping Addresses Table:** Stores multiple addresses for each user, with columns for 'id', 'user_id' (foreign key referencing 'users'), 'address_line1', 'address_line2', 'city', 'state', 'postal_code', and 'country'.

Conversation renamed to User and Shipping Address Management chance

PG 18 | Local-only database

Toggle theme

Primary key Identity Unique Nullable

Message AI or write SQL

<https://postgres.new/>



MongoDB Compass

The screenshot shows the MongoDB Compass interface. At the top, there's a search bar with a placeholder "How many users signed up last month?" and a "Generate" button. Below the search bar, the text "Use natural language to generate queries and pipelines" is displayed. A paragraph explains that Atlas users can quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass. There are two buttons below this text: a green "Log in to Atlas to enable" button and a blue "Not now" button. At the bottom, a note states: "This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information."

How many users signed up last month?

Generate

Use natural language to generate queries and pipelines

Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass.

Log in to Atlas to enable

Not now

This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information.

<https://www.mongodb.com/products/tools/compass>



v0.dev

The screenshot displays the v0.dev platform's user interface. At the top, there is a navigation bar with a logo on the left and a "Private Beta" button on the right. Below the navigation bar, a dark modal window titled "A 'report an issue' modal" is open, featuring three small icons: a square with a diagonal line, a checkmark, and a left arrow. Underneath the modal, there are four small buttons labeled "Product categories", "Hero section", "Contact form", and "Ecommerce dashboard". The main content area is divided into two tabs: "New Generations" (which is selected) and "Featured". Below these tabs, there are several wireframe prototypes of different website sections. One prototype for a "Soccer Game" shows a grid of cards with "Home" and "Away" labels. Another prototype for an "Enhance Your Education Journey" page features a large central image and text. A third prototype for a "Website" shows a clean layout with a header and footer. A fourth prototype for a "product tour like app" displays a dark-themed interface with a large image and text. Below each prototype, there is a small circular profile picture and a descriptive text bubble. The bottom row of prototypes includes a "Data" card, a "Product" card, and an "Ecommerce" card.

<https://v0.dev/>



OpenUI

User Profile Card

I need a user profile card with an avatar, name, and social media links in Tailwind CSS.

Version 0

HTML JSX


```
<div class="bg-card dark:bg-card-foreground text-card-foreground dark:text-card-foreground">
  <div class="flex items-center justify-center">
    
  </div>
  <div class="text-center mt-4">
    <h2 class="text-lg font-bold">John Doe</h2>
    <div class="mt-2">
      <a href="#" class="text-primary hover:underline">Twitter</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">LinkedIn</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">GitHub</a>
    </div>
  </div>
</div>
```

Ask for changes to the current UI

<https://openui.fly.dev/>



Make Real



<https://github.com/tldraw/make-real>



Screenshot to Code

Screenshot to Code

Sign in Get started

Build User Interfaces 10x Faster


Convert any screenshot or design to clean code (with support for most frameworks)

Get started GitHub 46,018 stars

#1 tool used by developers and designers from leading companies. Fully open source with 46,000+ stars on GitHub.

Microsoft Amazon MIT


Stanford ByteDance Baidu 百度



<https://screenshottocode.com/>



Demo



<https://screenshottocode.com/>



GPT Engineer

Build for the web 10x faster

Chat with AI to build web apps. Sync with GitHub. One-click deploy.

A page showing top stories from Hacker News



A landing page for my startup



An app to help me track my crypto portfolio



A dashboard to manage my startup's operations



Describe your front-end...



Build front-end with React, Tailwind & Vite.

<https://gptengineer.app/>



Sample

billify-generator by uh1lclbG3nMt8Ym2R8lb11ArRgr1
preview--billify-generator.gptengineer.run

Bill Generator

Bill To

Name:
Address:
Phone:

Ship To

Same as Bill To

Invoice Information

Invoice Number: VVV
Invoice Date: dd/mm/yyyy
Payment Date: dd/mm/yyyy

Your Company

Name:
Address:
Phone:

Item Details

Add Item

Totals

Sub Total: ₹ 0.00
Tax (Amount): ₹ NaN
Grand Total: ₹ NaN

Notes:

Template Gallery

Template 1:
Template 2:
Template 3:
Template 4:
Template 5:
Template 6:

External Commit
fix: Prevent page reload when expanding Ship to section

External Commit
fix: Remove default values on page load

External Commit
feat: Add "Switch to Receipt" button in Index page

External Commit
feat: Add "Switch to Bill Generator" button to ReceiptPage

External Commit
feat: Add navigation to receipt page

External Commit
feat: add clean form button as icon in top-left corner

External Commit
Switching between receipt mode easy


Request a change...

Build from scratch with React, Tailwind & Vite

<https://gptengineer.app/projects/1340b42f-5412-43e0-b239-b5fdabd2feb7>



GPT Engineer



<https://gptengineer.app/>



Development Process



Develop

Requirement

Design

Develop

Testing

Deploy

Code generation

Review and explain code

Debugging code


Improve consistency

Code translation



Development

Generative AI can increase developer speed, but less so for complex tasks.



<https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/unleashing-developer-productivity-with-generative-ai>



Tools (Seamless with developer)

GitHub Copilot

Codium AI

aider

Continue

Bito



Category of Tools

Chat AI

Code AI

Agent AI

ChatGPT
Gemini
Claude.ai
Bing



Category of Tools

Chat AI

ChatGPT
Gemini
Claude.ai
Bing

Code AI


GitHub Copilot

AI Agent
Public and Local

Aider
Continue
Codium




Development



<https://martinfowler.com/articles/2023-chatgpt-xu-hao.html>




Development



Claude AI + Artifact

Try to automatically compile and run generated code



<https://www.anthropic.com/news/clause-3-5-sonnet>



Demo

Claude Q Generate "Hello World" SVG ...

generate svg file for word "Hello World"

✖ Edit

Certainly! I'll create an SVG file with the text "Hello World." for you.

🔗 Hello World SVG
Click to open image

I've created an SVG file containing the text "Hello World". Here are some details about the SVG:

1. The SVG has a viewBox of 0 0 200 100, which means it has a width of 200 units and a height of 100 units.
2. The text "Hello World" is positioned at x=10 and y=50 within this viewBox.
3. The font used is Arial (with a sans-serif fallback), and the font size is 24 units.
4. The text color is black.

You can use this SVG in various ways, such as embedding it in a webpage or using it as a standalone image. The SVG format allows for scaling without loss of quality, making it suitable for various display sizes.

Would you like me to explain any part of the SVG code or make any modifications to the design?

Copy Retry ...

✳️

Claude can make mistakes. Please double-check responses.

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet. Subscribe to Pro X

Reply to Claude... ...

Claude 3.5 Sonnet A. 1

Last edited just now ... Publish

<https://claude.ai/>



Demo

The screenshot shows a Claude AI interface with a demo titled "React Login Form with Tailwind CSS". The demo includes a code snippet, a preview of the login form, and usage instructions.

Code Snippet:

```
</> React Login Form with Tailwind CSS  
Click to open component
```

Preview:

I'd be happy to create a login form using React and Tailwind CSS for you. This is a great use case for a reusable component, so I'll create it as a React artifact.

I've created a React component for a login form using Tailwind CSS. This component includes:

1. A form with email and password input fields
2. State management for email and password using React hooks
3. A submit handler that logs the email and password (you'll need to replace this with your actual login logic)
4. Tailwind CSS classes for styling, including responsive design
5. A "Remember me" checkbox
6. A "Forgot your password?" link
7. A submit button

To use this component in your React application:

1. Make sure you have React and Tailwind CSS set up in your project.
2. Copy this component into your project.

Bottom Panel:

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet. [Subscribe to Pro](#)

Reply to Claude... [Reply](#) [Share](#)


Claude 3.5 Sonnet 2 1

Last edited just now [Edit](#) [Publish](#)


<https://claude.ai/>



Development



Development + Testing



Main Features

Ask question

Generate code


Refactor code

Document code

Find problems in your code



GitHub Copilot



The screenshot shows the GitHub Copilot homepage. At the top, there's a navigation bar with links for Product, Solutions, Resources, Open Source, Enterprise, Pricing, a search bar, a dashboard button, and a user profile icon. Below the navigation is a secondary navigation bar with links for Features, Copilot (which is underlined), Security, Code review, Search, Issues, Actions, Packages, Codespaces, and Discussions. A prominent banner in the center says "Copilot Enterprise now available". The main headline reads "The world's most widely adopted AI developer tool." Below the headline is a button labeled "Get started with Copilot >". In the bottom right corner, there's a small, stylized blue and purple AI character.

<https://github.com/features/copilot>



Using GitHub Copilot Chat correlates with better code quality

85% of developers felt more confident in their code quality when authoring code with GitHub Copilot and GitHub Copilot Chat

85%




Code reviews were more actionable and completed 15% faster than without GitHub Copilot Chat

15%



88% of developers reported maintaining flow state with GitHub Copilot Chat

88%



Auto pilot with Code

 Continue

Enterprise

About Us


Docs

Blog



Amplified developers, automated development

The leading open-source AI code assistant. You can connect any models and any context to build custom autocomplete and chat experiences inside the IDE



VS Code



JetBrains

<https://github.com/continuedev/continue>



CodeGPT



Academy Developers ▾ Partners Pricing Business Solutions

Get Started

AI Coding for Developers

Explore our **AI Code Assistants** and **Copilot Generator Platform**, tailored for AI coding. We offer the perfect solution, specifically designed to make it simple for the engineering teams to code using AI.

Create Free Account

Download VSCode/Cursor Extension

<https://codegpt.co/>



AI for Software Development
© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.

Code Review

The screenshot shows the homepage of the Codium AI website. At the top, there is a dark blue header with the Codium AI logo on the left and navigation links for Products, Pricing, Blog, Contact, and About on the right. The main title "Generating meaningful tests for busy devs" is displayed in large, white, sans-serif font. Below the title, a descriptive paragraph explains the product's purpose: "With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it." At the bottom of the main section, there is a call-to-action button labeled "Get your FREE Codiumate now:" followed by two smaller buttons for "VS Code" and "JetBrains".

Codium^{ai} Products ▾ Pricing Blog Contact About ▾

Generating meaningful tests for busy devs

With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. **Code, as you meant it.**


Get your **FREE Codiumate** now:

VS Code > **JetBrains** >

<https://www.codium.ai/>



Code Review




The landing page for Codeium features a dark background with a green-to-black gradient overlay. At the top right, a blue button reads "Introducing Codeium Teams →". Below it, the main headline "The modern coding superpower" is displayed in large, white and green text. A sub-headline "AI assistant" appears in white text. At the bottom, two buttons are visible: a teal one labeled "Get Extension >" and a white one labeled "Try in browser".

<https://codeium.com/>



AI Code Review



The screenshot shows the Bito AI Code Review homepage. At the top, there's a navigation bar with links for Product, Enterprise, Resources, Pricing, and Docs, along with Sign In and Get Started for Free buttons. The main headline reads "Cut review time by 50% High quality AI code reviews". Below this are two buttons: "Get Started" and "Get a demo". To the right, there's a large screenshot of the Bito interface showing a sidebar with options like "Merge Requests" and a video feed of a developer. The main area displays a "Code Review Agent Run Status" section with a "Watch demo" button, followed by a "Code Review" section with a bulleted list of features, and a "High-level Feedback" section.

Cut review time by 50%

High quality
AI code reviews

Get Started → Get a demo

Accessible, accurate AI tools trusted by developers across the world.

<https://bito.ai/>



AI Pair Programming

Aider is AI pair programming in your terminal


Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).




<https://github.com/paul-gauthier/aider>




Test-Driven-Development



Test-Driven-Development



Test-Driven-Development



Workshop with Coding



Workshop


Chat

Editor with AI

AI Agent



Working with APIs




Prompt caching

Innovative technique designed to optimize the inference process of LLM

Store and reuse precomputed states

Reduce cost and increase speed



ANTHROPIC
Gemini

<https://medium.com/@1kg/prompt-cache-what-is-prompt-caching-a-comprehensive-guide-e6cbae48e6a3>



When to Use ?

Conversational agents

Coding assistance

Large document processing

Detailed instruction sets

Agentic search and tool use

Talk to books, papers, docs and large content

<https://www.anthropic.com/news/prompt-caching>




Anthropic



<https://www.anthropic.com/news/prompt-caching>



Gemini



<https://ai.google.dev/gemini-api/docs/caching?lang=python>



Google AI Studio

Get started with the Gemini API

Google AI Studio is the fastest way to start building with Gemini, our next generation family of multimodal generative AI models.

[Sign in to Google AI Studio](#)

Try the 2 million token context window

Explore what is possible with the 2 million token context window.

[Try it out](#)

Get a Gemini API Key

Grab your API key and start integrating Gemini models into your apps.

[Get your API key](#)

Prompt Gallery

Visit our prompt gallery for examples of what's possible with Gemini models.

[Explore the Gallery](#)

<https://ai.google.dev/aistudio>



Google AI Studio

Google AI Studio

Untitled prompt

Enable Autosave

System Instructions
Optional tone and style instructions for the model

User
Here's a Python function that sorts a list of numbers in ascending order. Identify the time complexity of this function. Then optimize this function and explain why it is faster. Don't use Python's in-built sort() method.

```
def sort_list(list_to_sort):
    """
    This function sorts a list of numbers in ascending order using the bubble sort algorithm.

    Args:
        list_to_sort: A list of numbers to be sorted.

    Returns:
        A new list with the numbers sorted in ascending order.
    """
    # Create a copy of the list to avoid modifying the original
    sorted_list = list_to_sort.copy()
    n = len(sorted_list)

    # Iterate through the list n-1 times
    for i in range(n-1):
        # Flag to track if any swaps were made in a pass
        swapped = False
        # Iterate through the unsorted portion of the list
        for j in range(n-i-1):
            # Compare adjacent elements and swap if necessary
            if sorted_list[j] > sorted_list[j+1]:
                sorted_list[j], sorted_list[j+1] = sorted_list[j+1], sorted_list[j]
                swapped = True
    return sorted_list
```

Run settings

Model

Token Count 441 / 1,000,000

Temperature 1

Tools

JSON mode

Code execution

Function calling

Advanced settings

Gemini makes mistakes, so double-check it.

Settings

somkiat.p@gmail.com

Type something

<https://ai.google.dev/aistudio>



Workshop with Copilot Chat



Workshop AI Agent with Aider

GPT-4o

Claude 3.5
Sonnet

DeepSeek
Coder

llama

<https://aider.chat/>



Testing Process

High quality process

Functional

Non-Functional



Testing

Requirement

Design

Develop


Testing

Deploy

Test cases writing
Test code generation
Bug detection
Test planning
Data test generation



Test Case generator



The screenshot shows the Taskade website's AI Test Case Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent green "Sign up for free" button. Below the navigation is a breadcrumb trail showing the user is in the Programming category under Test Case. To the right are a search bar and a categories dropdown. The main title "AI Test Case Generator" is displayed with a blue robot icon. A sub-headline encourages users to "Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy." Below this are two buttons: "Save Workflow" (grey) and "Generate Now" (pink). At the bottom, there's a row of icons with labels: Dynamic AI builders, 100% fully customizable, Download & edit on-the-go, and Generate, publish, & share everywhere.

taskade Product Solutions Learn Tools Pricing Help Log in Sign up for free

Programming Test Case

Search Categories

AI Test Case Generator

Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy.

Save Workflow Generate Now

Dynamic AI builders 100% fully customizable Download & edit on-the-go Generate, publish, & share everywhere

<https://www.taskade.com/generate/programming/test-case>




Testing with Postman

Postbot, our AI-powered assistant, will supercharge your API development.

Speed up your most common API development workflows with natural-language input, conversational interactions, and contextual suggestions.

[Get Started](#)



<https://www.postman.com/product/postbot/>



PostBot

The screenshot shows the Postman application interface. A request is being made to `https://jsonplaceholder.typicode.com/users/1` using the `GET` method. The `Tests` tab is selected in the request header bar. The response body is displayed in Pretty JSON format, showing a single user object:

```
1 {  
2   "id": 1,  
3   "name": "Leanne Graham",  
4   "username": "Bret",  
5   "email": "Sincere@april.biz",  
6   "address": {  
7     "street": "Kulas Light",  
8     "suite": "Apt. 556".  
9   }  
10 }
```

A context menu is open on the right side of the response body, listing options: `Add tests to this request`, `Test for response...`, `Visualize response...`, `Save a field from response`, and `Add documentation`. A small AI-powered chat window titled `New on Postbot` is also visible, stating: "I can auto-complete tests to help you work faster! If you have a response available and type `pm.test()`, I'll suggest important tests that you might be looking for. Once you've entered the test name, I'll also provide the code to validate what you need."

<https://www.postman.com/product/postbot/>



6 Keys software quality

Defect density

Code duplication

Hardcode token/key

Security
vulnerabilities

Outdated package

Non-permissive
opensource libraries



Deployment Process



Deploy and manage

Requirement

Design

Develop

Testing

Deploy

CI/CD pipeline

Infrastructure as a code

Automated script

Performance and monitoring suggestion

Document generation

AI-assist support

ChatOps, AIOps



PromptOps



Solutions ▾ Resources ▾ Contact us Log In

ChatGPT for your DevOps Teams

Turn DevOps tasks into automated workflows with a single prompt straight from Slack

Get started

Learn More

A screenshot of the PromptOps Slack integration. At the top, there's a message from the "PromptOps APP" bot: "Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!". Below this, a Slack conversation shows a user named "Sergoy" reporting an issue: "Uh oh, MOAR 408 errors in graph-engine. Help, @PromptOps!". The "PromptOps APP" bot responds with "Eleven ran into this issue last week" and suggests a fix: "aws easily fixed it by bumping up CPU cores on nginx node. Should I do it?". Two buttons at the bottom right of the message are "Yes" and "No". At the bottom of the screenshot, there are four buttons: "Acknowledge", "Resolve", "Run a play ▾", and "Edit code".

PromptOps APP
Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!
Sergoy 02:14am
Uh oh, MOAR 408 errors in graph-engine.
Help, @PromptOps!
PromptOps APP 02:14am
Eleven ran into this issue last week
aws easily fixed it by bumping up CPU cores on nginx node.
Should I do it?
Yes No

Acknowledge Resolve Run a play ▾ Edit code

<https://www.promptops.com/devops/>



AI for Software Development

© 2020 - 2024 Siam Chamnankit Company Limited. All rights reserved.


ChatOps for DevOps




[Product](#)[How it Works](#)[Learn](#)[Company](#)[Uptime](#)[Sign In](#)[Book a demo](#)[Sign Up](#)

> ChatGPT for DevOps

Converse with your engineering platforms, powered by LLM.
A virtual teammate to handle DevOps requests so you can handle the rest.

[Add Kubi to Slack](#)

-  Kubi (DevOps)
@Alerts I got an alert from Prometheus:

Deployment 'alert-manager' on namespace 'Openfaas' is experiencing high traffic
-  Kubi (DevOps)
@Alerts Should I increase the number of replicas on 'alert-manager'?
-  Jeff (R&D)
Yes
-  Kubi (DevOps)

✓ The following deployment has been updated:
Deployment: alert-manager
Namespace: Openfaas
Replicas: 3

<https://www.kubiya.ai/>



K8sGPT



CLOUD NATIVE K8sGPT joins the SANDBOX CNCF Sandbox

K8sGPT is a tool for scanning your kubernetes clusters, diagnosing and triaging issues in simple english. It has SRE experience codified into its analyzers and helps to pull out the most relevant information to enrich it with AI.

Get it now!

<https://k8sgpt.ai/>



Workshop



 Claude

The logo consists of a stylized orange-red asterisk or starburst icon followed by the word "Claude" in a bold, black, sans-serif font.

<https://github.com/up1/workshop-ai-with-technical-team>



Tips and Techniques

Scope of prompt

Error in result

Setup and config
project

Latest information

Use technical
keywords



Risks when using Generative AI





Risks

Quality of output generated
Explainability of decisions
Security policy !!
Sensitive data !!



Tips

Understand what you want


Modular approach

Clear and Precise inputs

Make sure you understand the code



Quality process ?



Skill Required


Knowledge of ethical AI principles, legal and regulatory compliance, stakeholder management



Security !!



OWASP Top 10 for LLM app



<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM01

Prompt Injection

Crafty inputs can manipulate a Large Language Model, causing unintended actions. Direct injections overwrite system prompts, while indirect ones manipulate inputs from external sources.

LLM02

Insecure Output Handling

This vulnerability occurs when an LLM output is accepted without scrutiny, exposing backend systems. Misuse may lead to severe consequences like XSS, CSRF, SSRF, privilege escalation, or remote code execution.

LLM03

Training Data Poisoning

This occurs when LLM training data is tampered, introducing vulnerabilities or biases that compromise security, effectiveness, or ethical behavior. Sources include Common Crawl, WebText, OpenWebText, & books.

LLM04

Model Denial of Service

Attackers cause resource-heavy operations on Large Language Models leading to service degradation or high costs. The vulnerability is magnified due to the resource-intensive nature of LLMs and unpredictability of user inputs.

LLM05

Supply Chain Vulnerabilities

LLM application lifecycle can be compromised by vulnerable components or services, leading to security attacks. Using third-party datasets, pre-trained models, and plugins can add vulnerabilities.

LLM06

Sensitive Information Disclosure

LLM's may reveal confidential data in its responses, leading to unauthorized data access, privacy violations, and security breaches. It's crucial to implement data sanitization and strict user policies to mitigate this.

<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM07

Insecure Plugin Design

LLM plugins can have insecure inputs and insufficient access control. This lack of application control makes them easier to exploit and can result in consequences like remote code execution.

LLM08

Excessive Agency

LLM-based systems may undertake actions leading to unintended consequences. The issue arises from excessive functionality, permissions, or autonomy granted to the LLM-based systems.

LLM09

Overreliance

Systems or people overly depending on LLMs without oversight may face misinformation, miscommunication, legal issues, and security vulnerabilities due to incorrect or inappropriate content generated by LLMs.

LLM10


Model Theft

This involves unauthorized access, copying, or exfiltration of proprietary LLM models. The impact includes economic losses, compromised competitive advantage, and potential access to sensitive information.

<https://llmtop10.com/>




Prompt Injection !!



<https://llmtop10.com/>



Prompt Injection !!




https://learnprompting.org/docs/prompt_hacking/injection



Secure GenAI

Generative AI Security Scoping Matrix

A MENTAL MODEL TO CLASSIFY USE CASES



<https://aws.amazon.com/blogs/security/securing-generative-ai-data-compliance-and-privacy-considerations/>



National AI Policies & Strategies

The screenshot shows the homepage of the OECD.AI Policy Observatory. The top navigation bar includes links for Blog, Experts, AI Principles, Policy areas, Trends, and a search bar. Below the navigation is a breadcrumb trail: Home > National strategies & policies. A large teal header banner reads "National AI policies & strategies". A descriptive text below the banner states: "This section provides a live repository of over 1000 AI policy initiatives from 69 countries, territories and the group targeted by the policy." A grid of country cards is displayed, with the first row showing African Union, Costa Rica, Iceland, Luxembourg, Argentina, Croatia, India, and Malta.

Countries & territories	Policy instruments	Target Groups
African Union	Costa Rica	Iceland
Argentina	Croatia	India
		Luxembourg
		Malta

<https://oecd.ai/en/dashboards/overview>



Local LLM



Local LLM

Run LLM on local machine/device
Try to customize with your requirement

Reduce cost

Data privacy


Responsive

Offline mode




Local LLM

Improve your LLM models, more accurate answer



Models ?

How to download models ?



Local LLM Server



Local LLM with LM Studio

The image shows the LM Studio website and its desktop application side-by-side.

Website Screenshot:

- Header:** LM Studio logo, Docs, Blog, Download.
- Title:** LM Studio
- Text:** Discover, download, and run local LLMs.
- Announcement:** LM Studio v0.3.0 is finally here! 🎉🎉🎉 Read the announcement.
- Run Buttons:** LLaMa, Phi, Gamma, DeepSeek, Owen, Mistral.
- Text:** Built with open source projects like `llama.cpp` and `lmstudio.js`.
- Download Buttons:**
 - Download LM Studio for Mac (M1/M2/M3) 0.3.2
 - Download LM Studio for Windows (x64) 0.3.2
 - Download LM Studio for Linux (x86) 0.3.2
- Text:** LM Studio is provided under the [terms of use](#).

Desktop Application Screenshot:


A screenshot of the LM Studio application window titled "LM Studio - Community Edition 0.3.0". The window displays a configuration interface with several tabs and sections. One tab is labeled "Advanced Configuration" which contains fields for "System Prompt" (with placeholder "Example: 'Only answer in English'"), "P Serial", and "C Sensors". Other tabs include "Model", "Properties", "Logs", and "About". A status bar at the bottom right shows "Status: OK" and "Start resources usage: 389.5MB / 1.3GB / 1.4GB".

<https://lmstudio.ai/>



Local LLM with LM Studio

Load model from Hugging Face




<https://lmstudio.ai/>



Local LLM with Ollama

\$ollama run **llama3.1**



<https://ollama.com/>



More

GPT4All

LlamaFile

Jan.ai

NextChat

Anything LLM

<https://github.com/Hannibal046/Awesome-LLM>



LLM Models



Hugging Face Model Hub

NEW AI Tools are now available in HuggingChat

The AI community building the future.

The platform where the machine learning community collaborates on models, datasets, and applications.

Models 450,541

Tasks

- Vision
- Computer Vision
- Natural Language Processing
- Audio
- Tabular
- Reinforcement Learning

Datasets

Spaces

Posts

Docs

Pricing

Log In

Sign Up

meta-llama/Llama-2-7b

Text Generation • Updated 4 days ago • 25.2k • 4.6k

stabilityai/stable-diffusion-v1-base

openai/openchat

lllyasviel/ControlNet-v1-2

ceresense/zeroscope_v2_XL

meta-llama/Llama-2-20b

tiiuae/falcon-40b-instruct

MirroredH/MixedCodes-v18-v1.0

CompVis/stable-diffusion-v2-4

StabilityAI/stable-diffusion-v2-2

Salesforce/qwen-2b-8w-inat

<https://huggingface.co/>



Hugging Face :: Model

The screenshot shows the Hugging Face Model Hub interface. On the left, there's a sidebar with sections for Tasks (Libraries, Datasets, Languages, Licenses), Other, Filter Tasks by name, Multimodal (Image-Text-to-Text, Visual Question Answering, Document Question Answering, Video-Text-to-Text, Any-to-Any), and Computer Vision (Depth Estimation, Image Classification, Object Detection, Image Segmentation, Text-to-Image, Image-to-Text, Image-to-Image, Image-to-Video, Unconditional Image Generation, Video Classification, Text-to-Video, Zero-Shot Image Classification, Mask Generation, Zero-Shot Object Detection, Text-to-3D). The main area is titled 'Models 233,861' and has a search bar with 'llama'. It includes 'Full-text search' and 'Sort: Trending' buttons. The search results list several Llama models:

- black-forest-labs/FLUX.1-dev** (Text-to-Image, Updated Aug 16, 919k, 4.73k)
- meta-llama/Meta-Llama-3.1-8B-Instruct** (Text Generation, Updated Aug 21, 3.09M, 2.61k)
- jinaai/reader-lm-1.5b** (Text Generation, Updated 5 days ago, 8.28k, 382)
- black-forest-labs/FLUX.1-schnell** (Text-to-Image, Updated Aug 16, 1.06M, 2.35k)
- nvidia/Llama-3_1-Nemotron-51B-Instruct** (Text Generation, Updated about 14 hours ago, 61, 79)
- dleemiller/word-llama-12-supercat** (Updated Aug 12, 81)
- ICTNLP/Llama-3.1-8B-Omni** (Updated 12 days ago, 1.39k, 324)

<https://huggingface.co/>



Big Code model leader board

★ Big Code Models Leaderboard

Inspired from the [Open LLM Leaderboard](#) and [Open LLM-Perf Leaderboard](#), we compare performance of base multilingual code generation models on [HumanEval](#) benchmark and [MultiPL-E](#). We also measure throughput and provide information about the models. We only compare open pre-trained multilingual code models, that people can start from as base models for their trainings.

Evaluation table Performance Plot About Submit results

See All Columns

Search for your model and press ENTER...

Filter model types

all base instruction-tuned EXT external-evaluation

T	Model	Win Rate	humaneval-python	java	javascript	cpp
♦ EXT	OpenCodeInterpreter-DS-33B	55.83	75.23	54.8	69.06	64.47
♦ EXT	Nxcode-CQ-7B-croc	55.42	87.23	60.91	71.69	68.04
♦	CodeQwen1.5-7B-Chat	55.08	87.2	61.04	70.31	67.85
♦ EXT	CodeFuse-DeepSeek-33b	54.33	76.83	60.76	66.46	65.22
♦ EXT	DeepSeek-Coder-33b-instruct	52	80.02	52.03	65.13	62.36
♦ EXT	Artigenz-Coder-DS-6.7B	51.5	70.89	56.84	66.16	59.75
♦ EXT	DeepSeek-Coder-7b-instruct	50.33	86.22	53.34	65.8	59.66
♦ EXT	OpenCodeInterpreter-DS-6.7B	49.67	73.2	51.41	63.85	60.81

<https://huggingface.co/spaces/bigcode/bigcode-models-leaderboard>



Model in Ollama

The screenshot shows the Ollama library interface. At the top left is a circular icon of a cartoon llama head. To its right, the word "Models" is displayed. Below this is a search bar containing the text "deepseek". To the right of the search bar is a dropdown menu set to "Featured".

The first model listed is "deepseek-coder-v2". Its description reads: "An open-source Mixture-of-Experts code language model that achieves performance comparable to GPT4-Turbo in code-specific tasks." Below the description are three blue buttons labeled "Code", "16B", and "236B". Underneath these buttons are three small icons with the numbers "307K", "65", and "3 months ago" respectively.

The second model listed is "deepseek-coder". Its description reads: "DeepSeek Coder is a capable coding model trained on two trillion code and natural language tokens." Below the description are four blue buttons labeled "Code", "1B", "7B", and "33B". Underneath these buttons are three small icons with the numbers "303.9K", "102", and "9 months ago" respectively.


<https://ollama.com/library>



LiteLLM as a Proxy



LiteLLM as a Proxy




<https://www.litellm.ai/>



Workshop

Use docker compose to build and run



<https://docs.openwebui.com/>



Retrieval-Augmented Generation (RAG)



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge


Up-to-data
Information

Citing sources

Data security
Access control List
(ACL)




RAG Data Pipeline



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>



RAG Agent




<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG with LLM

Improve your LLM models, more accurate answer



RAG with LLM




<https://aws.amazon.com/th/what-is/retrieval-augmented-generation/>




Better RAG application

How can we make better RAG applications?



Hybrid Search




Data Cleaning




Prompting



Evaluation




Data Collection



<https://stackoverflow.blog/2024/08/15/practical-tips-for-retrieval-augmented-generation-rag/>




Demo with Chatbot



<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>




Frameworks and Tools



LangChain


Framework for develop application powered by LLM




<https://python.langchain.com/>



Data Analysis Agent



Steps to develop




<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>



AI Agent



AI Agent



Workshop AI Agent with Aider

GPT-4o

Claude 3.5
Sonnet

DeepSeek
Coder

Ollama

<https://aider.chat/docs/llms/ollama.html>



LLM

Prompt



LLM




Answer

<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




LLM → RAG



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




Agent



<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




LLM → RAG → Agent



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>



Workshop Record Expense



Here is the extracted data from the payment slip in JSON format:

```
{  
    "payment_status": "Completed",  
    "date_time": "20 Aug 24 1:33 PM",  
    "payer_name": "Mr. Somkiat P",  
    "bank": "KBANK",  
    "payer_account": "xxx-x-x9323-x",  
    "payee_name": "AMZ_SD4330 UNION MALL",  
    "company_name": "DEEMAPHARUAY CO., LTD.",  
    "transaction_id": "202408202155006",  
    "payment_reference_id": "014233133358BQR09410",  
    "amount": "45.00 Baht",  
    "fee": "0.00 Baht"  
}
```



Workshop Record Expense

Requirement

Design

Develop

Testing

Deploy

Generative AI



AI Agent Tools



Aider

Aider is AI pair programming in your terminal

Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).



<https://aider.chat/>



AI for Software Development

© 2020 - 2024 Siam Chamnkit Company Limited. All rights reserved.

Microsoft AutoGen

AutoGen

An Open-Source Programming Framework for Agentic AI

Getting Started - 3min 


<https://microsoft.github.io/autogen/>



Q/A



Learning Flow



Perplexity.AI

Create REST API with nodejs and express

❖ Sources

- Creating a REST API with Node.js and Express | Postman Blog · blog.postman · 1
- How to create a backend API in Express JS - DEV Community · dev · 2
- Create Simple REST API with Node.js & Express - YouTube · youtube · 3

View 4 more

Perplexity

To create a REST API using Node.js and Express, follow these structured steps:

Prerequisites

- Node.js: Ensure Node.js is installed on your system. You can download it from the official site.
- NPM: This comes with Node.js and is used to manage packages.

Step-by-Step Guide

1. Set Up Your Project

- Create a Project Folder: Choose a name for your project folder, e.g., 'express-api'.
- Initialize Node.js Application: Open your terminal, navigate to your project folder, and

<https://www.perplexity.ai/search/create-rest-api-with-nodejs-an-H1bLD2YdSJyQgOrjbgvk5g>

