



AI for Software Development Software Delivery





Facebook somkiat.cc

Page Messages Notifications 3 Insights Publishing Tools Settings Help

somkiat.cc
@somkiat.cc

Home Posts Videos Photos

Liked Following Share ... + Add a Button




**[https://github.com/up1/
workshop-ai-with-technical-team](https://github.com/up1/workshop-ai-with-technical-team)**



Goals

Integrate Generative AI in Development
Optimize code quality
Team up with AI on coding tasks
Develop innovative solutions



Software Development

Requirement

Design

Develop


Testing

Deploy

Generative AI

Improve Productivity ... (Replace human !!)






Stages of AI

LLMstudio

Open AI's 5 stages towards AGI




tensorops

<https://www.tensorops.ai/post/openai-unveils-o1-model-the-biggest-leap-towards-agi-since-chatgpt>



Generative AI



<https://grow.google/ai-essentials/>



Generative AI

LLMs

Large Language Models

Text generation

Code generation

Chatbot

Conversation AI

GANs

Generative Adversarial Network

Image generation

Deep fake

Art creation

Simulate financial market

VAEs


Variational Autoencoders

Data compression

Synthetic data generation

Image reconstruction





Large Language Model (LLM)

Type of AI model

Process, understand

Generate human readable data

LLM


Training data !!



Large Language Model (LLM)

Neural network

Predicts the next word in a sequence



Let's go !!



ສືເໜືອງ



ມະນຸງ



ເຕັກ








มีด



LLM components !!

Components of the Decoder-only Transformer




```
from torch import nn
class Block(nn.Module):
    def __init__(self, d, h, T, base, dropout=0.2, **kwargs):
        super().__init__()
        self.ln_1 = nn.LayerNorm(d)
        self.attn = CausalSelfAttention(d, h, T, base, dropout)
        self.ln_2 = nn.LayerNorm(d)
        self.ffn = FFN(d, base, dropout)

    def forward(self, x):
        x = x + self.attn(self.ln_1(x))
        x = x + self.ffn(self.ln_2(x))
        return x
```


<https://stackoverflow.blog/2024/08/22/lms-evolve-quickly-their-underlying-architecture-not-so-much>



Transformer inside



Transformer process



OpenAI Tokenizer

GPT-4o & GPT-4o mini (coming soon) **GPT-3.5 & GPT-4** GPT-3 (Legacy)

ประเทศไทย

[Clear](#) [Show example](#)

Tokens	Characters
10	9

ประเทศไทย

[Text](#) [Token IDs](#)

<https://platform.openai.com/tokenizer>



Token Calculator for LLM

Token Calculator for LLMs

Calculate the number of tokens in your text for all LLMs (GPT-4o, GPT-o1, GPT-4, Claude, Gemini, etc)

Token Calculator

Input/Paste your text here

T Tokens 0	# Words 0	Characters (no spaces) 0	Total characters 0
-------------------------	------------------------	------------------------------------	------------------------------

Model	Provider	Context	Input/1M Tokens	Output/1M Tokens	Input Price	Output Price
gpt-o1-preview	OpenAI/Azure	128K	\$15	\$60	\$0.0000	\$0.0000
gpt-o1-mini	OpenAI/Azure	128K	\$3	\$12	\$0.0000	\$0.0000

<https://token-calculator.net/>


The logo features a stylized 'A' shape composed of several thin, curved lines of varying lengths, creating a dynamic and modern appearance.

AI for Software Development
© 2020 - 2025 Siam Chamnkit Company Limited. All rights reserved.

23

Embedding ?


Map items of unstructured data to high-dimensional real vectors



<https://towardsdatascience.com/transfomers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Vector Database



Unstructured data


0.2	-1.7	•••	2.3
0.4	0.5	•••	-1.7
4.1	-1.9	•••	-1.5
-1.1	0.7	•••	5.3
-3.5	2.3	•••	0.5
-1.7	0.4	•••	0.2
2.3	0.2	•••	0.7
-1.9	4.1	•••	-2.4
0.5	-1.5	•••	2.3

Embeddings

<https://www.dailydoseofds.com/a-crash-course-on-building-rag-systems-part-1-with-implementations/>



Visual of Vector space




Distance Metrics in Vector Search

Cosine Distance

$$1 - \frac{A \cdot B}{\|A\| \|B\|}$$

OpenAI




Squared Euclidean (L2 Squared)

$$\sum_{i=1}^n (x_i - y_i)^2$$

Dot Product

$$A \cdot B = \sum_{i=1}^n A_i B_i$$




Manhattan (L1)

$$\sum_{i=1}^n |x_i - y_i|$$


<https://help.openai.com/en/articles/8984345-which-distance-function-should-i-use>



Distance measure in Data Science




Store data in Vector Database



Vector Database ?

Map items of unstructured data to high-dimensional real vectors




<https://towardsdatascience.com/transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Vector Database


Indexing data with embedding



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Embedding data



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>




Search similar items



<https://newsletter.theaiedge.io/p/understanding-how-vector-databases>



Transformer Explainer



<https://platform.openai.com/tokenizer>



LLMs in industry

Model name	Company
Bidirectional Encoder Representation from Transformers (BERT)	Google AI
Generative Pre-trained transformer-3 (GPT-3)	OpenAI
Generative Pre-trained transformer-4 (GPT-4)	OpenAI
Pathways Language Model-E (PaLM-E)	Google AI
BLOOM	NVIDIA AI
Llama 3	Facebook
Claude 3.5 Sonnet	Anthropic



LLM Development timeline




Figure 3: LLM development timeline. The models below the arrow are closed-source while those above the arrow are open-source.

<https://arxiv.org/abs/2311.16989>




Application

Infrastructure

Model



Generative AI (GenAI)



Generative AI (GenAI)

Days before OpenAI



Days after OpenAI



Trust, but verify output !!



Challenges in Gen AI

Lack of high-quality data


Data licenses

Generation latency

High computational power




Generative AI in Nutshell



<https://www.youtube.com/watch?v=2IK3DFHRFw>



Generative AI Application Stack



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/>



Generative AI Roadmap

Generate roadmaps with AI

Enter a topic and let the AI generate a roadmap for you

Enter a topic to generate a roadmap for

 Generate

OAuth ↗

UI / UX ↗

SRE ↗

DevRel ↗

Explore AI Roadmaps 

You have generated 0 of 10 roadmaps today.

Need to generate more? [Click here.](#)

<https://roadmap.sh/ai>




Application Tool chains



Global Generative AI Landscape


The Global Generative AI Landscape 2024

Alport



<https://www.blog.aiport.tech/p/the-first-truly-global-generative>





Tool chains category

Assist
tasks

Interaction
modes

Prompt
composition

Properties of
model



Assist tasks

Finding information faster in context

Generating code

Reasoning about code

Transforming code into something ..

Requirement

Design

Develop

Testing

Deploy

Software Delivery Lifecycle



Interaction modes

Chat interfaces

In-line assistance (typing in code editor)


CLI (command-line interface)



Prompt composition

Prompt engineering

Compose prompts from user inputs and context



<https://platform.openai.com/docs/guides/prompt-engineering>



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering>



Iterative Prompt Development




- Try something
- Analyze where the result does not give what you want
- Clarify instructions, give more time to think
- Refine prompts with a batch of examples

<https://www.deeplearning.ai/short-courses/chatgpt-prompt-engineering-for-developers/>



Basic of Prompt Engineer



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering/six-strategies-for-getting-better-results>



Prompt Structure



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/working-with-langs/prompt-engineering>



Prompting Guide

Prompt Engineering

Prompt Engineering Guide

Prompt engineering is a relatively new discipline for developing and optimizing prompts to efficiently use language models (LMs) for a wide variety of applications and research topics. Prompt engineering skills help to better understand the capabilities and limitations of large language models (LLMs).


Researchers use prompt engineering to improve the capacity of LLMs on a wide range of common and complex tasks such as question answering and arithmetic reasoning. Developers use prompt engineering to design robust and effective prompting techniques that interface with LLMs and other tools.

Prompt engineering is not just about designing and developing prompts. It encompasses a wide range of skills and techniques that are useful for interacting and developing with LLMs. It's an important skill to interface, build with, and understand capabilities of LLMs. You can use prompt engineering to improve safety of LLMs and build new capabilities like augmenting LLMs with domain knowledge and external tools.

<https://www.promptingguide.ai/>



Structure of Prompt



<https://platform.openai.com/docs/guides/prompt-engineering>



Structure of Prompt !!

APE
Action, Purpose,
Expectation

RACE
Role, Action,
Context,
Expectation

TAG
Task, Action, Goal

COAST
Context, Objective,
Action, Scenario,
Task

RISE
Role, Input, Step,
Expectation

<https://twitter.com/pradeepeth/status/1673271866696544257>



Prompt Generator

OpenAI GPT prompt generator

As we explain in our guide [How to write a good prompt](#), the key to writing a good prompt is to be very specific about what you want. You don't have to remember all the important informations. Use our easy generator to create your perfect prompt:

Task	Write a blogpost
Topic	OpenAI
Style	Academic
Tone	Assertive
Audience	5-year old
Length	2 paragraphs
Format	Text

<https://gptforwork.com/tools/prompt-generator>



Example Prompt

Prompt examples

Explore what's possible with some example prompts

 Search...

All categories 



Grammar correction

Convert ungrammatical statements into standard English.



Summarize for a 2nd grader

Simplify text to a level appropriate for a second-grade student.



Parse unstructured data

Create tables from unstructured text.



Emoji Translation

Translate regular text into emoji text.



Calculate time complexity

Find the time complexity of a function.



Explain code

Explain a complicated piece of code.



Keywords

Extract keywords from a block of text.



Product name generator

Generate product names from a description and seed words.

<https://platform.openai.com/docs/examples>




OpenAI Playground

The screenshot shows the OpenAI Playground interface. On the left, a sidebar menu includes PLAYGROUND, Chat (selected), Assistants, TTS, and Completions. Below the menu is a Forum link and a Help link. The main area is titled "Chat" and shows "gpt-4o" selected. A "SYSTEM" section allows entering system instructions. At the bottom, there's a text input field with placeholder "Enter user message..." and two buttons: "User" and "Add". To the right, there are "Presets", "Save", and "Compare" buttons. A "Functions" section has a "+ Add function" button. Configuration options include "Response format: Text" (set to 0), "Temperature" (set to 1), "Maximum Tokens" (set to 256), "Stop sequences" (input field), "Top P" (set to 1), "Frequency penalty" (set to 0), and "Presence penalty" (set to 0). A note at the bottom states: "API and Playground requests will not be used to train our models." with a "Learn more" link.

<https://platform.openai.com/playground>




Anthropic Dashboard



<https://console.anthropic.com/dashboard>



Anthropic Prompt Generator



<https://docs.anthropic.com/en/docs/build-with-claude/prompt-engineering/prompt-generator>



Google AI Studio

The screenshot shows the Google AI Studio interface. On the left is a sidebar with navigation links: Get API key, Create new prompt (highlighted), New tuned model, My library, Allow Drive access, Prompt Gallery, Developer documentation, Developer forum, and Gemini API for Enterprise. Below this is a note: "Gemini makes mistakes, so double-check it." Further down are Settings and a user profile for somkiat.p@gmail.com.

The main area is titled "Untitled prompt". It contains a "System Instructions" section with placeholder text: "Optional tone and style instructions for the model". Below this is a "User" section with a task description: "Here's a Python function that sorts a list of numbers in ascending order. Identify the time complexity of this function. Then optimize this function and explain why it is faster. Don't use Python's in-built sort() method." A code editor shows the following Python code:

```
def sort_list(list_to_sort):
    """
    This function sorts a list of numbers in ascending order using the bubble sort algorithm.

    Args:
        list_to_sort: A list of numbers to be sorted.

    Returns:
        A new list with the numbers sorted in ascending order.
    """
    # Create a copy of the list to avoid modifying the original
    sorted_list = list_to_sort.copy()
    n = len(sorted_list)


    # Iterate through the list n-1 times
    for i in range(n-1):
        # Flag to track if any swaps were made in a pass
        swapped = False
        # Iterate through the unsorted portion of the list
        for j in range(n-i-1):
            # Compare adjacent elements and swap if necessary
            if sorted_list[j] > sorted_list[j+1]:
                sorted_list[j], sorted_list[j+1] = sorted_list[j+1], sorted_list[j]
                swapped = True
    return sorted_list
```

On the right side, there are several configuration panels: "Run settings" (with "Model" set to "Gemini 1.5 Flash"), "Token Count" (441 / 1,000,000), "Temperature" (set to 1), "Tools" (JSON mode, Edit schema, Code execution, Function calling), and "Advanced settings". At the bottom are buttons for "Type something", "Stop", and "Clear".

<https://ai.google.dev/aistudio>



Evolution of Prompt Engineering




<https://github.com/promptslab/Awesome-Prompt-Engineering>




Basic Prompts

User




Prompt Pipelines



<https://cobusgreyling.medium.com/the-evolution-of-prompt-engineering-29c3d6943af2>



Hallucinations in LLMs



<https://www.teneo.ai/blog/avoid-llm-hallucinations>



Hallucinations in LLMs

Training data set
issue



Architecture and
training objective

Prompt engineering

Over-optimization



Count r in Strawberry !!



<https://hackernoon.com/why-cant-ai-count-the-number-of-rs-in-the-word-strawberry>



Count r in Strawberry !!

✳️ Perplexity

Counting the Letter "R" in "Strawberry"

To count the number of times the letter "R" appears in the word "strawberry", we can break it down character by character:

S-T-R-A-W-B-B-E-R-R-Y

In this analysis, we see that the letter "R" appears 3 times in the word "strawberry" ① ② ③.

Some key points:

- Language models like ChatGPT do not always count letters correctly in words like "strawberry" ② ③
- This is because they break down words into tokens rather than individual letters, and the tokens may not map directly to the letters ②
- To get the right answer, you can have the AI spell out the word and count the "R"s as it goes ④
- Counting letters is a simple task for humans but can trip up even advanced AI systems ⑤ ⑥

So in summary, the letter "R" appears 3 times in the word "strawberry". While this is obvious to humans, it can be a tricky problem for current AI language models to solve consistently.



Count r in Strawberry !!

Count r in Strawberry

step-by-step of your thinking



Chain of Thought Prompting (CoT)


Technique used to improve the reasoning ability of
LLM

Try to break down a complex problem into smaller,
More manageable steps, lead to final answer

OpenAI o1 model



Chain of Thought Prompting (CoT)



Chain of Thought Prompting (CoT)

(a) Few-shot

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The answer is 8. ✗

(b) Few-shot-CoT

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. $5 + 6 = 11$. The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The juggler can juggle 16 balls. Half of the balls are golf balls. So there are $16 / 2 = 8$ golf balls. Half of the golf balls are blue. So there are $8 / 2 = 4$ blue golf balls. The answer is 4. ✓

(c) Zero-shot

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: The answer (arabic numerals) is

(Output) 8 ✗

(d) Zero-shot-CoT (Ours)

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: Let's think step by step.

(Output) There are 16 balls in total. Half of the balls are golf balls. That means that there are 8 golf balls. Half of the golf balls are blue. That means that there are 4 blue golf balls. ✓

<https://www.promptingguide.ai/techniques/cot>



Advice from OpenAI (o1 model)

CoT prompt may not enhance performance

Keep prompts simple and direct

Avoid CoT

Use delimiter for clarity


Limit additional context in RAG

<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



How reason works ?

Reasoning token (invisible token but billed)



<https://platform.openai.com/docs/guides/reasoning/advice-on-prompting>



Write code to generate prompt



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/prompt>




Retrieval Augmented Generation (RAG)



LLM-based app ?

External knowledge



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge

Up-to-date
Information

Citing sources

Data security
Access control List
(ACL)



Retrieval

Fetch the relevant information from external knowledge
Important step in curating the meaningful and contextually

Augmentation

Enhancing and adding more relevant context for user query

Generation

Output to user by LLM providers with knowledge and context




RAG helps ?

Hallucination
Cost and time consuming
Text repetition
Outdated of information
Uncontrollable
Accuracy !!




Limitation of LLM




RAG ?

Fixed-knowledge !!




RAG ?

Without




with RAG




<https://medium.com/google-cloud/google-cloud-rag-api-c7e3c9931b3e>



Basic RAG Architecture




RAG process




RAG with LLM

Improve your LLM models, more accurate answer




Retrieval-Augmented Generation (RAG) Framework



<https://www.k2view.com/blog/rag-genai>




RAG Implementation



<https://blog.dailydoseofds.com/p/5-chunking-strategies-for-rag>




RAG Implementation



<https://www.dailydoseofds.com/a-crash-course-on-building-rag-systems-part-1-with-implementations/>




RAG Implementation




<https://www.dailydoseofds.com/a-crash-course-on-building-rag-systems-part-1-with-implementations/>



RAG Implementation



RAG Implementation



https://huggingface.co/learn/cookbook/advanced_rag



RAG Key Terms

Tokenization

Chunking

Embedding


Embedding models

Similarity search
Vector search

LLM window
context



RAG Key Terms



<https://levelup.gitconnected.com/semantic-chunking-for-enhanced-rag-applications-b6bc92942af0>



Tokenization

Process of breaking down text into smaller units
called **t**okens

Tokens can be words, characters, or subwords,
depending on the task

Help prepare text data for analysis
by representing it in a structured way



Chunking

Chunking is the grouping of tokens into meaningful sections, often based on grammatical structure, like noun phrases or verb phrases.

Helps in understanding the structure of sentences and the relationships between words



Chunking Strategies !!

Fixed length
Recursive characters
Document structure-based
Semantic chunking
LLM-based chunking
Contextual retrieval

<https://www.linkedin.com/pulse/prompt-engineering-chunking-strategies-ravi-naarla/>

<https://blog.dailydoseofds.com/p/5-chunking-strategies-for-rag>



Embedding


Embedding is a representation of text data in **numerical vector form**

Each word or sentence is represented as a **high-dimensional vector**, capturing its semantic meaning

Embeddings allow text to be used in **machine learning models** by converting it into a format the models can process.



Summary



Hello world


Token	Hello	World
Token id	1	2

[1,2]

```
[[ -3.95261124e-02 -1.66764930e-02 9.81786475e-02 1.27390521e-02  
-4.50244620e-02 -1.57272965e-02 6.66662678e-02 2.10209060e-02  
9.99843255e-02 3.95087115e-02 3.87372263e-02 -2.51084827e-02  
5.32396603e-03 4.54628207e-02 7.42979953e-03 2.00463505e-03  
-4.58151475e-02 -1.20408414e-03 -8.42441767e-02 -3.62469666e-02  
-1.61933392e-01 6.05303086e-02 4.38679755e-03 -1.14583876e-03  
-1.38427421e-01 2.52840482e-02 5.86531451e-03 -8.12693834e-02  
4.02542809e-03 -1.90829430e-02 -1.93073396e-02 9.50673595e-03  
-1.89097337e-02 3.16560529e-02 -4.22104448e-02 -1.75430663e-02  
3.54745984e-02 1.34416856e-02 4.95691150e-02 5.71430475e-02
```




RAG with PDF file



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/rag/demo-pdf>



RAG with MongoDB




<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/rag/demo-mongodb>



Contextual Retrieval


Combine Contextual Retrieval and Reranking to maximize retrieval accuracy



<https://www.anthropic.com/news/contextual-retrieval>



Context + Chunk !!



<https://www.anthropic.com/news/contextual-retrieval>




Prompt caching

Innovative technique designed to optimize the inference process of LLM

Store and reuse precomputed states

Reduce cost and increase speed



ANTHROPIC
Gemini

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-caching>



When to Use ?

Conversational agents

Coding assistance

Large document processing

Detailed instruction sets


Agentic search and tool use

Talk to books, papers, docs and large content

<https://www.anthropic.com/news/prompt-caching>



OpenAI



<https://platform.openai.com/docs/guides/prompt-caching>




Anthropic



<https://www.anthropic.com/news/prompt-caching>




Gemini



<https://ai.google.dev/gemini-api/docs/caching?lang=python>



RAG with Semantic/Contextual




<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/rag/demo-chunking>



Fine Tuning




Fine Tuning



Fine Tuning


Training with small and specific dataset
Adjust the model's weight based on our data



<https://towardsdatascience.com/rag-vs-finetuning-which-is-the-best-tool-to-boost-your-lm-application-94654b1eaba7>



Fine Tuning Process



<https://platform.openai.com/docs/guides/fine-tuning>



RAG vs Fine-tuning

Scenario	RAG preferred	Fine tune preferred
Skillset requirements	Strong in RAG engineering	Strong in deep learning model and fine tuning
Data freshness	Realtime or frequently updated	Static, domain-specific data
Domain complexity	Multiple domains or high data diversity	Specialized and heavy domain (medical)
Resources usage	Lower computation	Higher computation

<https://www.kdnuggets.com/go-out-stay-in-rag-vs-fine-tuning>



LLMs !!

Prompt
engineering

RAG

Fine tuning

Train from
scratch




Complexity
Cost
Quality



AI Agent



Goal or Result-based




<https://github.com/e2b-dev/awesome-ai-agents>



Goal-based agent


Attempts to choose best strategy to achieve goal on environment



<https://www.baeldung.com/cs/goal-based-vs-utility-based-agents>



AI Agent



<https://aws.amazon.com/th/what-is/ai-agents/>



Types of AI Agent

Simple reflex

Model-based
reflex

Goal-based

Utility-based

Learning

Hierarchical

<https://github.com/e2b-dev/awesome-ai-agents>



End-to-end Software Agent




<https://www.cognition.ai/blog/introducing-devin>



The AI Scientist: Towards Fully Automated Open-Ended Scientific Discovery

Chris Lu^{1,2,*}, Cong Lu^{3,4,*}, Robert Tjarko Lange^{1,*}, Jakob Foerster^{2,†}, Jeff Clune^{3,4,5,†} and David Ha^{1,†}

*Equal Contribution, ¹Sakana AI, ²FLAIR, University of Oxford, ³University of British Columbia, ⁴Vector Institute, ⁵Canada CIFAR AI Chair, [†]Equal Advising



<https://arxiv.org/abs/2408.06292>




Let's Start



Chat and Search



Chat and Search



ChatGPT from OpenAI

ChatGPT ▾

The image shows the ChatGPT interface. At the top center is the AI logo. Below it are four cards with generated prompts:

- Create a Renaissance-style painting
- Pick outfit to look good on camera
- Activities to make friends in new city
- Thank my interviewer


At the bottom is a message input field with a placeholder "Message ChatGPT" and an upward arrow icon.

ChatGPT can make mistakes. Check important info.

<https://chatgpt.com/>



ChatGPT Search



Google Gemini

Hello, somkiat
How can I help you today?

Help create a weekly meal plan for two

Settle a debate: how should you store bread?

Improve the readability of the following code

Revise my writing and fix my grammar

Your conversations are processed by human reviewers to improve the technologies powering Gemini


Enter a prompt here

Gemini may display inaccurate info, including about people, so double-check its responses. [Your privacy & Gemini Apps](#)

<https://gemini.google.com/app>



Microsoft Bing Copilot



<https://www.bing.com/chat>



Claude.AI

Using limited free plan [Upgrade](#)

* Good afternoon, Somkiat

How can Claude help you today?

Claude 3.5 Sonnet

Get started with an example below



Add content

Generate excel formulas

Summarize meeting notes

Write a memo




<https://claude.ai/new>



Claude AI + Artifact

Try to automatically compile and run generated code



<https://www.anthropic.com/news/clause-3-5-sonnet>



Demo

Claude

generate svg file for word "Hello World"

Certainly! I'll create an SVG file with the text "Hello World" for you.

Click to open image

I've created an SVG file containing the text "Hello World". Here are some details about the SVG:

1. The SVG has a viewBox of 0 0 200 100, which means it has a width of 200 units and a height of 100 units.
2. The text "Hello World" is positioned at x=10 and y=50 within this viewBox.
3. The font used is Arial (with a sans-serif fallback), and the font size is 24 units.
4. The text color is black.

You can use this SVG in various ways, such as embedding it in a webpage or using it as a standalone image. The SVG format allows for scaling without loss of quality, making it suitable for various display sizes.

Would you like me to explain any part of the SVG code or make any modifications to the design?

 Claude can make mistakes. Please double-check responses.

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet.

Reply to Claude...

Claude 3.5 Sonnet A 1

← HelloWorld.SVG X

Last edited just now Publish

<https://claude.ai/>



Demo

The screenshot shows a Claude AI interface with a demo titled "React Login Form with Tailwind CSS". The demo includes a description of the component's features, a code snippet, and a preview of the login form.

Description: I'd be happy to create a login form using React and Tailwind CSS for you. This is a great use case for a reusable component, so I'll create it as a React artifact.

Code Snippet:

```
</> React Login Form with Tailwind CSS  
Click to open component
```

I've created a React component for a login form using Tailwind CSS. This component includes:

1. A form with email and password input fields
2. State management for email and password using React hooks
3. A submit handler that logs the email and password (you'll need to replace this with your actual login logic)
4. Tailwind CSS classes for styling, including responsive design
5. A "Remember me" checkbox
6. A "Forgot your password?" link
7. A submit button

To use this component in your React application:

1. Make sure you have React and Tailwind CSS set up in your project.
2. Copy this component into your project.

Preview:

Sign in to your account

Email address
Password

Remember me [Forgot your password?](#)

Sign in

Subscribe to Pro for 5x more usage with Claude 3.5 Sonnet. [Subscribe to Pro](#)

Last edited just now [Edit](#) [Share](#) [Publish](#)

Reply to Claude... Claude 3.5 Sonnet 2 1

<https://claude.ai/>



Perplexity.AI

The screenshot shows the Perplexity AI interface. At the top, there's a navigation bar with a logo, a search bar containing the query "Create login form with reactjs and tailwind css", and a timestamp "Now". To the right of the search bar are icons for "Edit", "Share", and "Copy". On the left, there's a sidebar with links for "New Thread", "Home", "Discover", "Library", "Sign in", and a prominent "Sign Up" button. The main content area has a title "Create login form with reactjs and tailwind css" and a sub-section "Edit". Below this, there's an "Answer" section with a brief explanatory text about creating a login form using ReactJS and Tailwind CSS. A code snippet in a "bash" terminal window shows commands to set up a React project. Further down, there's another section titled "Step 2: Install Tailwind CSS" with a note about installing Tailwind CSS. On the right side of the main content, there are three buttons: "Search Images", "Search Videos", and "Generate Image", each with a plus sign icon. In the bottom right corner of the main window, there's a small sign-in overlay with fields for email and password, and a "Continue with Google" button.

<https://www.perplexity.ai/>



Perplexity.AI

Create REST API with nodejs and express

❖ Sources

- Creating a REST API with Node.js and Express | Postman Blog · blog.postman · 1
- How to create a backend API in Express JS - DEV Community · dev · 2
- Create Simple REST API with Node.js & Express - YouTube · youtube · 3

View 4 more

Perplexity

To create a REST API using Node.js and Express, follow these structured steps:

Prerequisites

- Node.js: Ensure Node.js is installed on your system. You can download it from the official site.
- NPM: This comes with Node.js and is used to manage packages.

Step-by-Step Guide

1. Set Up Your Project

- Create a Project Folder: Choose a name for your project folder, e.g., 'express-api'.
- Initialize Node.js Application: Open your terminal, navigate to your project folder, and

<https://www.perplexity.ai/search/create-rest-api-with-nodejs-an-H1bLD2YdSJyQgOrjbgvk5g>



Meta AI

 Meta AI X

New conversation
 Saved

History
Your conversations with Meta AI will appear here.

Ask Meta AI anything



Film genre debate



Help me change a tire



Imagine an image

Try experimental AI demos ↗

 Try experimental AI demos
Explore experimental AI demos that feature the latest advancements in AI research.

Ask Meta AI anything... ↑

Messages are generated by AI and may be inaccurate or inappropriate. [Learn more](#)

 Somkiat Puisungnoen

Meta © 2024
[Privacy](#) · [Terms](#) · [AI Terms](#) · [Cookies](#)

<https://www.meta.ai/>



DeepSeek

Launching DeepSeek-V2.5, combining general and coding capabilities, API and Web upgraded.

deepseek

Brand new experience, redefining possibilities

Start Now

Free access to DeepSeek-V2.5.

Ignite questions, illuminate solutions.

Access API

128K context length.

\$0.14-\$0.28 for 1 million more.

<https://www.deepseek.com/>



Grok from X

Grok

Ask anything ➤

Grok can make mistakes. Verify its outputs.

What can you do? ➤

Give me a recipe for... ➤

Play 20 questions ➤

Homework help ➤

<https://x.com/i/grok?focus=1>



Groq (use LPU)

The screenshot shows the Groq AI Inference interface. At the top, there's a navigation bar with 'Products', 'Developers', 'Insights', 'About', 'DEV CONSOLE' (in red), a search icon, and a menu icon. The main heading is 'Groq is Fast AI Inference'. Below it is a large button labeled 'USE FULL CHAT'.

The central area displays 'Speed Insights' for a query. It shows:

Tokens			1200.00 T/s
30	25	55	1200.00 T/s
Input tokens	Output tokens	Tokens	

Below that, 'Inference Time' is shown:

Inference Time		
0.02	0.02	0.04
Input seconds	Output seconds	Seconds

At the bottom, there's a chart titled 'Tokens / second' with three data points:


	1745	1200	1446
Tokens / second	1745	1200	1446

A red circular button with a white square icon is located in the bottom right corner of the interface.

<https://groq.com/>



HuggingFace Chat




<https://huggingface.co/chat/>



WebLLM Chat


High-performance in-browser LLM inference engine



<https://webllm.mlc.ai/>



WebLLM Architecture



<https://blog.mlc.ai/2024/06/13/webllm-a-high-performance-in-browser-llm-inference-engine>




Chrome build-in AI

API	Explainer	Web	Extensions	Chrome Status
Prompt API	GitHub	In EPP	Origin trial	Not applicable
Summarizer API	GitHub	Origin trial	Origin trial	View
Language Detector API	GitHub	Origin trial	Known bug	View
Translator API	GitHub	In EPP	In EPP	View
Writer API	GitHub	Known bug	Known bug	View
Rewriter API	GitHub	Known bug	Known bug	View

<https://developer.chrome.com/docs/ai/built-in-apis>



Chrome build-in AI



<https://developer.chrome.com/docs/ai/built-in-apis>



Chrome Canary



Nightly build for developers

Get on the bleeding edge of the web. Be warned: Canary can be unstable.

[Download Chrome Canary](#)

For macOS 11 or later.

By downloading Chrome, you agree to the [Google Terms of Service](#) and [Chrome and ChromeOS Additional Terms of Service](#)

You can also download Chrome for [Windows 64-bit](#), [Windows 32-bit](#), [Windows ARM](#), [Linux](#) and [Android](#).

<https://www.google.com/chrome/canary/>



Chat and Search

User	Company	Console	Best model
ChatGPT	OpenAI	OpenAI platform	GPT-4o
Claude	Anthropic	Anthropic console	Claude 3.5 sonnet
Gemini	Google	Google AI Studio	Gemini 1.5 pro



LLMs on Devices

Provider
Server

OpenAI
Anthropic
Gemini
Local LLM

Web browser

WebLLM
Chrome build-in AI

Devices
Mobile phone

Lightweight models
Mllm model
Gemini nano


<https://github.com/UbiquitousLearning/mllm>
<https://deepmind.google/technologies/gemini/nano/>



Generative AI Use Cases



Generative AI Use Case Impact/Feasibility Matrix



<https://altair.com/blog/executive-insights/want-to-identify-good-generative-ai-use-cases-dont-be-boring>



Generative Design




Canva

The screenshot shows the Canva interface. On the left, the 'Magic Media' section is active, featuring an 'Images' tab selected over 'Videos'. A text input field says 'Describe the image you want and we'll generate it for you.' Below it, a box contains the text 'Blue and green space rover lost in a strange plan]' and a 'Try an example' button. To the right is the 'Storyboard' feature, showing a grid-based storyboard for a scene. The first frame is labeled '1' and depicts a landscape with clouds and green hills. Annotations include 'Add sandstorm GGI in post prod' (orange box), 'Sam' (text), 'APPROVED BY DIRECTOR' (yellow box), and 'Vin' (text). Below the storyboard, the text reads 'Day • Establishing Shot • Pan' and 'Action: Opening shot of the barren, red Martian landscape. We hear the sound of a rover approaching. Cut to the inside'.

<https://www.canva.com/ai-image-generator/>



Figma AI



The screenshot shows the Figma AI landing page. At the top, there's a navigation bar with the Figma logo, 'Products', 'Solutions', 'Community', 'Resources', 'Pricing', 'Contact sales', 'Log in', and a 'Get started for free' button. The main headline reads 'Your creativity, unblocked with Figma AI'. Below it, a sub-headline says 'Get started faster, find what you're looking for, and stay in the flow. Make space for more creativity.' A link 'Learn about our approach to building AI' is provided. To the right is a large, stylized graphic composed of overlapping blue, orange, and yellow shapes, set against a grid background.

<https://www.figma.com/ai/>



FigJam AI



Products ▾ Enterprise ▾ Pricing Resources ▾ Community ▾ Contact sales Log in Get started for free

Redesign the way you jam with FigJam AI

FigJam AI helps you instantly visualize ideas, suggest best practices, and automate tedious tasks.

Try it out



<https://www.figma.com/figjam/ai/>



Notion AI

 Notion ≡

Just ask Notion AI.

Knowledge, answers, ideas. One click away.

[Get Notion free](#)

 **Get answers**
Just ask Q&A, and find the info you need in seconds.

 **Write better**
Get help writing and brainstorming in Notion, not in a separate browser tab.

 **Autofill tables**
Turn overwhelming data into clear, actionable information in seconds.



<https://www.notion.so/product/ai>



Generative Generation



Mid Journey



<https://www.midjourney.com/>



FreePik

The FreePik homepage features a large, blurred background image of a flower. At the top left is the "FREEPIK" logo. The top navigation bar includes links for Tools, Images, Icons, Videos, Templates, PSD, Mockups (with a "NEW" badge), More, Pricing, and Sign in. A central call-to-action says "Create great designs, faster". Below it, a sub-headline reads "High-quality photos, videos, vectors, PSD, AI images, icons... to go from ideas to outstanding designs". A search bar with a dropdown menu for "Assets" and a "Search all assets" input field is positioned above a row of three search buttons: "menu", "coloring pages", and "magazine mockup". At the bottom, a call-to-action button says "Sign up for 10 daily free downloads and access to AI tools" next to a "Sign up now" button.

<https://www.freepik.com/>



DALL.E 2 from OpenAI



Research ▾ Product ▾ Safety Company ▾

DALL·E 2

DALL·E 2 is an AI system that can create realistic images and art from a description in natural language.

[Try DALL·E ➔](#)

[Follow on Instagram ➔](#)

<https://openai.com/dall-e-2>



AI DeepFake



Celebrity Deepfakes AI Image Generator Premium Sign up Log in 日本語 English



Online Deepfake Maker

オンラインフェイススワップツール

動画を作成する

<https://deepfakesweb.com/>



AI-Powered !!



AI Data Analyst

Julius

Docs

Analyze your data with computational AI.

Chat with your files and get expert-level insights in seconds.

Try Julius AI >



Loved by over 1,200,000 users worldwide



HARVARD
UNIVERSITY

BCG

Yale

zapie

<https://julius.ai/>



AI Research Assistant

Think Smarter,
Not Harder

The ultimate tool for understanding the information that matters
most to you, built with Gemini 1.5

Try NotebookLM

<https://notebooklm.google/>



Transcription Services



Pricing Business

Convert audio to text

Automatically transcribe your meetings, interviews, lectures, and other conversations.

State of the art A.I., simple interface

Try It Free

Login →

Transcribe audio to text in 100+ languages




<https://transkriptor.com/>



AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Presentation Creator



The screenshot shows the homepage of the Gamma Presentation Creator website. At the top, there is a navigation bar with the Gamma logo, language selection (English), pricing information, careers, login, and a "Try for free" button. The main visual is a background illustration of two people working at a desk with laptops, surrounded by colorful sticky notes and a globe. The central text reads "A new medium for presenting ideas." in large, bold, purple and orange letters, followed by "Powered by AI." in black. Below this, smaller text states "Beautiful presentations, documents, and websites." and "No design or coding skills required." A prominent blue "Sign up for free" button is located at the bottom center.

A new medium
for presenting
ideas.

Powered by AI.

Beautiful presentations, documents, and websites.
No design or coding skills required.

Sign up for free

<https://gamma.app/>



Read Document



Read Documents Faster

Let AI summarize, find information, translate, transcribe, and get citations from your files in seconds. Works in 90+ languages.



Trusted by 100,000+ researchers and professionals.



<https://www.getcoralai.com/>



Software Development Life Cycle



SDLC

Requirement

Design

Develop

Testing

Deploy



Planning

Written planning process

Arch diagrams

Testing

Automated testing

TDD

Testing environments

Testing in prod

Performance testing

Load testing

Generate test data

Development

Automated dev env

CI/CD

Prototyping

Code review

Code generation

Templates

Cross-platform dev

Preview env

Post-commit code review

Linting

Static code analysis

Project mgmt

Shipping

FF & experimentation

Logging

Monitoring & alerting

Staged rollouts

Maintenance

Debug production

Documentation


Runbook examples

Mitigation runbook

pragmaticengineer.com



SDLC



Impacts with productivity ?

Automated
simple tasks

Improve quality
and reliability

Improve
communication


Faster
prototype



Survey




"Which AI tools have you tried or used for software development?"



pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>






pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



"Which AI tools have you tried or used for software development?"



pragmaticengineer.com


<https://newsletter.pragmaticengineer.com/p/ai-tooling-2024>



**Generative AI isn't just a tool
it's your team member**



3 Pillar of Software Development



Requirement and Analysis



Requirement and Analysis

Requirement

Design

Develop


Testing

Deploy

Requirements writing and analysis
User story generation



Agents AI for Automated tasks



The screenshot shows the Taskade website's AI Agile User Story Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent 'Sign up for free' button. Below the navigation is a breadcrumb trail showing 'Project Management > Agile User Story'. To the right are search and categories filters. The main title 'AI Agile User Story Generator' is displayed with a small AI icon. A sub-headline explains the tool's purpose: 'Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.' Two buttons are visible: 'Generate AI Agile User Story' and 'Start with AI'. Below these buttons, four features are listed with icons: Dynamic AI builders, 100% fully customizable, Download & edit on-the-go, and Generate, publish, & share everywhere.

taskade

Product Solutions Learn Tools Pricing Help Log in Sign up for free

Project Management Agile User Story

Search Categories

AI Agile User Story Generator

Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.

Generate AI Agile User Story Start with AI

- Dynamic AI builders
- 100% fully customizable
- Download & edit on-the-go
- Generate, publish, & share everywhere

<https://www.taskade.com/generate/project-management/agile-user-story>



Example with food delivery

Food Delivery Workflow Template

🛒 Order Processing #order

- Check for new orders
 - Verify customer details
 - Confirm payment status
- Prepare order items
 - Gather ingredients
 - Cook or prepare food
 - Package items securely

🚚 Delivery Management #delivery

- Assign delivery driver
- Plan delivery route
 - Prioritize multiple deliveries
 - Use GPS for directions
- Confirm delivery with customer
 - Send delivery notification
 - Obtain customer signature

📊 Post-Delivery Tasks #postdelivery

⌚ What would you like to do next? ▶

+ Create project ➡



✍ Continue writing

☰ Make longer

<https://www.taskade.com/generate/project-management/agile-user-story>




User Story Generator



<https://userstorygenerator.ai/>



Napkin




The screenshot shows the Napkin AI website homepage. At the top left is the Napkin logo with the word "beta" underneath. The top right features navigation links for "Home", "Pricing", "About us", "Sign in", and a "Get Napkin Free" button with a right-pointing arrow. The main headline "Get visuals from your text" is displayed in large, bold, dark font, accompanied by a blue lightning bolt icon. Below the headline, a subtext explains: "Napkin turns your text into visuals so sharing your ideas is quick and effective." To the left, there's a screenshot of the Napkin interface showing various visual elements like circles and arrows. To the right, a flowchart illustrates the process: "Start" leads to a decision diamond "Have a doc?". If "No", it goes to a "Type" action; if "Yes", it branches off. The URL <https://www.napkin.ai/> is visible at the bottom of the page.

<https://www.napkin.ai/>



Product Owner ChatGPT Prompt



The screenshot shows the homepage of PromptLeo. At the top, there is a navigation bar with a logo (a purple circle with a white brain icon), the text "PromptLeo", and links for "Docs", "Contact", "Pricing", "Log In", "Sign Up", and a user icon. Below the navigation bar, the main title "Product Owner ChatGPT Prompts" is displayed in a large, bold, dark font. Underneath the title, there is a paragraph of text: "With so many tools available in 2023, it can be difficult to know how you can get the most out of ChatGPT. To help you out, this page offers over 100 ChatGPT prompt examples, ideas, and templates focusing on prompts for product owners."

<https://promptleo.com/prompt/chatgpt/product-owner>



Requirement analysis

Clarify of User requirement ?

<https://github.com/up1/workshop-ai-with-technical-team/wiki/Requirement-analysis>



Design Process



Design

Requirement

Design

Develop

Testing

Deploy

Architecture writing assistance


Sequence flow diagram generation

Data modeling

UX/UI design assistance



Excalidraw with AI



<https://excalidraw.com/>



DiagramGPT

The screenshot shows the DiagramGPT interface. At the top left is the DiagramGPT logo. At the top right is a link to 'eraser'. Below the logo are two tabs: 'Twitter data model' (selected) and 'Flowchart'. A large central area contains a dark gray box with the text: 'Data model for Twitter that includes users, followers, DMs, likes, bookmarks, retweets, tweets, lists'. At the bottom right of this box is a blue 'Generate Diagram' button. Below this is another dark gray box labeled 'Eraser Diagram' with a checkmark and the word 'Complete'. At the bottom right of this box are 'Save' and 'Save and Edit Diagram' buttons.

<https://www.eraser.io/diagramgpt>



Demo

Text to diagram AI Beta Mermaid

Currently we use Mermaid as a middle step, so you'll get best results if you describe a diagram, workflow, flow chart, and similar.

Prompt 9 requests left today

Try to generate authentication service from below
1. Customer call api gateway with REST API /login
2. Api gateway check user and password from auth service via gRPC
3. API gateway send response to client

Preview

```
graph TD; Customer[Customer] -- "REST API /login with credentials" --> APIGateway[APIGateway]; APIGateway -- "gRPC check user and password" --> AuthService[Authservice]; AuthService -- "gRPC response (success or failure)" --> APIGateway; APIGateway -- "HTTP response (success or failure)" --> Customer;
```

Generate → Cmd Enter View as Mermaid → Insert →



Database

The screenshot shows a database management interface with the following details:

- New database**: A button in the top left.
- User Management Database ...**: A link in the top left.
- User and Shipping Address ...**: A link in the top left.
- Diagram**: A tab in the top center.
- Migrations**: A tab in the top center.
- shipping_addresses**: A table with columns: id (Primary key), user_id, address_line1, address_line2, city, state, postal_code, country.
- users**: A table with columns: id (Primary key), name, email.
- Executed SQL**: A dropdown menu in the top right.
- Create table of user that have many shipping address**: A tooltip message.
- The tables 'users' and 'shipping_addresses' have been created successfully. Here's a brief overview:**
 - Users Table**: Contains user information with columns for 'id', 'name', and 'email'.
 - Shipping Addresses Table**: Stores multiple addresses for each user, with columns for 'id', 'user_id' (foreign key referencing 'users'), 'address_line1', 'address_line2', 'city', 'state', 'postal_code', and 'country'.
- Conversation renamed to User and Shipping Address Management chance**: A message at the bottom.
- PG 18 | Local-only database**: A status bar at the bottom.
- Toggle theme**: A button at the bottom left.
- Message AI or write SQL**: A button at the bottom right.

<https://database.build/>



MongoDB Compass

The screenshot shows the MongoDB Compass interface. At the top, there's a search bar with a placeholder question: "How many users signed up last month?". To the right of the search bar is a "Generate" button. Below the search bar, the text "Use natural language to generate queries and pipelines" is displayed. Underneath this text, a message states: "Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass." At the bottom of the interface, there are two buttons: a green "Log in to Atlas to enable" button and a blue "Not now" button. A note at the bottom reads: "This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information."

How many users signed up last month?

Generate

Use natural language to generate queries and pipelines

Atlas users can now quickly create queries and aggregations with MongoDB's intelligent AI-powered feature, available today in Compass.

Log in to Atlas to enable


Not now

This is a feature powered by generative AI, and may give inaccurate responses. Please see our FAQ for more information.

<https://www.mongodb.com/products/tools/compass>



v0.dev (support Figma)



<https://v0.dev/>



Val Town

The screenshot shows a software development environment with a central workspace and various toolbars at the top.

Left Panel: Shows a code editor with a dark theme. The file is named `up1/zanyTomatoLamprey`. A message in the editor says: "This code creates a login form with username and password fields. It uses React for the client-side interface and includes server-side handling for login attempts using SQLite for user storage and verification. The form is styled for better usability and includes labels for each input field. A message is displayed after login attempts, and there's a link to view the source code." Below the editor is a note: "Certainly! I'll add a 'Forgot Password' link to the existing login form. This will involve updating the React component and adding some styling for the new link." A list of changes is provided:

1. This is an edit to the existing code.
2. Changes required:
 - Add a "Forgot Password" link to the LoginForm component
 - Update the CSS to style the new link
 - Add a placeholder handler for the "Forgot Password" functionality
3. The response will be in the entire val format.

Below the note, it says: "Here's the updated code with the 'Forgot Password' link added:"

Right Panel: Shows a preview of the application. The URL is `https://up1-zanytomatolamprey.web.val.run`. The preview shows a "Login" form with "Username" and "Password" fields, a blue "Login" button, and a "Forgot Password?" link below it. A message states: "Password reset functionality not implemented yet." There is a "View Source" link at the bottom of the preview panel.

Bottom Bar: Contains buttons for "Reply to Townie", "version 2", "Logs", and "Requests".

<https://www.val.town/>



OpenUI

The screenshot shows the OpenUI platform interface. At the top, there's a navigation bar with a logo, a search bar, and a "User Profile Card" section. Below the navigation, a message says "I need a user profile card with an avatar, name, and social media links in Tailwind CSS." To the right, there are icons for "Version 0" and three circular icons. The main area features a user profile card on the left and a code editor on the right. The profile card displays a placeholder image of a tree, the name "John Doe", and links to Twitter, LinkedIn, and GitHub. The code editor shows Tailwind CSS HTML and JSX code for creating the same profile card. At the bottom, there are buttons for "Ask for changes to the current UI" and navigation arrows.

```
<div class="bg-card dark:bg-card-foreground text-card-foreground dark:text-card-foreground">
  <div class="flex items-center justify-center">
    
  </div>
  <div class="text-center mt-4">
    <h2 class="text-lg font-bold">John Doe</h2>
    <div class="mt-2">
      <a href="#" class="text-primary hover:underline">Twitter</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">LinkedIn</a>
      <span class="mx-2">></span>
      <a href="#" class="text-primary hover:underline">GitHub</a>
    </div>
  </div>
</div>
```

<https://openui.fly.dev/>



Magic Pattern

The screenshot shows the Magic Patterns web application interface. At the top, there is a navigation bar with links for 'Magic Patterns', 'Use Cases', 'Customers', and a user profile icon. Below the navigation bar, a large heading reads 'Prototype your product ideas with AI.' followed by a subtext: 'Iterate on components & designs in our AI-native editor. Export to React or Figma.' Three buttons are visible: 'Generate a new UI' (disabled), 'Add a new feature to an existing UI' (highlighted in blue), and 'Apply a theme to an existing UI'. The main area features a flowchart diagram with three boxes connected by arrows. The first box on the left is titled 'Import your existing UI' with a placeholder 'Add an image or screenshot'. The middle box contains a text input field with placeholder text 'Describe what to add to the existing UI' and 'e.g. add an error state', followed by an optional image input field with placeholder text '(Optional) Include an image'. The third box on the right contains a blue 'Generate' button.

<https://www.magicpatterns.com/>



Screenshot to Code

Screenshot to Code

Sign in Get started

Build User Interfaces 10x Faster


Convert any screenshot or design to clean code (with support for most frameworks)

Get started GitHub 46,018 stars

#1 tool used by developers and designers from leading companies. Fully open source with 46,000+ stars on GitHub.

Microsoft Amazon MIT


Stanford ByteDance Baidu 百度



<https://github.com/abi/screenshot-to-code>





Make Real



<https://github.com/tldraw/make-real>




Working with LLM's APIs



Development Process



AI CODING LANDSCAPE (JAN 2025)



https://www.linkedin.com/posts/zhu-liang_there-are-so-many-ai-coding-tools-how-to-activity-7286969704546480128-vLMB/



Advantage LLM for Coding

More memory
Understand context
Analysis
Generation



Develop

Requirement

Design

Develop

Testing

Deploy

Code generation

Review and explain code

Debugging code


Improve consistency

Code translation



Development

Generative AI can increase developer speed, but less so for complex tasks.



<https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/unleashing-developer-productivity-with-generative-ai>



Tools (Seamless with developer)

GitHub Copilot

Codium AI

aider

Continue

Bito



Category of Tools

Chat AI

Code AI

Agent AI

ChatGPT
Gemini
Claude.ai
Bing



Category of Tools

Chat AI

ChatGPT
Gemini
Claude.ai
Bing

Code AI


GitHub Copilot

AI Agent
Public and Local

Aider
Continue
Codium




Development




<https://martinfowler.com/articles/2023-chatgpt-xu-hao.html>




Development



Development



Development + Testing



Main Features

Ask question

Generate code

Refactor code

Document code


Find problems in your code



Tools on Web




GPT Engineer => Lovable



<https://lovable.dev/>



GPT Engineer



<https://gptengineer.app/>



v0.dev

The screenshot displays the v0.dev platform's user interface. At the top, there is a navigation bar with a logo on the left and a "Private Beta" button on the right. Below the navigation bar, a dark modal window titled "A 'report an issue' modal" is open, featuring three small icons: a square with a diagonal line, a checkmark, and a left arrow. Underneath the modal are four small buttons labeled "Product categories", "Hero section", "Contact form", and "Ecommerce dashboard". The main content area is divided into two tabs: "New Generations" (which is selected) and "Featured". Below these tabs, there are several wireframe prototypes of different website sections. One prototype for a "Soccer Game" shows a grid of cards with "Home" and "Away" labels. Another prototype for an "Education Journey" has a large central image with the text "Enhance Your Education Journey". A third prototype for a "Website" shows a grid of items with "Item 1", "Item 2", and "Item 3". A fourth prototype for a "Product Tour" shows a large image with the text "Walkthrough the Product Tour". At the bottom of the screen, there are four callout boxes with profile icons and text: "page for a soccer game,..." (purple icon), "A hero section for a..." (blue icon), "A website in a black and..." (green icon), and "product tour like appcues" (orange icon). The URL <https://v0.dev/> is visible at the bottom of the page.

<https://v0.dev/>



Bolt.new

What do you want to build?

Prompt, run, edit, and deploy full-stack web apps.

How can Bolt help you today?

Start a blog with Astro Build a mobile app with NativeScript Create a docs site with Vitepress

Scaffold UI with shadcn Draft a presentation with Sliddev Code a video with Remotion

or start a blank app with your favorite stack

Next.js Next.js 13 React Native Cloudinary Vite

React Router TS React Query Apollo GraphQL

<https://bolt.new/>



Galileo.ai

Generate interface designs at lightning speed

Galileo AI is a UI generation platform for easy and fast design ideation

Describe your design

Generate

The image displays four mobile device screens, each showing a different type of user interface generated by Galileo AI. The devices are arranged horizontally.

- Device 1:** Shows a grid-based interface for managing photos or documents, with categories like 'Food', 'Travel', and 'Scenery'.
- Device 2:** Shows a data transformation interface titled 'Trellis', featuring a sidebar menu and a main table view.
- Device 3:** Shows a social media-style interface for sharing images, with a post creation form and a feed of images.
- Device 4:** Shows a finance website account page with sections for 'Profile', 'Transactions', and 'Investments'.

Below each device screen, there is a brief description and the name of the user who generated it:

- Device 1:** Product portal for unstructured data transformation at Trellis... - Marker
- Device 2:** Turn this website into a more kinda social media website for sharing, likin... - azvect
- Device 3:** Finance website account page for premium features: A section for... - azvect


<https://www.usegalileo.ai/>



AI in Editor



What is your favorite coding editor with GenAI features (that help your work)?




pragmaticengineer.com

<https://newsletter.pragmaticengineer.com/p/ide-that-software-engineers-love>



GitHub Copilot



The screenshot shows the GitHub Copilot homepage. At the top, there's a navigation bar with links for Product, Solutions, Resources, Open Source, Enterprise, Pricing, a search bar, a dashboard button, and a user profile icon. Below the navigation is a secondary navigation bar with links for Features, Copilot (which is underlined), Security, Code review, Search, Issues, Actions, Packages, Codespaces, and Discussions. A prominent banner in the center says "Copilot Enterprise now available". The main headline reads "The world's most widely adopted AI developer tool." Below the headline is a button labeled "Get started with Copilot >". In the bottom right corner, there's a small, stylized blue and purple AI character.


<https://github.com/features/copilot>



Using GitHub Copilot Chat correlates with better code quality

85% of developers felt more confident in their code quality when authoring code with GitHub Copilot and GitHub Copilot Chat

85%




Code reviews were more actionable and completed 15% faster than without GitHub Copilot Chat

15%




88% of developers reported maintaining flow state with GitHub Copilot Chat

88%



GitHub Copilot + Multi-models



<https://github.blog/news-insights/product-news/bringing-developer-choice-to-copilot/>



Cursor.sh



Pricing Features Forum Docs Careers Blog

Sign In

Download

The AI Code Editor

Built to make you extraordinarily productive, Cursor is the best way to code with AI.



Download for Free



Watch Demo
1 Minute

<https://www.cursor.com/>



AI for Software Development
© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Cursor Directory

cursor.directory		Get latest updates	Subscribe	Live Learn About
Search...	Q.	All	Popular	
TypeScript	15	TypeScript		
Python	9			
Next.js	9	You are an expert in TypeScript, React Native, Expo, and Mobile UI development.		
React	9	Code Style and Structure <ul style="list-style-type: none">- Write concise, technical TypeScript code; accurate examples.- Use functional and declarative programming patterns; avoid classes.- Prefer iteration and modularization over duplication.- Use descriptive variable names with auxiliary verbs (e.g., isLoading, hasError).- Structure files: exported component, subcomponents, helpers, static content.- Follow Expo's official documentation for best practices.		
PHP	5		You are a Senior Front-End Developer and an Expert in ReactJS, NextJS, JavaScript, TypeScript, HTML, CSS and modern UI/UX frameworks (e.g., TailwindCSS, Shadcn, Radix). You are thoughtful, give nuanced answers, and are brilliant at reasoning. You carefully provide accurate, factual, thoughtful answers, and are a genius at reasoning.	
C#	4		<ul style="list-style-type: none">- Follow the user's requirements carefully & to the letter.- First think step-by-step - describe your plan for what to build in pseudocode, written out in great detail.	
Expo	4			
React Native	4			
Tailwind	4			
Supabase	4			
Web Development	3	Krish Kalaria 	 expo-router expo-status-bar +7 more ~	
Game Development	3			
JavaScript	3			
Laravel	3			
Submit +		You are a senior TypeScript programmer with experience in the NestJS framework and a preference for clean programming and design patterns.	You are an expert in TypeScript, Node.js, Next.js App Router, React, Shadcn UI, Radix UI and Tailwind.	You are an expert in Solidity, TypeScript, Node.js, Next.js 14 App Router, React, Vite, Vite v2, Wagmi v2, Shadcn UI, Radix UI, and Tailwind Aria.

<https://cursor.directory/>



Windsurf by Codeium



Built to keep you in *flow state*

The first agentic IDE, and then some. The Windsurf Editor is where the work of developers and AI truly flow together, allowing for a coding experience that feels like literal magic.

 Download the Windsurf Editor

See all download options

<https://codeium.com/windsurf>



AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Aide

[Blog](#)[Pricing](#)[Docs](#)[Releases](#)[About](#) ▾[Account](#)


The open-source AI-native IDE.

Powered by the state-of-the-art agentic framework on
swebench-verified

Download for MacOS
Apple Silicon

[View on GitHub](#)

Looking for a different platform?



<https://aide.dev/>



AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Pair programming with AI



AI Pair Programming

Aider is AI pair programming in your terminal

Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).




<https://github.com/paul-gauthier/aider>




Test-Driven Development




Test-Driven-Development




Test-Driven-Development



Test-Driven-Development




AI-DD



<https://dev.to/dawiddahl/ai-is-changing-the-way-we-code-ai-driven-development-aidd-2ngo>




TDD with AI



<https://github.com/allenheltondev/tdd-ai>



TDD with AI



<https://arxiv.org/html/2405.10849v1>



Test-Driven-Generation (TDG)



Test-Driven-Generation (TDG)

Development practice that integrate Generative AI into the development life-cycle

TDD

+

Pair
programming


+

Generative AI

<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>




Test-Driven-Generation (TDG)



<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>



Test-Driven-Generation (TDG)



Tips and Techniques with AI

Scope of prompt

Error in result

Setup and config
project

Latest information

Use technical
keywords



Workshop with Coding



Workshop with Coding

Chat

Text Editor with AI

Pair programming
with AI

AI Agent



Pair programming with Aider

GPT-4o and
o1

Claude 3.5
Sonnet


DeepSeek
Coder

llama

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/aider>



TDD with AI



<https://github.com/up1/workshop-ai-with-technical-team/wiki/TDD-with-AI>



More tools ...



Auto pilot with Code

 Continue

Enterprise

About Us


Docs

Blog



Amplified developers, automated development

The leading open-source AI code assistant. You can connect any models and any context to build custom autocomplete and chat experiences inside the IDE



VS Code



JetBrains

<https://github.com/continuedev/continue>



CodeGPT



Academy Developers ▾ Partners Pricing Business Solutions

Get Started

AI Coding for Developers

Explore our **AI Code Assistants** and **Copilot Generator Platform**, tailored for AI coding. We offer the perfect solution, specifically designed to make it simple for the engineering teams to code using AI.

Create Free Account

Download VSCode/Cursor Extension

<https://codegpt.co/>



AI for Software Development
© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.

Code Review

The screenshot shows the homepage of the Codium AI website. The header features the Codium AI logo and navigation links for Products, Pricing, Blog, Contact, and About. The main title "Generating meaningful tests for busy devs" is displayed prominently in large white text against a dark blue background. Below the title, a descriptive paragraph explains the product's purpose: "With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it." Two call-to-action buttons at the bottom offer "VS Code" and "JetBrains" integration options.

Codium ai

Products ▾ Pricing Blog Contact About ▾

Generating meaningful tests for busy devs

With CodiumAI, you get non-trivial tests (and trivial, too!) suggested right inside your IDE or Git platform, so you can code smart and stay confident when you push. Code, as you meant it.


Get your FREE Codiumate now:

[VS Code >](#) [JetBrains >](#)

<https://www.codium.ai/>



Code Review




The image shows a screenshot of the Codeium AI Assistant interface. At the top, there is a dark header bar with the text "Introducing Codeium Teams →". Below this, the main title "The modern coding superpower" is displayed in large, bold, white and teal text. A subtitle "AI assistant" is partially visible below the main title. At the bottom, there are two buttons: a teal button labeled "Get Extension >" and a white button labeled "Try in browser".

<https://codeium.com/>



AI Code Review



The screenshot shows the Bito AI Code Review homepage. At the top, there's a navigation bar with links for Product, Enterprise, Resources, Pricing, and Docs, along with Sign In and Get Started for Free buttons. Below the navigation is a large banner with the text "Cut review time by 50%" and "High quality AI code reviews". It features two calls to action: "Get Started" and "Get a demo". To the right of the banner is a screenshot of the Bito AI interface showing a code review dashboard with various metrics and a video feed of a developer. The bottom of the page has a footer with the text "Accessible, accurate AI tools trusted by developers across the world."

Cut review time by 50%

High quality
AI code reviews

Get Started → Get a demo

Accessible, accurate AI tools trusted by developers across the world.

<https://bito.ai/>



Testing Process with High quality process

Functional

Non-Functional



Testing

Requirement

Design

Develop

Testing

Deploy

Test cases writing
Test code generation
Bug detection
Test planning
Data test generation



Test Case generator

The screenshot shows the Taskade website with a dark theme. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent green "Sign up for free" button. Below the navigation is a breadcrumb trail showing the user has navigated from the homepage to Programming > Test Case. To the right of the breadcrumb are a search bar and a "Categories" dropdown. The main content area features a large heading "AI Test Case Generator" with an AI icon. A sub-headline reads: "Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy." Below this are two buttons: "Save Workflow" (gray) and "Generate Now" (pink). At the bottom of the section, there are five icons with corresponding text: "Dynamic AI builders", "100% fully customizable", "Download & edit on-the-go", "Generate, publish, & share everywhere".

Elevate your testing process with our AI-powered test case generator. Create and execute tests faster, more efficiently, and with higher accuracy.

Save Workflow Generate Now

Dynamic AI builders 100% fully customizable Download & edit on-the-go Generate, publish, & share everywhere

<https://www.taskade.com/generate/programming/test-case>




Testing with Postman

Postbot, our AI-powered assistant, will supercharge your API development.

Speed up your most common API development workflows with natural-language input, conversational interactions, and contextual suggestions.

[Get Started](#)



<https://www.postman.com/product/postbot/>



PostBot

The screenshot shows the Postman application interface. A modal window titled "New on Postbot" is open, providing information about AI features like auto-completion of tests. The main request panel shows a GET request to "https://jsonplaceholder.typicode.com/users/1". The response body is displayed in JSON format:

```
1 {  
2   "id": 1,  
3   "name": "Leanne Graham",  
4   "username": "Bret",  
5   "email": "Sincere@april.biz",  
6   "address": {  
7     "street": "Kulas Light",  
8     "suite": "Apt. 556".  
9   }  
10 }  
11 
```

The status bar indicates a 200 OK response. A context menu is open on the right side of the interface, listing options such as "Add tests to this request", "Test for response...", "Visualize response...", "Save a field from response", and "Add documentation".

<https://www.postman.com/product/postbot/>



6 Keys software quality

Defect density

Code duplication

Hardcode token/key

Security
vulnerabilities

Outdated package

Non-permissive
opensource libraries



Deployment Process



Deploy and manage

Requirement

Design

Develop

Testing

Deploy

CI/CD pipeline

Infrastructure as a code

Automated script

Performance and monitoring suggestion

Document generation

AI-assist support

ChatOps, AIOps



PromptOps



Solutions ▾ Resources ▾ Contact us Log In

ChatGPT for your DevOps Teams

Turn DevOps tasks into automated workflows with a single prompt straight from Slack

Get started

Learn More

A screenshot of the PromptOps Slack app interface. At the top, there's a message from the "PromptOps APP" bot: "Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!". Below this, a Slack conversation shows a user named "Sergoy" reporting an issue: "Uh oh, MOAR 408 errors in graph-engine. Help, @PromptOps!". The "PromptOps APP" bot responds with "Eleven ran into this issue last week" and suggests a fix: "aws easily fixed it by bumping up CPU cores on nginx node. Should I do it?". Two buttons at the bottom right of the message are "Yes" and "No". At the bottom of the screenshot, there are four buttons: "Acknowledge", "Resolve", "Run a play ▾", and "Edit code".

PromptOps APP
Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!
Sergoy 02:14am
Uh oh, MOAR 408 errors in graph-engine.
Help, @PromptOps!
PromptOps APP 02:14am
Eleven ran into this issue last week
aws easily fixed it by bumping up CPU cores on nginx node.
Should I do it?
Yes No

Acknowledge Resolve Run a play ▾ Edit code

<https://www.promptops.com/devops/>




ChatOps for DevOps




[Product](#)[How it Works](#)[Learn](#)[Company](#)[Uptime](#)[Sign In](#)[Book a demo](#)[Sign Up](#)

> ChatGPT for DevOps

Converse with your engineering platforms, powered by LLM.
A virtual teammate to handle DevOps requests so you can handle the rest.

[Add Kubi to Slack](#)

-  Kubi (DevOps)
@Alerts I got an alert from Prometheus:


Deployment 'alert-manager' on namespace 'Openfaas' is experiencing high traffic
-  Kubi (DevOps)
@Alerts Should I increase the number of replicas on 'alert-manager'?
-  Jeff (R&D)
Yes
-  Kubi (DevOps)

✓ The following deployment has been updated:
Deployment: alert-manager
Namespace: Openfaas
Replicas: 3

<https://www.kubiya.ai/>



K8sGPT



CLOUD NATIVE K8sGPT joins the SANDBOX CNCF Sandbox


K8sGPT is a tool for scanning your kubernetes clusters, diagnosing and triaging issues in simple english. It has SRE experience codified into its analyzers and helps to pull out the most relevant information to enrich it with AI.

Get it now!

<https://k8sgpt.ai/>



Forecast problem from data



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-ops/time-serie-data>



Risks when using Generative AI





Risks

Quality of output generated
Explainability of decisions
Security policy !!
Sensitive data !!



Tips

Understand what you want


Modular approach

Clear and Precise inputs

Make sure you understand the code



Quality process ?



Skill Required


Knowledge of ethical AI principles, legal and regulatory compliance, stakeholder management



Security !!



OWASP Top 10 for LLM app



<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM01

Prompt Injection

Crafty inputs can manipulate a Large Language Model, causing unintended actions. Direct injections overwrite system prompts, while indirect ones manipulate inputs from external sources.

LLM02

Insecure Output Handling

This vulnerability occurs when an LLM output is accepted without scrutiny, exposing backend systems. Misuse may lead to severe consequences like XSS, CSRF, SSRF, privilege escalation, or remote code execution.

LLM03

Training Data Poisoning

This occurs when LLM training data is tampered, introducing vulnerabilities or biases that compromise security, effectiveness, or ethical behavior. Sources include Common Crawl, WebText, OpenWebText, & books.

LLM04

Model Denial of Service

Attackers cause resource-heavy operations on Large Language Models leading to service degradation or high costs. The vulnerability is magnified due to the resource-intensive nature of LLMs and unpredictability of user inputs.

LLM05

Supply Chain Vulnerabilities

LLM application lifecycle can be compromised by vulnerable components or services, leading to security attacks. Using third-party datasets, pre-trained models, and plugins can add vulnerabilities.

LLM06

Sensitive Information Disclosure

LLM's may reveal confidential data in its responses, leading to unauthorized data access, privacy violations, and security breaches. It's crucial to implement data sanitization and strict user policies to mitigate this.

<https://llmtop10.com/>



OWASP Top 10 for LLM app

LLM07

Insecure Plugin Design

LLM plugins can have insecure inputs and insufficient access control. This lack of application control makes them easier to exploit and can result in consequences like remote code execution.

LLM08

Excessive Agency

LLM-based systems may undertake actions leading to unintended consequences. The issue arises from excessive functionality, permissions, or autonomy granted to the LLM-based systems.

LLM09

Overreliance

Systems or people overly depending on LLMs without oversight may face misinformation, miscommunication, legal issues, and security vulnerabilities due to incorrect or inappropriate content generated by LLMs.

LLM10


Model Theft

This involves unauthorized access, copying, or exfiltration of proprietary LLM models. The impact includes economic losses, compromised competitive advantage, and potential access to sensitive information.

<https://llmtop10.com/>




Prompt Injection !!



<https://llmtop10.com/>



Prompt Injection !!




https://learnprompting.org/docs/prompt_hacking/injection



Secure GenAI

Generative AI Security Scoping Matrix

A MENTAL MODEL TO CLASSIFY USE CASES



<https://aws.amazon.com/blogs/security/securing-generative-ai-data-compliance-and-privacy-considerations/>



National AI Policies & Strategies


The screenshot shows the homepage of the OECD.AI Policy Observatory. The top navigation bar includes links for Blog, Experts, AI Principles, Policy areas, Trends, and a search bar. Below the navigation is a breadcrumb trail: Home > National strategies & policies. A large teal header banner reads "National AI policies & strategies". A descriptive text below the banner states: "This section provides a live repository of over 1000 AI policy initiatives from 69 countries, territories and the group targeted by the policy." A grid of country cards is displayed, with the first row showing African Union, Costa Rica, Iceland, Luxembourg, Argentina, Croatia, India, and Malta.

Countries & territories	Policy instruments	Target Groups
African Union	Costa Rica	Iceland
Argentina	Croatia	India
		Luxembourg
		Malta

<https://oecd.ai/en/dashboards/overview>



Test & Secure your LLM apps



<https://www.promptfoo.dev/>



Local LLM



Local LLM

Run LLM on local machine/device
Try to customize with your requirement

Reduce cost

Data privacy


Responsive

Offline mode




Local LLM

Improve your LLM models, more accurate answer



Models ?


How to download models ?



Local LLM Server



Local LLM with LM Studio




The image shows the LM Studio website and its desktop application. The website features a purple header with the logo and navigation links for Docs, Blog, and Download. Below the header is a hero section with a purple icon and the text "LM Studio". A green announcement box says "LM Studio v0.3.0 is finally here! 🎉🎉 Read the announcement". Below this, there's a "Run" button followed by colored tabs for LLaMa, Phi, Gemma, DeepSeek, Qwen, and Mistral, with a note about running them on your computer. A "Built with open source projects like llama.cpp and lmstudio-is" link is also present. At the bottom are download buttons for Mac, Windows, and Linux. The desktop application screenshot shows a window titled "LM Studio - System Prompt" with a configuration interface for "Advanced Configuration". It includes sections for "System Prompt", "General", and "Performance", with various input fields and dropdown menus.

<https://lmstudio.ai/>



Local LLM with LM Studio

Load model from Hugging Face




<https://lmstudio.ai/>



Local LLM with Ollama

\$ollama run **llama3.1**



<https://ollama.com/>



Local LLM with LlamaEdge



LlamaEdge

Feature FAQ Models Docs | [View on GitHub](#)

The easiest, smallest and fastest local LLM runtime and API server.

[Quick Start with Gaia](#)

Powered by Rust & WasmEdge (A CNCF hosted project) ⓘ

<https://llamaedge.com/>



Local LLM with LocalAI



<https://localai.io/>



More

GPT4All

LlamaFile

Jan.ai

NextChat

Anything LLM

<https://github.com/Hannibal046/Awesome-LLM>



LLM Models



Hugging Face Model Hub

NEW AI Tools are now available in HuggingChat

The AI community building the future.

The platform where the machine learning community collaborates on models, datasets, and applications.

Models 450,541

Tasks

- Text-to-image
- Image-to-Text
- Text-to-video
- Visual Question Answering
- Document Question Answering
- Graph Machine Learning

Computer Vision

- Object Detection
- Image Classification
- Image Segmentation
- Image-to-Image
- Unconditional Image Generation
- Video Classification
- Zero-Shot Image Classification

Natural Language Processing

- Text Classification
- Text Generation
- Code Generation
- Question Answering
- Zero-Shot Classification
- Translation
- Summarization
- Conversational
- Text Generation
- Text-to-Text Generation

Audio

- Text-to-Speech
- Automatic Speech Recognition
- Audio-to-Audio
- Audio Classification
- Music Activity Detection

Tabular

- Tabular Classification
- Tabular Regression

Reinforcement Learning

- Reinforcement Learning
- Robitics

Model

- meta-llama/Llama-2-7b
- stabilityai/stable-diffusion-v1-base
- openai/clip-vit-large-patch14
- lllyasviel/ControlNet-v1-2
- ceresense/zeroscope_v2_XL
- meta-llama/Llama-2-20b
- tiiuae/falcon-40b-instruct
- MirroredH/MixedCodes-v1B-v1.0
- CompVis/stable-diffusion-v2-4
- StabilityAI/stable-diffusion-v2-2
- Salesforce/qwen-2b-8w-inat

<https://huggingface.co/>



Hugging Face :: Model

The screenshot shows the Hugging Face Model Hub interface. On the left, there's a sidebar with sections for Tasks (Libraries, Datasets, Languages, Licenses), Other, Filter Tasks by name, Multimodal (Image-Text-to-Text, Visual Question Answering, Document Question Answering, Video-Text-to-Text, Any-to-Any), and Computer Vision (Depth Estimation, Image Classification, Object Detection, Image Segmentation, Text-to-Image, Image-to-Text, Image-to-Image, Image-to-Video, Unconditional Image Generation, Video Classification, Text-to-Video, Zero-Shot Image Classification, Mask Generation, Zero-Shot Object Detection, Text-to-3D). The main area is titled 'Models 233,861' and has a search bar with 'llama'. It includes 'Full-text search' and 'Sort: Trending' buttons. Below the search bar, several model cards are listed:

- black-forest-labs/FLUX.1-dev**
Text-to-Image • Updated Aug 16 • 919k • 4.73k
- meta-llama/Meta-Llama-3.1-BB-Instruct**
Text Generation • Updated Aug 21 • 3.09M • 2.61k
- jinaai/reader-lm-1.5b**
Text Generation • Updated 5 days ago • 8.28k • 382
- black-forest-labs/FLUX.1-schnell**
Text-to-Image • Updated Aug 16 • 1.06M • 2.35k
- nvidia/Llama-3_1-Nemotron-51B-Instruct**
Text Generation • Updated about 14 hours ago • 61 • 79
- dleemiller/word-llama-12-supercat**
Updated Aug 12 • 81
- ICTNLP/Llama-3.1-8B-Omni**
Updated 12 days ago • 1.39k • 324

<https://huggingface.co/>



Big Code model leader board

★ Big Code Models Leaderboard

Inspired from the [Open LLM Leaderboard](#) and [Open LLM-Perf Leaderboard](#), we compare performance of base multilingual code generation models on [HumanEval](#) benchmark and [MultiPL-E](#). We also measure throughput and provide information about the models. We only compare open pre-trained multilingual code models, that people can start from as base models for their trainings.

Evaluation table Performance Plot About Submit results

See All Columns

Search for your model and press ENTER...

Filter model types

all base instruction-tuned EXT external-evaluation

T	Model	Win Rate	humaneval-python	java	javascript	cpp
♦ EXT	OpenCodeInterpreter-DS-33B	55.83	75.23	54.8	69.06	64.47
♦ EXT	Nxcode-CQ-7B-croc	55.42	87.23	60.91	71.69	68.04
♦	CodeQwen1.5-7B-Chat	55.08	87.2	61.04	70.31	67.85
♦ EXT	CodeFuse-DeepSeek-33b	54.33	76.83	60.76	66.46	65.22
♦ EXT	DeepSeek-Coder-33b-instruct	52	80.02	52.03	65.13	62.36
♦ EXT	Artigenz-Coder-DS-6.7B	51.5	70.89	56.84	66.16	59.75
♦ EXT	DeepSeek-Coder-7b-instruct	50.33	86.22	53.34	65.8	59.66
♦ EXT	OpenCodeInterpreter-DS-6.7B	49.67	73.2	51.41	63.85	60.81

<https://huggingface.co/spaces/bigcode/bigcode-models-leaderboard>



Model in Ollama

The screenshot shows the Ollama library interface. At the top left is a circular icon of a cartoon llama head. To its right, the word "Models" is displayed. Below this is a search bar containing the text "deepseek". To the right of the search bar is a dropdown menu set to "Featured".

The first model listed is "deepseek-coder-v2". Its description reads: "An open-source Mixture-of-Experts code language model that achieves performance comparable to GPT4-Turbo in code-specific tasks." Below the description are three blue buttons labeled "Code", "16B", and "236B". Underneath these buttons are three small icons with the numbers "307K", "65", and "3 months ago" respectively.


The second model listed is "deepseek-coder". Its description reads: "DeepSeek Coder is a capable coding model trained on two trillion code and natural language tokens." Below the description are four blue buttons labeled "Code", "1B", "7B", and "33B". Underneath these buttons are three small icons with the numbers "303.9K", "102", and "9 months ago" respectively.

<https://ollama.com/library>



Workshop with Ollama

\$ollama run **llama3.1**




<https://github.com/up1/workshop-ai-with-technical-team/wiki/Local-LLM-with-Ollama>



LiteLLM as a Proxy



LiteLLM as a Proxy




<https://www.litellm.ai/>



Workshop

Use docker compose to build and run



<https://github.com/up1/workshop-ai-with-technical-team/wiki/LiteLLM-and-WebUI>



Retrieval-Augmented Generation (RAG)



What is RAG ?

Enhance LLM with external knowledge

Improve your LLM models, more accurate answer

Proprietary
knowledge


Up-to-data
Information

Citing sources

Data security
Access control List
(ACL)




RAG



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG Data Pipeline



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>




RAG Agent



<https://docs.databricks.com/en/generative-ai/retrieval-augmented-generation.html>



RAG Process




<https://medium.com/@codeawake/ai-chatbot-5bd2fa3324e3>




RAG with LLM

Improve your LLM models, more accurate answer



RAG with LLM




<https://aws.amazon.com/th/what-is/retrieval-augmented-generation/>




Better RAG application

How can we make better RAG applications?



Hybrid Search



Data Cleaning




Prompting



Evaluation




Data Collection



<https://stackoverflow.blog/2024/08/15/practical-tips-for-retrieval-augmented-generation-rag/>




Demo with Chatbot



<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>




RAG with MongoDB



<https://www.mongodb.com/developer/products/atlas/taking-rag-to-production-documentation-ai-chatbot/>




Frameworks and Tools



LangChain

Framework for develop application powered by LLM



<https://python.langchain.com/>



Llamaindex



BOOK A DEMO

GET STARTED

Build AI Knowledge Assistants over your enterprise data

Build production agents that can find information, synthesize insights, generate reports, and take actions over the most complex enterprise data.

GET STARTED


CONTACT SALES

[ENTERPRISES BUILDING WITH LLAMAINDEX]


<https://www.llamaindex.ai/>



Data Analysis Agent



Steps to develop




<https://redis.io/blog/build-e-commerce-chatbot-with-redis/>



AI Agent



AI Agent



LLM

Prompt



LLM




Answer

<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




LLM → RAG



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>




Agent



<https://towardsdatascience.com/intro-to-lm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>



LLM → RAG → Agent



<https://towardsdatascience.com/intro-to-llm-agents-with-langchain-when-rag-is-not-enough-7d8c08145834>



AI Agent Tools



Microsoft AutoGen

AutoGen


An Open-Source Programming Framework for Agentic AI

Getting Started - 3min 

<https://microsoft.github.io/autogen/>




Multi-Agent Orchestrator from AWS



<https://github.com/awslabs/multi-agent-orchestrator>



Swarms



The screenshot shows the GitHub profile for the 'swarms' repository. At the top, there's a large logo consisting of a black square containing a red hexagonal pattern that resembles a molecular or crystal lattice. To the right of the logo, the word 'Swarms' is written in a large, bold, red sans-serif font.

Below the logo, a subtitle in a smaller gray font reads: *The Enterprise-Grade Production-Ready Multi-Agent Orchestration Framework*.

Technical details are listed below the subtitle: **PYTHON**, **PYPI**, and **V6.2.0**.

Navigation links include: [Twitter](#), [Discord](#), [Swarms Platform](#), and [Documentation](#).

Community and social links: [DISCORD](#), [JOIN OUR SERVER](#), [YOUTUBE](#), [SUBSCRIBE](#), [LINKEDIN](#), [CONNECT](#), [X.COM](#), and [FOLLOW](#).

Repository statistics: Issues (30 open), Forks (239), Stars (1.8k), license (AGPL-3.0), Stars (1.8k), dependencies (up to date), and downloads/month (75k).

Sharing options: [Share @kyegomez/swarms](#), [Share facebook](#), and [Share linkedin](#).


<https://github.com/kyegomez/swarms>



Group's workshop with AI



Workshop Record Expense



Here is the extracted data from the payment slip in JSON format:

```
{  
    "payment_status": "Completed",  
    "date_time": "20 Aug 24 1:33 PM",  
    "payer_name": "Mr. Somkiat P",  
    "bank": "KBANK",  
    "payer_account": "xxx-x-x9323-x",  
    "payee_name": "AMZ_SD4330 UNION MALL",  
    "company_name": "DEEMAPHARUAY CO., LTD.",  
    "transaction_id": "202408202155006",  
    "payment_reference_id": "014233133358BQR09410",  
    "amount": "45.00 Baht",  
    "fee": "0.00 Baht"  
}
```



Workshop Record Expense

Requirement

Design

Develop

Testing

Deploy


Generative AI



More ...



Learning Flow with AI



Software Development

Requirement

Design

Develop

Testing

Deploy

Generative AI

Improve Productivity ... (Replace human !!)



More ...




Model Context Protocol (MCP)



Model Context Protocol (MCP)

New standard for connecting AI assistants to system




<https://www.anthropic.com/news/model-context-protocol>



Model Context Protocol (MCP)

Traditional Integration vs MCP Approach

Traditional: N×M Connections



Each model needs custom integration
with each data source

9 Total Connections

MCP: N+M Connections




Models and data sources only need
to integrate once with MCP

6 Total Connections


<https://salesforcedevops.net/index.php/2024/11/29/anthropics-model-context-protocol/>




Model Context Protocol (MCP)




Model Context Protocol (MCP)



Example MCP by Anthropic



Example MCP by Anthropic



<https://www.somkiat.cc/model-context-protocol/>




ReAct

<https://arxiv.org/abs/2210.03629>



ReAct

Think and Act



<https://www.promptingguide.ai/techniques/react>



Start your journey

