



Gen AI for Software Development





Facebook somkiat.cc

Page Messages Notifications 3 Insights Publishing Tools Settings Help

somkiat.cc
@somkiat.cc

Home Posts Videos Photos

Liked Following Share ... + Add a Button



**[https://github.com/up1/
workshop-ai-with-technical-team](https://github.com/up1/workshop-ai-with-technical-team)**



Goals

Integrate Generative AI in Software Development
Optimize code quality
Team up with AI on coding tasks
Develop innovative solutions



Software Development

Requirement

Design

Develop

Testing

Deploy

Generative AI

Improve Productivity ... (Replace human !!)



Learning Path

AI/ML

AI Model

Prompt Engineer


AI in Software development

Develop AI/LLM app


RAG

Use cases and workshops





Generative AI



<https://grow.google/ai-essentials/>



Generative AI

LLMs

Large Language Models

Text generation

Code generation

Chatbot

Conversation AI

GANs

Generative Adversarial Network

Image generation

Deep fake

Art creation

Simulate financial market

VAEs


Variational Autoencoders

Data compression

Synthetic data generation

Image reconstruction





Large Language Model (LLM)

Type of AI model

Process, understand

Generate human readable data

LLM

Training data !!



LLMs in industry

Model name	Company
Bidirectional Encoder Representation from Transformers (BERT)	Google AI
Generative Pre-trained transformer-5 (GPT-5)	OpenAI
Pathways Language Model-E (PaLM-E)	Google AI
BLOOM	NVIDIA AI
Llama 4	Facebook
Claude 4.5 Sonnet	Anthropic



LLM Development timeline




Figure 3: LLM development timeline. The models below the arrow are closed-source while those above the arrow are open-source.

<https://arxiv.org/abs/2311.16989>



Let's go !!




ສືເໜືອງ



Large Language Model (LLM)





Neural network

Predicts the next word in a sequence



LLM components !!

Components of the Decoder-only Transformer




*Feed-Forward
Transformation*




<https://stackoverflow.blog/2024/08/22/l1ms-evolve-quickly-their-underlying-architecture-not-so-much>



Transformer inside



Transformer process



OpenAI Tokenizer

GPT-4o & GPT-4o mini (coming soon) **GPT-3.5 & GPT-4** GPT-3 (Legacy)

ประเทศไทย

[Clear](#) [Show example](#)

Tokens	Characters
10	9

ประเทศไทย


[Text](#) [Token IDs](#)

<https://platform.openai.com/tokenizer>



Embedding ?


Map items of unstructured data to high-dimensional real vectors




<https://towardsdatascience.com/transfomers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>




Visual of Vector space



Distance measure in Data Science




Store data in Vector Database



Vector Database ?

Map items of unstructured data to high-dimensional real vectors



<https://towardsdatascience.com/transformers-in-depth-part-1-introduction-to-transformer-models-in-5-minutes-ad25da6d3cca>



Application

Infrastructure


Model



Trust, but verify output !!



Generative AI in Nutshell




<https://www.youtube.com/watch?v=2IK3DFHRFw>



Application Tool chains





Tool chains category

Assist
tasks

Interaction
modes

Prompt
composition

Properties of
model



Assist tasks

Finding information faster in context

Generating code

Reasoning about code

Transforming code into something ..

Requirement

Design

Develop

Testing

Deploy

Software Delivery Lifecycle



Interaction modes

Chat interfaces


In-line assistance (typing in code editor)

CLI (command-line interface)



Prompt composition

Prompt engineering
Compose prompts from user inputs and context



<https://platform.openai.com/docs/guides/prompt-engineering>



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering>



Iterative Prompt Development




Iterative Process

- Try something
- Analyze where the result does not give what you want
- Clarify instructions, give more time to think
- Refine prompts with a batch of examples

<https://www.deeplearning.ai/short-courses/chatgpt-prompt-engineering-for-developers/>



Basic of Prompt Engineer



Better Prompt

Write clear instructions

Provide reference text

Split complex tasks into simpler subtasks


Give the model time to think

Testing and improve ...

<https://platform.openai.com/docs/guides/prompt-engineering/six-strategies-for-getting-better-results>




Prompt Structure



<https://learn.microsoft.com/en-us/ai/playbook/technology-guidance/generative-ai/working-with-langs/prompt-engineering>



Structure of Prompt



<https://platform.openai.com/docs/guides/prompt-engineering>



Prompting Guide

Prompt Engineering

Prompt Engineering Guide

Prompt engineering is a relatively new discipline for developing and optimizing prompts to efficiently use language models (LMs) for a wide variety of applications and research topics. Prompt engineering skills help to better understand the capabilities and limitations of large language models (LLMs).

Researchers use prompt engineering to improve the capacity of LLMs on a wide range of common and complex tasks such as question answering and arithmetic reasoning. Developers use prompt engineering to design robust and effective prompting techniques that interface with LLMs and other tools.

Prompt engineering is not just about designing and developing prompts. It encompasses a wide range of skills and techniques that are useful for interacting and developing with LLMs. It's an important skill to interface, build with, and understand capabilities of LLMs. You can use prompt engineering to improve safety of LLMs and build new capabilities like augmenting LLMs with domain knowledge and external tools.

<https://www.promptingguide.ai/>



Structure of Prompt !!

APE
Action, Purpose,
Expectation

RACE
Role, Action,
Context,
Expectation

TAG
Task, Action, Goal

COAST
Context, Objective,
Action, Scenario,
Task

RISE
Role, Input, Step,
Expectation

<https://twitter.com/pradeepeth/status/1673271866696544257>



Prompt Techniques

Zero-shot

Chain-of
Thought (CoT)

Few-shot

Meta or structure

<https://www.promptingguide.ai/techniques>



Chain of Thought Prompting (CoT)


Technique used to improve the reasoning ability of LLM

Try to break down a complex problem into smaller, More manageable steps, lead to final answer

Reasoning model !!



Chain of Thought Prompting (CoT)



Chain of Thought Prompting (CoT)

(a) Few-shot

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The answer is 8. ✗

(b) Few-shot-CoT

Q: Roger has 5 tennis balls. He buys 2 more cans of tennis balls. Each can has 3 tennis balls. How many tennis balls does he have now?

A: Roger started with 5 balls. 2 cans of 3 tennis balls each is 6 tennis balls. $5 + 6 = 11$. The answer is 11.

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A:

(Output) The juggler can juggle 16 balls. Half of the balls are golf balls. So there are $16 / 2 = 8$ golf balls. Half of the golf balls are blue. So there are $8 / 2 = 4$ blue golf balls. The answer is 4. ✓

(c) Zero-shot

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: The answer (arabic numerals) is

(Output) 8 ✗

(d) Zero-shot-CoT (Ours)

Q: A juggler can juggle 16 balls. Half of the balls are golf balls, and half of the golf balls are blue. How many blue golf balls are there?

A: Let's think step by step.


(Output) There are 16 balls in total. Half of the balls are golf balls. That means that there are 8 golf balls. Half of the golf balls are blue. That means that there are 4 blue golf balls. ✓

<https://www.promptingguide.ai/techniques/cot>



ReAct Prompt

LLM reasoning and additional tools (expert)
Improve better answer




<https://www.promptingguide.ai/techniques/react>




Workshop




RGB ?



[255, 0, 0]



[255, 192, 203]




[0, 255, 0]

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-rgb>




Visualize RGB



https://huggingface.co/spaces/jphwang/colorful_vectors



Text-to-SQL



<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/demo-sql>



Software Development Life Cycle



SDLC

Requirement

Design

Develop

Testing

Deploy



Planning

Written planning process

Arch diagrams

Testing

Automated testing

TDD

Testing environments

Testing in prod

Performance testing

Load testing

Generate test data

Development

Automated dev env

CI/CD

Prototyping

Code review

Code generation

Templates

Cross-platform dev

Preview env

Post-commit code review

Linting

Static code analysis

Project mgmt

Shipping

FF & experimentation

Logging

Monitoring & alerting

Staged rollouts

Maintenance

Debug production

Documentation


Runbook examples

Mitigation runbook

pragmaticengineer.com



SDLC



Impacts with productivity ?

Automated
simple tasks

Improve quality
and reliability

Improve
communication


Faster
prototype



**Generative AI isn't just a tool
it's your team member**



3 Pillar of Software Development



Requirement and Analysis



Requirement and Analysis

Requirement

Design

Develop


Testing

Deploy

Requirements writing and analysis
User story generation



Agents AI for Automated tasks



The screenshot shows the Taskade website's AI Agile User Story Generator page. At the top, there's a navigation bar with links for Product, Solutions, Learn, Tools, Pricing, Help, Log in, and a prominent 'Sign up for free' button. Below the navigation is a breadcrumb trail showing 'Project Management > Agile User Story'. To the right are search and categories filters. The main title 'AI Agile User Story Generator' is displayed with a small AI icon. A sub-headline explains the tool's purpose: 'Improve your Agile development process with our AI-powered user story generator – create user stories quickly and easily for successful project outcomes.' Two buttons are visible: 'Generate AI Agile User Story' and 'Start with AI'. At the bottom, there are four icons with descriptions: 'Dynamic AI builders', '100% fully customizable', 'Download & edit on-the-go', and 'Generate, publish, & share everywhere'.

<https://www.taskade.com/generate/project-management/agile-user-story>



Example with food delivery

Food Delivery Workflow Template

 **Order Processing #order**

- Check for new orders
 - Verify customer details
 - Confirm payment status
- Prepare order items
 - Gather ingredients
 - Cook or prepare food
 - Package items securely

 **Delivery Management #delivery**

- Assign delivery driver
- Plan delivery route
 - Prioritize multiple deliveries
 - Use GPS for directions
- Confirm delivery with customer
 - Send delivery notification
 - Obtain customer signature

 **Post-Delivery Tasks #postdelivery**

 What would you like to do next? ▶

 Create project ▷



 Continue writing

 Make longer

<https://www.taskade.com/generate/project-management/agile-user-story>




User Story Generator



<https://userstorygenerator.ai/>




Napkin



The image shows the Napkin AI homepage. At the top left is the Napkin logo with the word "beta" underneath. To the right are navigation links: Home, Pricing, About us, Sign in, and a "Get Napkin Free" button with a right-pointing arrow. The main headline "Get visuals from your text" is displayed in large, bold, dark font, accompanied by a blue lightning bolt icon. Below the headline, a subtext explains: "Napkin turns your text into visuals so sharing your ideas is quick and effective." To the left of the text is a screenshot of the Napkin interface showing various visual elements like circles and arrows. To the right is a flowchart diagram starting with a "Start" node, followed by a decision diamond "Have a doc?", leading to a "Type" node if the answer is "No".

Get visuals from your text

Napkin turns your text into visuals so sharing your ideas is quick and effective.



```
graph TD; Start((Start)) --> Doc{Have a doc?}; Doc -- No --> Type[Type];
```

<https://www.napkin.ai/>



Requirement analysis

Clarify of User requirement ?

<https://github.com/up1/workshop-ai-with-technical-team/wiki/Requirement-analysis>



Design Process



Design

Requirement

Design

Develop

Testing

Deploy

Architecture writing assistance


Sequence flow diagram generation

Data modeling

UX/UI design assistance



Excalidraw with AI



<https://excalidraw.com/>



Demo

Text to diagram AI Beta Mermaid

Currently we use Mermaid as a middle step, so you'll get best results if you describe a diagram, workflow, flow chart, and similar.

Prompt 9 requests left today

Try to generate authentication service from below
1. Customer call api gateway with REST API /login
2. Api gateway check user and password from auth service via gRPC
3. API gateway send response to client

Preview

```
graph TD; Customer[Customer] -- "REST API /login with credentials" --> APIGateway[APIGateway]; APIGateway -- "gRPC check user and password" --> AuthService[Authservice]; AuthService -- "gRPC response (success or failure)" --> APIGateway; APIGateway -- "HTTP response (success or failure)" --> Customer;
```

Generate → Cmd Enter

View as Mermaid →

Insert →



Database

The screenshot shows a database management interface with the following details:

- New database**: A button in the top-left corner.
- User Management Database ...**: A link in the top-left corner.
- User and Shipping Address ...**: A link in the top-left corner.
- Diagram**: The active tab in the top navigation bar.
- Migrations**: A tab in the top navigation bar.
- shipping_addresses**: A table with columns: id (Primary key), user_id, address_line1, address_line2, city, state, postal_code, country.
- users**: A table with columns: id (Primary key), name, email.
- Relationships**: Shows a foreign key relationship from `shipping_addresses.user_id` to `users.id`.
- PG 18 | Local-only database**: Database information at the bottom left.
- Primary key**, **Identity**, **Unique**, **Nullable**: Column properties at the bottom left.
- Create table of user that have many shipping address**: A callout bubble with text.
- Executed SQL**: A dropdown menu at the bottom right.
- The tables 'users' and 'shipping_addresses' have been created successfully. Here's a brief overview:** A text block describing the tables.
- Users Table**: Contains user information with columns for `'id'`, `'name'`, and `'email'`.
- Shipping Addresses Table**: Stores multiple addresses for each user, with columns for `'id'`, `'user_id'` (foreign key referencing `'users'`), `'address_line1'`, `'address_line2'`, `'city'`, `'state'`, `'postal_code'`, and `'country'`.
- Conversation renamed to User and Shipping Address Management change**: A note about a conversation rename.
- Message AI or write SQL**: A button at the bottom right.

<https://database.build/>




Magic Pattern

The screenshot shows the Magic Patterns web application interface. At the top, there is a navigation bar with links for 'Magic Patterns', 'Use Cases', 'Customers', and a user profile icon. Below the navigation bar, a large heading reads 'Prototype your product ideas with AI.' followed by a subtext: 'Iterate on components & designs in our AI-native editor. Export to React or Figma.' Three buttons are visible: 'Generate a new UI' (disabled), 'Add a new feature to an existing UI' (highlighted in blue), and 'Apply a theme to an existing UI'. The main area features a flowchart diagram with three boxes connected by arrows. The first box on the left is titled 'Import your existing UI' and contains a placeholder for 'Add an image or screenshot'. The middle box is titled 'Describe what to add to the existing UI' with examples like 'e.g. add an error state' and '(Optional) Include an image'. The third box on the right contains a 'Generate' button. The entire interface has a clean, modern design with a light gray background and white grid lines.

<https://www.magicpatterns.com/>



Make Real



<https://github.com/tldraw/make-real>



v0.dev

The screenshot shows the v0.dev platform's interface. At the top, there is a navigation bar with a logo on the left and a "Private Beta" button on the right. Below the navigation bar, a dark modal window titled "A 'report an issue' modal" is open, featuring three small icons: a square with a diagonal line, a checkmark, and a left arrow. Below the modal are four small buttons labeled "Product categories", "Hero section", "Contact form", and "Ecommerce dashboard". The main area of the screen displays a grid of website prototypes. At the top of this grid, there are two tabs: "New Generations" (which is selected) and "Featured". The prototypes include: 1) A "Soccer Game" landing page with a "Start" button. 2) A "Enhance Your Education Journey" hero section with a "Get Started" button. 3) A "Quiz" page with a "Start Quiz" button. 4) A "Discover the Festival Fair" page with a "Discover" button. Below these are four more prototypes: 1) A "page for a soccer game,..." with a purple circular icon and a user profile. 2) A "hero section for a..." with a user profile. 3) A "website in a black and..." with a user profile. 4) A "product tour like appcues" with a user profile. Each prototype has a small star icon in the top right corner.

<https://v0.dev/>



Bolt.new

The screenshot shows the Bolt.new homepage. At the top, the title "Bolt.new" is displayed in a large, bold, black font. Below it, a large, bold, black text box contains the question "What do you want to build?". Underneath this, a smaller text box contains the subtext "Prompt, run, edit, and deploy full-stack web apps.". A large input field is centered, with the placeholder "How can Bolt help you today?" and two small icons (a magnifying glass and a star) below it. Below the input field, there are six rounded rectangular buttons arranged in two rows of three: "Start a blog with Astro", "Build a mobile app with NativeScript", "Create a docs site with Vitepress", "Scaffold UI with shadcn", "Draft a presentation with Sliddev", and "Code a video with Remotion". Further down, the text "or start a blank app with your favorite stack" is followed by a grid of twelve small icons representing various technologies: Next.js, Tailwind CSS, Node.js, React, Next.js, Tailwind CSS, Next.js, React, Tailwind CSS, Next.js, React, and Tailwind CSS.

What do you want to build?

Prompt, run, edit, and deploy full-stack web apps.

How can Bolt help you today?

Start a blog with Astro Build a mobile app with NativeScript Create a docs site with Vitepress

Scaffold UI with shadcn Draft a presentation with Sliddev Code a video with Remotion


or start a blank app with your favorite stack

Next.js Tailwind CSS Node.js React Next.js Tailwind CSS Next.js React Tailwind CSS Next.js React Tailwind CSS

<https://bolt.new/>



Lovable



<https://lovable.dev/>



Val Town

The screenshot shows a software development environment with a central workspace and various toolbars.

Top Bar: val town up1/zanyTomatoLamprey

Left Sidebar: up1/zanyTomatoLamprey version 1

Central Workspace:

- Code Preview:** https://up1-zanytomatolamprey.web.val.run
- Code Buttons:** PREVIEW, CODE
- Text Area:** This code creates a login form with username and password fields. It uses React for the client-side interface and includes server-side handling for login attempts using SQLite for user storage and verification. The form is styled for better usability and includes labels for each input field. A message is displayed after login attempts, and there's a link to view the source code.
- Comment:** add forgot password link
- Version History:** version 2 30s ago
- Text Area:** Certainly! I'll add a "Forgot Password" link to the existing login form. This will involve updating the React component and adding some styling for the new link.
- List:** 1. This is an edit to the existing code.
2. Changes required:
 - Add a "Forgot Password" link to the LoginForm component
 - Update the CSS to style the new link
 - Add a placeholder handler for the "Forgot Password" functionality3. The response will be in the entire val format.
- Text Area:** Here's the updated code with the "Forgot Password" link added:
- Code Preview:** up1/zanyTomatoLamprey version 2
- Text Area:** In this updated version, I've added a "Forgot Password" link below the login form. The link is styled to match the overall design of the form. When clicked, it currently displays a message indicating that the password reset functionality is not yet implemented. The CSS has been updated to include styles for the new "Forgot Password" link.
- Bottom Buttons:** Reply to Townie, View Source, Logs, Requests

<https://www.val.town/>



Galileo.ai

Generate interface designs at lightning speed

Galileo AI is a UI generation platform for easy and fast design ideation



Explore



Text to UI



Image to UI



Describe your design

Generate

Featured

Mobile


Web



Product portal for unstructured data transformation at Trellis...




Marker



Turn this website into a more kinda social media website for sharing, likin...



azvect



Finance website account page for premium features: A section for...



azvect

<https://www.usegalileo.ai/>




AI for Software Development

© 2020 - 2025 Siam Chamnkit Company Limited. All rights reserved.

Google Stitch

Design at the Speed of AI



Transform ideas into UI designs for mobile and web applications.

<https://stitch.withgoogle.com/>



AI for Software Development

© 2020 - 2025 Siam Chamnkit Company Limited. All rights reserved.

Development Process



Develop

Requirement

Design

Develop

Testing

Deploy

Code generation

Review and explain code

Debugging code


Improve consistency

Code translation



Development

Generative AI can increase developer speed, but less so for complex tasks.



<https://www.mckinsey.com/capabilities/mckinsey-digital/our-insights/unleashing-developer-productivity-with-generative-ai>



Category of Tools

Chat AI

Code AI

Agent AI

ChatGPT
Gemini
Claude.ai
Bing



Category of Tools

Chat AI

ChatGPT
Gemini
Claude.ai
DeepSeek

Code AI


Copilot in VSCode
Cursor IDE
Windsurf
Zed

AI Agent
Public and Local

Aider
Claude code
Gemini CLI




Development




<https://martinfowler.com/articles/2023-chatgpt-xu-hao.html>




Development



Development



Development + Testing



Main Features

Ask question

Generate code

Refactor code

Document code

Find problems in your code




Pair programming with AI



AI Pair Programming

Aider is AI pair programming in your terminal


Aider lets you pair program with LLMs, to edit code in your local git repository. Start a new project or work with an existing git repo. Aider works best with GPT-4o & Claude 3.5 Sonnet and can [connect to almost any LLM](#).



<https://github.com/paul-gauthier/aider>



* Welcome to **Claude Code** research preview!



Claude Code is billed based on API usage through your Anthropic Console account.

Pricing may evolve as we move towards general availability.

Press Enter to login to your Anthropic Console account...

2025/02/25

<https://www.anthropic.com/news/clause-3-7-sonnet>





2025/06


<https://github.com/google-gemini/gemini-cli>



AI in IDE



GitHub Copilot



The image shows the GitHub Copilot landing page. At the top, there is a navigation bar with links for Product, Solutions, Resources, Open Source, Enterprise, Pricing, a search bar, a dashboard button, and a user profile icon. Below the navigation bar, there is a secondary navigation menu with links for Features, Copilot (which is underlined), Security, Code review, Search, Issues, Actions, Packages, Codespaces, and Discussions. A callout bubble in the center says "Copilot Enterprise now available". The main headline is "The world's most widely adopted AI developer tool." followed by a "Get started with Copilot >" button. In the bottom right corner, there is a small, stylized blue and purple AI character.

<https://github.com/features/copilot>



Cursor.sh



Pricing Features Forum Docs Careers Blog

Sign In

Download

The AI Code Editor

Built to make you extraordinarily productive, Cursor is the best way to code with AI.



Download for Free



Watch Demo
1 Minute

<https://www.cursor.com/>



Cursor Directory

cursor.directory		Get latest updates	Subscribe	Live Learn About
Search...	Q	All Popular		
TypeScript	15	<h2>TypeScript</h2> <p>You are an expert in TypeScript, React Native, Expo, and Mobile UI development.</p> <p>Code Style and Structure</p> <ul style="list-style-type: none">- Write concise, technical TypeScript code with accurate examples.- Use functional and declarative programming patterns; avoid classes.- Prefer iteration and modularization over code duplication.- Use descriptive variable names with auxiliary verbs (e.g., isLoading, hasError).- Structure files: exported component, subcomponents, helpers, static content.- Follow Expo's official documentation for best practices. <p>Krish Kalaria  expo-router expo-status-bar +7 more ~</p>	<p>You are a Senior Front-End Developer and an Expert in ReactJS, NextJS, JavaScript, TypeScript, HTML, CSS and modern UI/UX frameworks (e.g., TailwindCSS, Shadcn, Radix). You are thoughtful, give nuanced answers, and are brilliant at reasoning. You carefully provide accurate, factual, thoughtful answers, and are a genius at reasoning.</p> <ul style="list-style-type: none">- Follow the user's requirements carefully & to the letter.- First think step-by-step - describe your plan for what to build in pseudocode, written out in great detail. <p>Mohammadali Karimi  Tailwind CSS Shadcn UI +1 more ~</p>	<p>You are an expert in TypeScript, Gatsby, React and Tailwind.</p> <p>Code Style and Structure</p> <ul style="list-style-type: none">- Write concise, technical TypeScript code.- Use functional and declarative programming patterns; avoid classes.- Prefer iteration and modularization over code duplication.- Use descriptive variable names with auxiliary verbs (e.g., isLoading, hasError).- Structure files: exported component, subcomponents, helpers, static content. <p>Nathan Brachotte  gatsby react +2 more ~</p>
Python	9	<p>You are a senior TypeScript programmer with experience in the NestJS framework and a preference for clean programming and design patterns.</p>	<p>You are an expert in TypeScript, Node.js, Next.js App Router, React, Shadcn UI, Radix UI and Tailwind.</p> <p>Code Style and Structure</p> <ul style="list-style-type: none">- Write concise, technical TypeScript code with accurate examples.- Use functional and declarative programming patterns; avoid classes.- Prefer iteration and modularization over code duplication.- Use descriptive variable names with auxiliary verbs (e.g., isLoading, hasError).- Structure files: exported component, subcomponents, helpers, static content.	<p>You are an expert in Solidity, TypeScript, Node.js, Next.js 14 App Router, React, Vite, View v2, Wagmi v2, Shadcn UI, Radix UI, and Tailwind Aria.</p>
Next.js	9			
React	9			
PHP	5			
C#	4			
Expo	4			
React Native	4			
Tailwind	4			
Supabase	4			
Web Development	3			
Game Development	3			
JavaScript	3			
Laravel	3			

<https://cursor.directory/>



Windsurf by Codeium



Built to keep you in *flow state*

The first agentic IDE, and then some. The Windsurf Editor is where the work of developers and AI truly flow together, allowing for a coding experience that feels like literal magic.

 Download the Windsurf Editor

See all download options

<https://codeium.com/windsurf>




AI for Software Development

© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.


Test-Driven Development




Test-Driven-Development




Test-Driven-Development



Test-Driven-Development




AI-DD



<https://dev.to/dawiddahl/ai-is-changing-the-way-we-code-ai-driven-development-aidd-2ngo>




TDD with AI



<https://github.com/allenheltondev/tdd-ai>



TDD with AI



<https://arxiv.org/html/2405.10849v1>



Test-Driven-Generation (TDG)



Test-Driven-Generation (TDG)

Development practice that integrate Generative AI into the development life-cycle

TDD

+

Pair
programming


+

Generative AI

<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>




Test-Driven-Generation (TDG)



<https://chanwit.medium.com/test-driven-generation-tdg-adopting-tdd-again-this-time-with-gen-ai-27f986bed6f8>



Test-Driven-Generation (TDG)



Tips and Techniques with AI

Scope of prompt

Error in result

Setup and config
project

Latest information

Use technical
keywords



Specification-Driven Development (SDD)



Workflow SDD

Levels of “spec-driven”


Creation of feature



Evolution and maintenance of feature




spec-first



spec-anchored



spec-as-source




<https://martinfowler.com/articles/exploring-gen-ai.html>

<https://martinfowler.com/articles/exploring-gen-ai/sdd-3-tools.html>



Workflow SDD



Memory Bank

Memory bank

AGENTS.md

project.md

architecture.md

*Examples for illustration,
actual file structures vary*

Agent

Specs

STORY-
324.md

STORY-
525.md

product-
search.md

config-
loader.md

feature-x

data-mo
del.md

plan.
md

contr
acts

*Examples for illustration,
actual file structures vary*



Workflow Tools

AWS Kiro

Spec-kit

Custom by IDE


Requirement
Design
Tasks

Specify
Plan
Tasks

VSCode rules
Cursor rules
Github rules



Spec-Kit



Playwright Test Agent



<https://playwright.dev/docs/test-agents>



Workshop with Coding

Chat

Text Editor with AI

Pair programming
with AI

SDD and Rules



Pair programming with Aider

GPT-5

Claude 4.5
Sonnet

DeepSeek
Coder

Llama

<https://github.com/up1/workshop-ai-with-technical-team/tree/main/workshop/aider>



Testing Process with High quality process

Functional

Non-Functional



Testing

Requirement

Design

Develop

Testing

Deploy

Test cases writing

Test code generation

Bug detection

Test planning

Data test generation




Testing with Postman

Postbot, our AI-powered assistant, will supercharge your API development.

Speed up your most common API development workflows with natural-language input, conversational interactions, and contextual suggestions.

[Get Started](#)



<https://www.postman.com/product/postbot/>



PostBot

The screenshot shows the Postman application interface. A request is being made to `https://jsonplaceholder.typicode.com/users/1` using the `GET` method. The `Tests` tab is selected in the header bar. The response body is displayed in JSON format:

```
1 {  
2   "id": 1,  
3   "name": "Leanne Graham",  
4   "username": "Bret",  
5   "email": "Sincere@april.biz",  
6   "address": {  
7     "street": "Kulas Light",  
8     "suite": "Apt. 556".  
9   }  
10 }
```

A modal window titled "New on Postbot" is open, providing information about the AI feature:

I can auto-complete tests to help you work faster!
If you have a response available and type `pm.test()`, I'll suggest important tests that you might be looking for. Once you've entered the test name, I'll also provide the code to validate what you need.

The right sidebar contains several options:

- Add tests to this request
- Test for response...
- Visualize response...
- Save a field from response
- Add documentation

At the bottom of the sidebar, there is a message: "Hi! How can I help?" with a purple arrow icon.

<https://www.postman.com/product/postbot/>



6 Keys software quality

Defect density

Code duplication

Hardcode token/key

Security
vulnerabilities

Outdated package

Non-permissive
opensource libraries



Deployment Process



Deploy and manage

Requirement

Design

Develop

Testing

Deploy

CI/CD pipeline

Infrastructure as a code

Automated script

Performance and monitoring suggestion

Document generation

AI-assist support

ChatOps, AIOps



K8sGPT



CLOUD NATIVE K8sGPT joins the SANDBOX CNCF Sandbox

K8sGPT is a tool for scanning your kubernetes clusters, diagnosing and triaging issues in simple english. It has SRE experience codified into its analyzers and helps to pull out the most relevant information to enrich it with AI.

Get it now!

<https://k8sgpt.ai/>



PromptOps



Solutions ▾ Resources ▾ Contact us Log In

ChatGPT for your DevOps Teams

Turn DevOps tasks into automated workflows with a single prompt straight from Slack

Get started

Learn More

A screenshot of the PromptOps Slack app interface. At the top, there's a message from the "PromptOps APP" bot: "Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!". Below this, a Slack conversation shows a user named "Sergoy" asking about 408 errors in a graph-engine, followed by a message from "aws" suggesting a fix. A "Yes" or "No" button is visible at the bottom of the message. At the bottom of the screenshot, there are several buttons: "Acknowledge", "Resolve", "Run a play ▾", and "Edit code".

PromptOps APP
Hello, I'm PromptOps, your DevOps virtual assistant for managing, troubleshooting, and running DevOps tasks directly from Slack!

Sergoy 02:14am
Uh oh, MOAR 408 errors in graph-engine.
Help, @PromptOps!

PromptOps APP 02:14am
aws Elema ran into this issue last week
aws Vasily fixed it by bumping up CPU cores on nginx node.
Should I do it?
Yes No

Acknowledge Resolve Run a play ▾ Edit code

<https://www.promptops.com/devops/>



AI for Software Development
© 2020 - 2025 Siam Chamnankit Company Limited. All rights reserved.


ChatOps for DevOps




[Product](#)[How it Works](#)[Learn](#)[Company](#)[Uptime](#)[Sign In](#)[Book a demo](#)[Sign Up](#)

> ChatGPT for DevOps

Converse with your engineering platforms, powered by LLM.
A virtual teammate to handle DevOps requests so you can handle the rest.

[Add Kubi to Slack](#)

-  Kubi (DevOps)
@Alerts I got an alert from Prometheus:

Deployment 'alert-manager' on namespace 'Openfaas' is experiencing high traffic
-  Kubi (DevOps)
@Alerts Should I increase the number of replicas on 'alert-manager'?
-  Jeff (R&D)
Yes
-  Kubi (DevOps)

✓ The following deployment has been updated:
Deployment: alert-manager
Namespace: Openfaas
Replicas: 3

<https://www.kubiya.ai/>



Risks when using Generative AI





Risks

Quality of output generated
Explainability of decisions
Security policy !!
Sensitive data !!



Tips

Understand what you want

Modular approach

Clear and Precise inputs

Make sure you understand the code



Local LLM



Local LLM

Run LLM on local machine/device
Try to customize with your requirement

Reduce cost

Data privacy


Responsive

Offline mode




Local LLM

Improve your LLM models, more accurate answer



Models ?


How to download models ?



Local LLM Server



Local LLM with LM Studio




The image shows the LM Studio website and its desktop application. The website features a purple header with the logo and navigation links for Docs, Blog, and Download. Below the header is a large "LM Studio" logo with a purple square icon. A main heading "Discover, download, and run local LLMs" is followed by a green announcement box about version 0.3.0. Below this are buttons for running various models like LLaMa, Phi, Gemma, DespSeek, Qwen, and Mistral. It also mentions being built with open source projects like llama.cpp and lmstudio.js. Three download buttons are provided for Mac, Windows, and Linux. The desktop application screenshot shows a window titled "LM Studio - Local Model Manager 0.3.2" displaying a tree view of model configurations and a right-hand panel for "Advanced Configuration".

<https://lmstudio.ai/>



Local LLM with LM Studio

Load model from Hugging Face




<https://lmstudio.ai/>



Local LLM with Ollama

\$ollama run **llama3.2**



<https://ollama.com/>



Local LLM with LlamaEdge



LlamaEdge

Feature FAQ Models Docs | [View on GitHub](#)

The easiest, smallest and fastest local LLM runtime and API server.

[Quick Start with Gaia](#)

Powered by Rust & WasmEdge (A CNCF hosted project) ⓘ

<https://llamaedge.com/>



Local LLM with LocalAI



<https://localai.io/>



More

GPT4All

LlamaFile

Jan.ai

NextChat

Anything LLM

<https://github.com/Hannibal046/Awesome-LLM>



LLM Models



Hugging Face Model Hub

NEW AI Tools are now available in HuggingChat

The AI community building the future.

The platform where the machine learning community collaborates on models, datasets, and applications.

Models 450,541

Tasks

- Vision
- Computer Vision
- Natural Language Processing
- Audio
- Tabular
- Reinforcement Learning

Datasets

Spaces

Posts

Docs

Pricing

Log In

Sign Up

meta-llama/Llama-2-7b

Text Generation • Updated 4 days ago • 25.2k • 4.6k

stabilityai/stable-diffusion-v1-base

openai/openchat

lllyasviel/ControlNet-v1-2

ceresense/zeroscope_v2_XL

meta-llama/Llama-2-20b

tiiuae/falcon-40b-instruct

MirroredH/MixedCodes-v18-v1.0

CompVis/stable-diffusion-v2-4

StabilityAI/stable-diffusion-v2-2

Salesforce/qwen-2b-8w-inat

<https://huggingface.co/>



Hugging Face :: Model

The screenshot shows the Hugging Face Model Hub interface. On the left, there's a sidebar with sections for Tasks (Libraries, Datasets, Languages, Licenses), Other, Filter Tasks by name, Multimodal (Image-Text-to-Text, Visual Question Answering, Document Question Answering, Video-Text-to-Text, Any-to-Any), and Computer Vision (Depth Estimation, Image Classification, Object Detection, Image Segmentation, Text-to-Image, Image-to-Text, Image-to-Image, Image-to-Video, Unconditional Image Generation, Video Classification, Text-to-Video, Zero-Shot Image Classification, Mask Generation, Zero-Shot Object Detection, Text-to-3D). The main area is titled 'Models 233,861' and has a search bar with 'llama'. It includes 'Full-text search' and 'Sort: Trending' buttons. The search results list several Llama models:

- black-forest-labs/FLUX.1-dev**: Text-to-Image, Updated Aug 16, 919k, 4.73k
- meta-llama/Meta-Llama-3.1-8B-Instruct**: Text Generation, Updated Aug 21, 3.09M, 2.61k
- jinaai/reader-lm-1.5b**: Text Generation, Updated 5 days ago, 8.28k, 382
- black-forest-labs/FLUX.1-schnell**: Text-to-Image, Updated Aug 16, 1.06M, 2.35k
- nvidia/Llama-3_1-Nemotron-51B-Instruct**: Text Generation, Updated about 14 hours ago, 61, 79
- dleemiller/word-llama-12-supercat**: Updated Aug 12, 81
- ICTNLP/Llama-3.1-8B-Omni**: Updated 12 days ago, 1.39k, 324

<https://huggingface.co/>



Big Code model leader board

★ Big Code Models Leaderboard

Inspired from the [Open LLM Leaderboard](#) and [Open LLM-Perf Leaderboard](#), we compare performance of base multilingual code generation models on [HumanEval](#) benchmark and [MultiPL-E](#). We also measure throughput and provide information about the models. We only compare open pre-trained multilingual code models, that people can start from as base models for their trainings.

Evaluation table Performance Plot About Submit results ↗

See All Columns

Search for your model and press ENTER...

Filter model types

all base instruction-tuned EXT external-evaluation

T	Model	Win Rate	humaneval-python	java	javascript	cpp
♦ EXT	OpenCodeInterpreter-DS-33B	55.83	75.23	54.8	69.06	64.47
♦ EXT	Nxcode-CQ-7B-croc	55.42	87.23	60.91	71.69	68.04
♦	CodeQwen1.5-7B-Chat	55.08	87.2	61.04	70.31	67.85
♦ EXT	CodeFuse-DeepSeek-33b	54.33	76.83	60.76	66.46	65.22
♦ EXT	DeepSeek-Coder-33b-instruct	52	80.02	52.03	65.13	62.36
♦ EXT	Artigenz-Coder-DS-6.7B	51.5	70.89	56.84	66.16	59.75
♦ EXT	DeepSeek-Coder-7b-instruct	50.33	86.22	53.34	65.8	59.66
♦ EXT	OpenCodeInterpreter-DS-6.7B	49.67	73.2	51.41	63.85	60.81

<https://huggingface.co/spaces/bigcode/bigcode-models-leaderboard>



Model in Ollama

The screenshot shows the Ollama library interface. At the top left is a circular icon of a llama head. To its right, the word "Models" is displayed. Below this is a search bar containing the text "deepseek". To the right of the search bar is a dropdown menu set to "Featured".

deepseek-coder-v2
An open-source Mixture-of-Experts code language model that achieves performance comparable to GPT4-Turbo in code-specific tasks.

[Code](#) [16B](#) [236B](#)
↓ 307K Pulls ⏲ 66 Tags ⏲ Updated 3 months ago

deepseek-coder
DeepSeek Coder is a capable coding model trained on two trillion code and natural language tokens.


[Code](#) [1B](#) [7B](#) [33B](#)
↓ 303.9K Pulls ⏲ 102 Tags ⏲ Updated 9 months ago

<https://ollama.com/library>



Workshop with Ollama

\$ollama run **llama3.1**




<https://github.com/up1/workshop-ai-with-technical-team/wiki/Local-LLM-with-Ollama>



LiteLLM as a Proxy



LiteLLM as a Proxy




<https://www.litellm.ai/>



Workshop

Use docker compose to build and run



<https://github.com/up1/workshop-ai-with-technical-team/wiki/LiteLLM-and-WebUI>




Function Calling ?




Function Calling ?

Allow LLM to recognize what tool it need based on user's input and when to invoke it.




Function calling ?



<https://platform.openai.com/docs/guides/function-calling?api-mode=responses>



Function Calling



Support function calling

Provider name	Model name
OpenAI	GPT 4
Anthropic	Claude 3 (Sonnet, Haiku, Opus)
Google	Gemini



Function calling !!

APIs: Every tool needs its own key

Traditional APIs require different authentication and integration for each service,
like needing different keys for different locks

APIs

M

31

Google Sheets

Google Maps

Google Photos


Google Drive

WhatsApp

<https://norahsakal.com/blog/mcp-vs-api-model-context-protocol-explained/>




Standardized function calling !!



<https://norahsakal.com/blog/mcp-vs-api-model-context-protocol-explained/>



Model Context Protocol



<https://modelcontextprotocol.io/>



Retrieval-Augmented Generation (RAG)



RAG

Enhances LLMs by retrieving external knowledge before generating response

Improve accuracy

Reduce hallucinations

Real-time knowledge updates



Core Components

Retriever

Fetch relevant documents from a knowledge base

Generator


Uses the retrieved information to generate a response

Enhancements

Different RAG architectures modify how retrieval and generation interact to improve performance




Limitation of LLM



RAG ?

Fixed-knowledge !!



How to search/retrieve data ?

Data source


Data preparation

Search


Search result




Basic RAG Architecture




RAG process




Structures of Data ?



Friendly Data for LLM/AI




RAG Cookbook (techniques)



<https://github.com/athina-ai/rag-cookbooks>



RAG Evaluation !!



Retriever Metrics:


- Contextual Recall
- Contextual Precision
- Contextual Relevancy

Generator Metrics:

- Answer Relevancy
- Faithfulness

<https://www.deepeval.com/guides/guides-rag-evaluation>






https://huggingface.co/learn/cookbook/en/rag_evaluation



RAG Implementation



Failure Points of RAG




Figure 1: Indexing and Query processes required for creating a Retrieval Augmented Generation (RAG) system. The indexing process is typically done at development time and queries at runtime. Failure points identified in this study are shown in red boxes. All required stages are underlined. Figure expanded from [19].

<https://www.galileo.ai/blog/mastering-rag-how-to-architect-an-enterprise-rag-system>



RAG is better

But come with Cost !!

More latency

Retrieval errors

Accuracy !!

More
Complexity

Maintenance
overhead



RAG Techniques ?

Semantic
chunking

Chunk size
selector

Context chunk
header

Adaptive RAG

Re-ranking

Graph TAG

<https://github.com/FareedKhan-dev/all-rag-techniques>



Pre-Retrieval optimization ?

Preprocessing and cleansing data

Chunking strategies


Add metadata

Embedding model selection






Chunking strategies

Size of Document
> context window size



Chunking



Chunking Strategies !!

Fixed size
Recursive characters
Document structure-based
Semantic chunking
Agentic chunking

...

<https://blog.dailydoseofds.com/p/5-chunking-strategies-for-rag>



Good Chunking

Efficiency

Relevance

Context
preservation

Improve content
generation

Reduce noise



Bad Chunking

Loss context

Redundancy

Inconsistency



Chunking Visualization

ChunkViz v0.1

Want to learn more about AI Engineering Patterns? Join me on [Twitter](#) or [Newsletter](#).

Language Models do better when they're focused.

One strategy is to pass a relevant subset (chunk) of your full data. There are many ways to chunk text.

This is an tool to understand different chunking/splitting strategies.

[Explain like I'm 5...](#)

One of the most important things I didn't understand about the world when I was a child is the degree to which the returns for performance are superlinear.

Teachers and coaches implicitly told us the returns were linear. "You get out," I heard a thousand times, "what you put in." They meant well, but this is rarely true. If your product is only half as good as your competitor's, you don't get half as many customers. You get no customers, and you go out of business.

It's obviously true that the returns for performance are superlinear in business. Some think this is a flaw of capitalism, and that if we changed the rules it would stop being true. But superlinear returns for performance are a feature of the world, not an artifact of rules we've invented. We see the same pattern in fame, power, military victories, knowledge, and ...

[Upload txt](#)

Splitter: 

Chunk Size: 

Chunk Overlap: 

Total Characters: 2658
Number of chunks: 107
Average chunk size: 24.8

One of the most important things I didn't understand about the world when I was a child is the degree to which the returns for performance are superlinear.

Teachers and coaches implicitly told us the returns were linear. "You get out," I heard a thousand times, "what you put in." They meant well, but this is rarely true. If your product is only half as good as your competitor's, you don't get half as many customers. You get no customers, and you go out of business.

<https://chunkviz.up.railway.app/>



Retrieval optimization ?

Re-ranking

Hybrid search

Query
transformation

Multi-vector
embedding

Contextual
retrieval

Vector database
Selection






RAG Workshop


<https://github.com/up1/workshop-basic-llm/tree/main/workshop/basic-rag>



RAG workshop



Basic RAG



Query Expansion

Query expansion is a widely used technique to improve the recall of search systems

Ambiguity

Vocabulary
mismatch


Lack of context

“Add synonyms, related context and contextual terms”


<https://arxiv.org/abs/2305.03653>



Query Expansion




Re-rank !!




Cross-encoder Re-ranking

How to ordering relevant results !!




Cross-Encoder




Cross-Encoder !!

Bi-encoder




Cross Encoder



https://sbert.net/examples/cross_encoder/applications/README.html



Cloudflare AutoRAG



<https://developers.cloudflare.com/autorag/>



Guardrails



<https://github.com/guardrails-ai/guardrails>



Guardrails

Help to build reliable AI applications

Guard for
input and output


Help to generate
Structured output

<https://github.com/guardrails-ai/guardrails>




Guardrails

Without Guardrails



With Guardrails



Guardrails Hub

The screenshot shows the 'Validators' section of the Guardrails AI website. On the left, there are several filter categories: 'USE CASES' (Chatbots, Customer Support, Structured Data, RAG, Summarization, Codegen, Text2SQL), 'RISK CATEGORY' (Etiquette, Brand Risk, Factuality, Formatting, Invalid Code, Jailbreaking, Code Exploits, Data Leakage), 'INFRASTRUCTURE REQUIREMENTS' (ML, LLM, NA, Rule), 'CONTENT TYPE' (String, Object, List, Integer, Float, SQL, Code, CSV, Python), 'CERTIFICATION' (Guardrails Certified), and 'LANGUAGE' (EN). The main area displays a grid of 10 validators, each with a title, description, last updated date, input type (String, Brand Risk, Factuality, ML), and a 'Select' button:

- Arize Dataset Embeddings**: Validates that user-generated input does not match the dataset of jailbreak... Last updated 8 months ago. Select button.
- Ban List**: Validates that the output does not contain banned words, using fuzzy search. Last updated 8 months ago. Select button.
- Bespoke MiniCheck**: Validates that the LLM-generated text is supported by the provided context using... Last updated 7 months ago. Select button.
- Bias Check**: Validates that the text is free from biases related to age, gender, sex, ethnicity,... Last updated 1 week ago. Select button.
- Competitor Check**: Flags mentions of competitors. Fixes responses by filtering out competitor names. Last updated 5 months ago. Select button.
- Correct Language**: Validate that an LLM-generated text is in the expected language. If the text is not ... Last updated 11 months ago. Select button.
- Cucumber Expression Match**: Validates that the input string matches a specified cucumber expression. Last updated 6 months ago. Select button.
- Detect PII**: Detects personally identifiable information (PII) in text, using Microsoft Presidio. Last updated 6 months ago. Select button.

<https://hub.guardrailsai.com/>



Guardrails Index

AI Guardrails Index

Created by Guardrails AI

[Download PDF](#)

[Register for Webinar](#)

AI Guardrails Categories

We broke AI safety down into 6 categories and curated datasets and models that demonstrate the state of AI guardrails using LLMs and other open source models.


<https://index.guardrailsai.com/>



Workshop with IDE




PDCA process




Staged Complexity

Start small and get a feature working first



Planning workflow



What you're build ?


What use need ?

Selection ?

Selection ?



Architecture of project




Choose your tech stack !!



Processes

Iterative and incremental process



Start your journey

