

Spring Data JPA - Quick Example

Data:

```
mysql> SELECT * FROM country;
+-----+-----+
| co_code | co_name                |
+-----+-----+
| IN      | India                  |
| US      | United States of America |
+-----+-----+
2 rows in set (0.00 sec)

mysql>
```

Output:

```
Inside main
Start
select c1_0.co_code,c1_0.co_name from country c1_0
countries=[Country [code=IN, name=India], Country [code=US, name=United States of America]]
End
```

Difference between JPA, Hibernate and Spring Data JPA

Hibernate Country Version:

```
public List<Country> getAllCountries() {
    Session session = sessionFactory.openSession();
    Transaction tx = null;
    List<Country> countries = null;
    try {
        tx = session.beginTransaction();
        countries = session
            .createQuery("FROM Country", Country.class)
```

```

        .list();
        tx.commit();
    } catch (Exception e) {
        if (tx != null) {
            tx.rollback();
        }
        e.printStackTrace();
    } finally {
        session.close();
    }
    return countries;
}

```

Spring Data JPA Country Version :

CountryRepository.java

```

@Repository
public interface CountryRepository
    extends JpaRepository<Country, String> {
}

```

CountryService.java

```

@Service
public class CountryService {
    @Autowired
    private CountryRepository countryRepository;
    @Transactional
    public List<Country> getAllCountries() {
        return countryRepository.findAll();
    }
}

```

Project Tree:

