

	Symptoms						Risk factors													Critical clinical outcome				Clusters					
	Fever	Runny nose	Fatigue	Cough	Dyspnoea	Anosmia	Heart disease	Arterial hypertension	Cerebrovascular disease	Diabetes	Smoking	COPD	Asthma	Autoimmune disease	Immuno-suppression	Drug addiction	Cancer	Alcoholism	Admission to ICU	ARDS	NIV	AVM							
Patients		50	2.4	16.7	35.7	85.7	7.1		14.3	71.4	7.1	45.2	7.1	0	7.1	0	0	0	2.4	0		33.3	57.1	52.4	31	C1			
		35.8	0.9	17.9	43.4	73.6	3.8		13.2	49.1	3.8	43.4	6.6	2.8	11.3	0	0.9	0	7.5	0.9		31.1	57.5	56.6	28.3		C2		
		38.7	3.2	22.6	54.8	80.6	6.5		16.1	64.5	0	29	9.7	3.2	9.7	0	6.5	0	3.2	0		32.3	67.7	67.7	22.6			C3	
		40	0	6.7	40	80	6.7		26.7	46.7	6.7	26.7	13.3	6.7	20	0	0	0	20	6.7		40	40	60	33.3				Sink
		39.7	1.5	17.5	43.3	77.8	5.2	14.9	56.2	4.1	40.2	7.7	2.6	10.8	0.0	1.5	0.0	6.7	1.0	32.5	57.7	57.7	28.4	Total					