---

### ✅ What is JSON Server?

**JSON Server** is a lightweight Node.js-based tool that allows you to create a **fake REST API** from a simple JSON file.

It is commonly used for:

- Frontend development (HTML, CSS, JS, jQuery, Angular, React)
- Learning CRUD operations
- API testing without backend
- Prototyping

---

### 📌 Prerequisites

Before configuring JSON Server, ensure:

1. **Node.js installed**
2. node -v
3. **npm installed**
4. npm -v

If not installed, download from:
👉 https://nodejs.org

---

### 🟢 STEP 1: Install JSON Server

You have two ways:

---

#### 🔹 Option 1: Install Globally (Recommended for beginners)

npm install -g json-server

Check installation:

json-server --version

---

🔹 **Option 2: Install Locally (Best Practice for Projects)**

Inside your project folder:

```
npm init -y
npm install json-server
```

---

🟢 **STEP 2: Create Project Folder**

```
mkdir json-server-demo
cd json-server-demo
```

---

🟢 **STEP 3: Create db.json File**

Create a file:

db.json

Add sample data:

```
{
  "books": [
    {
      "id": 1,
      "title": "JavaScript Basics",
      "author": "John",
      "price": 500
    },
    {
      "id": 2,
      "title": "jQuery Guide",
      "author": "David",
```

```
    "price": 700
  }
 ]
}
```

---

🟢 **STEP 4: Start JSON Server**

If installed globally:

```
json-server --watch db.json
```

If installed locally:

```
npx json-server --watch db.json
```

---

🟢 **Server Output**

You will see:

```
JSON Server is running

Resources
http://localhost:3000/books

Home
http://localhost:3000
```

---

🟢 **STEP 5: Test in Browser**

Open:

http://localhost:3000/books

You will see JSON data displayed.

---

### 🟢 STEP 6: Available REST Endpoints

JSON Server automatically creates:

| Method | Endpoint | Description |
|---|---|---|
| GET | /books | Get all books |
| GET | /books/1 | Get book by id |
| POST | /books | Create new book |
| PUT | /books/1 | Update book |
| PATCH | /books/1 | Partial update |
| DELETE | /books/1 | Delete book |

---

### 🟢 STEP 7: Test Using Postman (Optional)

Example POST request:

URL:

http://localhost:3000/books

Body:

```
{
  "title": "React Guide",
  "author": "Mike",
  "price": 900
}
```

JSON Server automatically generates ID.

---

## 🟢 Real-Time Example With jQuery

Since you are working with frontend (HTML + JS + jQuery), here is a practical example.

**HTML**

```
<button onclick="loadBooks()">Load Books</button>

<ul id="bookList"></ul>


<script src="https://code.jquery.com/jquery-3.6.0.min.js"></script>

<script>

function loadBooks() {

  $.get("http://localhost:3000/books", function(data) {

    $("#bookList").empty();

    data.forEach(book => {

      $("#bookList").append(`<li>${book.title} - ${book.price}</li>`);

    });

  });

}

</script>
```

---

## 🎯 Summary

Configuration Steps:

1. Install Node.js
2. Install JSON Server

3. Create db.json
4. Run json-server --watch db.json
5. Access http://localhost:3000