



AWS Training Session No.6


Summary 13-03-2024

- In real if we create an app after we need to set the notification service we need to implement
- Every app needs notification in the AWS cloud we use **SNS service** as a notification
- To update your notification service give an alarm to take action
- Notification gives information about what happened in the app






- For example we create one app
- In that app we have different services eg. email, call, SMS, WA, etc
- Every service needs notification, which means if any SMS comes to the app then how to know the SMS comes we use a notification



- SNS Service is a serverless service this service is used for notification
- SNS service is fully managed by AWS cloud


- Amazon **Simple Notification Service** can be used to send notifications to users about any event or change taking place inside their AWS account.
- Amazon SNS is a managed messaging service for communication, allowing messaging between decoupled microservices applications or directly to users with SMS
- For example we want your AWS billing service to give all the information the email or you want if your EC2 service stopped and launched
- And we want the notification that we need SNS service but we need to create a topic for that
- A **topic** is like a channel. When you publish a message to a topic, it fans out the message to all subscribed endpoints.




- An AWS SNS topic is a logical access point that acts as a communication channel. A topic lets you group multiple endpoints (such as AWS Lambda, Amazon SQS, HTTP/S, or an email address).
- For Every use case we need one topic

Getting started with SNS:


- To create a Topic we follow the steps
- First go and search for SNS service




• In the Create topic box, enter a topic name, and click Next Step




Click on the standard




Click Create a topic




- After that we need to create **subscriptions**
- A subscription in SNS means adding an endpoint where this notification will be sent. The endpoint could be some other AWS service, Email, SMS, etc.
- Scroll down to find the Subscriptions box, click Create Subscription




Choose Email in the Protocol bar



 Enter an email, where you would like to receive the email in the Endpoint bar



- Click Create Subscription
- After that we need to confirm the email ID if you do not confirm the email ID then your status is pending




For that we need to go to the email ID and confirm




- Go to your Gmail account to find the Subscription Confirmation email. Click Confirm subscription
- Subscription status changes to Confirmed




As we can see we added a mail ID in the Topic




• Your topic is working or not for that click on the topic




• Then click on the topic name




• To check the working, click **Publish message**



• Add a Subject and Message body > Publish message







• After that click on the **Publish message**



You will receive an email from SNS




- But in the above example we need to click always publish the message
- In the real world many notifications we have automated the SNS service
- In the last class we create one code in the lambda with the help of this code we launch the Ec2 instance for that we use the Boto3 python library
- Whenever you run the lambda then automatically instance launch
- Also we integrate with the API gateway



- This project we create in the last class
- Now we need to notify the project, which means whenever anyone hits the ULR one notification comes into my email
- For that we use the SNS service
- We create a code from lambda to publish the topic
- As we can see we create below code for publishing the topic
- First we import the boto3 then we create a one-variable after that we need the information of the topic for that we need to give the below information

• But the important part is TopicArn




• Arn gives the information on which topic belongs to the account

• After running this code we get the email



- Note:- A secrete key is important to store in the local system
- or you add the secrete in the code also

• after that create one lambda function



• after that we create one condition for the publish the message

- Note:- 200 means your code run successfully
- Now we write the condition when 200 comes then publish the message
- After that we write the code for the instance when running this code launch the instance automatically

```
In [9]: ▶
               1 myec2 = boto3.resource(
                                   service_name="ec2"
                                   aws_access_key_id="AKIA56XS2LHSA03D2R5A",
                                   aws_secret_access_key="dkC1OKSRUENQg27JdWulMr6HxXmUvZBSp
               4
                                   region_name="ap-south-1"
                                                                                  Ι
                      )
In [12]: H
                  myos = myec2.create_instances(
                      ImageId="ami-0ba259e664698cbfc",
                      InstanceType="t2.micro",
                      MinCount=1,
               4
               5
                      MaxCount=1
               6)
               8 if myos['ResponseMetadata']['HTTPStatusCode'] == 200:
                  mysns.publish(
              9
                      TopicArn='arn:aws:sns:ap-south-1:959360686564:MyEC2Launch',
Message='I m body, ec2 launched ...',
              10
              11
                            Subject='Hi EC2 instance launched
              12
```

• When your instance launches successfully then this above code sends the message to the email that gives the notification

• Final code is below for the SNS and Ec2 instance

```
In [1]: N 1 import boto3
 In [9]:
              1 myec2 = boto3.resource(
                                service name="ec2",
                                aws_access_key_id="AKIA56XS2LHSA03D2R5A",
              3
              4
                                 aws_secret_access_key="dkC1OKSRUENQg27JdWulMr6HxXmUvZBSp
              5
                                 region name="ap-south-1"
                                                                              I
              6
                         )
In [12]: H
              1 myos = myec2.create_instances(
                    ImageId="ami-0ba259e664698cbfc",
                     InstanceType="t2.micro",
                     MinCount=1,
              4
              5
                    MaxCount=1
                )
              6
              8 if myos['ResponseMetadata']['HTTPStatusCode'] == 200:
              9
                   mysns.publish(
             10
                         TopicArn='arn:aws:sns:ap-south-1:959360686564:MyEC2Launch',
                          Message='I m body, ec2 launched ...',
Subject='Hi EC2 instance launched '
             11
             12
             13
```

- After that put all the code in the Lambda service
- For example is given below

```
lambda_function ×
                           Environment Var
1 import json
    import boto3
4 def lambda_handler(event, context):
        # TODO implement
        myec2 = boto3.resource(
                     service_name="ec2",
aws_access_key_id="AKIA56XS2LHSAO3D2R5A",
                     aws_secret_access_key="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", region_name="ap-skuth-1"
10
11
12
        myos = myec2.create_instances(
13
         ImageId="ami-8ba259e664698cbfc",
14
15
            InstanceType="t2.micro",
            MinCount=1,
            MaxCount=1
18
         if myos['ResponseMetadata']['HTTPStatusCode'] == 200:
                    TopicArn='arn:aws:sns:ap-south-1:959360686564:MyEC2Launch',
                     Message='I m body, ec2 launched ...',
                     Subject='Hi EC2 instance launched
```

```
print(myos[0].id)

return {
    'statusCode': 200,
    'body': json.dumps('Hello EC2 Launched ..!' + myos[0].id)
}
```