

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>HTML CSS Project</title>
    <style>

/* Global styles */
body {
  font-family: Arial, sans-serif, "Times New Roman", Times, serif;
  line-height: 1.6;
  margin: 0;
  padding: 0;
  text-align: center;
  background-color: #0afdf5;
}

.container {
  width: 80%;
  margin: auto;
  overflow: hidden;
}

/* Header styles */
#main-header {
  background: #ce0909;
  color: #fff;
  padding: 10px 0;
  text-align: center;
  width: 100%;
  position: fixed;

  top: 0;
  z-index: 1000;

  /* Adjusted header height */
}

#main-header h1 {
  margin: 0;
  font-size: 1.5rem;
}

/* Main navigation styles */
#main-nav {
  background-color: #333;
  color: #fff;
  position: fixed;

  width: 100%;

  #main-nav ul {
    padding: 0;
    list-style: none;
    display: flex;
    justify-content: center;
    margin: 0;
  }

  #main-nav ul li {
    margin-right: 20px;
  }

  #main-nav ul li a {
```

```
    color: #fff;
    text-decoration: none;
    font-size: 1.2rem;
    transition: color 0.3s ease;
    padding: 10px 15px;
}

#main-nav ul li a:hover {
    color: #ccc;
}

/* Main content styles */
main {
    padding-top: 140px; /* Adjusted top padding to accommodate fixed header */
}

.section {
    margin-bottom: 40px;
    padding: 20px;
    background-color: #fff;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    transition: transform 0.3s ease; /* Adding transition for hover effect */
}

.section:hover {
    transform: translateY(-5px); /* Applying hover effect */
}

.section h2 {
    margin-bottom: 20px;
    color: #333;
}

.section p {
    margin-bottom: 20px;
    color: #666;
}

.content {
    margin-bottom: 20px;
}

.content h3 {
    margin-bottom: 10px;
    color: #333;
}

.content p {
    margin-bottom: 15px;
    color: #666;
}

.content img {
    max-width: 100%;
    height: auto;
    margin-bottom: 15px;
    display: block;
}

/* Form styles */
.form {
    max-width: 600px;
    margin: 0 auto;
    background: #fff;
    padding: 20px;
    border-radius: 5px;
}
```

```

    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

.form label {
    display: block;
    margin-bottom: 10px;
    color: #333;
}

.form input[type="text"],
.form input[type="email"],
.form textarea,
.form select,
.form input[type="password"],
.form input[type="url"],
.form input[type="range"] {
    width: calc(100% - 16px);
    padding: 10px;
    margin-bottom: 15px;
    border: 1px solid #ccc;
    border-radius: 4px;
    font-size: 1rem;
}

.form textarea {
    resize: vertical;
}

.form input[type="submit"] {
    background: #333;
    color: #fff;
    border: none;
    padding: 12px 24px;
    cursor: pointer;
    font-size: 1rem;
    border-radius: 4px;
}

.form input[type="submit"]:hover {
    background: #555;
}

/* Table styles */
table {
    width: 100%;
    border-collapse: collapse;
    margin-bottom: 30px;
    background: #fff;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}

table caption {
    font-size: 1.2rem;
    margin-bottom: 10px;
    color: #333;
}

table th,
table td {
    border: 1px solid #ccc;
    padding: 10px;
    text-align: left;
    color: #333;
}

table th {

```

```

    background-color: #f2f2f2;
    font-weight: bold;
}

table tfoot {
    font-weight: bold;
}

/* Multimedia styles */
.video-container,
.audio-container {
    margin-bottom: 30px;
}

/* Footer styles */
#main-footer {
    background: #333;
    color: #fff;
    text-align: center;
    padding: 15px 0;
    position: relative;
    bottom: 0;
    width: 100%;
}

</style>
<!-- Link to external CSS file -->
</head>
<body>
    <!-- Header section -->
    <header id="main-header">
        <div class="container">
            <h1>Welcome to my HTML CSS Project</h1>
        </div>
        <!-- Navigation menu -->
        <nav id="main-nav">
            <ul>
                <li><a href="#section1">Section 1</a></li>
                <li><a href="#section2">Section 2</a></li>
                <li><a href="#section3">Section 3</a></li>
                <li><a href="#section4">Section 4</a></li>
                <li><a href="#section5">Section 5</a></li>
            </ul>
        </nav>
    </header>

    <!-- Main content -->
    <main class="container">
        <!-- Section 1 -->
        <section id="section1" class="section">
            <div class="card">
                <h2>Section 1: Basic Elements</h2>
                <p>This section demonstrates basic HTML elements.</p>
                <!-- Content within section 1 -->
                <div class="content">
                    <h3>Text Elements</h3>
                    <p>This is a paragraph.</p>
                    <p><strong>This is bold text.</strong></p>
                    <p><em>This is italic text.</em></p>
                </div>
                <!-- Content continued with different elements -->
                <div class="content">
                    <h3>List Elements</h3>
                    <ul>
                        <li>Unordered List Item 1</li>
                        <li>Unordered List Item 2</li>
                        <li>Unordered List Item 3</li>
                    </ul>
                </div>
            </div>
        </section>
    </main>

```

```

    </ul>
    <ol>
      <li>Ordered List Item 1</li>
      <li>Ordered List Item 2</li>
      <li>Ordered List Item 3</li>
    </ol>
  </div>
  <!-- Additional content -->
  <div class="content">
    <h3>Links and Images</h3>
    <a href="https://www.example.com">Visit Example.com</a>
    <br />
    
  </div>
  <!-- Form element -->
  <div class="content">
    <h3>Dropdown List</h3>
    <label for="dropdown">Choose a category:</label>
    <select id="dropdown" name="category">
      <option value="option1">Option 1</option>
      <option value="option2">Option 2</option>
      <option value="option3">Option 3</option>
    </select>
  </div>
</div>
</section>

<!-- Section 2 -->
<section id="section2" class="section">
  <div class="card">
    <h2>Section 2: Form Elements</h2>
    <p>This section demonstrates form elements.</p>
    <!-- Form element -->
    <form id="myForm" class="form">
      <label for="fname">First Name:</label>
      <input type="text" id="fname" name="fname" /><br /><br />

      <label for="lname">Last Name:</label>
      <input type="text" id="lname" name="lname" /><br /><br />

      <label for="email">Email:</label>
      <input type="email" id="email" name="email" /><br /><br />

      <label for="message">Message:</label><br />
      <textarea id="message" name="message" rows="4" cols="50"></textarea>
      <br /><br />

      <label for="birthdate">Birthdate:</label>
      <input type="date" id="birthdate" name="birthdate" /><br /><br />

      <label for="color">Favorite Color:</label>
      <input type="color" id="color" name="color" /><br /><br />

      <label for="file">Upload File:</label>
      <input type="file" id="file" name="file" /><br /><br />

      <label for="password">Password:</label>
      <input type="password" id="password" name="password" /><br /><br />

      <label for="range">Range:</label>
      <input
        type="range"
        id="range"

```

```

        name="range"
        min="0"
        max="100"
        value="50"
    /><br /><br />

<label for="url">Website URL:</label>
<input
    type="url"
    id="url"
    name="url"
    value="https://"
/><br /><br />

<label for="checkbox">Checkbox:</label>
<input
    type="checkbox"
    id="checkbox"
    name="checkbox"
    value="checkbox"
/><br /><br />

<label for="radio1">Radio 1:</label>
<input type="radio" id="radio1" name="radio" value="radio1" />

<label for="radio2">Radio 2:</label>
<input
    type="radio"
    id="radio2"
    name="radio"
    value="radio2"
/><br /><br />

    <input type="submit" value="Submit" />
</form>
</div>
</section>

<!-- Section 3 -->
<section id="section3" class="section">
    <div class="card">
        <h2>Section 3: Tables</h2>
        <p>This section demonstrates tables.</p>
        <!-- Table element -->
        <table>
            <caption>
                Sample Table
            </caption>
            <thead>
                <tr>
                    <th>Header 1</th>
                    <th>Header 2</th>
                    <th>Header 3</th>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td>Data 1</td>
                    <td>Data 2</td>
                    <td>Data 3</td>
                </tr>
                <tr>
                    <td>Data 4</td>
                    <td>Data 5</td>
                    <td>Data 6</td>
                </tr>
            </tbody>
        </table>
    </div>
</section>

```

```

        </tbody>
        <tfoot>
            <tr>
                <td colspan="3">Footer Row</td>
            </tr>
        </tfoot>
    </table>
</div>
</section>

<!-- Section 4 -->
<section id="section4" class="section">
    <div class="card">
        <h2>Section 4: Multimedia</h2>
        <p>This section demonstrates multimedia elements.</p>
        <!-- Multimedia content -->
        <div class="content">
            <h3>Video</h3>
            <video width="320" height="240" controls>
                <source
                    src="https://www.w3schools.com/html/mov_bbb.mp4"
                    type="video/mp4"
                />
                Your browser does not support the video tag.
            </video>
        </div>
        <div class="content">
            <h3>Audio</h3>
            <audio controls>
                <source
                    src="https://www.w3schools.com/html/horse.mp3"
                    type="audio/mpeg"
                />
                Your browser does not support the audio tag.
            </audio>
        </div>
    </div>
</section>

<!-- Section 5 -->
<section id="section5" class="section">
    <div class="card">
        <h2>Section 5: Additional Useful Tags</h2>
        <p>
            This section includes additional tags useful for building various
            projects.
        </p>
        <!-- Additional tags -->
        <div class="content">
            <h3>Interactive and Semantic Tags</h3>
            <details>
                <summary>Details</summary>
                <p>This is hidden content that can be toggled.</p>
            </details>
            <div>
                <h4>Figure and Figcaption</h4>
                <figure>
                    
                    <figcaption>A caption for the image.</figcaption>
                </figure>
            </div>
            <div>
                <h4>Abbreviation and Address</h4>
                <p><abbr title="World Wide Web">WWW</abbr></p>
                <address>
                    John Doe<br />

```

```
        123 Main Street<br />
        Anytown, USA
    </address>
</div>
</div>
<!-- Canvas and SVG -->
<div class="content">
    <h3>Canvas and SVG</h3>
    <canvas id="myCanvas" width="200" height="100"></canvas>
    <svg width="100" height="100">
        <circle
            cx="50"
            cy="50"
            r="40"
            stroke="black"
            stroke-width="3"
            fill="red"
        />
    </svg>
</div>
</div>
</section>
</main>

<!-- Footer section -->
<footer id="main-footer">
    <div class="container">
        <p>&copy; 2024 HTML CSS Project. All rights reserved.</p>
    </div>
</footer>
</body>
</html>
```