

ROLL NO:- 2520030188

SEC:-03

ORGANIZATION

UPPU PRANEETH's O...

PROJECT

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

book_metadata

local

sample_mflix

book_metadata

customers

Cluster0 > bankdb > customers

Documents 8

Aggregations



Type a query: { field:

+ ADD DATA

BULK

</> E

```
_id: ObjectId('6a7e8b8f353161...')
customer_id: 101
name: "Ravi Kumar"
city: "Hyderabad"
account_type: "Savings"
balance: 85000
status: "Active"
```

```
_id: ObjectId('6a7e8be2353161...')
customer_id: 102
name: "Priya Sharma"
city: "Vijayawada"
account_type: "Current"
balance: 125000
status: "Active"
```

```
_id: ObjectId('6a7e8c03353161...')
customer_id: 103
```

```
_id: ObjectId('6a7e8c0335316192492f3aa1')
customer_id : 103
name : "Arjun Reddy"
city : "Hyderabad"
account_type : "Savings"
balance : 45000
status : "Active"
```

```
_id: ObjectId('6a7e8c1935316192492f3aa3')
customer_id : 104
name : "Sneha Rao"
city : "Warangal"
account_type : "Savings"
balance : 210000
status : "Active"
```

ORGANIZATION
UPPU PRANEETH's O...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Cluster0

admin

bankdb

customers

transactions

bookflow

book_metadata

local

sample_mflix

book_metadata

customers

Cluster0 > bankdb > customers

Documents 8

Aggregations

Type a query: { fie

ADD DATA

BULK

customers

_id ObjectId

1	ObjectId('6a7e8b8f3531619...')
2	ObjectId('6a7e8be23531619...')
3	ObjectId('6a7e8c033531619...')
4	ObjectId('6a7e8c193531619...')
5	ObjectId('6a7e8c293531619...')
6	ObjectId('6a7e8c3b3531619...')
7	ObjectId('6a7e8c4e3531619...')
8	ObjectId('6a7e8c5d3531619...')

ORGANIZATION

UPPU PRANEETH's O... ▼



PROJECT

Project 0 ▼

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)



▼ Cluster0

▶ admin

▼ bankdb

▼ customers ...

▼ transactions

▼ bookflow

▼ book_metadata

▶ local

▶ sample_mflix

book_metadata

customers

Cluster0 > bankdb > customers

Documents 8

Aggregations



```
{
  "status": "Active"
}
```

ADD DATA ▼

BULK ▼

customers

	_id	ObjectId
1	ObjectId('6a7e8b8f3531619...	
2	ObjectId('6a7e8be23531619...	
3	ObjectId('6a7e8c033531619...	
4	ObjectId('6a7e8c193531619...	
5	ObjectId('6a7e8c3b3531619...	
6	ObjectId('6a7e8c4e3531619...	
7	ObjectId('6a7e8c5d3531619...	



Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

book_metadata

local

sample_mflix

book_metadata

customers

Cluster0 > bankdb > customers

Documents 8

Aggregations

```
{
  "balance": {
    "$gt": 100000
  }
}
```

+ ADD DATA

BULK

</>

customers

	customer_id	Int32	
1	102		"
2	104		"
3	106		"
4	108		"

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

ORGANIZATION

UPPU PRANEETH's O... ▼



PROJECT

Project 0 ▼

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)



▼ Cluster0

▶ admin

▼ bankdb

▼ customers ...

▼ transactions

▼ bookflow

▼ book_metadata

▶ local

▶ sample_mflix

book_metadata

customers

Cluster0 > bankdb > customers

Documents

8

Aggregations



```
{
  "city": "Hyderabad"
}
```



ADD DATA ▼



BULK ▼



customers

customer_id Int32

1

101

2

103

3

106

Alert System Status: **All Good**©2026 MongoDB, Inc. [Status](#) [Terms](#) [Privacy](#) [Atlas Blog](#) [Contact S](#)



ORGANIZATION
UPPU PRANEETH's O... ▾

PROJECT
Project 0 ▾

**Data Explorer**

 My Queries

 Data Modeling

CLUSTERS (1) ×



Cluster0

admin

bankdb

customers ...

transactions

bookflow

book_metadata

local

sample_mflix

book_metadata

custom...

Cluster0 > bankdb > custom...

Documents 8 Aggreg...

⌚ ▾

```
{
  "account_type"
}
```

ADD DATA ▾

BULK

customers

	_id	ObjectId
1		ObjectId('6a7e8b8f3531')
2		ObjectId('6a7e8c033531')
3		ObjectId('6a7e8c193531')
4		ObjectId('6a7e8c3b3531')
5		ObjectId('6a7e8c5d3531')

◀ ▶ ◀

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog C

Click to go back, hold to see history

ORGANIZATION

UPPU PRANEETH's O...

PROJECT

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

book_metadata

local

sample_mflix

book_metadata

customers

Cluster0 > bankdb > transactions

Documents 15

Aggregation



```
{
  "amount": {
    "$gt": 20000
  }
}
```

+ ADD DATA

BULK

transactions

_id ObjectId

1	ObjectId('6a7e8e943531619...')
2	ObjectId('6a7e90413531619...')
3	ObjectId('6a7e905d3531619...')
4	ObjectId('6a7e90813531619...')
5	ObjectId('6a7e908f3531619...')
6	ObjectId('6a7e90ba3531619...')

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact

Data Explorer

- My Queries
- Data Modeling

CLUSTERS (1)

Search clusters

- Cluster0
 - admin
 - bankdb
 - customers
 - transactions**
 - bookflow
 - book_metadata
 - local
 - sample_mflix

- book_metadata
- customers**

Cluster0 > bankdb > transactions

Documents 15 Aggregations

```
{  
  "type": "Deposit"  
}
```

ADD DATA BULK

transactions		
	_id	ObjectId
1		ObjectId('6a7e8e943531619...
2		ObjectId('6a7e90413531619...
3		ObjectId('6a7e905d3531619...
4		ObjectId('6a7e90813531619...
5		ObjectId('6a7e90ab3531619...
6		ObjectId('6a7e90ba3531619...
7		ObjectId('6a7e90da3531619...

Alert System Status: All Good

Click to go forward, hold to see history PROJECT

UPPU PRANEETH'S O...

Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Search clusters

Cluster0

admin

bankdb

customers

transactions

bookflow

book_metadata

local

sample_mflix

book_metadata

customers

Cluster0 > bankdb > transactions

Documents

15

Aggregations

```
{
  "mode": "ATM"
}
```

ADD DATA

BULK

</>

transactions

	_id	ObjectId	tr
1		ObjectId('6a7e8ea93531619...	10
2		ObjectId('6a7e904e3531619...	10
3		ObjectId('6a7e906a3531619...	10
4		ObjectId('6a7e908f3531619...	10
5		ObjectId('6a7e90c83531619...	10
6		ObjectId('6a7e90ff3531619...	10
7		ObjectId('6a7e911c3531619...	10

Alert System Status: All Good

©2026 MongoDB, Inc. Status Terms Privacy Atlas Blog Contact Sales

	amount Int32	mode String	date String
	10000	"ATM"	"2026-08-02"
	15000	"ATM"	"2026-08-03"
	5000	"ATM"	"2026-08-04"
	25000	"ATM"	"2026-08-05"
	20000	"ATM"	"2026-08-06"
	12000	"ATM"	"2026-08-07"
	30000	"ATM"	"2026-08-08"



Contact Sales

ORGANIZATION
UPPU PRANEETH's O...



PROJECT
Project 0

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)



▼ 🗄️ Cluster0

▶ 🗄️ admin

▼ 🗄️ bankdb

📁 customers

📁 transactions



▼ 🗄️ bookflow

📁 book_metadata

▶ 🗄️ local

▶ 🗄️ sample_mflix

📁 book_metadata

📁 customers

Cluster0 > bankdb > transactions

Documents 15

Aggregation



```
{
  "type": "Deposit",
  "amount": {
    "$gt": 50000
  }
}
```

+ ADD DATA

📄 BULK

🏠 transactions

	_id	ObjectId
1		ObjectId('6a7e90813531619...
2		ObjectId('6a7e90ba3531619...
3		ObjectId('6a7e910d3531619...

ORGANIZATION
UPPU PRANEETH's O...



PROJECT
Project 0

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)



- ▼ Cluster0
 - ▶ admin
 - ▼ bankdb

customers ...

transactions

▼ bookflow

book_metadata

▶ local

▶ sample_mflix

book_metadata

customers

Cluster0 > bankdb > customers

Documents 8

Aggregations



```
{
  "city": {
    "$in": [
      "Hyderabad",
      "Vijayawada",
      "Warangal"
    ]
  }
}
```

ADD DATA

BULK

customers

	_id	ObjectId
1		ObjectId('6a7e8b8f3531619...
2		ObjectId('6a7e8be23531619...
3		ObjectId('6a7e8c033531619...
4		ObjectId('6a7e8c193531619...
5		ObjectId('6a7e8c3b3531619...



ORGANIZATION
UPPU PRANEETH's O...



PROJECT
Project 0

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)



- ▼ Cluster0
 - ▶ admin
 - ▼ bankdb
 - customers
 - transactions
 - ▶ bookflow
 - ▶ local
 - ▶ sample_mflix

transactions

customers



Cluster0 > bankdb > transactions

Documents

15

Aggregations



\$sort

Untitled - modified

SAVE



▼ Stage 1 \$sort

```
1
2 ▼ {
3   "balance": -1
4 }
5
6
7 |
```

ORGANIZATION

UPPU PRANEETH's O... ▼



PROJECT

Project 0 ▼

Data Explorer

{ } My Queries

🔗 Data Modeling

CLUSTERS (1)



▼ 🗄️ Cluster0

▶ 🗄️ admin

▼ 🗄️ bankdb

📁 customers

📁 transactions ...

▶ 🗄️ bookflow

▶ 🗄️ local

▶ 🗄️ sample_mflix

📁 transactions

📁 customers



Cluster0 > bankdb > transactions

Documents

15

Aggregations



\$group

Untitled - modified



SAVE ▼



▼ Stage 1 \$group

```
1 {
2   "_id": null,
3   "total_amount": {
4     "$sum": "$amount"
5   }
6 }
7
8
```

ORGANIZATION

UPPU PRANEETH's O... ▼

PROJECT

Project 0 ▼

Data Explorer

 My Queries

 Data Modeling

CLUSTERS (1)



▼  Cluster0

▶  admin

▼  bankdb

 customers

 transactions ...

▶  bookflow

▶  local

▶  sample_mflix

 transactions

 customers



Cluster0 > bankdb > transactions

Documents 15

Aggregations



\$group

Untitled - modified

 SAVE ▼



▼ Stage 1 \$group

```
1
2 ▼ {
3     "_id": null,
4 ▼   "average_amount": {
5       "$avg": "$amount"
6     }
7   }
8
9
```

ORGANIZATION
UPPU PRANEETH's O...

PROJECT
Project 0

Data Explorer

My Queries

Data Modeling

CLUSTERS (1)

Cluster0

admin

bankdb

customers

transactions

bookflow

local

sample_mflix

transactions

customers



Cluster0 > bankdb > transactions

Documents 15

Aggregations



\$lookup

Untitled - modified

SAVE



Stage 1 \$lookup

```
1 {  
2   "from": "customers",  
3   "localField": "customer_id",  
4   "foreignField": "customer_id",  
5   "as": "customer_details"  
6 }  
7  
8
```

```
mers",  
"customer_id",  
: "customer_id",  
r_details"
```

Output preview after [\\$lookup](#) stage (Sample of 10 doc

```
_id: ObjectId('6a7e904e35316192492f3ab  
transaction_id: 1004  
customer_id: 102  
type: "Withdrawal"  
amount: 15000  
mode: "ATM"  
date: "2026-08-03"  
status: "Success"  
▶ customer_details: Array (1)
```

[+ Add stage](#)

Contact Sales