

NAME :- U.PRANEETH

ROLL NO:- 2520030188

SEC :- 03

STEP :- 1. Create Database

```
2 DROP DATABASE IF EXISTS medicare_db;  
3 CREATE DATABASE medicare_db;  
4 • USE medicare_db;  
5
```

OUTPUT:-

The screenshot shows the SQL Developer interface. On the left, the 'Schemas' tab is selected, displaying 'No object selected'. On the right, the 'Output' window is open, showing the 'Action Output' tab. The output window displays the execution of the SQL commands from the previous block, with each command marked by a green checkmark and a timestamp.

#	Time	Action
1	12:43:15	DROP DATABASE IF EXISTS medicare_db
2	12:43:17	CREATE DATABASE medicare_db
3	12:43:18	USE medicare_db

STEP :-2. Create Tables with Constraints

```

6      -- 2. Create tables with constraints
7  ● ○ CREATE TABLE Doctors1 (
8      doctor_id INT PRIMARY KEY,
9      doctor_name VARCHAR(100) NOT NULL,
10     specialization VARCHAR(50) NOT NULL,
11     consultation_fee DECIMAL(10, 2) CHECK (consultation_fee >= 0)
12 );
13

```

OUTPUT:-

✓	5	13:43:36	CREATE TABLE Doctors1 (doctor_id INT PRIMARY KEY, doctor_name VARCHAR(100) NOT NULL, specialization VARCHAR(50) NOT NULL, consultation_fee DECIMAL(10, 2) CHECK (consultation_fee >= 0));
✗	6	13:43:45	CREATE TABLE Doctors1 (doctor_id INT PRIMARY KEY, doctor_name VARCHAR(100) NOT NULL, specialization VARCHAR(50) NOT NULL, consultation_fee DECIMAL(10, 2) CHECK (consultation_fee >= 0));

[Dashboard](#)
[Performance Reports](#)
[Performance Schema Setup](#)

```

11     consultation_fee DECIMAL(10, 2) CHECK (consultation_fee >= 0)
12 );
13
14 ● ○ CREATE TABLE Patients (
15     patient_id INT PRIMARY KEY,
16     patient_name VARCHAR(100) NOT NULL,
17     email VARCHAR(100) UNIQUE
18 );

```

OUTPUT:-

✓	2	13:48:31	CREATE TABLE Patients1 (patient_id INT PRIMARY KEY, patient_name VARCHAR(100) NOT NULL, email VARCHAR(100) UNIQUE);
✗	3	13:48:34	CREATE TABLE Patients1 (patient_id INT PRIMARY KEY, patient_name VARCHAR(100) NOT NULL, email VARCHAR(100) UNIQUE);

```
18 -- );
19
20 CREATE TABLE Appointments (
21     appointment_id INT PRIMARY KEY,
22     doctor_id INT,
23     patient_id INT,
24     appointment_date DATE,
25     FOREIGN KEY (doctor_id) REFERENCES Doctors(doctor_id),
26     FOREIGN KEY (patient_id) REFERENCES Patients(patient_id),
27 );
```

OUTPUT:-

✓	5	13:49:43	CREATE TABLE Appointments1 (appointment_id INT PRIMARY KEY,
✗	6	13:49:45	CREATE TABLE Appointments1 (appointment_id INT PRIMARY KEY,

STEP 3:- 3. Insert at 10 records into each table

```
30 INSERT INTO Doctors (doctor_id, doctor_name, specialization, consultation_fee)
31 VALUES (1, 'Dr. Adams', 'Cardiology', 200.00), (2, 'Dr. Baker', 'Neurology', 180.00),
32 (3, 'Dr. Clark', 'Pediatrics', 150.00), (4, 'Dr. Davis', 'Orthopedics', 220.00),
33 (5, 'Dr. Evans', 'Dermatology', 120.00), (6, 'Dr. Ford', 'Cardiology', 190.00),
34 (7, 'Dr. Green', 'Neurology', 260.00), (8, 'Dr. Hall', 'Pediatrics', 140.00),
35 (9, 'Dr. Irwin', 'General Medicine', 100.00), (10, 'Dr. Jones', 'Orthopedics', 210.00);
```

OUTPUT:-

✓	4	13:56:41	USE medicare_db
✓	5	13:56:41	CREATE TABLE Doctors1 (doctor_id INT PRIMARY KEY, doctor_name VARCHAR(50), specialization VARCHAR(50), consultation_fee DECIMAL(10,2));
✓	6	13:56:41	CREATE TABLE Patients1 (patient_id INT PRIMARY KEY, patient_name VARCHAR(50), date_of_birth DATE, gender VARCHAR(10));

INSERT PATIENTS

	36	
nd System Variables	37	<code>INSERT INTO Patients1 (patient_id, patient_name, ema</code>
ort	38	<code>(101, 'Karen White', 'karen@email.com'), (102, 'Leo</code>
ort/Restore	39	<code>(103, 'Mia Blue', 'mia@email.com'), (104, 'Noah Red</code>
	40	<code>(105, 'Olivia Green', 'olivia@email.com'), (106, 'Pa</code>
' Shutdown	41	<code>(107, 'Quinn Grey', 'quinn@email.com'), (108, 'Rache</code>
ogs	42	<code>(109, 'Sam Gold', 'sam@email.com'), (110, 'Tina Pink</code>
File	43	

OUTPUT:-

	5	13:58:30	CREATE TABLE Patients1 (patient_id INT PRIMARY KEY, patient_name
	6	13:58:30	CREATE TABLE Appointments1 (appointment_id INT PRIMARY KEY, d

ections	44	<code>INSERT INTO Appointments1 (appointment_id, doctor_id, p</code>
privileges	45	<code>(1001, 1, 101, '2026-08-15'), (1002, 2, 102, '2026-08-1</code>
ystem Variables	46	<code>(1003, 3, 103, '2026-08-17'), (1004, 4, 104, '2026-08-1</code>
	47	<code>(1005, 5, 105, '2026-08-19'), (1006, 6, 106, '2026-08-2</code>
/Restore	48	<code>(1007, 7, 107, '2026-08-21'), (1008, 8, 108, '2026-08-2</code>
	49	<code>(1009, 9, 109, '2026-08-23'), (1010, 10, 110, '2026-08-</code>
utdown	50	

OUTPUT:-

PERFORMANCE		
 Dashboard		
 Performance Reports		
 Performance Schema Setup		
Administration	Schemas	

Result Grid		Filter Rows:	Export:
	specialization	Number_Of_Doctors	
▶	Cardiology	2	
	Neurology	2	
	Pediatrics	2	
	Orthopedics	2	
	Dermatology	1	
	General Medicine	1	

```

51  -- Display all table contents
52  SELECT * FROM Doctors1;
53  SELECT * FROM Patients1;
54  SELECT * FROM Appointments1;
55

```

OUTPUT:-

Result Grid | Filter Rows: | Edit: | Export/Import:

	appointment_id	doctor_id	patient_id	appointment_date
▶	1001	1	101	2026-08-15
	1002	2	102	2026-08-16
	1003	3	103	2026-08-17
	1004	4	104	2026-08-18
	1005	5	105	2026-08-19
	1006	6	106	2026-08-20
	1007	7	107	2026-08-21
	1008	8	108	2026-08-22
	1009	9	109	2026-08-23
	1010	10	110	2026-08-24
•	NULL	NULL	NULL	NULL

STEP :- 4. INNER JOIN Query (Patient name, doctor name, spec, appointment date)

```

57  SELECT p.patient_name, d.doctor_name, d.specialization, a.appointment_date
58  FROM Appointments1 a
59  INNER JOIN Patients1 p ON a.patient_id = p.patient_id
60  INNER JOIN Doctors1 d ON a.doctor_id = d.doctor_id;
61

```

OUTPUT:-

Result Grid				
	patient_name	doctor_name	specialization	appointment_date
▶	Karen White	Dr. Adams	Cardiology	2026-08-15
	Leo Black	Dr. Baker	Neurology	2026-08-16
	Mia Blue	Dr. Clark	Pediatrics	2026-08-17
	Noah Red	Dr. Davis	Orthopedics	2026-08-18
	Olivia Green	Dr. Evans	Dermatology	2026-08-19
	Paul Brown	Dr. Ford	Cardiology	2026-08-20
	Quinn Grey	Dr. Green	Neurology	2026-08-21
	Rachel Silver	Dr. Hall	Pediatrics	2026-08-22
	Sam Gold	Dr. Irwin	General Medicine	2026-08-23
	Tina Pink	Dr. Jones	Orthopedics	2026-08-24

Result 22 x

Output

Action Output

#	Time	Action
✓ 1	14:03:41	SELECT p.patient_name, d.doctor_name, d.specialization, a.appointment_date FROM
✓ 2	14:03:43	SELECT p.patient_name, d.doctor_name, d.specialization, a.appointment_date FROM
✓ 3	14:03:46	SELECT p.patient_name, d.doctor_name, d.specialization, a.appointment_date FROM
✓ 4	14:03:48	SELECT p.patient_name, d.doctor_name, d.specialization, a.appointment_date FROM

STEP :- 5. GROUP BY + COUNT Query (Number of doctors per specialization)

```

63 SELECT specialization, COUNT(doctor_id) AS Number_Of_Doctors
64 FROM Doctors1
65 GROUP BY specialization;
66

```

OUTPUT:-

fo	Session	✓	4	14:03:48	SELECT p.patient_name, d.doctor_name, d.specialization, a.a
		✓	5	14:05:01	SELECT specialization, COUNT(doctor_id) AS Number_Of_Do
		✓	6	14:05:04	SELECT specialization, COUNT(doctor_id) AS Number_Of_Do
		✓	7	14:05:06	SELECT specialization, COUNT(doctor_id) AS Number_Of_D

STEP :- 6. TRANSACTION (Doctor History)

```

7  -- 6. TRANSACTION (Doctor_History)
8  CREATE TABLE Doctor_History (
9      history_id INT PRIMARY KEY,
10     doctor_id INT,
11     event_details VARCHAR(100),
12     log_date DATE,
13     FOREIGN KEY (doctor_id) REFERENCES Doctors1(doctor_id)
14 );
15
16 START TRANSACTION;
17 INSERT INTO Doctors1 (doctor_id, doctor_name, specialization, consultation_fees)
18 VALUES (11, 'Dr. King', 'Oncology', 300.00);
19
20 INSERT INTO Doctor_History (history_id, doctor_id, event_details, log_date)
21 VALUES (1, 11, 'New Doctor Registered', CURDATE());
22 COMMIT;

```

OUTPUT:-

✓	6	14:05:04	SELECT specialization, COUNT(doctor_id) AS Number_Of_Doctors FROM Doctors1 GRO
✓	7	14:05:06	SELECT specialization, COUNT(doctor_id) AS Number_Of_Doctors FROM Doctors1 GRO
✗	8	14:06:25	CREATE TABLE Doctor_History (history_id INT PRIMARY KEY, doctor_id INT, e

STEP:- 7. INDEX creation

```
85 CREATE INDEX idx_specialization ON Doctors1(specialization);
```

OUTPUT:-



```
18 14:09:42 CREATE INDEX idx_specialization ON Doctors1(specialization)
```
