




Step 1: Open PowerShell as Administrator

1. Press **Windows**.
2. Search for **PowerShell**.



3. Right-click **Windows PowerShell**.



A screenshot of a Windows PowerShell terminal window. The title bar shows 'Windows PowerShell' with standard window controls. The terminal text reads: 'Windows PowerShell', 'Copyright (C) Microsoft Corporation. All rights reserved.', and 'PS C:\windows\system32> wsl --install'. The 'wsl' command is highlighted in yellow.

```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

PS C:\windows\system32> wsl --install
```

Step 3: Restart Your Computer

After installation, restart your PC when prompted.

Step 4: Complete Ubuntu Setup

After restarting:

1. Ubuntu opens automatically (or search for **Ubuntu** in the Start menu).
2. Wait for the installation to finish.
3. Create a Linux username.

Example:

Enter new UNIX username: PRANEETH

Step 5: Create a Password

You'll then be prompted to create a password.

New password: ****

Retype new password:****

Step 6: Update Ubuntu

```
praneeth@PRANEETH:~$ sudo apt update
Get:1 http://security.ubuntu.com/ubuntu resolute-security/
Get:2 http://security.ubuntu.com/ubuntu resolute-security/
Hit:3 http://archive.ubuntu.com/ubuntu resolute InRelease
Get:4 http://archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:5 http://archive.ubuntu.com/ubuntu resolute-backports InRelease
Get:6 http://security.ubuntu.com/ubuntu resolute-security/
Get:7 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:8 http://security.ubuntu.com/ubuntu resolute-security/
Get:9 http://security.ubuntu.com/ubuntu resolute-security/
Get:10 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:11 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:12 http://security.ubuntu.com/ubuntu resolute-security/
Get:13 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:14 http://security.ubuntu.com/ubuntu resolute-security/
Get:15 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:16 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:17 http://security.ubuntu.com/ubuntu resolute-security/
Get:18 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:19 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:20 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:21 http://archive.ubuntu.com/ubuntu resolute-updates/main
Get:22 http://security.ubuntu.com/ubuntu resolute-security/
Fetched 3173 kB in 19s (163 kB/s)
64 packages can be upgraded. Run 'apt list --upgradable' to
praneeth@PRANEETH:~$ |
```

Step 7: Install GCC (C Compiler)

```
praneeth@PRANEETH:~$ sudo apt install build-essential
build-essential is already the newest version (12.12ubuntu1)
Summary:
  Upgrading: 0, Installing: 0, Removing: 0, Not Upgrading: 0
praneeth@PRANEETH:~$ |
```

Step 8: Verify the Installation

```
praneeth@PRANEETH:~$ gcc --version
gcc (Ubuntu 15.2.0-16ubuntu1) 15.2.0
Copyright (C) 2025 Free Software Foundation, Inc.
This is free software; see the source for copying conditions.
No warranty; not even for MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
```

Step 9: Create Your C Program

```
praneeth@PRANEETH: ~  
GNU nano 8.7.1  
#include<stdio.h>  
#include<unistd.h>  
#include<string.h>  
  
int main()  
{  
char command[100];  
while(1)  
{  
printf("2520030188_SHELLFORGES$");  
fgets(command, sizeof(command), stdin);  
command[strcspn(command, "\n")] = '\0';  
  
if(strcmp(command, "exit")==0)  
break;  
  
printf("you entered %s \n", command);  
}  
  
return 0;  
}
```

Example: nano simplecommandloop.c

Step 10: Compile the Program

```
praneeth@PRANEETH:~$ gcc simplecommandloop.c -o simplecom
praneeth@PRANEETH:~$ ./simplecommandloop
2520030188_SHELLFORGES$exit
praneeth@PRANEETH:~$ |
```