

NAME :- U.PRANEETH

ROLL NO:- 2520030188

SEC N0:- 02

5.

GNU nano 8.7.1

```
#include <stdio.h>
#include <unistd.h>
#include <sys/wait.h>
#include <string.h>

int main()
{
    int fd[2];
    pid_t pid;
    char message[] = "Hello from Parent";
    char buffer[100];

    pipe(fd);

    pid = fork();

    if(pid == 0)
    {
        // Child
        close(fd[1]);

        read(fd[0], buffer, sizeof(buffer));

        printf("Child received: %s\n", buffer);

        close(fd[0]);
    }
    else
    {
        //Parent
        close(fd[0]);
        write(fd[1], message, strlen(message) + 1);

        close(fd[1]);

        wait(NULL);
    }
}
```

```
close(fd[1]),  
    wait(NULL);  
}  
return 0;  
}  
|
```

^G Help	^O Write Out	^F Where Is	^K Cut
^X Exit	^R Read File	^\ ^ Replace	^U Past

OUTPUT:-

```
praneeth@PRANEETH: ~  
praneeth@PRANEETH:~$ gcc pipes.c -o pipes  
praneeth@PRANEETH:~$ ./pipes  
Child received: Hello from Parent
```

6.

```
GNU nano 8.7.1
#include <stdio.h>
#include <sys/types.h>
#include <sys/stat.h>

int main()
{
    if (mkfifo("myfifo", 0666) == -1)
    {
        perror("mkfifo");
        return 1;
    }

    printf("FIFO created\n");

    return 0;
}
```

OUTPUT:-

```
praneeth@PRANEETH:~$ gcc fifo_read.c -o fifo_read
praneeth@PRANEETH:~$ ./fifo_read
mkfifo: File exists
```

```
praneeth@PRANEETH: ~  
GNU nano 8.7.1  
#include <stdio.h>  
#include <fcntl.h>  
#include <unistd.h>  
#include <string.h>  
  
int main()  
{  
  
    int fd;  
    char message[] = "Hello from Writer";  
  
    fd = open("myfifo", O_WRONLY);  
  
    write(fd, message, strlen(message) + 1);  
  
    close(fd);  
  
    printf("Message sent\n");  
  
    return 0;  
}
```

OUTPUT:-

(TERMINAL-1):

```
praneeth@PRANEETH: ~  
praneeth@PRANEETH:~$ gcc fifo_write.c -o fifo_write  
praneeth@PRANEETH:~$ ./fifo_write  
Message sent  
praneeth@PRANEETH:~$ |
```

(TERMINAL-2):

```
C:\Users\praneeth>wsl  
praneeth@PRANEETH:/mnt/c/Users/praneeth$ cd ~  
praneeth@PRANEETH:~$ ls  
1      fexe      fifo_read.c  keyb1.save  p4.c  p6a  p8  
1.c    fexe.c    fifo_write  myfifo      p5    p6a.c p9  
2      fifo     fifo_write.c os          p5.c  p7    p9  
2.c    fifo.c   keyb       p3.c       p6    p7.c  s1  
P3.c   fifo_read keyb.c     p4         p6.c  p8    s1  
praneeth@PRANEETH:~$ cat myfifo  
praneeth@PRANEETH:~$ |
```

